

Premier Towing
Products Manufacturer



CEQUENT™ PERFORMANCE PRODUCTS, INC.

47912 Halyard Drive • Suite 100 • Plymouth, MI 48170 • www.cequentgroup.com
CUSTOMER SERVICE: PHONE 800-632-3290 • FAX 800-249-3827
EMAIL: customerservice@cequentgroup.com • technicalservice@cequentgroup.com

DISTRIBUTION CENTERS

USA California	USA Florida	USA Michigan	USA Pennsylvania	USA Texas	CANADA Mississauga
Distribution Center 3181 S. Willow Ave. #104 Fresno, CA 93725	Distribution Center 105-2 L M Gaines Blvd. Starke, FL 32091-4535	Distribution Center 101 Spires Parkway Tekonsha, MI 49092	Distribution Center 3 Bishop Place Camp Hill, PA 17011	Distribution Center 4445 Rock Quarry Drive Building E Dallas, TX 75211	Distribution Centre 295 Superior Boulevard Unit #1 Mississauga, ON L5T 2L6

© Cequent™ Performance Products, Inc. All products & specifications subject to change without notice. Printed in the USA P/N 98929-2015 REV A 11/14 for 2015



0 16118 13135 2

2015 TOWING TRAILER & VEHICLE ACCESSORIES



Trailer & Vehicle Accessories **2015**

TOWING



We Are TOWING.



9 of the Towing & Trailering Industry's Premium Brands



DRAW-TITE®

AMERICA'S FAVORITE

The premier manufacturer of custom trailer hitches. Each hitch must pass rigorous testing to become TESTED TOUGH®. Draw-Tite leads the industry with the most complete line of hitches, towing products, and vehicle accessories.



REESE®

PIONEERING PERFORMANCE

Elite™ fifth wheels, Sidewinder™, 5th Airborne™, and weight distribution systems are designed and built to haul heavy loads. Known for "Pioneering Performance," Reese offers a complete line of towing accessories.



HIDDEN HITCH®

CANADA'S FAVOURITE

Hitches and receivers with a low profile design to complement the rear contours and aerodynamic styling of today's vehicles.



FULTON®

WAVES OF INNOVATION

Jacks, couplers, winches, and tie down straps combine innovative design, performance, and style with quality and value, making Fulton the most popular choice for recreational and marine applications.



BULLDOG®

THE CHOICE OF MILITARY AND MANUFACTURERS

Gooseneck hitches, gooseneck couplers, trailer jacks, trailer locks, trailer couplers, and Wedge-Latch® elements feature a high-strength, heavy-duty design making them the most "Tough and Trusted" to hold up under rigorous working conditions.



ROLA®

BUILT FOR EXTREMES

The source for all things cargo management. ROLA helps you transport gear on your roof, hitch, or inside your vehicle, and always in style. ROLA has bike carriers, cargo baskets & bags, roof racks, luggage carriers, organizers, and more.



PRO SERIES™

LEGENDARY VALUE

Offers the best values in one of the widest product lines including fifth wheel hitches, gooseneck hitches, weight distribution system, receiver hitches, jacks, couplers, winches, brake controls, breakaway system and cargo management items.



TEKONSHA®


LIFE'S A JOURNEY. STOP OFTEN.

The industry leader and innovator in electric trailer brake controls and breakaway systems. No matter what you are towing, Tekonsha can help you stop it.



TEKONSHA®

Tekonsha products also include T-One® connectors, ModuLite® power modules, electrical adapters and accessories to help make your electrical connections between your vehicle and trailer easy.



WESBARG®

WE'VE GOT IT WIRED

WesBarg has established itself as a trusted partner, providing a wide range of vehicle electrical connectivity products that are recognized in the light-duty trailer and recreational vehicle markets and their respective aftermarkets.



WESBARG®

Incandescent and LED vehicle and trailer lighting products from WesBarg provide an extensive variety of lighting and reflector options for agricultural, industrial, marine, recreational, and utility trailers and vehicles.

HELPING NORTH AMERICA TOW SINCE 1911

DRAW-TITE®

REESE®

HIDDEN HITCH®

TEKONSHA®



FULTON®

ROLA®

WesBarg®

PRO SERIES™




INTRODUCING HitchMatch®

A New Standard in Cargo Management Exclusively for Cequent Products

Hitch Match®

HitchMatch is a simple letter-matching system that promotes safe cargo accessory / hitch combinations.



- Match the letter on a hitch to the letter on a cargo accessory
- Note the cargo capacity for that match as listed under the letter on the accessory

HitchMatch makes the industry's leading brands more attractive than ever. It lets accessory owners carry cargo with confidence, prevents overloading, and makes purchasing hitches and cargo accessories easy.



Learn more at HitchMatch.net

TABLE OF CONTENTS

NEW! Products 4-5

RECEIVER HITCHES..... A-1

Receiver Hitches A-3 / A-13
Ultra Frame® Class V Receiver Hitches A-5 / A-6
Titan® Class V Receiver Hitches A-10 / A-11
Super Titan® Receiver Hitches A-12
Motorhome / Front Mounted Receiver Hitches A-14 / A-15
Hitch Accessories A-16

HITCH ACCESSORIES..... B-1

Hitch Balls B-3 / B-4
Ball Mounts B-5 / B-14
Hitch Accessories B-15
Pintle Hooks and Accessories B-17 / B-18
Pins / Clips / Locks / Tube Covers B-19 / B-25

ELECTRICAL WIRING & ACCESSORIES..... C-1

T-One® Connectors C-3 / C-28
ModuLite® Power Modules / Converters C-29 / C-38
2/4/5-Way Flat Connectors and Accessories C-39 / C-45
6/7-Way Connectors and Wiring C-46 / C-53
AG Wiring / Lighting C-55 / C-58
Vehicle / Trailer Adapters/Jumpers C-59 / C-62
Electrical Accessories C-63 / C-69
Technical - AG Lighting / Wiring Diagrams C-70 / C-74

WEIGHT DISTRIBUTION SYSTEMS..... D-1

Weight Distribution Systems D-3 / D-15
Sway Controls D-16 / D-17
Weight Distribution Accessories D-18 / D-19
Selecting Weight Distribution D-20

FIFTH WHEEL HITCHES..... E-1

Fifth Wheel Hitches E-3 / E-15
Fifth Wheel Hitch Accessories E-16 / E-18
Fifth Wheel Hitch Application Guide E-19 / E-26

PIN BOXES..... F-1

Gooseneck Coupler for RV's F-3 / F-4
Pin Box Conversion F-5 / F-6
Pin Boxes F-7 / F-11
Technical - Pin Boxes F-12

GOOSENECK HITCH SYSTEMS..... G-1

Gooseneck Coupler for RV's G-3 / G-4
Gooseneck Hitch Systems G-5 / G-11
Gooseneck Hitch System Accessories G-11
Technical - Gooseneck Hitch Systems G-12
Gooseneck Hitch Application Guide G-13 / G-15

BRAKE CONTROLS..... H-1

Proportional / Timed Brake Controls H-3 / H-11
Brake Control Accessories / Wiring H-11 / H-12
Brake Control Wiring Harnesses / Application Guide H-13 / H-15

CARGO MANAGEMENT..... I-1

Bike Carriers I-3 / I-14
Cargo Carriers I-15 / I-24
Cargo Bags I-25 / I-29
Truck Rack Systems I-31 / I-40
Crossbars I-41 / I-43
Securing / Nets / Cargo Bars / Accessories I-44 / I-50
Replacement Parts I-51 / I-53
HitchMatch™ Cargo Accessory Matching Guide I-55 / I-56
Roof Rack Application Guide I-57 / I-75

JACKS / COUPLERS / WINCHES..... J-1

Jacks J-3 / J-36
Couplers J-37 / J-50
Winches J-51 / J-62

VEHICLE ILLUMINATION..... K-1

Tail Lights K-3 / K-24
Auxiliary Lighting K-25 / K-26
AG Lighting and Accessories K-27 / K-30
Clearance / Side Marker Lights / LED Light Strips K-31 / K-45
ID Light Bars K-46 / K-48
License Plate Lights/Brackets / Reflectors K-49 / K-51
Porch / Utility / Interior Lights K-52 / K-56
Planograms K-57 / K-61
Technical - Federal Lighting Requirements / AG Lighting / Bulbs K-63 / K-71

LOCKS..... L-1

Hitch / Trailer / Couplers Locks L-2 / L-4
Cable / Accessory Locks L-5

TRAILER ACCESSORIES..... M-1

Breakaway Systems and Accessories M-3 / M-6
Trailer Brake Replacement Parts M-7 / M-17
Wheel Protection M-18 / M-20
Trailer Accessories M-21 / M-26

VEHICLE ACCESSORIES..... N-1

Tow Bars N-2
Transmission Coolers and Accessories N-3 / N-4
Battery Post Adapter / Isolators N-5

TOOLS / TESTERS..... O-1

Wiring / Brake Control / Circuit Testers O-2
Hitch Installation Tools O-3

MERCHANDISING..... P-1

Product Displays P-2 / P-9
Header Signs/Cards / Gondola Wallpaper P-9 / P-11
Merchandising Materials P-11 / P-13
Suggested Planogram Layouts P-15 / P-38

INDEMNIFICATION PROGRAM... Q-1

WARRANTIES..... Q-2

NUMERICAL PRODUCT LISTING..... Q-3 / Q-40

RECEIVER HITCHES

HITCH
ACCESSORIES

ELECTRICAL WIRING
& ACCESSORIES

WEIGHT DISTRIBUTION
SYSTEMS

FIFTH WHEEL
HITCHES

PIN BOXES

GOOSENECK HITCH
SYSTEMS

BRAKE CONTROLS

CARGO
MANAGEMENT

JACKS / COUPLERS /
WINCHES

VEHICLE
ILLUMINATION

LOCKS

TRAILER
ACCESSORIES

VEHICLE
ACCESSORIES

TOOLS / TESTERS

MERCHANDISING

INDEMNIFICATION PROGRAM
WARRANTY
NUMERICAL LIST

All logos / names / trademarks are copyrights of their respective companies. Reproduction of this catalog (or any part thereof) without the permission of Cequent Performance Products Inc. is prohibited by law.



FOR TOWING, TRAILERING

NEW PRO

TOWING



**20K
FIFTH WHEEL
DROP-IN
FOR RAM 2500
HD/3500 HD**
Reese® - 30160
Page E-5



PRE-ASSEMBLED 26.5K ELITE™
Reese® - 30871
Page E-3



25K FIFTH WHEEL HITCH
Pro Series™ - 30862
Page E-11



ADJUSTABLE PINTLE MOUNT
Pro Series™ - 63072
Page B-12



TOWING STARTER KITS
Draw-Tite® - 40058-002, 40238-002
Page B-11



TOWING STARTER KITS
Hidden Hitch® - 80058-002, 80472-002
Page B-11



TOWING STARTER KITS
Reese® - 83058-002, 83238-002
Page B-11



**ADJUSTABLE DUAL BALL
MOUNT**
Pro Series™ - 63071
Page B-12



**ADJUSTABLE TRI-BALL
BALL MOUNT**
Pro Series™ - 63070
Page B-12



XLT™ JACK
Fulton® - 141133
Page J-32



**BX1®
COUPLER -
NEW MODEL
BULLDOG® -
1289200300**
Page J-43



A-FRAME COUPLER
Fulton® - 44311H0301
Page J-48

JACKS/ COUPLERS/ WINCHES

& VEHICLE ACCESSORIES PRODUCTS

CARGO MANAGEMENT



THE WHEELIE™ BIKE CARRIERS
ROLA® - 59601, 59602, 59603
Page I-3, I-5, I-6



THE FRAME-UP™ BIKE CARRIERS
ROLA® - 59604, 59605, 59606
Page I-4, I-5, I-6



J-RAC KAYAK CARRIER
ROLA® - 59912
Page I-39



**ROOF RACK
REMOVABLE MOUNT GTX SERIES**
ROLA® - 59788
Page I-42



THE TUFFBAK™
ROLA® - 59119
Page I-26



**HAUL-YOUR-MIGHT™ V2 & V3
VAN RACK SYSTEMS**
ROLA® - 59622, 59623
Page I-34




TOOL RACK
ROLA® - 59792
Page I-38




CARABINER BUNGEE CORDS
Highland™ - 9417400
Page I-45

ELECTRICAL / LIGHTING / ACCESSORIES




7-WAY VEHICLE PREP KITS
Tekonsha® - 22111, 22112
Page C-4



MODULITE® WIRING KIT
Tekonsha® - 118150
Page C-35



**FIFTH WHEEL ADAPTER HARNESS,
7-WAY FLAT PIN**
WesBarg™ - 20146
Page C-50




**COILED 7-WAY MOLDED TRAILER
CONNECTORS**
WesBarg™ - 54006-043, 54006-044,
54006-045, 54006-046
Page C-49




BRAKE CONTROL WIRING HARNESS
Tekonsha® - 3014-P
Page H-13



PEDESTAL MOUNT AG LED LIGHT
WesBarg™ - 54209-032, 54209-031
Page K-27



LED FENDER CLEARANCE LIGHTS
WesBarg™ - 54201-011, 54201-013,
54201-014
Page K-36, K-44



**LED MULTI-FUNCTIONAL
STROBE LIGHTS**
WesBarg™ - 54205-020, 54205-021
Page K-45


DRAW-TITE® CUSTOM BUILT TRAILER HITCHES

DRAW-TITE GIVES YOU TOP QUALITY IN EVERY HITCH AND RECEIVER WE MAKE:

- Solid all-welded construction for maximum strength and safety.
- Custom built according to manufacturer vehicle weight specifications and model year to ensure perfect fit and top towing performance.
- All Draw-Tite hitches meet and exceed V-5 and SAE J684 standards and are inspected for quality and workmanship.
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities.
- Finish is black powder coat over A-coat (industry leading corrosion resistance).
- Backed by a nationwide limited lifetime warranty.

SELECTING THE RIGHT HITCH

- Determine the Gross Trailer Weight and Gross Tongue Weight of the trailer that you would like to tow. Check with the trailer manufacturer or if you are not sure, have it towed to a government inspection scale. Remember that the G.T.W. should reflect a fully loaded trailer.
- Consult your vehicle's owner's manual to determine if your vehicle is rated to safely tow your trailer.
- Use the chart to figure out the minimum "Class" of hitch that is required.
- Consult a Draw-Tite dealer to find out which hitches are available for your vehicle. Or visit our website: www.draw-tite.com.



RECEIVER HITCHES

RECEIVER HITCHES

Draw-Tite® Receiver Hitches - Class I / II / III / IV

Draw-Tite® Receiver Hitches - Class V Ultra Frame®

Draw-Tite® Receiver Hitches - Class V Ultra Frame®
with Cast Center Section

Hidden Hitch® Receiver Hitches - Class I / II / III / IV

Reese® Receiver Hitches - Class III / IV

Reese® Receiver Hitches - Class V Titan®

Reese® Receiver Hitches - Super Titan®

Pro Series™ Receiver Hitches - Class I / II / III / IV

ULTRA FRAME® CLASS V RECEIVER HITCHES

Ultra Frame® Class V Receiver Hitches

Ultra Frame® Class V Receiver Hitches with Cast
Center Section

Ball Mounts

Hitch Balls

Trunnion Style Weight Distribution

Ultra Frame® Work Truck Hitch

TITAN® CLASS V RECEIVER HITCHES

Titan® Class V Receiver Hitches

Titan® Ball Mounts

Hitch Balls

Titan® Receiver Extensions / Reducer Sleeve

Titan® Trunnion Style Weight Distribution

SUPER TITAN® RECEIVER HITCHES

Super Titan® Receiver Hitches

Super Titan® Ball Mounts with Hitch Balls

Super Titan® Accessories

Super Titan® Pintle Hook Mount

MOTORHOME HITCHES

Multi-Fit Motorhome Hitches

Universal Motorhome Hitches

Motorhome Class III Receiver Hitches

Step Bumper Hitches

Class III Roll Pan Receiver Hitches

FRONT MOUNTED RECEIVERS / ACCESSORIES

Front Mounted Receivers

Front Mounted Receiver Accessories

HITCH ACCESSORIES

Combo Bars

Fasteners

Safety Chain Loops





DRAW-TITE GIVES YOU TOP QUALITY IN EVERY HITCH AND RECEIVER WE MAKE:



- Solid all-welded construction for maximum strength and safety
- Custom built according to manufacturer & model year to ensure perfect fit and top towing performance
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities
- All hitches meet or exceed V-5 and SAE J684 standards and are inspected for quality and workmanship
- Backed by a nationwide limited lifetime warranty
- Black powder coat finish over A-coat

CLASS I SPORTFRAME™ Part No. Series 24XXX

- 1-1/4" square receiver tube opening
- Economical Class I receiver style hitch
- Comes complete with removable drawbar, pin and clip
- Attaches to vehicle frame and/or bumper
- Black powder coat finish over A-coat



Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 2,000 lbs.	Up to 200 lbs.

CLASS II FRAME HITCH™ Part No. Series 36XXX

- 1-1/4" square receiver tube opening
- Receiver style hitch with removable drawbar
- Comes complete with removable drawbar, pin and clip
- Neat appearance and all frame attachments
- Black powder coat finish over A-coat



Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

**NOW YOU SEE IT,
NOW YOU DON'T!
ONCE INSTALLED THE
INVISIBLE HITCH IS
COMPLETELY HIDDEN
FROM VIEW!**

CLASS I/II INVISI-HITCH™ Part No. Series 285XX

- 1-1/4" square receiver tube opening
- One piece construction for a stronger hitch and easier installation
- Direct attachment allows hitch to be affixed well under vehicle for minimum visibility when drawbar is removed
- Includes mounting hardware and easy to read instructions
- Removable drawbar & accessory adapter sold separately
- Black powder coat finish over A-coat



Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

28351

sold separately

28451

sold separately

† = Available while supply lasts.



CLASS III/IV SQUARE & ROUND TUBE MAX-FRAME™ RECEIVERS Part No. Series 75XXX

- 2" square receiver tube opening
- Max-Frame receivers are designed for customers with trucks, vans and sport utility vehicles
- Designed for today's stylish sport utility vehicles, round tube receivers complement vehicle appearance
- All frame attachments
- Black powder coat finish over A-coat
- Ball mount, hitch ball, wiring and accessories sold separately
- J-Pin ready
- 75XXX ball mounts #23 and #53 are available (Max-Frame Program)



Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 8,000 lbs.	Up to 1,200 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.



CLASS III/IV MAX-E-LOADER™ RECEIVERS Part No. Series 41XXX

- 2" square receiver tube opening
- Max-E-Loader's long side bracket design distributes the towing load over a greater portion of the tow vehicle frame
- All frame attachments
- J-Pin ready
- Black powder coat finish over A-coat

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 6,000 lbs.	Up to 600 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.



Scan this barcode with your mobile phone for quick access to HitchMatch.net

Hitch Match™

CARGO ACCESSORY MATCHING GUIDE
 What kind of cargo accessory can I use on my hitch?
 How much can I safely carry?
 Know the answers with HitchMatch™, a revolutionary new hitch and accessory matching system.

See inside back cover for program details.


CLASS V ULTRA FRAME® RECEIVERS Part No. Series 419XX

- 2" square receiver tube opening
- Designed for full-size long wheelbase trucks, vans and utility vehicles with full frames and heavy-duty suspensions
- Ideal for high tongue weight applications (Example: Toy Hauler)
- Strong, secure heavy-duty side bracket design
- All frame attachments
- J-Pin ready
- Black powder coat finish over A-coat
- Redesign of Ultra Frame® receivers to include Cast Center Section
 - Rugged appearance
 - Cast steel material
 - Bigger chain loops
 - Tighter ball mount fit
 - Reinforced pin hole


 ULTRA FRAME® RECEIVERS
With Cast Center Section


Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
CLASS V ULTRA FRAME® RECEIVERS		
Weight Carrying	Up to 15,000 lbs.	Up to 1,500 lbs.
Weight Distributing	Up to 16,000 lbs.	Up to 1,600 lbs.
CLASS V ULTRA FRAME® RECEIVERS WITH CAST CENTER SECTION		
Weight Carrying	Up to 16,000 lbs.	Up to 2,400 lbs.
Weight Distributing	Up to 16,000 lbs.	Up to 1,600 lbs.

NOTE: Contact Customer Service for availability of new Cast Center Section part numbers

SOLID SHANK BALL MOUNTS


STYLE 1

STYLE 3

Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
4280	12,000/1,200	1-1/4"	8-1/2"	1"	2"	1
4284	12,000/1,200	1-1/4"	12"	1"	2"	1
4281	12,000/1,200	1-1/4"	8-1/2"	3"	4"	3
4285	12,000/1,200	1-1/4"	12"	3"	4"	3
4282	12,000/1,200	1-1/4"	9-1/2"	5"	6"	3
4283	12,000/1,200	1-1/4"	9-1/2"	7"	8"	3

HITCH BALLS



All hitch balls
designed with
wrench flats

Ball Dia. A	Finish Zinc	Chrome	Shank Dia. B	Shank Length C	Drawbar Thickness Range	GTW GVWR Rating
2-5/16"	63835	63834	1-1/4"	2-3/4"	3/8"-1"	12,000
2-5/16"	-	63836#	1-1/4"	2-3/4"	3/8"-1"	14,000
2-5/16"	-	63840#	1-1/4"	2-3/4"	3/8"-1"	20,000

Hitch ball requires use with like rated receiver & ball mount. Consult tow vehicle owners manual for maximum towing capacities.

WEIGHT DISTRIBUTING TRUNNION STYLE

- Raised hitch ball platform eliminates the need for raised hitch balls
- Easy-to-use serrated washer
- Forged ball platform and spring bar mounts
- Rated up to 15,000 lbs. GTW / 1,500 lbs. TW



66131

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66131##	Weight Distributing Hitch	15,000 lbs.	1,500

Use Shank #63970 or #63971

Designed to be used with Ultra Frame® receivers

† = Available while supply lasts.

ULTRA FRAME® WORK TRUCK HITCH

**MANUFACTURED FOR SERVICE BODY
& FLAT BED STAKE TRUCKS**




#41991 - 62" Center Section

MIX & MATCH CENTER SECTION AND SIDE BRACKETS



#4916 - Side Bracket Kit



#4907 - Side Bracket Kit



**#58374 - End Caps
are also available**



#41990 - 44" Center Section

- **VERSATILE FOR VARIOUS MAKES AND MODELS**
- **FABRICATION KIT REQUIRES WELDING**
- **41991 SATISFIES DOT SEC. 393 .86 (B) (1)**

ULTRA FRAME® SERVICE BODY RECEIVERS

Part No.	Description	GTW	TW
41991-07	Includes 41991 (62") & 4907	16,000 lbs.	1,600 lbs.
41991-16	Includes 41991 (62") & 4916	16,000 lbs.	1,600 lbs.
41990-07	Includes 41990 (44") & 4907	16,000 lbs.	1,600 lbs.
41990-16	Includes 41990 (44") & 4916	16,000 lbs.	1,600 lbs.

† = Available while supply lasts.



HIDDEN HITCH - FEATURES AND BENEFITS

- Solid all-welded construction for maximum strength and safety
- Custom built according to manufacturer & model year to ensure perfect fit and top towing performance
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities
- All hitches meet or exceed V-5 and SAE J684 standards and are inspected for quality and workmanship
- Backed by a nationwide limited lifetime warranty
- Black powder coat finish over A-coat



CLASS I Part No. Series 6XXXX

- 1-1/4" square receiver tube opening
- Economical Class I receiver style hitch
- Comes complete with removable drawbar, pin and clip
- Attaches to vehicle frame and/or bumper
- Black powder coat finish over A-coat

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 2,000 lbs.	Up to 200 lbs.



CLASS II Part No. Series 9XXXX

- 1-1/4" square receiver tube opening
- Receiver style hitch with removable drawbar
- Comes complete with removable drawbar, pin and clip
- Neat appearance and all frame attachments
- Black powder coat finish over A-coat

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

**NOW YOU SEE IT,
NOW YOU DON'T!
ONCE INSTALLED THE
INVISIBLE HITCH IS
COMPLETELY HIDDEN
FROM VIEW!**



CLASS I/II INVISI-HITCH™ Part No. Series 285XX

- 1-1/4" square receiver tube opening
- One piece construction for a stronger hitch and easier installation
- Direct attachment allows hitch to be affixed well under vehicle for minimum visibility when drawbar is removed
- Includes mounting hardware and easy to read instructions
- Removable drawbar & accessory adapter sold separately
- Black powder coat finish over A-coat

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

† = Available while supply lasts.



CLASS III/IV SERIES Part No. Series 7XXXX, 825XX, 87XXX

- 2" square receiver tube opening
- Includes mounting hardware and easy to read instructions
- Ball mount sold separately on 825XX
- Ball mount, hitch ball, wiring and accessories sold separately
- J-Pin ready
- 7XXXX & 87XXX ball mounts #127 and #139 are available (Receiver Plus Program)
- Black powder coat finish over A-coat

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 8,000 lbs.	Up to 1,200 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.



CLASS III/IV UNIVERSAL MULTI-FIT RECEIVER

- SHIPPED IN RETAIL CARTON
- Up to 6,000 lbs. / 600 lbs. WC - 10,000 lbs. / 1,000 lbs. WD
- Designed to fit a wide range of pick-up trucks
- Includes hitch receiver cover, mounting hardware and easy to read instructions
- Ball mount, hitch ball, wiring and accessories sold separately
- Black powder coat finish over A-coat

Part No.	Description
82000	Class III/IV Multi-Fit Receiver



Scan this barcode with your mobile phone for quick access to HitchMatch.net

Hitch Match™

CARGO ACCESSORY MATCHING GUIDE

What kind of cargo accessory can I use on my hitch?

How much can I safely carry?

Know the answers with HitchMatch™, a revolutionary new hitch and accessory matching system.

See inside back cover for program details.

QUICK DEFINITIONS

GTW = Gross Trailer Weight ... Weight of the trailer fully loaded

TW = Tongue Weight ... Weight exerted by the trailer coupler on the hitch ball

WC = Weight Carrying ... Tow rating capacity of a hitch without a weight distributing system

WD = Weight Distributing ... Tow rating capacity of a hitch when using a weight distributing system

† = Available while supply lasts.

REESE GIVES YOU TOP QUALITY IN EVERY HITCH AND RECEIVER WE MAKE:



- Solid all-welded construction for maximum strength and safety
- Custom built according to manufacturer & model year to ensure perfect fit and top towing performance
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities
- All hitches meet or exceed V-5 and SAE J684 standards and are inspected for quality and workmanship
- Backed by a nationwide limited lifetime warranty
- Black powder coat finish over A-coat

CLASS III/IV PROFESSIONAL RECEIVERS

Part No. Series 33XXX, 44XXX



- 2" square receiver tube opening
- Round tube designs available on some models
- Includes distinctive patented collar and plug
- Ball mount, pin & clip sold separately
- Many applications are "no drill" for fast and easy installation
- Black powder coat finish over A-coat

Description	Gross Trailer Wt.	Maximum Rated Capacity
		Tongue Wt.
Weight Carrying	Up to 8,000 lbs.	Up to 1,200 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.

CLASS III/IV PREMIUM RECEIVERS

Part No. Series 35XXX, 36XXX, 37XXX



- 2" square receiver tube opening
- Round tube designs available on some models
- Boxed for easy shipping
- Includes distinctive patented collar and plug
- Ball mount, pin & clip sold separately
- Designed for a great custom fit
- Many applications are "no drill" for fast and easy installation
- Black powder coat finish over A-coat

Description	Gross Trailer Wt.	Maximum Rated Capacity
		Tongue Wt.
Weight Carrying	Up to 7,500 lbs.	Up to 750 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.

QUICK DEFINITIONS

GTW = Gross Trailer Weight ... Weight of the trailer fully loaded

TW = Tongue Weight ... Weight exerted by the trailer coupler on the hitch ball

WC = Weight Carrying ... Tow rating capacity of a hitch without a weight distributing system

WD = Weight Distributing ... Tow rating capacity of a hitch when using a weight distributing system

† = Available while supply lasts.



CLASS III/IV MULTI-FIT RECEIVERS

Part No. 37034, 37051, 37069, 37152

- 2" square receiver tube opening
- 4 hitch models fit full-size pick-up trucks, SUVs and full-size vans, and light pick-up trucks
- 37034 & 37051 features a contemporary round tube design
- Boxed for easy shipping
- Includes distinctive patented collar and plug
- Ball mount, pin & clip sold separately
- Black powder coat finish over A-coat
- Limited 3 year warranty



Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 7,000 lbs.	Up to 700 lbs.
Weight Distributing	Up to 12,000 lbs.	Up to 1,200 lbs.



*See page A-11 for accessories
for the Titan Receivers*

CLASS V TITAN® RECEIVERS Part No. Series 45XXX

- 2-1/2" square receiver tube opening
- Designed for full-size long wheelbase trucks, vans and utility vehicles with full frames and heavy-duty suspensions
- Ideal for high tongue weight applications (Toy Hauler & Commercial)
- Strong, secure heavy-duty side bracket design
- All frame attachments
- Pin, clip and receiver tube cover included
- Black powder coat finish over A-coat
- Welded electrical bracket included

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 18,000 lbs.	Up to 2,000 lbs.
Weight Distributing	Up to 18,000 lbs.	Up to 2,500 lbs.



Scan this barcode
with your mobile
phone for quick
access to
HitchMatch.net

Hitch Match™

CARGO ACCESSORY MATCHING GUIDE

What kind of cargo accessory can I use on my hitch?
How much can I safely carry?
Know the answers with HitchMatch™, a revolutionary
new hitch and accessory matching system.

See inside back cover for program details.



45322

45122



45325



All hitch balls built with wrench flats

TITAN® BALL MOUNTS

- 2-1/2" square shank for use exclusively with Titan® receivers

Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
45122	14,000/1,400	1-1/4"	9-1/2"	1-1/2"	3"	3
45123	13,000/1,300	1-1/4"	10"	3-1/2"	5"	3
45291	13,000/1,300	1-1/4"	10-1/2"	-	7-3/4"	3
45322	18,000/2,000	1-1/4"	10"	1-1/2"	3"	3
45323	18,000/2,000	1-1/4"	10"	3-1/2"	5"	3

Part No.	Description	Rating (lbs.) GTW/TW	Shank Length	Ball Size
45325	Titan® Tri-Ball Mount, Hollow Shank, Black Balls	2,000/200 10,000/1,000 14,000/1,400	8-3/4" 8-3/4" 7-1/2"	1-7/8" 2" 2-5/16"

HITCH BALLS

Ball Dia. A	Finish Zinc	Finish Chrome	Shank Dia. B	Shank Length C	Drawbar Thickness Range	GTW GVWR Rating
2-5/16"	-	63836#	1-1/4"	2-3/4"	3/8"-1"	14,000
2-5/16"	-	63840#	1-1/4"	2-3/4"	3/8"-1"	20,000

Hitch ball requires use with like rated receiver & ball mount. Consult tow vehicle owners manual for maximum towing capacities.

TITAN® RECEIVER EXTENSIONS

- Ideal for slide-out campers with extended overhangs
- 2" opening for use w/standard ball mounts & hitch-mounted accessories
- For use with Titan® receivers only
- Integrated electrical bracket attached



45292

Part No.	Description	Length	WC(lbs.)	WD(lbs.)
45292	Receiver Extension	24" 34"	6,000 4,500	8,000 6,000
45018	Receiver Extension	41" 48"	5,000 4,000	7,500 6,000



58102


TITAN® REDUCER SLEEVE

- Reduces 2-1/2" Titan® receiver to 2" opening for hitch-mounted accessories

Part No.	Description
58102	Titan® Reducer Sleeve from 2-1/2" to 2"
58431	Reducer Bushing w/Collar, 2-1/2" square receiver tube opening to 2"

TITAN® WEIGHT DISTRIBUTING TRUNNION STYLE

- Trunnion style WD kit with integrated cams for use with Dual Cam Sway Control
- Perfect for use with horse trailers and RV's with **heavy tongue** weights, great for agricultural, marine and recreational use
- Adjustable hitch bar sold separately



Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66006	Weight Distributing Hitch	17,000 lbs.	1,700

Use Shank #54976 or #54977

† = Available while supply lasts.



SUPER TITAN® 4000 - 25K

- Large 3" square receiver opening
- Rated for 25,000 lbs. weight carry capacity; 4,000 lbs. tongue weight
- Dual stacked receiver tubes for proper height adjustments
- Two electrical plug and air brake hook up mounting locations for easy trailer attachments
- For frame widths from 34" to 34-1/2"
- Air brake fittings for easy trailer hookups
- 2-5/16" ball and ball mount included
- Pin & clip included

Note: 38124 is 14-1/2" from bottom of frame to bottom of dual stacked receiver tube

Note: 38208 is 10-1/2" from bottom of frame to bottom of dual stacked receiver tube

Part No.	Description
38124	Super Titan® 4000 25K Weld-On Receiver w/3" Sq. Ball Mount & 2-5/16" Ball, Includes 3/4" Pin & Clip
38208	Super Titan® 4000 25K Bolt-On Receiver w/3" Sq. Dual Ball Mount, 2" & 2-5/16" Balls, Includes 3/4" Pin & Clip

SUPER TITAN® 3000 - 20K

- Large 3" square receiver opening
- 20,000 lbs. weight carry capacity; 3,000 lbs. tongue weight
- Adjustable cross tube for proper height
- Two electrical plug and air brake hook up mounting locations for easy trailer attachments
- Air brake hook up locations
- 2-5/16" ball and ball mount included
- Pin & clip included
- For frame widths from 33-1/2" to 34-1/2"
- Welds to frame of vehicle

Note: 38023 is 10" from bottom of frame to bottom of receiver tube

Note: 38211 is 14-1/2" from bottom of frame to bottom of receiver tube

Part No.	Description
38023	Super Titan® 3000 20K Weld-On Receiver w/3" Sq. Ball Mount & 2-5/16" Ball, Includes 3/4" Pin & Clip
38211	Super Titan® 3000 20K Weld-On Receiver w/3" Sq. Ball Mount & 2-5/16" Ball, Includes 3/4" Pin & Clip

SUPER TITAN® DUAL BALL MOUNT

- For 3" square receivers • 9" Length
- Includes 2" (17,000 lbs.) & 2-5/16" (25,000 lbs.) hitch balls

Part No.	Description
38180	Super Titan® Dual Ball Mount

SUPER TITAN® ACCESSORIES

Part No.	Description
58388	Super Titan® 3/4" Hitch Pin and Clip for 3" Square
38735	Super Titan® Reducer Sleeve from 3" to 2"

SUPER TITAN® PINTLE HOOK MOUNT

- Designed for 3" receivers
- Converts 3" receivers for use with pintle-type trailers, quickly and easily
- Provides mounting for both ball and combo pintle hooks
- Pin and clip must be ordered separately (3/4" hitch pin diameter required)

Part No.	Description
38186	Super Titan® Pintle Hook Mount, 25,000 lbs. capacity

† = Available while supply lasts.

PRO SERIES™ RECEIVER HITCHES



- Solid all-welded construction for maximum strength and safety
- Custom built according to manufacturer & model year to ensure perfect fit and top towing performance
- Computer-aided design and fatigue stress testing ensure a strong design that will withstand road abuse within specified capacities
- All hitches meet or exceed V-5 and SAE J684 standards and are inspected for quality and workmanship
- Backed by a nationwide 3-year limited warranty
- Black powder coat finish over A-coat

CLASS I RECEIVERS Part No. Series 51XXX



- 1-1/4" square receiver tube opening
- Economical Class I receiver style hitch
- Comes complete with removable drawbar, pin and clip
- Attaches to vehicle frame and/or bumper
- Black powder coat finish over A-coat

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 2,000 lbs.	Up to 200 lbs.

CLASS II RECEIVERS Part No. Series 51XXX



- 1-1/4" square receiver tube opening
- Receiver style hitch with removable drawbar
- Comes complete with removable drawbar, pin and clip
- Neat appearance and all frame attachments
- Black powder coat finish over A-coat

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 3,500 lbs.	Up to 300 lbs.

CLASS III/IV SQUARE & ROUND TUBE RECEIVERS

Part No. Series 51XXX



- 2" square receiver tube opening
- Pro Series™ receivers are designed for customers with trucks, vans and sport utility vehicles
- Designed for today's stylish sport utility vehicles, round tube receivers complement vehicle appearance
- All frame attachments
- J-Pin ready
- Black powder coat finish over A-coat

Description	Maximum Rated Capacity	
	Gross Trailer Wt.	Tongue Wt.
Weight Carrying	Up to 6,000 lbs.	Up to 600 lbs.
Weight Distributing	Up to 10,500 lbs.	Up to 1,050 lbs.

QUICK DEFINITIONS

GTW = Gross Trailer Weight ... Weight of the trailer fully loaded

TW = Tongue Weight ... Weight exerted by the trailer coupler on the hitch ball

WC = Weight Carrying ... Tow rating capacity of a hitch without a weight distributing system

WD = Weight Distributing ... Tow rating capacity of a hitch when using a weight distributing system

† = Available while supply lasts.



5350

MULTI-FIT MOTORHOME HITCH

- 2" receiver tube accepts all standard utility ball mounts, providing ball height adjustment for level towing
- Simple three-piece construction makes assembly and installation fast and easy
- Attachment hardware included
- J-Pin ready
- Black powder coat finish over A-coat



Part No.	Description
5350	Motorhome Hitch, Adjusts 24"-46" wide 6,000/750 lbs. WD – 5,000/500 lbs. WC



82200

UNIVERSAL MOTORHOME HITCH

- Frame brackets are adjustable



Part No.	Description
82200	Motorhome Hitch, Adjusts 31"-46" wide 6,000/750 lbs. WD – 5,000/500 lbs. WC
82201	Motorhome Hitch, Adjusts 47"-71" wide 3,500/300 lbs. WC



36010

MOTORHOME CLASS III RECEIVER

- Features adjustable brackets to fit different frame widths
- Ideal for Class A & Class C motorhomes
- 2" hitch box opening



Part No.	Description
36010	5,000 WC, universal up to 46" wide



81378

STEP BUMPER HITCHES

- Do not exceed maximum GTW of bumper or hitch
- Not to be used with weight distributing systems
- May require modification or additional spacers for installation on late model pick-ups



Part No.	Description
81378	Class II Step Bumper and Receiver Hitch not for use with weight distributing equipment



82574


CLASS III ROLL PAN RECEIVERS Part No. Series 8257X

- Up to 5,000 lbs. / 500 lbs. WC - 7,500 lbs. / 750 lbs. WD
- Designed to fit late model pick-up trucks with factory close-out panels or after-market roll pans
- May require cutting of the roll pan
- May require use of a flip-down license plate bracket - not included
- Includes mounting hardware and easy to read instructions



Part No.	Year	Application	Roll Pan Style	O.E.M. or Aftermarket	Through License Plate or Below	Spare tire May Be Retained Under Vehicle Except
82574	88-00	Chevy/GMC Full Size Pickup Old Body Style	1	Aftermarket	Through	P245/75R16, P265/75R16 on short box models only
82575	99-05	Chevy/GMC New Body Style	1	Aftermarket	Through	P245/75R16 on short box models only
82571	83-04	Chevy/GMC S-10, S-15, Sonoma	2	OEM	Through	All on short box only

ROLLPAN



† = Available while supply lasts.



FRONT MOUNTED RECEIVERS

Part No. Series 65XXX

- Up to 9,000 lbs. Line Pull / 500 lbs.TW
- 2" square receiver tube opening
- Front mounted receivers offer a secure and useful attachment point
- All frame attachments
- J-Pin ready
- Ideal for use with winches and snow plows
- Black powder coat finish over A-coat



6495



6980



6715



6758



5443



49802



6771

WINCH ADAPTER

Our front mounted receivers are rated for 9,000 lbs. line pull. This makes them ideal for use with winches. We offer a winch adapter that connects the winch to the receiver. They accept most models of Superwinch, Ramsey and Warn. Will not fit with S-4500 Superwinch.

Part No.	Description
6495	Winch Mounting Plate
6980	Handle Kit for #6495 Winch Mounting Plate

SPARE TIRE CARRIER

The spare tire carrier is ideal for relocating spare tires to the front of the vehicle using a front mounted receiver. It has a universal bolt pattern for mounting a variety of tire sizes.

Part No.	Description
6715	Spare Tire Carrier

WORK STEP

The work step is useful for gaining access to engine compartment, particularly with 4WD vehicles. Can also be used on rear Class III/IV receivers.

Part No.	Description
6758	Work Step

LICENSE PLATE ADAPTER

Some States and Provinces require a front license plate. The license plate adapter offers a simple solution where the front hitch interferes with the plate.

Part No.	Description
5443	License Plate Adapter

FOLD DOWN LICENSE PLATE HOLDER


Part No.	Description
49802	Fold Down License Plate Holder

RECEIVER TUBE SKID SHIELD

Off road enthusiasts know what this one is for. It is recommended for use with receivers that are mounted below the bumper.

Part No.	Description
6771	Receiver Tube Skid Shield

† = Available while supply lasts.



COMBO BARS - UNPAINTED

Designed for use in fabricating undercar receiver hitches when a receiver is not available.

- Made of cold formed structural tubing
- Sized and punched to fit all common weight distributing hitch ball mounts or utility ball mounts

Part No.	Length	Dia.	Ring
2850	6"	2" x 2"	Standard
11081	8"	2" x 2"	Standard
2851	12"	2" x 2"	Standard
2898	18"	2" x 2"	Standard
2852	24"	2" x 2"	Standard
2853	36"	2" x 2"	Standard
2854	48"	2" x 2"	Standard
3006	6"	1-1/4" x 1-1/4"	Standard
5691	12"	2" x 2"	Cast
5692	18"	2" x 2"	Cast
11029	18"	2-1/2" x 2-1/2"	Cast



COMBO BARS - PAINTED

Part No.	Length	Dia.	Ring
80806	6"	2" x 2"	Standard
80812	12"	2" x 2"	Standard
80818	18"	2" x 2"	Standard



FASTENERS

- Bulk Packaged

Part No.	Description
49803	Fastener Assortment (Carriage bolts, blocks, etc...)



SAFETY CHAIN LOOPS


Part No.	Description
4234	2,000 lbs. Class I Safety Chain Loop
1962	5,000 lbs. Class II/III Safety Chain Loop
34141	10,000 lbs. Class IV Safety Chain Loop

† = Available while supply lasts.

SELECTING THE RIGHT BALL MOUNT & HITCH BALL

LENGTH

Distance from the center of the ball hole to the center of the pin hole



RISE

Distance from the top of the shank to the top of the ball platform



DROP

Distance from the top of the shank to the top of the ball platform



SELECTING THE RIGHT BALL MOUNT

Tow vehicle and trailer level





For safe, comfortable towing, the trailer should always be set up to tow on a level plane.

Trailer not level



Sometimes a trailer's tongue is higher or lower than the ball mount on the vehicle, and a ball mount with a "rise" or a "drop" is required to level the trailer.



MEASURING FOR THE PROPER BALL MOUNT

1. Measure from the ground to the top of the hitch.
2. Measure from the ground to the (inside) top of the trailer coupler, when level.
3. Subtract the height of the hitch ball (most are 2-1/2" - 3" high) from coupler measurement.
4. An 8" drop is needed to make the trailer level.

THE DIFFERENCE IN THE TWO MEASUREMENTS IS THE AMOUNT OF BALL MOUNT "RISE" OR "DROP" REQUIRED.

SELECTING THE RIGHT HITCH BALL

Selecting the right hitch ball is a must for trouble-free towing.

Always use the properly rated hitch ball for your towing system.

- Your towing system's maximum weight rating is always equal to the lowest rated item in the system
- Your hitching system cannot be upgraded to a rating higher than the maximum rating of your hitch


For example, a 3,500 lbs. ball on a 2,000 lbs. max trailer weight-rated hitch does not increase your towing capacity to 3,500 lbs. Your hitching system is still rated at 2,000 lbs.

Conversely, a 2,000 lbs. ball on a 3,500 lbs. max trailer weight-rated hitch decreases your maximum towing capacity to 2,000 lbs.

The hitch ball diameter (A) must be the same diameter as the trailer coupler (1-7/8", 2", or 2-5/16").

The shank diameter (B) of the hitch ball should be the same as the hole diameter in the (correct) ball mount you selected.

The shank length (C) should be long enough to allow at least two threads to be visible when the hitch ball is installed and the nut completely tightened.



HITCH ACCESSORIES

HITCH BALLS

Interchangeable Hitch Ball System

Hitch Balls

BALL MOUNTS

Class I & II Drawbars

Ball Mounts

Solid Forged Ball Mounts

Aluminum Solid Forged Ball Mounts

Hollow Shank Ball Mounts

Solid Shank Ball Mounts

Titan® Ball Mounts

Cushioned Ball Mounts

Towing Starter Kits

Adjustable Ball Mounts

Reversible Dual / Tri-Ball Mounts

Super Titan® Dual-Ball Mounts

Titan® Tri-Ball Mount

HITCH ACCESSORIES

Bumper Guard

Reducer Bushing

Receiver Adapters

Reducer Sleeves

Receiver Extensions

PINTLE HOOKS AND ACCESSORIES

Pintle Hooks / Mounts

Pintle Accessories

PINS / CLIPS / LOCKS / TUBE COVERS

Pins and Clips

Hitch / Trailer / Couplers Locks

Tube Covers



Designed to accommodate towing multiple trailers with ease, Tow Ready Interchangeable Hitch Ball System allows you to change hitch ball sizes in seconds without any tools. Available in 2 and 3-ball sets, these kits feature a quick-release, positive-latch design. Available in 3/4" and 1" shank models.



INTERCHANGEABLE HITCH BALL SETS

- Innovative quick release changes balls in seconds
- Rated capacities up to 8,000 lbs.
- Durable heat treated shank
- New positive latch design
- No special tools required

Part No.	Shank	Ball A	Ball B	Ball C	Max GTW (lbs.)
63801	3/4"	1-7/8"	2"	—	5,000
63802	1"	1-7/8"	2"	—	8,000
63804	1"	—	2"	2-5/16"	8,000
63803	1"	1-7/8"	2"	2-5/16"	8,000

STEP 1: ATTACH SHANK

- Attach correct shank to drawbar or ball mount
- Torque to required tightness

STEP 2: ATTACH BALL

- Select the correct ball size for your trailer
- Place ball on shank

STEP 3: TIGHTEN LOCKING HEAD

- Innovative locking screw requires only 1/4 turn to secure
- No need for special tools

YOU'RE TOW READY!

REPLACEMENT PARTS

Part No.	Description	Max GTW (lbs.)
63805	1-7/8" Interchangeable Hitch Ball Head	—
63806	2" Interchangeable Hitch Ball Head	—
63807*	2-5/16" Interchangeable Hitch Ball Head	—
63808	3/4" Interchangeable Hitch Ball Shank	5,000
63809	1" Interchangeable Hitch Ball Shank	8,000

* Only to be used with a 1" shank

† = Available while supply lasts.



All hitch balls built with wrench flats

HITCH BALLS

- Solid steel hitch balls engineered to meet all safety requirements of VESC regulation V-5
- Cold forged for superior strength
- When installing hitch balls, torque all 3/4" shank dia. (B) balls to 160 ft. lbs., 1" shank dia. (B) balls to 250 ft. lbs., and 1-1/4" shank dia. (B) balls to 450 ft. lbs.



63840



63851



63880



63810-006

HITCH BALLS

Ball Dia. A	Shank Dia. B	Shank Length C	Drawbar Thickness Range	GTW GVWR Rating	Zinc Bulk	Zinc Ind. Packaged	Chrome Bulk	Chrome Ind. Packaged	Chrome 6 Pack Display	Stainless Ind. Packaged
1-7/8"										
	3/4"	1-1/2"	3/8"-5/8"	2,000	63811	63881	63810	63880	63810-006	
	3/4"	2-3/8"	3/8"-1-3/8"	2,000	63813		63812	63882		
	3/4"	3-3/8"	3/8"-2-1/8"	2,000			63814			
	1"	2-1/8"	3/8"-3/4"	2,000	63817	63885	63816	63884	63816-006	63851
	1"	3-3/8"	3/8"-2-1/8"	2,000	63819		63818			
2"										
	3/4"	1-1/2"	3/8"-5/8"	3,500	63821	63888	63820	63887		
	3/4"	2-3/8"	3/8"-1-3/8"	3,500	63823		63822	63889		
	3/4"	3-3/8"	3/8"-2-1/8"	3,500			63824			
	1"	2-1/8"	3/8"-3/4"	6,000						63852
	1"	2-1/8"	3/8"-3/4"	7,500	63848	63910	63845	63909	63845-006	
	1"	3-3/8"	3/8"-2-1/8"	7,500	63850		63849			
	1-1/4"	2-3/4"	3/8"-1"	8,000	63831		63830	63899		
2-5/16"										
	1"	2-1/8"	3/8"-3/4"	6,000						63853
	1"	2-1/8"	3/8"-3/4"	7,500	63846	63907	63847	63908	63847-006	
	1-1/4"	2-3/4"	3/8"-1"	12,000	63835	63897	63834	63896		
	1-1/4"	2-3/4"	3/8"-1"	14,000			63836#			
	1-1/4"	2-3/4"	3/8"-1"	20,000			63840#			
50mm (1,600 kg)										
	3/4"	1-1/2"	3/8"-5/8"	3,500			63912			

Hitch ball requires use with like rated receiver & ball mount. Consult tow vehicle owners manual for maximum towing capacities.



028351

PRECISION MACHINED COUPLER BALLS



Coupler balls are precision machined from high-strength steel bars. Coupler balls are carefully shaped and are recommended for BULLDOG couplers.

- Ball diameters from 2" to 2-5/16"
- High-strength steel
- Standard configurations available for a wide variety of applications

Part No.	Rated Capacity	Description	Unit Wt. Lbs.
028375	3,000	2" with 3/4" shank	2.4
028351 ♦	5,000	2" with 1" shank	2.5
028352	7,000	2" with 1" shank (heat treated)	2.5
028400 ♦	12,500	2-5/16" with 1-1/4" shank	4



♦ DENOTES MOST POPULAR

† = Available while supply lasts.

CLASS I & II DRAWBARS

We offer ball mounts and drawbars in three separate styles: straight cut, angle cut and drop cut. Refer to the styles below to select the mount that best suits your needs.

DRAWBAR TYPES



CLASS I DRAWBAR KITS

- Boxed includes drawbar, pin and clip
- Black powder coat finish over A-coat
- Fits 1-1/4" square receiver tube opening

Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
3590	2,000/200	3/4"	6-5/8"	5/8"	N/A	1
3591	2,000/200	3/4"	9-3/4"	5/8"	N/A	1
3592	2,000/200	3/4"	9-3/4"	2-1/8"	2-3/4"	3
3593	2,000/200	3/4"	6-5/8"	2-1/8"	2-3/4"	3
3594	2,000/200	3/4"	10"	4"	N/A	2

NOTE: Class I drawbar applications are specific. The correct replacement drawbar part number is listed on each Class I hitch installation instruction sheet.

CLASS II DRAWBAR KITS

- Boxed includes drawbar, pin and clip
- Black powder coat finish over A-coat
- Fits 1-1/4" square receiver tube opening

Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
36051	3,500/300	3/4"	7"	5/8"	1-1/4"	1
36053	3,500/300	3/4"	9-3/4"	5/8"	1-1/4"	1
36061	3,500/300	3/4"	9-3/4"	3-1/8"	N/A	2
36063	3,500/300	3/4"	11-3/4"	3-1/8"	N/A	2
36065	3,500/300	3/4"	10"	5"	N/A	2
36071	3,500/300	3/4"	7-3/16"	2-5/8"	3-1/4"	3
36078*	3,500/300	3/4"	7-3/8"	-	4-3/4"	3

* Fits 1-1/4" OEM Ford Explorer, Lincoln Aviator & Mercury Mountaineer hitch


NOTE: Class II drawbar applications are specific. The correct replacement drawbar part number is listed on each Class II hitch installation instruction sheet.

DRAWBAR OEM KITS

Part No.	Description
83637	Drawbar Kit for OEM Dodge Magnum hitch, 2,000 lbs. (includes pin and clip)

INVISI-HITCH™ ACCESSORIES

Part No.	Description
28451	Drawbar Kit, 2,000 lbs. (includes swivel pin)
28351	Accessory Adapter Kit (includes swivel pin)




† = Available while supply lasts.

SELECTING THE PROPER BALL MOUNT: BALL MOUNT MEASUREMENTS



LENGTH

Distance from the center of the ball hole to the center of the pin hole




RISE

Distance from the top of the shank to the top of the ball platform



DROP

Distance from the top of the shank to the top of the ball platform



MAX FRAME MOUNT KITS – CLASS III/IV

- Fits 2" square receiver tube opening
- Includes pin and clip
- Black powder coat finish over A-coat

Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
2923	7,500/750	1"	8-1/2"	3/4"	2"	2
2953	7,500/750	1"	9"	2-3/4"	4"	2

EASY LOAD BALL MOUNTS

Featuring a revolutionary tapered shank design, easy-load ball mounts provide an easy connection to the receiver.

- Angle cut design
- Fits 2" square receiver tube opening
- Black powder coat finish over A-coat

STYLE 2
ANGLE CUT



STYLE 3
DROP CUT

Part No.	Bulk Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
40342	40342-006	7,500/750	1"	8-1/2"	3/4"	2"	2
40343	40343-006	6,000/600	1"	10-1/2"	3/4"	2"	2
40344	40344-006	7,500/750	1"	9"	2-3/4"	4"	2
40345	40345-006	6,000/600	1"	11"	2-3/4"	4"	2
40346	40346-002	6,000/600	1"	9-1/2"	4-3/4"	6"	2

Note: Pin and clip sold separately

UTILITY BALL MOUNTS

- Fits 2" square receiver tube opening
- Bulk boxed
- Black powder coat finish over A-coat

Part No.	Bulk Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
2736	2736-006	5,000/500	1"	12"	3/4"	2"	1
2793	2793-002	5,000/500	1"	10"	6-3/4"	8"	3
2706		3,500/350	1"	9"	9-3/4"	-	3
		5,000/500	1"	9"	-	11"	

Note: Pin and clip sold separately

PACKAGED ANGLED CUT BALL MOUNTS

- Fits 2" square receiver tube opening
- Includes pin and clip
- Black powder coat finish over A-coat



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
40443	6,000/600	1"	10-1/2"	3/4"	2"	2
40446	6,000/600	1"	9-1/2"	4-3/4"	6"	2

† = Available while supply lasts.



STYLE 2



STYLE 3



21343

21346



PACKAGED CLASS III BALL MOUNTS

- Includes pin and clip
- Fits 2" square receiver tube opening



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
80127	7,500/750	1"	8-1/2"	3/4"	2"	2
80139	7,500/750	1"	9"	2-3/4"	4"	2

CLASS III BALL MOUNTS

- Black powder coat finish over A-coat
- Fits 2" square receiver tube opening



Part No.	Bulk Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
80227	80227-006	7,500/750	1"	8-1/2"	3/4"	2"	2
80226	80226-006	6,000/600	1"	10-1/2"	3/4"	2"	2
80232		6,000/600	1"	16"	3/4"	2"	2
80239*	80239-006*	7,500/750	1"	9"	2-3/4"	4"	2
80228	80228-006	6,000/600	1"	11"	2-3/4"	4"	2
80233		6,000/600	1"	16"	2-3/4"	4"	2
80240*		6,000/600	1"	9-1/2"	4-3/4"	6"	2
80213*	80213-002*	5,000/500	1"	10"	6-3/4"	8"	3
80248		5,000/500	1"	9"	-	11"	3
		3,500/350	1"	9"	9-3/4"	-	

* Not angle cut

Note: Pin and clip sold separately

QUICK-LOADING CLASS III BALL MOUNTS

Reese quick-loading ball mounts feature a revolutionary, angle-cut design. Provides a quick and easier connection to the receiver. All ball mounts meet or exceed SAE J684 and V-5 specifications.

- Fits 2" square receiver tube opening



Part No.	Bulk Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
21341*		5,000/500	1"	12"	3/4"	2"	1
21342	21342-006	7,500/750	1"	8-1/2"	3/4"	2"	2
21343	21343-006	6,000/600	1"	10-1/2"	3/4"	2"	2
21344	21344-006	7,500/750	1"	9"	2-3/4"	4"	2
21345	21345-006	6,000/600	1"	11"	2-3/4"	4"	2
21346	21346-002	6,000/600	1"	9-1/2"	4-3/4"	6"	2
21347*		5,000/500	1"	10"	6-3/4"	8"	3
21348*		5,000/500	1"	9"	-	11"	3
		3,500/350	1"	9"	9-3/4"	-	

* Not angle cut

Note: Pin and clip sold separately

HITCH & TRAILER ALIGNMENT TOOL

- Convenient one person hitch alignment system
- Magnetic base for fast and easy location
- Telescoping rods adjust up to 42"
- Easy to use the first time

Part No.	Description
63300	Hitch & Trailer Alignment Tool

† = Available while supply lasts.

SOLID FORGED BALL MOUNTS

- Solid one-piece forged construction
- 1" thick x 3" wide ball platforms
- Angled, easy-load design
- Black powder coat finish over A-coat
- Fits 2" square receiver tube opening



Part No.	Bulk Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop
40330	40330-002	16,000/2,400	1-1/4"	8-1/2"	1"	2"
40331	40331-002	16,000/2,400	1-1/4"	9-1/4"	3"	4"
40332	40332-002	16,000/2,400	1-1/4"	10-1/4"	5"	6"



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop
80142	16,000/2,400	1-1/4"	8-1/2"	1"	2"
80143	16,000/2,400	1-1/4"	9-1/4"	3"	4"
80144	16,000/2,400	1-1/4"	10-1/4"	5"	6"



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop
21330	16,000/2,400	1-1/4"	8-1/2"	1"	2"
21331	16,000/2,400	1-1/4"	9-1/4"	3"	4"
21332	16,000/2,400	1-1/4"	10-1/4"	5"	6"

ALUMINUM SOLID FORGED BALL MOUNTS

- Solid one-piece forged construction
- 1" thick x 3" wide ball platforms
- Aluminum finish
- Fits 2" square receiver tube opening



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop
40381	8,000/800	1"	9-7/8"	1"	2"
40382	8,000/800	1"	10-5/8"	3"	4"
40383	8,000/800	1"	11-7/8"	5"	6"
40384	6,000/600	1"	10-7/8"	7"	8"



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop
21381	8,000/800	1"	9-7/8"	1"	2"
21382	8,000/800	1"	10-5/8"	3"	4"
21383	8,000/800	1"	11-7/8"	5"	6"
21384	6,000/600	1"	10-7/8"	7"	8"

† = Available while supply lasts.



HOLLOW SHANK BALL MOUNTS

- Black powder coat finish over A-coat
- Fits 2" square receiver tube opening



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
40200	10,000/1,000	1-1/4"	8-1/2"	3/4"	2"	1
40201	10,000/1,000	1-1/4"	9"	2-3/4"	4"	3
40202	10,000/1,000	1-1/4"	11-1/4"	2-3/4"	4"	3
40205	10,000/1,000	1-1/4"	9"	-	6"	3
40206	10,000/1,000	1-1/4"	9"	-	8"	3



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
80132	10,000/1,000	1-1/4"	8-1/2"	3/4"	2"	1
80133	10,000/1,000	1-1/4"	9"	2-3/4"	4"	3
80136	10,000/1,000	1-1/4"	11-1/4"	2-3/4"	4"	3
80137	10,000/1,000	1-1/4"	9"	-	6"	3
80138	10,000/1,000	1-1/4"	9"	-	8"	3

SOLID SHANK BALL MOUNTS

- Fits 2" square receiver tube opening
- Durable zinc coated finish



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
4280	12,000/1,200	1-1/4"	8-1/2"	1"	2"	1
4284	12,000/1,200	1-1/4"	12"	1"	2"	1
4281	12,000/1,200	1-1/4"	8-1/2"	3"	4"	3
4285	12,000/1,200	1-1/4"	12"	3"	4"	3
4282	12,000/1,200	1-1/4"	9-1/2"	5"	6"	3
4283	12,000/1,200	1-1/4"	9-1/2"	7"	8"	3



Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
80122	12,000/1,200	1-1/4"	8-1/2"	1"	2"	1
80123	12,000/1,200	1-1/4"	8-1/2"	3"	4"	3
80126	12,000/1,200	1-1/4"	12"	3"	4"	3
80124	12,000/1,200	1-1/4"	9-1/2"	5"	6"	3
80125	12,000/1,200	1-1/4"	9-1/2"	7"	8"	3

† = Available while supply lasts.



TITAN® BALL MOUNTS



- Fits 2-1/2" square receiver tube opening, for use exclusively with Titan® receivers
- Black powder coat finish over A-coat

Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop	Style
45122	14,000/1,400	1-1/4"	9-3/4"	1-1/2"	3"	3
45123	13,000/1,300	1-1/4"	10"	3-1/2"	5"	3
45291	13,000/1,300	1-1/4"	10-1/2"	-	7-3/4"	3
45322	18,000/2,000	1-1/4"	10"	1-1/2"	3"	3
45323	18,000/2,000	1-1/4"	10"	3-1/2"	5"	3



CUSHIONED BALL MOUNTS

These ball mounts feature two heavy-duty polyurethane cushions in the rear retainer to reduce the "slams" and "bangs" associated with trailer towing during starting, stopping and rough highways. Reducing these jolts helps to protect your towing vehicle's driveline, hitch assembly and trailer contents. Cushioned ball mounts act as a shock absorber and fits 2" square receiver tube opening.

Part No.	Rating (lbs.) GTW/TW	Ball Hole Size	A Length	B Rise	C Drop
80420†	10,000/1,000	1"	9-3/8"	3/4"	2"
80421†	10,000/1,000	1"	9-7/8"	2-3/4"	4"
80422†	10,000/1,000	1"	10-5/8"	4-3/4"	6"



CLASS III INTERLOCK TOWING STARTER KITS

- Includes 2" hitch ball
- Includes receiver lock
- Black powder coat finish over A-coat
- Fits 2" square receiver tube opening



Part No.	Rating (lbs.) GTW/TW	A Length	B Rise	C Drop	Secure
40565	6,000/600	8-1/2"	3/4"	2"	Lock



Part No.	Rating (lbs.) GTW/TW	A Length	B Rise	C Drop	Secure
80565	6,000/600	8-1/2"	3/4"	2"	Lock



Part No.	Rating (lbs.) GTW/TW	A Length	B Rise	C Drop	Secure
83565	6,000/600	8-1/2"	3/4"	2"	Lock

† = Available while supply lasts.

CLASS III STANDARD TOWING STARTER KITS (2-PACK)

- Point of purchase retail display
- Two kits per display box
- Fits 2" square receiver tube opening
- Includes pin and clip
- Black powder coat finish over A-coat (except 40567-002 & 40584-002 w/Chrome Ball Mount)



40644-002

NEW!
NEW!

Part No.	Rating (lbs.) GTW/TW	A Length	B Drop	C Ball Size	Secure
40058-002	7,500/750	8-1/2"	2"	2-5/16"	Pin/Clip
40238-002	7,500/750	9"	4"	2-5/16"	Pin/Clip
40563-002†	6,000/600	8-1/2"	2"	2"	Pin/Clip
40567-002†	6,000/600	8-1/2"	2"	2"	Pin/Clip
40566-002†	6,000/600	9"	4"	2"	Pin/Clip
40583-002	7,500/750	8-1/2"	2"	2"	Pin/Clip
40584-002	7,500/750	8-1/2"	2"	2"	Pin/Clip
40644-002	7,500/750	9"	4"	2"	Pin/Clip



80644-002

NEW!
NEW!

Part No.	Rating (lbs.) GTW/TW	A Length	B Drop	C Ball Size	Secure
80058-002	7,500/750	8-1/2"	2"	2-5/16"	Pin/Clip
80563-002†	6,000/600	8-1/2"	2"	2"	Pin/Clip
80472-002	7,500/750	9"	4"	2-5/16"	Pin/Clip
80570-002†	6,000/600	9"	4"	2"	Pin/Clip
80583-002	7,500/750	8-1/2"	2"	2"	Pin/Clip
80644-002	7,500/750	9"	4"	2"	Pin/Clip



83058-002

NEW!
NEW!
NEW!

Part No.	Rating (lbs.) GTW/TW	A Length	B Drop	C Ball Size	Secure
83058-002	7,500/750	8-1/2"	2"	2-5/16"	Pin/Clip
83238-002	7,500/750	9"	4"	2-5/16"	Pin/Clip
83407-002	2,000/200	8-1/2"	2"	1-7/8"	Pin/Clip
83563-002†	6,000/600	8-1/2"	2"	2"	Pin/Clip
83583-002	7,500/750	8-1/2"	2"	2"	Pin/Clip
83570-002†	6,000/600	9"	4"	2"	Pin/Clip
83644-002	7,500/750	9"	4"	2"	Pin/Clip

† = Available while supply lasts.



ADJUSTABLE BALL MOUNTS **NEW!**



The Adjustable Mount only takes a pull of the pin and a turn to get ready for towing with the most common hitch ball sizes. Just like you, it's always ready to get the job done. Height adjusts easily and the easy-to-use pin is secured by a lanyard so you can't lose it.

- Fits 2" receivers, rated up to 14,000 lbs. GTW
- Adjust height up to 10.5"
- Adjustable cast shank, knurled bolt pin with secure lanyard
- Black powder coat finish resists corrosion

Part No.	Description	Length	Max. Rise	Max. Drop
63070	Adjustable Tri-Ball Ball Mount System w/Step, 2" Sq. Shank, 1-7/8" Ball 2,000 lbs (GTW), 2" Ball 10,000 lbs. (GTW), 2-5/16" Ball 14,000 lbs. (GTW)	11-9/16"	5-11/16"	4-3/4"
63071	Adjustable Dual Ball Mount System, 2" Sq. Shank, 2" Ball 10,000 lbs. (GTW), 2-5/16" Ball 14,000 lbs. (GTW)	12"	4-5/8"	5-7/8"

REPLACEMENT PART

63911	Replacement cast shank
--------------	------------------------



ADJUSTABLE PINTLE MOUNT **NEW!**



Tackle rough terrain with the toughest mount in town. Set it right where you want it for trailers of various heights and couplers. It converts quickly for a day of hassle-free towing.

- Fits 2" receivers, rated up to 14,000 lbs. GTW
- Adjust height up to 10.5"
- Adjustable cast shank, knurled bolt pin with secure lanyard
- Black powder coat finish resists corrosion

Part No.	Description	Length	Max. Rise	Max. Drop
63072	Adjustable Pintle Mount, 14,000 lbs. (GTW)	9-5/8"	4-1/4"	6-1/4"

REPLACEMENT PART

63911	Replacement cast shank
--------------	------------------------



ADJUSTABLE BALL MOUNTS

Adjustable ball mounts are perfect for those who tow multiple trailers of varying coupler heights.

- Fits 2" square receiver tube opening, shank can be used in rise or drop position

HOLLOW SHANK BALL MOUNT

- Rated at 6,000 lbs. GTW/600 lbs. TW
- Quick release pin and clip for maximum adjustability
- Black powder coat finish over A-coat



Part No.	Description	Length	Max. Rise	Max. Drop
6580	Complete Shank and Head Assembly with quick release pin and clip	12"	6-1/8"	7-3/8"

SOLID SHANK BALL MOUNTS

- Rated at 5,000 lbs. GTW/500 lbs. TW
- Black powder coat finish over A-coat



Part No.	Description	Length	Max. Rise	Max. Drop
1420†	Complete Shank and Head Assembly	12"	6"	7-1/4"

NOTE: Hitch ball, pin (55010) and clip (55515) sold separately. Not interchangeable with weight distribution replacement parts.

† = Available while supply lasts.



HOLLOW SHANK BALL MOUNT WITH SWAY CONTROL TAB

- Rated at 6,000 lbs. GTW/600 lbs. TW
- Platform mounts for left or right hand sway control



Part No.	Description	Length	Max. Rise	Max. Drop
7390	Complete Shank and Head Assembly	12"	3-3/4"	5-1/4"

NOTE: Hitch ball, pin (55010) and clip (55515) sold separately. Not interchangeable with weight distribution replacement parts.



HOLLOW SHANK BALL MOUNTS

- Rated at 6,000 lbs. GTW/600 lbs. TW
- Quick release pin and clip for maximum adjustability



Part No.	Description	Length	Max. Rise	Max. Drop
80412	Adjustable Ball Mount, display pkg	12"	8-3/8"	9-5/8"
80414	Adjustable Ball Mount, bulk	14"	8-3/8"	9-5/8"
80417	Shank only (12" Length)			
80418	Ball Mount Plate only			



BALL MOUNT

- Adjustable utility draw features 5,000 lbs. GTW/500 lbs. TW rating and 13-3/4" height adjustment capacity
- Quick release pin and clip for maximum adjustability



Part No.	Description	Length	Max. Rise	Max. Drop
21141	Adjustable Ball Mount	13-12"	6-1/4"	7-1/2"



HITCH BALL & BALL MOUNT BAGS

- Conveniently stores interchangeable and removable hitch balls when not in use
- Durable nylon with hook & loop closure to secure ball and keep vehicle clean

Part No.	Description
7627	Ball Mount Bag (ball mount not included)

REVERSIBLE BALL MOUNTS

Reversible ball mounts are perfect for those who tow multiple trailer with varying ball diameters. Weight rating as per ball being used.



38180

SUPER TITAN® DUAL-BALL MOUNT

- Fits 3" square receiver tube opening, designed for Super Titan® Receivers
- Includes 2" (17,000 lbs.) & 2-5/16" (25,000 lbs.) hitch balls
- 9" Length



Part No.	Description
38180	Super Titan® Dual-Ball Mount (2" & 2-5/16")



45325

TITAN® TRI-BALL HOLLOW SHANK

- Fits 2-1/2" square receiver tube opening, designed for Titan® Receivers



Part No.	Description	Rating (lbs.) GTW/TW	Shank Length	Ball Size
45325	Titan® Tri-Ball Mount, Black Balls	2,000/200	8-3/4"	1-7/8"
		10,000/1,000	8-3/4"	2"
		14,000/1,400	7-1/2"	2-5/16"

DUAL-BALL / TRI-BALL SOLID SHANK

- Fits 2" square receiver tube opening


80795
80796

80797
80798

80791

80799

Part No.	Description	Rating (lbs.) GTW/TW	Shank Length	Ball Size
80795	Dual-Ball Mount, Black Balls, Black Solid Shank	2,000/200	8"	1-7/8"
		10,000/1,000	8"	2"
80796	Dual-Ball Mount, Black Balls, Black Solid Shank	10,000/1,000	8"	2"
		16,000/1,600	8"	2-5/16"
80797	Dual-Ball Mount, Chrome Balls, Black Solid Shank	2,000/200	8"	1-7/8"
		10,000/1,000	8"	2"
80798	Dual-Ball Mount, Chrome Balls, Black Solid Shank	10,000/1,000	8"	2"
		16,000/1,600	8"	2-5/16"
80791	Tri-Ball Mount, Black Balls, Black Solid Shank	2,000/200	8"	1-7/8"
		10,000/1,000	8"	2"
		16,000/1,600	6-3/4"	2-5/16"
80799	Tri-Ball Mount, Chrome Balls, Black Solid Shank	2,000/200	8"	1-7/8"
		10,000/1,000	8"	2"
		16,000/1,600	6-3/4"	2-5/16"

DUAL-BALL HOLLOW SHANK

- Fits 2" square receiver tube opening


80404
80405†
80406

Part No.	Description	Rating (lbs.) GTW/TW	Ball Size	Position
80404	Dual-Ball Mount, Black Hollow Shank	2,000/200	1-7/8"	Rise
		6,000/600	2"	Drop
80405†	Dual-Ball Mount, Black Hollow Shank	2,000/200	1-7/8"	Drop
		6,000/600	2"	Rise
80406	Dual-Ball Mount, Black Hollow Shank	6,000/600	2"	Drop
		6,000/600	2-5/16"	Rise

TRI-BALL HOLLOW SHANK

- Fits 2" square receiver tube opening



80425

80426

Part No.	Description	Rating (lbs.) GTW/TW	Shank Length	Ball Size
80425	Tri-Ball Mount, Black Balls, Black Hollow Shank	2,000/200	8"	1-7/8"
		6,000/600	8"	2"
		10,000/1,000	6-3/4"	2-5/16"
80426	Tri-Ball Mount, Chrome Balls, Black Hollow Shank	2,000/200	8"	1-7/8"
		6,000/600	8"	2"
		10,000/1,000	6-3/4"	2-5/16"

† = Available while supply lasts.



BUMPER GUARD, “THE HITCH GUIDE-AND-STOP”

- Protects vehicle from coupler impact while backing up

Part No.	Description
80400	Bumper Guard, black, mounts to any ball mount with 1" hole
80470	Bumper Guard, diamond plate, mounts to any ball mount with 1" hole



HITCH BALL WRENCH

Part No.	Description
74342	Hitch Ball Wrench, boxed end 1-1/8" & 1-1/2"



REDUCER BUSHING

- Allows 3/4" or 1" shank hitch balls, used in ball mounts w/1" or 1-1/4" holes

Part No.	Description	Packaging
58109	Reducer Bushing, 1" hitch ball shank hole to 3/4"	Reese
58184	Reducer Bushing, 1-1/4" hitch ball shank hole to 1"	Reese
80100	Reducer Bushing, 1" hitch ball shank hole to 3/4"	Hidden Hitch
80106	Reducer Bushing, 1-1/4" hitch ball shank hole to 1"	Hidden Hitch




REDUCER SLEEVE

- Reduces 3" or 2-1/2" square receiver tube opening to 2"



Part No.	Description
58431	Reducer Bushing w/Collar, 2-1/2" square receiver tube opening to 2"
58102	Reducer Sleeve, 2-1/2" square receiver tube opening to 2"
38735	Reducer Sleeve, 3" square receiver tube opening to 2"



RECEIVER ADAPTERS

- Designed to extend the receiver opening from 6" to 18", ideal for cargo carriers & bike carriers
- Use of this adapter reduces hitches' tow rating by 50% & with a maximum rating of 3,500 lbs towing capacity

Part No.	Description
80300	Adapts 2" to 1-1/4", 7" long, 3,500 lbs.
80301	Adapts 2" to 1-1/4", 14" long, 3,500 lbs.
80303	Adapts 1-1/4" to 2", 6" long, for Class II only; 3,500 lbs.
80304	Adapts 1-1/4" to 2", 10" long, for Class II only; 3,500 lbs.



RECEIVER EXTENSIONS



- Ideal for slide-out campers with extended overhangs
- Designed to extend the receiver opening 14", 18", 24", 34", 41" or 48"
- 2" square tube opening for use with ball mounts and hitch-mounted accessories
- Integrated electrical bracket attached (45292, 45018 only)

Part No.	Description	WC (lbs.)	WD (lbs.)	Length
80307	Receiver Extension	3,500	-	8"
80305	Receiver Extension	3,500	-	14"
80306	Receiver Extension	3,500	-	18"
11003	Receiver Extension	4,000	6,500	14"
11004	Receiver Extension	4,000	6,500	18"
11005	Receiver Extension with Step	4,000	6,500	14"
11006	Receiver Extension with Step	4,000	6,500	18"
45292	Titan® Receiver Extension (For Titan 2-1/2" receivers)	6,000	8,000	24"
		4,500	6,000	34"
45018	Titan® Receiver Extension (For Titan 2-1/2" receivers)	5,000	7,500	41"
		4,000	6,000	48"

† = Available while supply lasts.

WHAT'S YOUR WORKLOAD? We'll Hook You Up

PLATE MOUNTED



PINTLE HOOK
MOUNTING PLATE



LUNETTE RING



LUNETTE RING



DROP FORGED
PINTLE HITCH & BALL
COMBINATION



DROP FORGED RIGID
PINTLE HOOK



PINTLE HOOK
COMBINATION



5-TON PINTLE HOOK



TOW EYELET



TOW HOOK

RECEIVER MOUNTED




TOW RING



TOW HOOK





PINTLE HOOK MOUNTS

- Converts receivers for use with pintle-type trailers, quickly and easily
- Provides mounting for both ball and pintle and rigid type pintle hooks
- Pin and clip must be ordered separately

Part No.	Shank	Rating (lbs.) GTW/TW	A Shank	B Length	H Shank Dia.	C Height	D Width	E Hole	F Width	G Height	Hole Sets
63056	Hollow	6,000/600	7-5/8"	3"	2"	5-1/2"	5"	17/32"	3-3/8"	1-3/4"	3
63057	Solid	12,000/1,200	7-5/8"	3-1/4"	2"	7-1/2"	5"	17/32"	3-3/8"	1-3/4"	4
63058	Solid	8,000/800	11-3/8"	3-1/4"	2"	12-1/2"	5"	17/32"	3-3/8"	1-3/4"	7
63059	Solid	12,000/1,200	11-3/8"	3-1/4"	2"	7-1/2"	5"	17/32"	3-3/8"	1-3/4"	4
45156*	Hollow	12,000/1,200	7-3/4"	3-1/4"	2-1/2"	6"	5"	17/32"	3-3/8"	1-3/4"	3
45294*	Forged	18,000/2,000	8-1/2"	3-1/4"	2-1/2"	7-1/4"	5"	17/32"	3-3/8"	1-3/4"	4
38186**	Forged	25,000/4,000	9"	3-1/4"	3"	9"	5"	17/32"	3-3/8"	1-3/4"	5

*REESE Titan® pintle hook adapter mount, **REESE Super Titan® pintle hook adapter mount

PINTLE HOOKS



Part No.	Description
63013	5 Ton, 2,000 lbs. max. vertical load, 10,000 lbs. GTW, with Mounting Hardware
63014	10 Ton, 4,000 lbs. max. vertical load, 20,000 lbs. GTW, with Mounting Hardware
63015	15 Ton, 6,000 lbs. max. vertical load, 30,000 lbs. GTW, with Mounting Hardware
63016	30 Ton, 14,000 lbs. max. vertical load, 60,000 lbs. GTW, with Mounting Hardware
63032	Replacement Hardware Mounting Kit

PINTLE HOOK COMBINATION HITCHES

- 3,000 lbs. max. vertical load, 16,000 lbs. max. GTW when used as pintle hook



Part No.	Description
63010	1-7/8" Combo Hitch, 16,000 lbs. GTW, ball rating 6,000 lbs., with Mounting Hardware
63011	2" Combo Hitch, 16,000 lbs. GTW, ball rating 10,000 lbs., with Mounting Hardware
63012	2-5/16" Combo Hitch, 16,000 lbs. GTW, ball rating 14,000 lbs., with Mounting Hardware
63032	Replacement Hardware Mounting Kit

LUNETTE RINGS



Part No.	Description
63023	Lunette Ring, 2-1/2" dia., 4 hole base 42,000 lbs. GTW, 8,400 lbs. max. vertical load
63033	Hardware Mounting Kit for 63023
63022	Lunette Ring, 2-1/2" dia., 1-1/2" shank 15,000 lbs. GTW, 2,400 lbs. max. vertical load
63036	Adjustable Lunette Ring with Channel, 3" Dia., 24,000 lbs. Capacity
63060	Adjustable Lunette Ring with Hardware, 3" Dia., 24,000 lbs. Capacity (Adjustable Channels P/N AC300 0300, P/N AC500 0300 & Hardware Kit P/N 024202 sold separately, see pages J-39 & J-40)

LUNETTE RINGS

Part No.	Description
1291010383	Adjustable Lunette Ring, 3" dia. 14,000 lbs. Capacity, Bulk (Adjustable Channels P/N AC300 0300, P/N AC500 0300 & Hardware Kit P/N 024202 sold separately, see pages J-39 & J-40)
1291010395	Adjustable Lunette Ring, 3" dia. 14,000 lbs. Capacity, Yellow Zinc, Bulk (Adjustable Channels P/N AC300 0300, P/N AC500 0300 & Hardware Kit P/N 024202 sold separately, see pages J-39 & J-40)

† = Available while supply lasts.





63043



63041



63045



63044

63047



63046



5761/5762

80410

5763/5764



63020



63032

63017

63018

63019

63050

63051

63052

RECEIVER ACCESSORIES

- Fits 2" square receiver tube opening

ONE-PIECE PINTLE HOOK

Part No.	Description	Max GTW	Ball GTW	Max VL
63043	5-Ton Receiver Mount Pintle Hook	10,000	-	2,000

ONE-PIECE PINTLE COMBINATIONS

Part No.	Description	Max GTW	Ball GTW	Max VL
63040	1-7/8" Receiver Mount Pintle Combination	12,000	2,000	2,400
63041	2" Receiver Mount Pintle Combination	12,000	7,000	2,400
63042	2-5/16" Receiver Mount Pintle Combination	12,000	12,000	2,400

RECEIVER MOUNT TOW EYELET

Part No.	Description
63045	Forged Receiver Mount Tow Eyelet, 10,000 lbs. GTW, 7-3/8" Length

RECEIVER MOUNT TOW HOOKS

Part No.	Description
63044	Forged Receiver Mount Tow Hook, 10,000 lbs. GTW, 7-3/8" Length
63047	Receiver Mount Tow Hook, 8,000 lbs. GTW, 7" Length

RECEIVER MOUNT TOW RING

Part No.	Description
63046	Receiver Mount Tow Ring, 8,000 lbs. GTW, 7-3/8" Length

CLEVIS MOUNTS

- For use with industrial/agricultural equipment

Part No.	Description	Ball Mount GTW/TW (lbs.)	Clevis Mount GTW/TW (lbs.)	Length
5761	Clevis Mount, 3/4" hole	3,500/350	5,000/350	9-3/4"
5762	Clevis Mount, 1" hole	6,000/600	6,000/600	8-7/8"
80410*	Clevis Mount, 1" hole	6,000/600	6,000/600	11"
6201	Clevis Mount, 1" hole	6,000/600	10,000/1,000	8-7/8"
5763	Clevis Pin, 3/4" dia.			4-1/4"
5764	Clevis Pin, 1" dia.			4-3/4"

* Ball Mount has 1-1/4" drop, Clevis has 3" drop

PINTLE HOOK REPLACEMENT PARTS

Part No.	Description
63050	1-7/8" Replacement Ball, 6,000 lbs., 1-1/8" diameter
63051	2" Replacement Ball, 10,000 lbs., 1-1/8" diameter
63052	2-5/16" Replacement Ball, 14,000 lbs., 1-1/8" diameter
63020	Replacement Snapper Pin, 1/4"
43031	5/16" Safety Pin
63032	Replacement Hardware Mounting Kit, Plate Mounted Pintle Hooks/Combination Hitches
63017	1-7/8" Replacement Ball, 6,000 lbs., 1-1/4" diameter
63018	2" Replacement Ball, 10,000 lbs., 1-1/4" diameter
63019	2-5/16" Replacement Ball, 14,000 lbs., 1-1/4" diameter

† = Available while supply lasts.

PINS AND CLIPS

Pins and clips are included with all Class I and II hitches.



Part No.	Description	Packaging
63241	Packaged Class I/II Pin & Clip, 1/2", groove style	Plastic Shroud
63241-050	Class I/II Pin & Clip, 1/2", groove style (50 pack)	Bulk
63240	Packaged Class III/IV Pin & Clip, 5/8", groove style	Plastic Shroud
63240-050	Class III/IV Pin & Clip, 5/8", groove style (50 pack)	Bulk
63242	Packaged Class III/IV Pin & Clip, 5/8", hole style	Plastic Shroud
63242-050	Class III/IV Pin & Clip, 5/8", hole style (50 pack)	Bulk
63242-100	Class III/IV Pin & Clip, 5/8", hole style (100 pack)	Bulk
63242-500	Class III/IV Pin & Clip, 5/8", hole style (500 pack)	Bulk
63243	Packaged Class V Titan® Pin & Clip, 5/8", groove style	Plastic Shroud
06237	Class I/II Bulk Pin, 1/2", groove style	Bulk
55010	Class III/IV Bulk Pin, 5/8", groove style	Bulk
55010-050	Class III/IV Bulk Pin, 5/8", groove style (50 pack)	Bulk
55515	Bulk Clip	Bulk
55515-050	Bulk Clip (50 pack)	Bulk



SWIVEL PINS (PACKAGED)

Part No.	Description	Packaging
63202	1/2" Integral Pin and Clip, stainless	Clam
63203	5/8" Integral Pin and Clip, stainless	Clam
63204	1/2" Integral Pin and Clip, zinc	Clam
63205	5/8" Integral Pin and Clip, zinc	Clam

STABILIZING PIN WITH LOCK

More than just a hitch pin, J-Pin quickly and confidently secures ball mounts and other hitch-mounted accessories, eliminating the sway and rattle caused by part clearance issues.

J-Pin ready receiver design allows for the most confident and secure hookup in today's towing market by compressing the hitch-mounted accessory against the inner side wall of the hitch receiver tube. Once attached, the hitch and towing components seem virtually welded together.

Packaged complete with its integral ball mount lock, J-Pin makes your towing system complete.



63201



J-PIN

- For 2" receivers only
- Ideal for bike racks and hitch-mounted cargo carriers
- Attachment wrench included
- Attractive point-of-purchase packaging
- Requires hitch with additional 17/32" hole in receiver tube
- Convenient 1/4" turn key for ease of use

Part No.	Description	Packaging
63201	J-Pin Anti-Rattle Pin w/Barrel Lockset	Clam



Insert J-Pin through large hole in receiver hitch



Tighten nut on J-Pin shaft, compressing ball mount or hitch-mounted accessory against receiver tube



Secure ball mount or hitch-mounted accessory with locking head

† = Available while supply lasts.



LOCK-TITE™ ANTI-RATTLE PIN

- Anti-Rattle device for cargo accessories, ball mounts, and more
- Handy insertion tool included
- Fits 2" receivers
- Keyed lock and wrench included
- Pro Series branded clamshell packaging with instructions on back of card
- Patent Pending



Part No.	Description	Packaging
63100	Lock-Tite™ Anti-Rattle Pin w/Lock & Wrench, 5/8" for 2" Sq. Receivers	Clam
63100-025	Lock-Tite™ Anti-Rattle Pin w/Lock & Wrench, 5/8" for 2" Sq. Receivers (25 pack)	Clam



† = Available while supply lasts.



580400

BULLDOG™ LIFELONG® LOCKS DELIVER TRIPLE SECURITY

- Stronger Break Resistance
- Dual Self-locking Design
- High Security Square Key Design
- Includes Dust Cap



580401

580402

LIFELONG® HITCH LOCKS WITH 5/8" DIAMETER

Part No.	Description
580400	Chrome Bent Shank Lock for Class III & IV
580401	Chrome Dogbone Lock for Class III & IV
580402	Stainless Steel Dogbone Lock for Class III & IV



580403

580404

LIFELONG® TRAILER LOCK

Part No.	Description
580403	Chrome Coupler Lock

LIFELONG® COMBO LOCK

Part No.	Description
580404	Chrome Combo Lock Set, 5/8" Dogbone Receiver and Coupler, for Class III & IV



580405

BULLDOG™ LOCKS

- Includes Dust Cap
- Easy Access Models Feature Side Key Entry, Sliding Dust Cap, Lock Housing Rotates 360°

HITCH LOCKS WITH 5/8" AND 1/2" DIAMETER

Part No.	Description
580405	Stainless Steel Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers
580406	Stainless Steel Combo Lock Set, 5/8" Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers and Coupler
580407	Easy Access Lock w/Sleeve for 1-1/4" & 2" Square Receivers



580406

580407

TRAILER LOCKS

Part No.	Description
580408	Stainless Steel Coupler Lock
580409	Easy Access Long Coupler Lock
580410	Easy Access Adjustable Coupler Lock
TK100 0100	Trailer Keeper® Lock - Heavy-duty, hardened steel construction. Adjustable to fit most trailer wheels up to 15". Includes brass lock and key set.



580408

580409



580410



TK100 0100

† = Available while supply lasts.



63234

HITCH LOCKS WITH 5/8" AND 1/2" DIAMETER

Part No.	Description
63234*	Dogbone Lock w/Sleeve for 1-1/4", 2" & 2-1/2" Square Receivers
63248	Bent Pin Lock w/Extra Pin for 1-1/4" & 2" Square Receivers

** not compatible with 18K Titan® Receivers*



63224

HITCH LOCKS WITH 1/2" DIAMETER

Part No.	Description
63224	Bent Pin Lock for 1-1/4" Square Receivers



63223

HITCH LOCKS WITH 5/8" DIAMETER

Part No.	Description
63223	Bent Pin Lock for 2" & 2-1/2" Square Receivers
63252	Dogbone Lock for 2-1/2" Square Receivers, 3-1/2" Span, Class V
63253	Bent Pin Lock for 2-1/2" Square Receivers, 3-1/2" Span, Class V



63252

† = Available while supply lasts.



TRAILER LOCKS

Part No.	Description
63225	Coupler Lock
63230	Brass Coupler Lock
63226	Universal Coupler Lock
63227	Coupler Lock for 2-5/16" Ball
63228	Coupler Lock for 2" Ball



KEYED ALIKE COUPLER AND HITCH LOCKS

- Avoid the complication of having to keep track of different keys for every lock
- Includes 2 keys
- Order in multiples of 3 / minimum order is 3 locks

Part No.	Description
63216KA	KEYED ALIKE 1/2" Receiver Lock for Class II Receiver Hitches
63217KA	KEYED ALIKE 5/8" Receiver Lock for Class III & IV Receiver Hitches
63218KA	KEYED ALIKE Class II 1/2" Receiver Lock and 1/2" Span Style Coupler Lock
63219KA	KEYED ALIKE Class III & IV 5/8" Receiver Lock and 1/2" Span Style Coupler Lock
63220KA	KEYED ALIKE 1/2" Span Style Coupler Lock
63221KA	KEYED ALIKE 2" Span Style Coupler Lock with 1/4" Pin
63222KA	KEYED ALIKE 2-1/2" Span Style Coupler Lock with 1/4" Pin
63226KA	KEYED ALIKE Universal Coupler Lock



COMBO LOCKS (HITCH, 5/8" & 1/2" DIA., AND TRAILER)

Part No.	Description
63249	Combo Lock Set, Bent Pin/Brass Coupler, for 1-1/4" & 2" Square Receivers
63250	Combo Lock Set, Dogbone Receiver/Coupler, for 1-1/4" & 2" Square Receivers



KEYED ALIKE COUPLER/TRAILER/RECEIVER LOCK LOCK SET

- Guards against towed and parked trailer thefts
- Universal Coupler Lock Fits 1 7/8", 2", 2 5/16"
- Dual Bent Pin Lock: 1/2", 5/8"
- Adjustable Coupler Lock: 5/8", 1"
- 3 Interchangeable Keys

Part No.	Description
63256	Tow & Store™ KEYED ALIKE Universal Coupler Lock, Trailer Lock, Receiver Lock, Lock Set

† = Available while supply lasts.



CHROME RECEIVER TUBE COVERS

Part No.	Description
5351	Receiver Tube Cover, 1-1/4" Sq., Chrome, Metal
5352	Receiver Tube Cover, 2" Sq., Chrome, Metal
80961†	Receiver Tube Cover, 2" Sq., Chrome, Plastic
1944	Receiver Tube Cover, 2" Sq., Chrome, Plastic



RECEIVER TUBE COVERS

Part No.	Description
58070	Receiver Tube Cover, 1-1/4" Sq., Black, Nylon (24 pack)
1202	Receiver Tube Cover, 2" Sq., Black
01202-024	Receiver Tube Cover, 2" Sq., Black (24 pack)
5363	Receiver Tube Cover, 2" Sq., Black, Plastic (1202 with Header Card)



RUBBER RECEIVER TUBE COVERS W/"D" LOGO

Part No.	Description
5362	Rubber Receiver Tube Cover, 1-1/4" Sq. w/"D" logo with Header Card
2211	Rubber Receiver Tube Cover, 1-1/4" Sq. w/"D" logo (bulk)
7050	Rubber Receiver Tube Cover, 2" Sq. w/"D" logo with Header Card
7010	Rubber Receiver Tube Cover, 2" Sq. w/"D" logo (bulk)
07010-024	Rubber Receiver Tube Cover, 2" Sq. w/"D" logo (24-pack)



RUBBER RECEIVER TUBE COVERS W/"HIDDEN HITCH" LOGO

Part No.	Description
60037	Class I/II Cover, rubber 1-1/4" Sq. with Header Card
60037-024	Class I/II Cover, rubber 1-1/4" Sq. (24 pack)
80037	Class III Cover, rubber 2" Sq. with Header Card
80037-012	Class III Cover, rubber 2" Sq. (12 pack)



"HITCH HIDER" RUBBER TUBE COVER

- Securely attaches to any 2" receiver tube
- Rubber construction tightly seals tube opening
- Built-in 4-way flat electrical cover

Part No.	Description
5330	Class III Cover, black rubber
05330-010	Class III Cover, black rubber (10 pack)

† = Available while supply lasts.



80953

PLASTIC COVERS

- Provides custom finish
- Impact resistant construction

Part No.	Description
80953	Class III Cover, plastic



6431



6432



6433

LOGO RECEIVER TUBE COVERS

- Attractive point-of-purchase packaging
- Foam gasket included for exact fit
- Heavy chrome face features popular OEM manufacturer logos
- OEM licensed

Part No.	Description
6431	Chevrolet logo, fits all 2" receivers
6432	Dodge Ram logo, fits all 2" receivers
6433	Ford oval logo, fits all 2" receivers

74099



74547



45144

RECEIVER TUBE COVERS W/"REESE" LOGO

Part No.	Description
74099	Receiver Tube Cover, 2" Sq., w/"Reese" logo
74547	Receiver Tube Cover, 2" Sq., w/"Reese" logo
45144	Titan® Receiver Tube Cover, 2-1/2" Sq., W/"Reese" logo

80980



BRAKE LIGHT COVER

- This handy cover doubles as an additional brake light.
- It plugs into a 4-way flat connector and lights up with turn and brake functions.

Part No.	Description
80980	Brake Light Cover, Class III

42250-012



42250



HITCH BALL COVER

Part No.	Description
42250	Hitch Ball Cover 1-7/8" - 2"
42250-012	Hitch Ball Cover Display Pack 1-7/8" - 2" (12 pack)
42251	Hitch Ball Cover 2-5/16"
42251-012	Hitch Ball Cover Display Pack 2-5/16" (12 pack)

NOTES

HITCH ACCESSORIES

† = Available while supply lasts.

CUSTOM WIRE SOLUTIONS

CAPABILITIES / FEATURES INCLUDE:

HARNESS
TYING

TERMINATING

BRAIDING

BUILD
TO PRINT

VINYL
SLEEVING

BUILD
TO FORECAST

COLOR
CODING

HEAT SHRINK
INSULATING

SPECIAL
LABELING

SPECIAL
PACKAGING

CUSTOM
KITTING

BUILD TO AVL

PVC
MOLDING

OVERMOLDING

OPTIONAL
NUMBER CODING



Cequent Performance Products specializes in production, design and engineering liaison of custom wire harness and cable assemblies. Our in-house overmolding and custom mold capabilities, design and engineering liaison and expertise in electronics cable assembly give us an unparalleled advantage in meeting our customers' needs. We specialize in assemblies with multiple connections, varying wire lengths and mixed technologies. We are known for design liaison expertise, quick response, building to AVL, customer service, and for consistently producing the best product, manufactured on time, to rigorous quality standards. All wire and cable harness assemblies produced at our world class manufacturing facilities. Currently supplying to various markets, including: Agricultural, Automotive, Recreational, Marine, Military, Utility. Contact your Cequent representative for requirements and minimum annual quantities.

WesBarg™

T-ONE® CONNECTORS

Universal T-Connector
T-One® Connectors
T-One® Application Guide

MODULITE® POWER MODULES / CONVERTERS

ModuLite® Power Modules
Taillight Converters
Multi-Fit Wiring Harness

4-WAY FLAT CONNECTORS & WIRING

4-Way Flat Wire Harnesses
4-Way Flat Wire Harness w/Coiled Cable
4-Way Round Pin Connectors
4-Way Flat Knockout Connector
4-Way Flat Connectors w/Jacketed Cable

2-WAY FLAT CONNECTORS & WIRING

2-Way Flat Wire Harnesses

DUST COVERS

4-Way /5-Way Flat Dust Covers

5-WAY FLAT CONNECTORS & WIRING

5-Way Flat Wire Harnesses
5-Way Flat Wire Harness w/Coiled Cable

6-WAY ROUND PIN / SQUARE CONNECTORS & WIRING

6-Way Metal / Zinc Die Cast Connectors
6-Way Square Connectors
6-Way Super Sealed Car Ends with Cable
6-Way Molded Trailer End Connectors with Cable
6-Way / 7-Way Trailer Extensions

7-WAY RV BLADE CONNECTORS & WIRING

7-Way Thermo-Plastic / Metal Connectors
7-Way Super Sealed Car Ends with Cable
7-Way Molded Trailer End Connectors with Cable - RV Clocking
7-Way Cold Weather Molded Trailer End Connectors with Cable - Cold Weather Clocking
7-Way 90° Molded Plug with Cable / Application Chart
7-Way US Car Pre-Wired Cables
7-Way Trailer Extensions / Replacement Kit

7-WAY ROUND PIN AG / TRAILER CLOCKING CONNECTORS & WIRING

7-Way Round Pin AG Connectors
7-Way Molded Trailer End Connectors with Cable - Trailer Clocking
Magnet Kit / Tandem Haul Adapter
AG Light Enhanced Lighting Modules /
AG Extension Harnesses
AG Lighting

VEHICLE / TRAILER ADAPTERS/JUMPERS

Vehicle / Trailer Adapters/Jumpers

ELECTRICAL ACCESSORIES

Connector Mounting Brackets / Boxes
Junction / Breaker Boxes
Heavy Duty Flashers
Primary Wire
Wiring / Hardware Components
Circuit Breakers
Dielectric Silicone Compound / Grease / Tape

AG LIGHTING - TECHNICAL

AG Lighting - Technical

WIRING DIAGRAMS

Wiring Diagrams - 4-Way/5-Way/6-Way/7-Way



With more than **330** products covering over **6,300** vehicle applications, Tekonsha® is pleased to offer the widest coverage of T-One® Connectors in the industry.

T-ONE® CONNECTORS

T-One® Connectors require no splicing of vehicle wires. Simply locate your vehicles wiring harness connector, unplug the connection and insert the T-One® Connector into the vehicle's harness. No special tools required.

- "Factory" appearance
- Quick and easy installation
- Solid, weatherproof, one-piece construction
- No cutting, splicing or taping of vehicle wires
- Includes converter where needed
- 16 gauge bonded wire with 4-Flat plug & cap
- Just plug in the T-One® Connector and you're ready to tow
- Simple do-it-yourself instructions in every package
- Attractive Point-of-Purchase Packaging
- Limited 1 year warranty



SIMPLY UNPLUG EXISTING VEHICLE HARNESS, PLUG T-ONE CONNECTOR IN...

1. Locate



2. Unplug



3. Plug in




And you're ready to go!...



REPLACEMENT FACTORY TOW PACKAGE WIRING HARNESSES

- Exact replacement for damaged factory wiring harnesses
- Installs in seconds on vehicles not factory pre-wired
- Upgrades vehicles from 4-Flat factory wiring to 6 or 7-Way connectors
- Connects directly to standard factory connector
- Attractive point-of-purchase packaging



LOW SIDE SWITCHING T-ONE® CONNECTORS

To support the introduction of more & more computer systems in today's newer vehicles, auto makers have begun to implement a partial Multiplex Wiring System in select 1999 and newer models. In an effort to minimize system interference, a "Low-Side" switched system is being utilized. This 3 wire system (separate brake and turn lamps) is a 12 volt negative ground system, except the ground circuit is switched on and off rather than the positive as in conventional wiring systems. Standard trailer wiring systems and conventional probing methods will not work on these low side systems as the wiring to the tow vehicle bulbs is always "hot".

Tekonsha® offers a T-One® product to support this revolutionary low side wiring system. This unit uses a direct connection to the tow vehicles battery to power the trailer lights. Low side switched vehicles are identified in the hitch application section by an electrical type "G".

† = Available while supply lasts.

NEW!


22111

NEW!


22112

7-WAY VEHICLE PREP KITS




- Allows for fully functional 7-Way (Tail Lights, Left/Right turn Brake, Reverse, Electric Brakes and 12 Volt +).
- Units are designed to handle PWM vehicle systems, when applicable.
- Mates with standard U.S. trailer 7-Way connectors.
- For simple mounting, choose 7-Way Mounting Box Part Numbers 118156, 118157 or 118159 (sold separately).

Part No.	Description	Packaging
22111	2008-2012 Buick Enclave, All Styles and 2009-2012 Chevrolet Traverse, All Styles (See Application Guide for additional Info)	Boxed - Tekonsha
22112	2014 RAM ProMaster 1500, 2500, 3500, All Models (See Application Guide for additional Info)	Boxed - Tekonsha

MULTI-PLUG T-ONE® CONNECTOR


- Ability to tow trailers with different style trailer connectors
- Durable plastic shell
- Weather tight seal
- Attractive point-of-purchase packaging



20119



20135



20137

Part No.	Description	Packaging
20119	7/4-Way Multi-Plug T-One® Connector (See Application Guide For Fit Information)	Clam
20135	7/4-Way Multi-Plug T-One® Connector (See Application Guide For Fit Information)	Clam
20137	7/4-Way Multi-Plug T-One® Connector (See Application Guide For Fit Information)	Clam

118015



20047

7-WAY U.S. CAR ELECTRICAL CONNECTORS

- Replacement for O.E.M. Connectors
- Durable plastic shell
- Weather tight seal

Part No.	Description	Packaging
118015	7-Way U.S. Car Connector (car end) (See Application Guide for fit information)	Clam
20047	7-Way U.S. Car Connector (car end) (See Application Guide for fit information)	Clam

Note: Use Installation Bracket 20212 for 118015

† = Available while supply lasts.

T-ONE® APPLICATION REFERENCE KEY

The following keys have been designed to clarify the T-One® application section components. Refer to the chart sample below and the corresponding numbers and illustrations on the following page.

1	1	2	3	4	5	7	6	8	9	4	5	7	10	6	8	9
MAKE/MODEL	YEAR	ELEC	POS	PC	Part No.	FW	CP	Amp	IN	PC	Part No.	FW	TYPE	CP	Amp	IN
ACURA																
CL	97-99	B	PC3	E5	111936	HG		2,1,5	5							

1 Vehicle Make, Model & Year Range

Applications are separated first by make, and subsequently by model and yearly divisions.

2 Electrical Type

Electrical type codes assist in determining the proper electrical wiring products for the towing vehicle.

3 Electrical Position

The reference locations illustrated on the following page are designed to assist you in locating the vehicle's wiring during hitch and electrical wiring installation.

4 Price Codes

Price codes reference specific prices found on Hitch and Accessory Price List.

5 Part Numbers

Part numbers are listed here of each T-One® Connector.

6 Circuit Protection

Tekonsha recommends circuit protection on vehicles with 3 wire systems for extra safety.

7 Footnotes

Footnotes reference additional information pertinent to the installation.

8 Amperage Rating

Amp Rating references the maximum number of amps the Electrical Product will hold for the tow vehicle.

Stop-Turn Lights - 2 Amps Each

Taillights - 1 Amp Each

Clearance and Marker Lights - 1/4 to 1/2 Amp Each

9 Installation Time

Average installation times (IN) are listed in minutes and are published for all T-One® wiring connectors. Times are based on common mechanical practices and should be used as an estimate as actual installation times may vary in each individual situation.

10 OEM Connector Type

Tow Harness Connector type references the type of connector. Example: 4-Flat.

ELECTRICAL POSITIONS

Passenger Cars (PC)

Passenger car wiring positions are referenced by the letters **PC** and a number. Use the illustration to identify the wiring location for all passenger cars.

PC1 - Behind driver side taillight - externally

PC2 - Behind passenger side taillight - externally

PC3 - Inside trunk behind driver side taillight - internally

PC4 - Inside trunk behind passenger side taillight - internally

PC5 - Under vehicle, driver side

PC6 - Under vehicle, center

PC7 - Under vehicle, passenger side

Pickup Trucks, Full & Mid-Size (PU)

Pickup truck wiring positions are referenced by the letters **PU** and a number. Use the illustration to identify the wiring location for all trucks.

PU1 - Behind driver side taillight

PU2 - Behind passenger side taillight

PU3 - Under vehicle, driver side

PU4 - Under vehicle, passenger side

PU5 - Under vehicle, center



Sport Utility, Van & Mini-Vans (SUV)

Sport utility, vans & mini-van wiring positions are referenced by the letters **SUV** and a number. Use the illustration to identify the wiring location for all sport utility vehicles, vans and mini-vans.

SUV1 - Behind driver side taillight

SUV2 - Behind passenger side taillight

SUV3 - Behind driver side trim panel

SUV4 - Behind passenger side trim panel


SUV5 - Under vehicle, driver side

SUV6 - Under vehicle, center

SUV7 - Under vehicle, passenger side

SUV8 - Inside vehicle, center

SUV9 - Inside vehicle, passenger side, behind panel near rear seat



† = Available while supply lasts.

				T-ONE (4-1in)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
ACURA																
CL	97-99	B	PC3	E5	110336	HG		2.1,5	5							
	01-03	B	PC3	E5	110336	HG		2.1,5	5							
ILX	13-14	B,E	PC1,2	E18	110627	CH	X	2.1,5,6	45							
Integra	94-01	B	PC3	E5	110336	HG		2.1,5	5							
MDX	01-06	B	SUV3	E5	110336	HG		2.1,5	10							
	07-13	B,E	SUV3	E11	110424	CH	X	2.1,4,2	20							
	14-15	B,E	SUV3	E11	110620	BN,CH	X	4,2,7,5	20							
RDX	07-09	B,E	SUV9	E11	110500	CH	X	2.1,5,6	15							
	10-12	B,E	SUV9	E11	110500	CH	X	2.1,5,6	15							
	13-15	B,E	SUV3	E14	110569	CH	X	4,2,7,5	15							
RL Series	96-01	B	PC3	E5	110336	HG		2.1,5	5							
RLX	14	B,E	PC3,4	E16	110626	CH	X	2.1,5,6	45							
SLX	96-99	B	SUV5	E5	110339	BN,HG		2.1,5	5							
TL	04-08	B,LD	PC3,4	E10	110489	HG		2.1,7,5	10							
	09-14	B,LD	PC1,2	E19	110537	CH	X	2.1,5,6	45							
TL Series	96-03	B	PC3	E5	110336	HG		2.1,5	5							
TSX	4 Dr. Sedan	06-08	B	PC3	E11	110302	HG		2.1,4,2	10						
	4 Dr. Sedan	09-14	B,E	PC3,4	E14	110420	CG	X	2.1,5	15						
ZDX	10-13	B,E	SUV9	E13	110503	CH	X	2.1,5,6	30							
BUICK																
Enclave	08-12	N	SUV1,2	E7	110450	BN		7.5	10	E12	22111		7-Way			25
	w/Factory 7-Way	08-12	N	SUV6							20047	RD	7-Way			10
											2E119	RD	Both			10
											110015	RD	7-Way			10
	All Models	13-15	B,E	SUV7	E10	110270	BN	7.5	20	E8	110384	BN,RD	4-Flat		7.5	5
					E16	110271	BN									
Encore	13-14	B,E	SUV3,4	E16	110500	CH	X	4,2,7,5	45							
La Crosse	05-09	A	PC1,2	E7	110479			7.5	10							
	All Models	10-15	B,E	PC1,2	E18	110497	CH	X	2.1,5,6	45						
Lucerne	All Models	06-09	A	PC3,4	E5	110419		7.5	10							
	All Models	10-11	A	PC3,4	E5	110419		7.5	10							
Rainier	w/Factory 7-Way	04-07	H	SUV6							2E047	RD	7-Way			10
											2E119	RD	Both			10
											110015	RD	7-Way			10
	All Models	11-13	A,E	PC1,2	E18	110504	CH	X	2.1,5,6	45						
		14	B,E	PC1,2	E18	110639	CH	X	2.1,5,6	45						
Rendezvous	02-07	A	SUV1,2	E10	110303	BN		7.5	20							
Roadmaster	91-96	A	PC3,4	E3	110347	†		7.5	10							
Roadmaster Estate Wagon	91-96	A	PC3,4	E4	110352	†		7.5	10							
Terraza	05-07	A	SUV1,2	E10	110396	BN		7.5	15							
Verano	12-15	B,E	PC3,4	E17	110564	CH	X	2.1,5,6	45							
CADILLAC																
ATS	All Models	13-14	B,E	PC3,4	E15	110500	CH	X	2.1,5,6	25						
CTS	03-07	B,E	PC3	E15	110440	CH	X	2.1,4,2	45							
	4 Dr. Sedan Only	08-13	A,E	PC3,4	E15	110466	CH	X	2.1,5,6	15						
	4 Dr. Sedan Only	14	A,E	PC3,4	E15	110645	CH	X	2.1,5,6	45						
CTS-V	04-07	B,E	PC3	E15	110440	CH	X	2.1,4,2	45							
DTS	06-11	B,E	PC3,4	E16	110535	CH	X	2.1,5,6	45							
Escalade	99-00	A	SUV7	E3	110319	BN		7.5	5							
	02-15	H	SUV6	E8	110384	BN,RD		7.5	5							
	w/Factory 7-Way	02-15	H	SUV6							23047	RD	7-Way			10
											23119	RD	Both			10
											110015	RD	7-Way			10
Escalade ESV	03-15	H	SUV6	E8	110384	BN,RD		7.5	5							
	w/Factory 7-Way	03-15	H	SUV6							23047	RD	7-Way			10
											23119	RD	Both			10
											110015	RD	7-Way			10
Escalade EXT	w/Factory 7-Way	02-11	H	SUV6	E8	110384		7.5	5							
											2E047	RD	7-Way			10
											2E119	RD	Both			10
											110015	RD	7-Way			10
SRX	w/Factory Tow Package	10-15	E	SUV5						E3	110259	BN	4-Flat		7.5	5

† = Available while supply lasts.

					T-DMF (4-Flat)						Tow Harness						
MAKE/MODEL		YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
CHEVROLET																	
Avalanche	1500 w/Factory 7-Way	02-06	H	SUV6	E8	118384			7.5	5		2E047 2E119 118015	RD RD RD	7-Way Both 7-Way			10 10 10
	2500 w/Factory 7-Way	02-06	H	SUV6	E8	118384			7.5	5		2E047 2E119 118015	RD RD RD	7-Way Both 7-Way			10 10 10
	1500 w/Factory 7-Way	07-11	H	SUV6	E8	118384			7.5	5		2E047 2E119 118015	RD RD RD	7-Way Both 7-Way			10 10 10
Aveo	4 Dr. Sedan	04-06	B	PC3,4	E13	118445	CG	X	2.1,7.5	15							
	5 Dr. Hatchback	04-11	B	PC3,4	E13	118445	CG	X	2.1,7.5	15							
	4 Dr. Sedan	07-11	B	PC3,4	E12	118514	CG	X	2.1,5	25							
Blazer	Full Size	73-84	A	SUV1,2	E1	118311	BN		7.5	5							
	Full Size	87-91	A	SUV1,2	E3	118312	BN		7.5	5							
	Full Size	92-94	A	SUV6	E3	118319	BN		7.5	5							
	Downsize w/Factory 7-Way	99-01	A	SUV6							E8	2E047 2E119 118015	RD RD RD	7-Way Both 7-Way			10 10 10
C10 Suburban		73-84	A	SUV5	E1	118311	BN		7.5	5							
		85-86	A	SUV5	E3	118312	BN		7.5	5							
C1500 Suburban		92-99	A	SUV6	E3	118319	BN		7.5	5							
C20 Suburban		73-84	A	SUV5	E1	118311	BN		7.5	5							
		85-86	A	SUV5	E3	118312	BN		7.5	5							
C2500 Suburban		92-99	A	SUV6	E3	118319	BN		7.5	5							
Camaro	All Models	10-11	A,E	PC1,2	E17	118486	CH	X	2.1,5.6	15							
	All Models	12-13	A,E	PC3,4	E16	118556	CH	X	2.1,5.6	30							
Caprice		91-96	A	PC3,4	E3	118347	†		7.5	10							
Caprice Estate Wagon		91-96	A	PC3,4	E4	118352	†		7.5	10							
Captiva Sport	All Models	12	B,E	SUV3,4	E19	118443	CH	X	2.1,4.2	45							
Cobalt	2 Dr. Only	05-11	A	PC1,2	E5	118407	BN		7.5	15							
	4 Dr. Only	05-11	A	PC1,2	E8	118398	BN		7.5	10							
Cobalt Sport	2 Dr. Only	08-11	A	PC1,2	E5	118407	BN		7.5	15							
	4 Dr. Only	08-11	A	PC1,2	E8	118398	BN		7.5	10							
Cobalt SS	2 Dr. Only	05-11	A	PC1,2	E5	118407	BN		7.5	15							
	4 Dr. Only	05-11	A	PC1,2	E8	118398	BN		7.5	10							
Cruze	All Models	11-15	B,E	PC3,4	E19	118508	CH	X	2.1,5.6	45							
Equinox		05-06	B	SUV3	E8	118391	CG	X	2.1,5	10							
		07-09	A	SUV3	E7	118432	CE		7.5	10							
	w/Factory Tow Package	10-13	N	SUV3							E1	118264	RD	4-Flat		7.5	15
	All Models	10-15	N	SUV3,4	E16	118494	CH	X	2.1,5.6	45							
Express 1500	Full Size	96-99	B	SUV3,4	E8	118335	HG		2.1,5	20							
	w/Factory Tow Package	96-99	B	SUV3,4							E1	118240		4-Flat		7.5	5
	Full Size	00-02	B	SUV3,4	E8	118337	HG		2.1,5	10							
	w/Factory Tow Package	00-02	B	SUV3,4							E1	118240		4-Flat		7.5	5
	w/Factory Tow Package	03	A	SUV3,4							E1	118240		4-Flat		7.5	5
	Full Size	03-15	A	SUV3,4	E5	118397			7.5	20							
Express 2500	Full Size	96-99	B	SUV3,4	E8	118335	HG		2.1,5	20							
	w/Factory Tow Package	96-99	B	SUV3,4							E1	118240		4-Flat		7.5	5
	Full Size	00-02	B	SUV3,4	E8	118337	HG		2.1,5	10							
	w/Factory Tow Package	00-02	B	SUV3,4							E1	118240		4-Flat		7.5	5
	w/Factory Tow Package	03	A	SUV3,4							E1	118240		4-Flat		7.5	5
	Full Size	03-15	A	SUV3,4	E5	118397			7.5	20							
Express 3500	Full Size	96-99	B	SUV3,4	E8	118335	HG		2.1,5	20							
	w/Factory Tow Package	96-99	B	SUV3,4							E1	118240		4-Flat		7.5	5
	Full Size	00-02	B	SUV3,4	E8	118337	HG		2.1,5	10							
	w/Factory Tow Package	00-02	B	SUV3,4							E1	118240		4-Flat		7.5	5
	w/Factory Tow Package	03	A	SUV3,4							E1	118240		4-Flat		7.5	5
	Full Size	03-15	A	SUV3,4	E5	118397			7.5	20							
G10	Full Size	87-95	A	SUV1,2	E4	118338			7.5	10							
G20	Full Size	87-95	A	SUV1,2	E4	118338			7.5	10							
G30	Full Size	87-95	A	SUV1,2	E4	118338			7.5	10							
HHR		06-11	A	SUV3,4	E5	118407	BN		7.5	15							
HHR SS		08-10	A	SUV3,4	E5	118407	BN		7.5	15							

† = Available while supply lasts.

				T-DMF (4-1in)						Tow Hitches							
MAKE/MODEL		YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
CHEVROLET (Continued)																	
Impala	All Models	00-05	A	PC3,4	E5	110512			7.5	25							
	All Models	06-13	A	PC2	E5	110417	BN		7.5	10							
	All, Except Impala Limited	14	A,E	PC3,4	E14	110590	CH	X	2.1,5,6	45							
Impala SS		94-96	A	PC3,4	E3	110347	†		7.5	10							
K10 Suburban		73-84	A	SUV5	E1	110311	BN		7.5	5							
		85-86	A	SUV5	E3	110312	BN		7.5	5							
K1500 Suburban		92-99	A	SUV6	E3	110319	BN		7.5	5							
K20 Suburban		73-84	A	SUV5	E1	110311	BN		7.5	5							
		85-86	A	SUV5	E3	110312	BN		7.5	5							
K2500 Suburban		92-99	A	SUV6	E3	110319	BN		7.5	5							
K5 Blazer	Full Size	85-86	A	SUV1,2	E3	110312	BN		7.5	5							
Lumina APV Van		93	A,E	SUV1,2	E7	110337	†		7.5	20							
		94-96	A	SUV1,2	E7	110337	†		7.5	20							
Malibu	SS 4 Dr. Sedan Only	06-07	A	PC3,4	E7	110439	BN		7.5	15							
	All, Except LTZ	08-12	A	PC1,2	E7	110450	BN		7.5	10							
	All, Except LTZ & Canada Models	13	B,E	PC3,4	E16	110576	CH	X	2.1,5,6	45							
	Canada Models Only, Except LTZ	13	B,E	PC3,4	E18	110504	CH	X	4.2,7,5	45							
	LTZ, Except Canada Models	13-15	B,E	PC3,4	E17	110602	CH	X	2.1,5,6	45							
	All Models, Except LTZ	14-15	B,E	PC3,4	E18	110504	CH	X	4.2,7,5	45							
Malibu Classic LS		08	A	PC3,4	E7	110439	BN		7.5	15							
Malibu Classic LT		08	A	PC3,4	E7	110439	BN		7.5	15							
Malibu LS	4 Dr. Sedan Only	04-07	A	PC3,4	E7	110439	BN		7.5	15							
Malibu LT	4 Dr. Sedan Only	04-07	A	PC3,4	E7	110439	BN		7.5	15							
Malibu Maxx		04-05	A	PC3,4	E7	110439	BN		7.5	15							
Malibu Maxx LS	All, Except SS	06-07	A	PC3,4	E7	110439	BN		7.5	15							
Malibu Maxx LT	All, Except SS	06-07	A	PC3,4	E7	110439	BN		7.5	15							
Malibu Maxx LTZ	All, Except SS	06-07	A	PC3,4	E7	110439	BN		7.5	15							
Orlando	Canada Only	12	B,E	SUV3,4	E16	110565	CH	X	2.1,5,6	45							
Pickup, C10		73-84	A	PU3	E1	110311	BN		7.5	5							
		85-87	A	PU3	E3	110312	BN		7.5	5							
Pickup, C1500	Crew Cab	88-91	A	PU3	E3	110312	BN		7.5	5							
	All, Except 88-91 Crew Cab	88-99	A	PU3	E3	110315	BN		7.5	5							
Pickup, C20		73-84	A	PU3	E1	110311	BN		7.5	5							
		85-87	A	PU3	E3	110312	BN		7.5	5							
Pickup, C2500	Crew Cab	88-91	A	PU3	E3	110312	BN		7.5	5							
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	110315	BN		7.5	5							
Pickup, C30		73-84	A	PU3	E1	110311	BN		7.5	5							
		85-87	A	PU3	E3	110312	BN		7.5	5							
Pickup, C3500	Crew Cab	88-91	A	PU3	E3	110312	BN		7.5	5							
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	110315	BN		7.5	5							
Pickup, Colorado	All Models	04-12	B	PU3	E10	110301	BN,CG	X	2.1,5	10							
	w/Factory 7-Way	04-12	H	PU3							E8	2E047 2E119 110015 110384	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5
Pickup, K10		73-84	A	PU3	E1	110311	BN		7.5	5							
		85-87	A	PU3	E3	110312	BN		7.5	5							
Pickup, K1500	Crew Cab	88-91	A	PU3	E3	110312	BN		7.5	5							
	All, Except 88-91 Crew Cab	88-99	A	PU3	E3	110315	BN		7.5	5							
Pickup, K20		73-84	A	PU3	E1	110311	BN		7.5	5							
		85-87	A	PU3	E3	110312	BN		7.5	5							
Pickup, K2500	Crew Cab	88-91	A	PU3	E3	110312	BN		7.5	5							
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	110315	BN		7.5	5							
Pickup, K30		73-84	A	PU3	E1	110311	BN		7.5	5							
		85-87	A	PU3	E3	110312	BN		7.5	5							
Pickup, K3500	Crew Cab	88-91	A	PU3	E3	110312	BN		7.5	5							
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	110315	BN		7.5	5							
Pickup, S-10		85-97	A	PU3	E3	110312	BN		7.5	5							
		98-04	A	PU3	E4	110339	BN		7.5	5							
Pickup, Silverado	2500 LD w/Factory 7-Way	99-04	H	PU3							E8	2E047 2E119 110015 110384	RD RD RD BN,RD	7-Way 7-Way 7-Way 4-Flat		7.5	10 10 10 5

† = Available while supply lasts.

				T-DMF (4-11m)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
CHEVROLET (Continued)																
Pickup, Silverado (Continued)																
1500 LD w/Factory 7-Way	99-06	H	PU3								2E047	RD	7-Way			10
											2E119	RD	Both			10
											118015	RD	7-Way			10
1500 HD w/Factory 7-Way	01-06	H	PU3							E8	118J84	BN,RD	4-Flat	7.5	5	
											20047	RD	7-Way			10
											2E119	RD	7-Way			10
											118015	RD	7-Way			10
2500 HD w/Factory 7-Way	01-06	H	PU3							E8	118J84	BN,RD	4-Flat	7.5	5	
											20047	RD	7-Way			10
											2E119	RD	7-Way			10
											118015	RD	7-Way			10
3500 Series w/Factory 7-Way	01-06	H	PU3							E8	118J84	BN,RD	4-Flat	7.5	5	
											20047	RD	7-Way			10
											2E119	RD	7-Way			10
											118015	RD	7-Way			10
1500 HD (Classic), w/Factory 7-Way	07	H	PU3							E8	118J84	BN,RD	4-Flat	7.5	5	
											20047	RD	7-Way			10
											2E119	RD	7-Way			10
											118015	RD	7-Way			10
1500 LD (Classic), w/Factory 7-Way	07	H	PU3							E8	118J84	BN,RD	4-Flat	7.5	5	
											20047	RD	7-Way			10
											2E119	RD	Both			10
											118015	RD	7-Way			10
2500 HD (Classic), w/Factory 7-Way	07	H	PU3							E8	118J84	BN,RD	4-Flat	7.5	5	
											20047	RD	7-Way			10
											2E119	RD	7-Way			10
											118015	RD	7-Way			10
3500 Series (Classic), w/Factory 7-Way	07	H	PU3							E8	118J84	BN,RD	4-Flat	7.5	5	
											20047	RD	7-Way			10
											2E119	RD	7-Way			10
											118015	RD	7-Way			10
1500 LD	07-13	A	PU3	E8	118J84	BN,RD		7.5	5							
1500 LD w/Factory 7-Way	07-13	A	PU3								20047	RD	7-Way			10
											2E119	RD	Both			10
											118015	RD	7-Way			10
2500 HD	07-14	A	PU3	E8	118J84	BN,RD		7.5	5							
3500 HD	07-14	A	PU3	E8	118J84	BN,RD		7.5	5							
2500 HD w/Factory 7-Way	07-15	A	PU3								20047	RD	7-Way			10
											2E119	RD	7-Way			10
											118015	RD	7-Way			10
3500 HD, w/Factory 7-Way	07-15	A	PU3								20047	RD	7-Way			10
											2E119	RD	7-Way			10
											118015	RD	7-Way			10
1500 LD	14	A	PU3	E8	118J84	BN,RD		7.5	5							
2500 HD	15	A	PU3	E8	118J84	BN,RD		7.5	5							
3500 HD	15	A	PU3	E8	118J84	BN,RD		7.5	5							
R10 Suburban	87-88	A	SUV5	E3	118312	BN		7.5	5							
R1500 Suburban	89-91	A	SUV5	E3	118312	BN		7.5	5							
R20 Suburban	87-88	A	SUV5	E3	118312	BN		7.5	5							
R2500 Suburban	89-91	A	SUV5	E3	118312	BN		7.5	5							
S-10 Blazer	Downsize, 2 Dr.	84-91	A	SUV6	E3	118318	†,BN	7.5	20							
Sonic	4 Dr. Sedan, All Models	12-14	BT	PC3,4	E22	118555	†,CH	X	4.2,7.5	45						
	5 Dr. Hatchback, All Models	12-14	BT	PC3,4	E22	118555	†,CH	X	4.2,7.5	45						
Spark	All Models	13-14	BM	PC3,4	E19	118575	CH	X	2.1,5.6	45						
Suburban	1500, w/Amber Turn Signals	00-15	H	SUV6	E8	118J84	BN,RD	7.5	5							
	1500, w/Amber Turn Signals, w/Factory 7-Way	00-15	H	SUV6							2J047	RD	7-Way			10
											2J119	RD	Both			10
											118015	RD	7-Way			10
	2500, w/Amber Turn Signals	00-15	H	SUV6	E8	118J84	BN,RD	7.5	5							
	2500, w/Amber Turn Signals, w/Factory 7-Way	00-15	H	SUV6							2J047	RD	7-Way			10
											2J119	RD	7-Way			10
											118015	RD	7-Way			10

† = Available while supply lasts.

† = Available while supply lasts

MAKE/MODEL	YEAR	FLEC	POS	T-DMF (4-11in)						Tow Harness						
				PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
CHRYSLER (Continued)																
Town & Country (Continued)	08-10	A,E	SUV1,2	E18	110552	CH	X	4.2,7.5	45							
	11-15	A,E	SUV1,2	E18	110534	BN,CH	X	4.2,7.5	45							
Voyager	01-03	B	SUV1,2	E7	110376	HG		2.1,5	15							
DODGE																
Avenger	08-10	A,E	PC1,2	E19	110445	BN,CH	X	2.1,4.2	45							
	11	B,E	PC1,2	E18	110550	BN,CH	X	2.1,5.6	45							
	12-14	N	PC1,2	E17	110577	CH	X	2.1,5.6	45							
Caliber	All Models	07	B,E	E18	110420	BN,CH	X	2.1,4.2	45							
	All Models	08-12	A,E	E18	110552	CH	X	4.2,7.5	45							
Caravan	91-95	A	SUV1,2	E6	110323	BN		7.5	10							
	96-00	B	SUV1,2	E10	110334	HG		2.1,5	20							
	01-03	B	SUV1,2	E7	110376	HG		2.1,5	15							
	04-07	A	SUV1,2	E7	110300			7.5	20							
Challenger	All Models	08-14	A	E7	110404			7.5	10							
Charger	All Models	06-10	A	E7	110404			7.5	10							
	All Models	11-14	N	E19	110560	CH	X	4.2,7.5	25							
Dart	All Models	13-15	A,E	E16	110560	CH	X	4.2,7.5	25							
Durango	98-03	B	SUV1,2	E10	110334	BN,HG		2.1,5	20							
	w/Factory 7-Way	00-08	H							E3	20135 110381	RD BN,RD	Both 4-Flat		7.5	10 5
	04-09	B,E	SUV1,2	E15	110390	BN,CH	X	2.1,5.6	45							
	w/Factory 7-Way	09	H							E8	20119 110015 110384	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
	11-13	A,E	SUV1,2	E18	110552	CH	X	4.2,7.5	45							
	14	A,E	SUV1,2	E16	110617	CH,BN	X	4.2,7.5	45							
Grand Caravan	91-95	A	SUV1,2	E6	110323	BN		7.5	10							
	96-00	B	SUV1,2	E10	110334	HG		2.1,5	20							
	01-03	B	SUV1,2	E7	110376	HG		2.1,5	15							
	04-07	A	SUV1,2	E7	110300			7.5	20							
	08-10	A,E	SUV1,2	E18	110552	CH	X	4.2,7.5	45							
	11-15	A,E	SUV1,2	E18	110534	BN,CH	X	4.2,7.5	45							
Intrepid	98-04	B	PC1,2	E12	110364	BN,HG		2.1,5	15							
Journey	09	B,E	SUV1,2	E18	110474	CH	X	2.1,5.6	45							
	10	A	SUV1,2	E8	110495			7.5	10							
	Models w/LED Taillights Package Only	11-15	BM	E17	110536	CH	X	4.2,7.5	45							
	Except Models w/LED Taillights Package	12-15	A,E	E14	110567	CH	X	2.1,5.6	45							
Magnum	All Models	05-08	B,E	E19	110402	BN,CH	X	2.1,5.6	45							
Nitro	07	B	SUV1,2	E13	110421	CG	X	2.1,5	15							
	08-11	B,E	SUV1,2	E19	110554	BN,CH	X	4.2,7.5	45							
Pickup, D150	86-93	A	PU1,2	E5	110317	BN,HJ		7.5	5							
Pickup, D250	86-93	A	PU1,2	E5	110317	BN,HJ		7.5	5							
Pickup, D350	86-93	A	PU1,2	E5	110317	BN,HJ		7.5	5							
	350 Cab & Chassis	87-93	A	E5	110317	BN		7.5	5							
Pickup, Dakota	87-94	A	PU3,4	E5	110317	BN		7.5	5							
	95-03	A	PU3,4	E7	110329	BN,HJ		7.5	5							
	w/Factory 7-Way	00-09	A							E3	20135 110381	RD BN,RD	Both 4-Flat		7.5	10 5
	(See RAM for 2011 Models)	03-10	A	E6	110323	BN		7.5	10							
Pickup, Ram 1500	94	A	PU1,2	E5	110317	BN,HJ		7.5	5							
	95-01	A	PU3,4	E7	110329	BN,HJ		7.5	5							
Pickup, Ram 2500	94	A	PU1,2	E5	110317	BN,HJ		7.5	5							
	95-01	A	PU3,4	E7	110329	BN,HJ		7.5	5							
Pickup, Ram 3500	94	A	PU1,2	E5	110317	BN,HJ		7.5	5							
	95-01	A	PU3,4	E7	110329	BN,HJ		7.5	5							
Pickup, Ram 4000	95-01	A	PU3,4	E7	110329	BN,HJ		7.5	5							
Pickup, Ram, Cab & Chassis	3500	94-02	A	E5	110317	BN		7.5	5							
Pickup, Ram, Full Size	1500 Only w/Factory 7-Way	00-08	H							E3	20135 110381	RD BN,RD	Both 4-Flat		7.5	10 5
	2500 HD Only w/Factory 7-Way	00-09	H							E3	20135 110381	RD BN,RD	Both 4-Flat		7.5	10 5

† = Available while supply lasts.

				T-ONE (4-1in)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
DODGE (Continued)																
Pickup, Ram, Full Size (Continued)																
3500 HD Only w/Factory 7-Way	00-09	H	PU3							E3	2E115 110301	RD BN,RD	Both 4-Flat		7.5	10 5
2500 Only, All Models	02	A	PU3,4	E7	110329	BN,HJ		7.5	5							
3500 Only, All Models	02	A	PU3,4	E7	110329	BN,HJ		7.5	5							
1500 Only w/Factory 7-Way	09	A	PU3							E8	2E119 110015 110304	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
1500 Only w/Factory 7-Way (See RAM for 2011 & Newer Models)	10	A	PU3							E8	2E119 110015 110304	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
2500 HD Only w/Factory 7-Way (See RAM for 2011 & Newer Models)	10	A	PU3							E8	2E119 110015 110304	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
3500 HD Only w/Factory 7-Way (See RAM for 2011 & Newer Models)	10	A	PU3							E8	2E119 110015 110304	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Pickup, W150	86-93	A	PU1,2	E5	110317	BN,HJ		7.5	5							
Pickup, W250	86-93	A	PU1,2	E5	110317	BN,HJ		7.5	5							
Pickup, W350	86-93	A	PU1,2	E5	110317	BN,HJ		7.5	5							
350 Cab & Chassis	87-93	A	PU3,4	E5	110317	BN		7.5	5							
Ramcharger	86-93	A	SUV5,7	E5	110317	BN		7.5	5							
Sprinter 2500 w/Factory 7-Way	03-06	H	SUV6							E3	20135 110301	RD BN,RD	Both 4-Flat		7.5	10 5
w/Factory 7-Way	07-09	H	SUV6							E3	20135 110301	RD BN,RD	Both 4-Flat		7.5	10 5
Sprinter 3500 w/Factory 7-Way	03-06	H	SUV6							E3	20135 110301	RD BN,RD	Both 4-Flat		7.5	10 5
w/Factory 7-Way	07-09	H	SUV6							E3	20135 110301	RD BN,RD	Both 4-Flat		7.5	10 5
Van, B150 Full Size	93-94	A	SUV5	E1	110320	BN		7.5	5							
Van, B1500 Full Size	95-98	A	SUV5	E1	110320	BN		7.5	5							
Van, B250 Full Size	93-94	A	SUV5	E1	110320	BN		7.5	5							
Van, B2500 Full Size	95-98	A	SUV5	E1	110320	BN		7.5	5							
Van, B350 Full Size	93-94	A	SUV5	E1	110320	BN		7.5	5							
Van, B3500 Full Size	95-98	A	SUV5	E1	110320	BN		7.5	5							
Van, Ram 1500 Full Size	99-00	A	SUV5	E1	110360	BN		7.5	5							
Full Size	01-03	A	SUV5	E3	110301	BN,RD		7.5	5							
Full Size, w/Factory 7-Way	01-03	A	SUV5								20135	RD	Both			10
Van, Ram 2500 Full Size	99-00	A	SUV5	E1	110360	BN		7.5	5							
Full Size	01-03	A	SUV5	E3	110301	BN,RD		7.5	5							
Full Size, w/Factory 7-Way	01-03	A	SUV5								20135	RD	Both			10
Van, Ram 3500 Full Size	99-00	A	SUV5	E1	110360	BN		7.5	5							
Full Size	01-03	A	SUV5	E3	110301	BN,RD		7.5	5							
Full Size, w/Factory 7-Way	01-03	A	SUV5								23115	RD	Both			10
FIAT																
500 All, Inc. 500c (Cabrio)	12-14	B,E	PC1,2	E20	110546	BN,CH	X	4.2,7.5	45							
500L All Models	14	B,E	PC3,4	E15	110611	CH	X	2.1,5.6	25							
FORD																
Aerostar Van Extended Body	97	A	SUV1,2	E5	110344	BN		7.5	10							
Standard Body	97	A	SUV1,2	E5	110344	BN		7.5	10							
Bronco Full Size	80-86	A	SUV6	E1	110313	BN		7.5	5							
Full Size	92-96	A	SUV6	E5	110350	†,BN		7.5	5							
E-150 Econoline Van Full Size, All Models	92-94	B	SUV1,2	E9	110343	HG		2.1,5	10							
Full Size, All Models	95-03	A	SUV1,2	E16	110345	BN,CH		2.1,4.2	45							
Full Size, All Models w/Factory 7-Way	97-09	A	SUV6	E5	110344	BN		7.5	10							
Full Size, All Models	08-14	A,E	SUV1,2	E17	110551	CH	X	4.2,7.5	45							
Full Size, All Models w/Factory 4-Flat (Prepped Class I Towing Package)	09-12	A	SUV6							E3	23119 110015	RD RD	Both 7-Way			10 10
Full Size, All Models w/Factory 7-Way (Prepped Class II Towing Package)	09-12										110360	BN	4-Flat		7.5	10
		A	SUV6							E14	110261	BN	7-Way			10

† = Available while supply lasts.

				T-DMF (4-11in)						Tow Harness							
MAKE/MODEL		YEAR	FLEC	POE	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
FORD (Continued)																	
E-250 Econoline Van	Full Size, All Models	92-94	B	SUV1,2	E9	118343	HG		2.1,5	10	E3	23119 118015	RD	Both 7-Way			10
					E16	118345	BN,CH		2.1,4,2	45							
	Full Size, All Models	95-03	A	SUV1,2	E5	118344	BN		7.5	10							
	Full Size, All Models, w/Factory 7-Way	97-09	A	SUV6													
	Full Size, All Models	08-14	A,E	SUV1,2	E17	118551	CH	X	4.2,7.5	45							
	Full Size, All Models w/Factory 4-Flat (Prepped Class I Towing Package)	09-12	A	SUV6													
	Full Size, All Models w/Factory 7-Way (Prepped Class II Towing Package)	09-12	A	SUV6	E14	118261	BN		7-Way							10	
E-350 Econoline Van	Full Size, All Models	92-94	B	SUV1,2	E9	118343	HG		2.1,5	10	E3	23119 118015	RD	Both 7-Way			10
					E16	118345	BN,CH		2.1,4,2	45							
	Full Size, All Models	95-03	A	SUV1,2	E5	118344	BN		7.5	10							
	Full Size, All Models w/Factory 7-Way	97-09	A	SUV6													
	Full Size, All Models	08-14	A,E	SUV1,2	E17	118551	CH	X	4.2,7.5	45							
	Full Size, All Models w/Factory 4-Flat (Prepped Class I Towing Package)	09-12	A	SUV6													
	Full Size, All Models w/Factory 7-Way (Prepped Class II Towing Package)	09-12	A	SUV6	E14	118261	BN		7-Way						10		
Edge	All, Inc. Sport Models	07-10	N	SUV1,2	E17	118551	CH	X	4.2,7.5	45							
	All, Inc. Sport Models	11-14	N	SUV1,2	E21	118515	CH	X	4.2,7.5	45							
Escape		01-03	B	SUV1,2	E9	118343	HG,RW		2.1,5	10	E1	118251	BN,QP	4-Flat		7.5	5
					E16	118345	BN,CH,RW		2.1,4,2	45							
					E17	118426	BN,CH	X	2.1,4,2	45							
	All, Inc. Hybrid	05-07	B,E	SUV1,2	E17	118551	CH	X	4.2,7.5	45							
	All, Inc. Hybrid & Vehicles w/Backup Sensors	08-12	A	SUV1,2													
	All, Inc. Hybrid & Vehicles w/o Backup Sensors	08-12	A	SUV5													
	All Models	13-15	B,E	SUV1,2	E18	118566	BN,CH	X	4.2,7.5	45							
Escort	4 Dr. Sedan	97-99	A	PC1,2	E5	118344			7.5	10							
	ZX2	98-03	A	PC1,2	E5	118344			7.5	10							
Excursion		00-03	A	SUV1,2	E5	118344	BN		7.5	10	E2	23119 118015	RD	Both 7-Way			10
	w/Factory 7-Way	00-03	A	SUV6													
	w/Factory 7-Way	04-05	A	SUV6													
Expedition		97-03	A	SUV1,2	E5	118344	BN		7.5	10	E2	23119 118015	RD	Both 7-Way			10
	w/Factory 7-Way	97-03	A	SUV6													
	w/Factory 7-Way	04-15	A	SUV6													
Explorer		91-94	A	SUV1	E3	118324	†,BN		7.5	20	E2	118241 23119 118015	BN	4-Flat Both 7-Way		7.5	5
		95-00	B,E	SUV1,2	E16	118345	BN,CH		2.1,4,2	45							
	w/Factory Tow Package	95-01	A	SUV7													
	4 Dr. w/Factory 7-Way	00-01	A	SUV6													
	2 Dr. Sport w/Factory 7-Way	00-03	A	SUV6													
	4 Dr.	01	B,E	SUV1,2	E16	118345	BN,CH		2.1,4,2	45							
	2 Dr. Sport	01-03	A	SUV1,2	E5	118344	BN		7.5	10							
	4 Dr.	02-03	A	SUV1,2	E5	118344	BN		7.5	10							
	4 Dr. w/Factory 7-Way	02-03	A	SUV6													
	4 Dr. w/Factory 7-Way	04-10	A	SUV6													
	11-15	A	SUV7	E11	118540	BN		7.5	5								
	w/Factory 7-Way	11-15	A	SUV6													
Explorer Sport Trac		02-03	A	SUV1,2	E5	118344	BN		7.5	10							
	w/Factory 7-Way	07-10	A	SUV6													
F-100		80-86	A	PU3	E1	118313	BN		7.5	5							
F-150		80-86	A	PU3	E1	118313	BN		7.5	5	E19	118347	BN	7-Way			5
		87-96	A	PU3	E4	118316	BN		7.5	5							
	w/Factory 4-Flat	04	A	PU3													

† = Available while supply lasts.

MAKE/MODEL				T-ONE (4-1in)							Tow Harness						
YEAR	ELEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN		
FORD (Continued)																	
F-150 (Continued)	Flareside, w/Factory 7-Way	04-15	A	PU3							2E119 118015 23119 118015	RD RD RD RD	Both 7-Way Both 7-Way			10 10 10 10	
	Styleside, w/Factory 7-Way	04-15	A	PU3													
F-150 Light Duty	Flareside	97-03	A	PU1,2	E5	118344	BN		7.5	10							
	Flareside w/Factory 4-Flat	97-03	A	PU1,2							E19	2E128 20130 118242 2E119 118015	1 2 BN RD	6-Way 7-Way 7-Way Both 7-Way		5 5 5 10 10	
	Flareside w/Factory 7-Way	97-03	A	PU3								2E128 20130 118242 2E119 118015	1 2 BN RD	6-Way 7-Way 7-Way Both 7-Way		5 5 5 10 10	
	Styleside w/Factory 4-Flat	97-03	A	PU1,2							E19	2E128 20130 118242 2E119 118015	1 2 BN RD	6-Way 7-Way 7-Way Both 7-Way		5 5 5 10 10	
	Styleside w/Factory 7-Way	97-03	A	PU3								2E128 20130 118242 2E119 118015	1 2 BN RD	6-Way 7-Way 7-Way Both 7-Way		5 5 5 10 10	
F-150 Light Duty Heritage	Flareside	04	A	PU1,2	E5	118344	BN		7.5	10							
	Flareside, w/Factory 4-Flat	04	A	PU1,2							E19	118242 2E119 118015	BN RD RD	7-Way Both 7-Way		5 10 10	
	Flareside, w/Factory 7-Way	04	A	PU3								118242 2E119 118015	BN RD RD	7-Way Both 7-Way		5 10 10	
	Styleside, w/Factory 4-Flat	04	A	PU1,2							E19	118242 2E119 118015	BN RD RD	7-Way Both 7-Way		5 10 10	
	Styleside, w/Factory 7-Way	04	A	PU3								2E128 20130	1 2	6-Way 7-Way		5 5	
F-150 SuperCrew		00-03	A	PU1,2	E5	118344	BN		7.5	10							
	w/Factory 7-Way	00-03	A	PU3								2E119 118015	RD RD	Both 7-Way		10 10	
	w/Factory 7-Way	04-15	A	PU3								2E119 118015	RD RD	Both 7-Way		10 10	
F-250		80-86	A	PU3	E1	118313	BN		7.5	5							
		87-96	A	PU3	E4	118316	BN		7.5	5							
F-250 Heavy Duty		97	A	PU3	E4	118316	BN		7.5	5							
F-250 Light Duty	Styleside w/Factory 4-Flat	97-99	A	PU1,2								2E128 20130 118242 2E119 118015	1 2 BN RD RD	6-Way 7-Way 7-Way Both 7-Way		5 5 5 10 10	
	Styleside w/Factory 7-Way	97-99	A	PU3								2E119 118015	RD RD	Both 7-Way		10 10	
F-250 Super Duty	w/Factory 4-Flat	99-01	A	PU1,2								2E128 20131 118243 2E119 118015 2E119 118015	1 2 BN RD RD RD	6-Way 7-Way 7-Way Both 7-Way Both 7-Way		5 5 5 10 10 10	
	w/Factory 7-Way	99-01	A	PU3								2E128 20131 118243 2E119 118015	1 2 BN RD RD	6-Way 7-Way 7-Way Both 7-Way		5 5 5 10 10	
	w/Factory 7-Way	02-15	A	PU3								2E119 118015	RD RD	Both 7-Way		10 10	
F-350		80-86	A	PU3	E1	118313	BN		7.5	5							
		87-96	A	PU3	E4	118316	BN		7.5	5							
F-350 Heavy Duty		97	A	PU3	E4	118316	BN		7.5	5							
F-350 Super Duty	w/Factory 4-Flat	99-01	A	PU1,2								23129 20131 118243 23119 118015 23119 118015	1 2 BN RD RD RD RD	6-Way 7-Way 7-Way Both 7-Way Both 7-Way		5 5 5 10 10 10	
	w/Factory 7-Way	99-01	A	PU3								23119 118015	RD RD	Both 7-Way		10 10	
F-450 Super Duty	w/Factory 4-Flat	99-01	A	PU1,2								23129 20131 118243 23119 118015	1 2 BN RD	6-Way 7-Way 7-Way Both 7-Way		5 5 5 10 10	
	w/Factory 7-Way	99-01	A	PU3								23119 118015	RD RD	Both 7-Way		10 10	
	w/Factory 7-Way	02-14										23119 118015	RD RD	Both 7-Way		10 10	
			A	PU3													

† = Available while supply lasts.

MAKE/MODEL	YEAR	FLEC	PC#	T-DMF (4-11in)						Tow Harness												
				PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN						
FORD (Continued)																						
F-550 Super Duty	w/Factory 4-Flat	99-01	A	PU1,2						E15	2E129	1	6-Way			5						
											20131	2	7-Way									
	w/Factory 7-Way	99-01	A	PU3							118243	BN	7-Way									
											2E119	RD	Both									
											118015	RD	7-Way									
Fiesta	5 Dr. Hatchback	11-13	B,E	PC3,4	E18	118471	CH	X	2.1,5,6	45												
	4 Dr. Sedan	11-14	A,E	PC3,4	E14	118422	CH	X	2.1,4,2	30												
	5 Dr. Hatchback	14	B,E	PC3,4	E15	118641	CH	X	2.1,5,6	45												
Five Hundred		05-07	A	PC3,4	E5	118395			7.5	10												
Flex	All, Inc. EcoBoost	09-14	A	SUV1,2	E8	118472			7.5	15		2E119	RD	Both		10						
	All, Inc. EcoBoost, w/Factory 7-Way	09-15	A	SUV6																		
Focus	Coupe	08-11	A	PC1,2	E5	118457	BN		7.5	15												
	Sedan	08-11	A	PC1,2	E5	118457	BN		7.5	15												
	5 Dr. Hatchback, Except ST Model w/Center Exhaust	12-14	B,E	PC1,2	E18	118549	CH	X	2.1,5,6	45												
	Sedan Only	12-14	B,E	PC3,4	E16	118548	CH	X	2.1,5,6	45												
	5 Dr. Hatchback, Inc. ST Model w/Center Exhaust	13-14	B,E	PC1,2	E18	118549	CH	X	2.1,5,6	45												
Focus Wagon	Built Before 11/2002	00-03	A	PC1,2	E5	118344	FW		7.5	10												
Freestar		04-07	N	SUV1,2	E17	118385	CH	X	2.1,5,6	45												
Freestyle		05-07	A	SUV3,4	E5	118395			7.5	10												
Fusion	All Models	06-09	A,E	PC3,4	E14	118422	CH	X	2.1,4,2	30												
	All, Inc. Hybrid	10-12	A,E	PC3,4	E14	118422	CH	X	2.1,4,2	30												
	All, Inc. Hybrid	13-15	A,E	PC1,2	E16	118574	CH	X	2.1,5,6	45												
LTD Crown Victoria		92-97	A,E	PC3,4	E9	118326			7.5	20												
Mustang	All, Except Cobra SVT	99-04	A	PC3,4	E9	118326			7.5	20												
		10-15	A,E	PC3,4	E16	118487	CH	X	2.1,5,6	45												
Ranger Pickup	All Models	83-85	A	PU3	E1	118313	BN		7.5	5	E2	118241	BN	4-Flat	7.5	5						
	All Models	86-92	A	PU1,2	E3	118314	BN,TR		7.5	5												
	All Models	93-99	B	PU3	E7	118325	BN,HG		2.1,5	5												
	w/Factory Tow Package	98-99	A	SUV5																		
	All Models	00-03	A	PU1,2	E5	118344	BN		7.5	10												
	w/Factory 7-Way	00-03	A	PU3																		
	w/Factory 7-Way	04-11	A	PU3																		
Taurus	4 Dr. Sedan, Inc. SHO	92-95	A	PC3,4	E4	118327	†		7.5	10												
	4 Dr. Sedan, Inc. SHO	96-99	B	PC3,4	E9	118333	HG		2.1,5	10												
	4 Dr. Sedan, All Models	00-03	A	PC3,4	E4	118375			7.5	10												
	4 Dr. Sedan, All Models	08-09	A	PC3,4	E7	118447			7.5	10												
	4 Dr. Sedan, Inc. SHO	10-12	B	PC3,4	E12	118483	†,CG	X	2.1,7,5	10												
			B,E		E15	118599	CH	X	2.1,5,6	45												
	4 Dr. Sedan, Inc. SHO	13-15	B,E	PC3,4	E15	118599	CH	X	2.1,5,6	45												
Taurus X		08-09	A	SUV3,4	E7	118448			7.5	15												
Transit Connect		10-12	B,E	SUV1,2	E26	118585	BN,CH	X	4.2,7,5	45												
		13	B,E	SUV1,2	E26	118585	BN,CH	X	4.2,7,5	45												
		14	B,E	SUV3,4	E14	118613	BN,CH	X	4.2,7,5	45												
Transit-150		15	A,E	SUV1,2	E16	118643	CH	X	4.2,7,5	45												
Transit-250		15	A,E	SUV1,2	E16	118643	CH	X	4.2,7,5	45												
Transit-350		15	A,E	SUV1,2	E16	118643	CH	X	4.2,7,5	45												
Windstar		95-98	B	SUV1,2	E9	118346	†,HG		2.1,5	20												
	Built Before 11/2002	99-03	G	SUV1,2	E19	118366	FW,LS		2.1,4,2	45												
	Built After 11/2002	03	G	SUV1,2	E19	118365	FV,LS		2.1,4,2	45												
FREIGHTLINER																						
Sprinter 2500	w/Factory 7-Way	03-06	H	SUV6							E3	23135	RD	Both	7.5	10						
	w/Factory 7-Way	07-09	H	SUV6								118381	BN,RD	4-Flat								
Sprinter 3500											E3	23135	RD	Both	7.5	10						
												118381	BN,RD	4-Flat								
												2E119	RD	Both								
	w/Factory 7-Way	03-06	H	SUV6							E3	118381	BN,RD	4-Flat	7.5	10						
	w/Factory 7-Way	07-09	H	SUV6								2E119	RD	Both								
											E3	2E119	RD	Both	7.5	10						
												118381	BN,RD	4-Flat								

† = Available while supply lasts.

				T-DMF (4-1in)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
GEO																
Tracker	96-97	B	SUV3	E5	110372	HG		2.1,5	5							
GMC																
Acadia	07-12	N	SUV1,2	E11	110451	BN		7.5	15	E8	21047	RD	7-Way			10
w/Factory 7-Way	07-12	N	SUV6								21119	RD	Both			10
											110015	RD	7-Way			10
											110304	BN,RD	4-Flat		7.5	5
	All Models	13-15	A,E	SUV7	E16	110271	BN		20							
				E10	110270	BN		7.5								
C15 Suburban	75-78	A	SUV5	E1	110311	BN		7.5	5							
C15/C1500 Suburban	73-74	A	SUV5	E1	110311	BN		7.5	5							
C1500 Suburban	79-84	A	SUV5	E1	110311	BN		7.5	5							
	85-86	A	SUV5	E3	110312	BN		7.5	5							
	92-99	A	SUV6	E3	110319	BN		7.5	5							
C25 Suburban	75-78	A	SUV5	E1	110311	BN		7.5	5							
C25/C2500 Suburban	73-74	A	SUV5	E1	110311	BN		7.5	5							
C2500 Suburban	79-84	A	SUV5	E1	110311	BN		7.5	5							
	85-86	A	SUV5	E3	110312	BN		7.5	5							
	92-99	A	SUV6	E3	110319	BN		7.5	5							
Envoy	w/Factory 7-Way	99-01	A	SUV6						E8	20047	RD	7-Way			10
											21119	RD	Both			10
											110015	RD	7-Way			10
											110304	BN,RD	4-Flat		7.5	5
	w/Factory 7-Way	02-10	H	SUV6							20047	RD	7-Way			10
											21119	RD	Both			10
											110015	RD	7-Way			10
											110304	BN,RD	4-Flat		7.5	5
G1500	Full Size	87-95	A	SUV1,2	E4	110330		7.5	10							
G2500	Full Size	87-95	A	SUV1,2	E4	110330		7.5	10							
G3500	Full Size	87-95	A	SUV1,2	E4	110330		7.5	10							
Jimmy	Full Size	73-84	A	SUV1,2	E1	110311	BN	7.5	5	E8	20047	RD	7-Way			10
	Full Size	85-91	A	SUV1,2	E3	110312	BN	7.5	5		21119	RD	Both			10
											110015	RD	7-Way			10
	Downsize w/Factory 7-Way	99-01	A	SUV6							110304	BN,RD	4-Flat		7.5	5
K15 Suburban	75-78	A	SUV5	E1	110311	BN		7.5	5							
K15/K1500 Suburban	73-74	A	SUV5	E1	110311	BN		7.5	5							
K1500 Suburban	79-84	A	SUV5	E1	110311	BN		7.5	5							
	85-86	A	SUV5	E3	110312	BN		7.5	5							
	92-99	A	SUV6	E3	110319	BN		7.5	5							
K25 Suburban	75-78	A	SUV5	E1	110311	BN		7.5	5							
K25/K2500 Suburban	73-74	A	SUV5	E1	110311	BN		7.5	5							
K2500 Suburban	79-84	A	SUV5	E1	110311	BN		7.5	5							
	85-86	A	SUV5	E3	110312	BN		7.5	5							
	92-99	A	SUV6	E3	110319	BN		7.5	5							
Pickup, C15	73-78	A	PU3	E1	110311	BN		7.5	5							
Pickup, C15/C1500	73-74	A	PU3	E1	110311	BN		7.5	5							
Pickup, C1500	79-84	A	PU3	E1	110311	BN		7.5	5							
	85-87	A	PU3	E3	110312	BN		7.5	5							
	Crew Cab	88-91	A	PU3	E3	110312	BN	7.5	5							
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	110315	BN	7.5	5							
Pickup, C25	75-78	A	PU3	E1	110311	BN		7.5	5							
Pickup, C25/C2500	73-74	A	PU3	E1	110311	BN		7.5	5							
Pickup, C2500	79-84	A	PU3	E1	110311	BN		7.5	5							
	85-87	A	PU3	E3	110312	BN		7.5	5							
	Crew Cab	88-91	A	PU3	E3	110312	BN	7.5	5							
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	110315	BN	7.5	5							
Pickup, C35	75-78	A	PU3	E1	110311	BN		7.5	5							
Pickup, C35/C3500	73-74	A	PU3	E1	110311	BN		7.5	5							
Pickup, C3500	79-84	A	PU3	E1	110311	BN		7.5	5							
	85-87	A	PU3	E3	110312	BN		7.5	5							
	Crew Cab	88-91	A	PU3	E3	110312	BN	7.5	5							
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	110315	BN	7.5	5							

† = Available while supply lasts.

					T-DMF (4-11in)						Tow Harness					
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
GMC (Continued)																
Pickup, Canyon	All Models	04-12	B	PU3	E10	118301	BN,CG	X	2.1,5	10	E8	2E047	RD	7-Way		10
	w/Factory 7-Way	04-12	H	PU3								23119	RD	Both		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat		5
Pickup, K15		73-78	A	PU3	E1	118311	BN		7.5	5						
Pickup, K15/K1500		73-74	A	PU3	E1	118311	BN		7.5	5						
Pickup, K1500		79-84	A	PU3	E1	118311	BN		7.5	5						
		85-87	A	PU3	E3	118312	BN		7.5	5						
	Crew Cab	88-91	A	PU3	E3	118312	BN		7.5	5						
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	118315	BN		7.5	5						
Pickup, K25		75-78	A	PU3	E1	118311	BN		7.5	5						
Pickup, K25/K2500		73-74	A	PU3	E1	118311	BN		7.5	5						
Pickup, K2500		79-84	A	PU3	E1	118311	BN		7.5	5						
		85-87	A	PU3	E3	118312	BN		7.5	5						
	Crew Cab	88-91	A	PU3	E3	118312	BN		7.5	5						
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	118315	BN		7.5	5						
Pickup, K35		75-78	A	PU3	E1	118311	BN		7.5	5						
Pickup, K35/K3500		73-74	A	PU3	E1	118311	BN		7.5	5						
Pickup, K3500		79-84	A	PU3	E1	118311	BN		7.5	5						
		85-87	A	PU3	E3	118312	BN		7.5	5						
	Crew Cab	88-91	A	PU3	E3	118312	BN		7.5	5						
	All, Except 88-91 Crew Cab	88-00	A	PU3	E3	118315	BN		7.5	5						
Pickup, S-15		85-90	A	PU3	E3	118312	BN		7.5	5						
Pickup, Sierra	2500 LD w/Factory 7-Way	99-04	H	PU3							E8	20047	RD	7-Way		10
												2E119	RD	7-Way		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	1500 LD w/Factory 7-Way	99-06	H	PU3							E8	20047	RD	7-Way		10
												2E119	RD	Both		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	1500 HD w/Factory 7-Way	01-06	H	PU3							E8	23047	RD	7-Way		10
												23119	RD	7-Way		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	2500 HD w/Factory 7-Way	01-06	H	PU3							E8	2E047	RD	7-Way		10
												2E119	RD	7-Way		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	3500 Series w/Factory 7-Way	01-06	H	PU3							E8	2E047	RD	7-Way		10
												2E119	RD	7-Way		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	1500 HD (Classic), w/Factory 7-Way	07	H	PU3							E8	20047	RD	7-Way		10
												2E119	RD	7-Way		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	1500 LD (Classic), w/Factory 7-Way	07	H	PU3							E8	23047	RD	7-Way		10
												23119	RD	Both		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	2500 HD (Classic), w/Factory 7-Way	07	H	PU3							E8	23047	RD	7-Way		10
												23119	RD	7-Way		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	3500 Series (Classic), w/Factory 7-Way	07	H	PU3							E8	23047	RD	7-Way		10
												23119	RD	7-Way		10
												118015	RD	7-Way		10
												118384	BN,RD	4-Flat	7.5	5
	1500 LD	07-13	A	PU3	E8	118384	BN,RD		7.5	5	E8	23047	RD	7-Way		10
	1500 LD w/Factory 7-Way	07-15	A	PU3								23119	RD	Both		10
												118015	RD	7-Way		10

† = Available while supply lasts.

MAKE/MODEL				T-ONE (4-1in)						Tow Harness					
YEAR	FLEET	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
GMC (Continued)															
Pickup, Sierra (Continued)	2500 HD	07-15	A	PU3	E8	118384	BN,RD	7.5	5						
	2500 HD w/Factory 7-Way	07-15	A	PU3						23047	RD	7-Way			10
										23119	RD	7-Way			10
										118015	RD	7-Way			10
	3500 HD	07-15	A	PU3	E8	118384	BN,RD	7.5	5						
	3500 HD, w/Factory 7-Way	07-15	A	PU3						23047	RD	7-Way			10
										23119	RD	7-Way			10
										118015	RD	7-Way			10
	Denali HD, w/Factory 7-Way	11-12	A	PU3						118015	RD	7-Way			10
	1500 LD	14	A	PU3	E8	118384	BN,RD	7.5	5						
Pickup, Sierra 2500 HD	Denali HD	11-12	A	PU3	E8	118384	BN,RD	7.5	5						
	Denali HD, w/Factory 7-Way	11-12	A	PU3						23047	RD	7-Way			10
										23119	RD	7-Way			10
Pickup, Sonoma		91-97	A	PU3	E3	118312	BN	7.5	5						
		98-04	A	PU3	E4	118359	BN	7.5	5						
							BN								
R1500 Suburban		87-91	A	SUV5	E3	118312	BN	7.5	5						
R2500 Suburban		87-91													
			A	SUV5	E3	118312	BN	7.5	5						
S-15 Jimmy	Downsize, 2 Dr.	84-91	A	SUV6	E3	118318	†,BN	7.5	20						
Savana 1500	Full Size	96-99	B	SUV3,4	E8	118375	HG	2.1,5	20						
	w/Factory Tow Package	96-99	B	SUV3,4						E1	118240		4-Flat	7.5	5
	Full Size	00-02	B	SUV3,4	E8	118377	HG	2.1,5	10						
	w/Factory Tow Package	00-02	B	SUV3,4						E1	118240		4-Flat	7.5	5
	w/Factory Tow Package	03	A	SUV3,4						E1	118240		4-Flat	7.5	5
	Full Size	03-15	A	SUV3,4	E5	118392		7.5	20						
Savana 2500	Full Size	96-99	B	SUV3,4	E8	118375	HG	2.1,5	20						
	w/Factory Tow Package	96-99	B	SUV3,4						E1	118240		4-Flat	7.5	5
	Full Size	00-02	B	SUV3,4	E8	118377	HG	2.1,5	10						
	w/Factory Tow Package	00-02	B	SUV3,4						E1	118240		4-Flat	7.5	5
	w/Factory Tow Package	03	A	SUV3,4						E1	118240		4-Flat	7.5	5
	Full Size	03-15	A	SUV3,4	E5	118392		7.5	20						
Savana 3500	Full Size	96-99	B	SUV3,4	E8	118375	HG	2.1,5	20						
	w/Factory Tow Package	96-99	B	SUV3,4						E1	118240		4-Flat	7.5	5
	Full Size	00-02	B	SUV3,4	E8	118377	HG	2.1,5	10						
	w/Factory Tow Package	00-02	B	SUV3,4						E1	118240		4-Flat	7.5	5
	w/Factory Tow Package	03	A	SUV3,4						E1	118240		4-Flat	7.5	5
	Full Size	03-15	A	SUV3,4	E5	118392		7.5	20						
Syclone		91-92	A	PU3	E3	118312	BN	7.5	5						
Terrain	w/Factory Tow Package	10-12	N	SUV3						E1	118264	RD	4-Flat	7.5	15
	All Models	10-15	N	SUV3,4	E16	118494	CH	X	2.1,5,6	45					
V1500 Suburban		87-91	A	SUV5	E3	118312	BN	7.5	5						
V2500 Suburban		87-91	A	SUV5	E3	118312	BN	7.5	5						
Yukon		92-00	A	SUV6	E3	118319	BN	7.5	5						
	w/Amber Turn Signals	00-11	H	SUV6	E8	118384	BN,RD	7.5	5						
	w/Amber Turn Signals, w/Factory 7-Way	00-15	H	SUV6						23047	RD	7-Way			10
										23119	RD	Both			10
										118015	RD	7-Way			10
Yukon Denali		99-00	A	SUV7	E3	118319	BN	7.5	5						
	w/Amber Turn Signals, w/Factory 7-Way	01-15	H	SUV6						23047	RD	7-Way			10
										23119	RD	Both			10
Yukon XL	1500	00-11	H	SUV6	E8	118384	BN,RD	7.5	5						
	1500 w/Factory 7-Way	00-11	H	SUV6						23047	RD	7-Way			10
										23119	RD	Both			10
										118015	RD	7-Way			10
	2500	00-11	H	SUV6	E8	118384	BN,RD	7.5	5						
	2500 w/Factory 7-Way	00-15	H	SUV6						23047	RD	7-Way			10
										23119	RD	7-Way			10
										118015	RD	7-Way			10
Yukon XL Denali	w/Factory 7-Way	01-15													
			H	SUV6						23047	RD	7-Way			10
										23119	RD	Both			10

† = Available while supply lasts.

				T-DMF (4-11in)						Tow Harness							
MAKE/MODEL	YEAR	FLEC	PCS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN	
HONDA																	
Accord	4 Dr. Sedan	94-02	B	PC3	E5	118336	HG		2.1,5	5							
	2 Dr. Coupe	03-05	B	PC3	E11	118441	CG	X	2.1,5	10							
	4 Dr. Sedan	03-05	B	PC3	E11	118302	HG		2.1,4,2	10							
	2 Dr. Coupe	06-07	N	PC3	E8	118436	HG		2.1,4,2	10							
	4 Dr. Sedan	06-07	B,LD	PC3	E11	118302	HG		2.1,4,2	10							
	2 Dr. Coupe	08-12	B	PC3,4	E14	118420	CG	X	2.1,5	15							
	4 Dr. Sedan	08-12	B,E	PC3,4	E14	118420	CG	X	2.1,5	15							
	2 Dr. Coupe, Except Models w/LED Taillights Package	13-15	B,E	PC3,4	E16	118596	CH	X	2.1,5,6	45							
	2 Dr. Coupe, Models w/LED Taillights Package Only	13-15	B,E	PC3,4	E15	118586	CH	X	2.1,5,6	45							
	4 Dr. Sedan, Except Models w/LED Taillights Package	13-15	B,E	PC3,4	E16	118596	CH	X	2.1,5,6	45							
	4 Dr. Sedan, Models w/LED Taillights Package Only	13-15	B,E	PC3,4	E15	118586	CH	X	2.1,5,6	45							
Accord Crosstour																	
All Models (See Crosstour for 2012 & Newer Models)		10-11	B,E	SUV3	E11	118500	CH	X	2.1,5,6	15							
Civic	2 Dr. Coupe, Except Si Models	06-15	B	PC3,4	E12	118437	CG	X	2.1,5	10							
	4 Dr. Sedan, Except Hybrid & Si Models	06-15	B	PC3,4	E14	118420	CG	X	2.1,5	15							
Civic Del Sol		93-97	B	PC3	E5	118336	HG		2.1,5	5							
Crosstour																	
All Models (See Accord Crosstour for 2011& Earlier Models)		12	B,E	SUV3	E11	118500	CH	X	2.1,5,6	15							
		14	B,E	SUV4	E11	118642	CH	X	2.1,5,6	15							
CR-V		97-06	B	SUV3	E5	118336	HG		2.1,5	10							
		07-11	B	SUV3	E8	118427	CG	X	2.1,5	45							
	All Models	12-15	B,E	SUV3	E17	118561	CH	X	2.1,5	45							
CR-Z		11-12	B,E	PC3,4	E17	118533	CH	X	2.1,5,6	45							
Element		03-04	B	SUV3	E5	118336	HG		2.1,5	10							
		07-11	B,E	SUV3,4	E14	118445	CH	X	2.1,5,6	45							
Fit		07-13	B	PC3,4	E14	118420	CG	X	2.1,5	15							
Odyssey		95-04	B	SUV3	E5	118336	HG		2.1,5	10							
		05-10	B	SUV4	E12	118438	CH	X	2.1,4,2	20							
		11-15	B,E	SUV4	E17	118521	CH	X	4.2,7,5	30							
Passport		94-97	B	SUV1,2	E5	118331	BN,HG		2.1,5	5							
		98-02	B	SUV1,2	E17	118360	BN,HG		2.1,5	15							
Pilot		03-08	B	SUV3	E5	118336	HG		2.1,5	10							
		09-11	B	SUV3,6	E15	118491	CH	X	4.2,7,5	20	E22	118253	BN,CH	7-Way	X	4.2,7,5	20
		12-14	B,E	SUV3,5	E25	118558	BN,CH	X	4.2,7,5	30	E30	118265	BN,CH	7-Way	X	4.2,7,5	30
Prelude		01-02	B	PC3	E5	118336	HG		2.1,5	5							
Ridgeline		06-14	B	PUI,2	E15	118400	BN,CG	X	2.1,5	10							
HUMMER																	
H2	w/Factory 7-Way	03-09	H	SUV6							E8	23047 23119 118015 118384	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5
H2 SUT	w/Factory 7-Way	05-09	H	SUV6							E8	23047 23119 118015 118384	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5
H3	w/Factory 7-Way	06-10	A	SUV6							E8	23047 23119 118015 118384	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5
H3T	w/Factory 7-Way	09-10	A	SUV6							E8	23047 23119 118015 118384	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5
HYUNDAI																	
Accent	4 Dr. Sedan	12	B,E	PC3,4	E16	118559	CH	X	2.1,5,6	45							
Azera		06-11	B,LD	PC3,4	E10	118413	HG		2.1,4,2	20							
		12-14	B,E	PC3,4	E15	118595	CH	X	2.1,5,6	45							
Elantra	4 Dr. Sedan	07-10	B	PC3,4	E12	118433	CG	X	2.1,5	10							
	Touring 5 Dr.	09-12	B	PC3,4	E11	118473	CG	X	2.1,7,5	15							
	4 Dr. Sedan	11-13	B,E	PC3,4	E16	118537	CH	X	2.1,5,6	45							
	2 Dr. Coupe	13-14	B,E	PC3,4	E16	118537	CH	X	2.1,5,6	45							
Entourage		07-09	B,E	SUV1,2	E19	118410	BN,CH	X	2.1,5,6	45							

† = Available while supply lasts.

				T-ONE (4-1in)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
HYUNDAI (Continued)																
Genesis	4 Dr. Sedan	09-11	B,E	PC3,4	E15	110476	CH	X	2.1,5.6	15						
	2 Dr. Coupe	10-12	B,E	PC3,4	E16	110522	CH	X	2.1,5.6	45						
Santa Fe		01-06	B	SUV1,2	E11	110473	CG	X	2.1,7.5	15						
		07-12	B	SUV3,4	E12	110415	CG	X	2.1,5	20						
	w/Factory Tow Package	07-12	B,E	SUV5							E14	110250	CH	4-Flat	X	2.1,5.6
	Sport w/Factory Tow Package (5 Passenger Models)	13	B,E	SUV5							E13	110269	BN,CH	4-Flat	X	4.2,7.5
	(6/7 Passenger Models)	13-14	B,E	SUV5	E13	110269	BN,CH	X	4.2,7.5	20						
	Sport (5 Passenger Models)	13-14	B,E	SUV1,2	E18	110571	BN,CH	X	4.2,7.5	45						
Sonata		06-09	B	PC3,4	E12	110433	CG	X	2.1,5	10						
	All Models	10	B,E	PC3,4	E16	110557	CH	X	4.2,7.5	45						
	All, Except Hybrid	11-14	B,E	PC3,4	E16	110557	CH	X	4.2,7.5	45						
	All, Except Hybrid	15	B,E	PC3,4	E15	110544	CH	X	2.1,5.6	45						
Tucson		05-09	B	SUV1,2	E16	110397	CG	X	2.1,5	30						
	All Models	10-13	B,E	SUV3,4	E18	110501	CH	X	2.1,5.6	30						
Veracruz		07-12	B,E	SUV7	E13	110269	BN,CH	X	4.2,7.5	20						
INFINITI																
FX35		09-12	B,E	SUV3,4	E17	110477	†,CH	X	2.1,5.6	45						
					E16	110593	CH	X	4.2,7.5							
FX37		13	B,E	SUV3,4	E16	110593	CH	X	4.2,7.5	45						
FX50		09-12	B,E	SUV3,4	E17	110477	†,CH	X	2.1,5.6	45						
		09-13	B,E	SUV3,4	E16	110593	CH	X	4.2,7.5	45						
G35	4 Dr. Sedan	07-08	B,E	PC3,4	E15	110480	CH	X	2.1,5.6	45						
G37	4 Dr. Sedan	09-14	B,E	PC3,4	E15	110480	CH	X	2.1,5.6	45						
QX4		97-03	B	SUV1,2	E8	110361	HG		2.1,5	20						
QX56	w/Factory 7-Way	04-12	H	SUV6							E8	2E119 110015 110384	RD RD BN,RD	Both 7-Way 4-Flat		10 10 5
ISUZU																
Amigo		98-00	B	SUV1,2	E17	110360	BN,HG		2.1,5	15						
Ascender	w/Factory 7-Way	03-08	H	SUV6							E8	2E047 2E119 110015 110384	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		10 10 10 5
Hombre		96-97	A	PU3	E3	110312	BN		7.5	5						
		98-00	A	PU3	E4	110359	BN		7.5	5						
i-280	All Models	06	B	PU3	E10	110301	BN,CG	X	2.1,5	10						
i-290	All Models	07-08	B	PU3	E10	110301	BN,CG	X	2.1,5	10						
i-350	All Models	06	B	PU3	E10	110301	BN,CG	X	2.1,5	10						
i-370	All Models	07-08	B	PU3	E10	110301	BN,CG	X	2.1,5	10						
Oasis		96-99	B	SUV3	E5	110336	HG		2.1,5	10						
Rodeo		92-97	B	SUV1,2	E5	110331	BN,HG		2.1,5	5						
		98-04	B	SUV1,2	E17	110360	BN,HG		2.1,5	15						
Rodeo Sport		00-03	B	SUV1,2	E17	110360	BN,HG		2.1,5	15						
Trooper		92-02	B	SUV5	E5	110339	BN,HG		2.1,5	5						
JEEP																
Cherokee		91-96	B	SUV3	E11	110330	HG		2.1,5	20						
		97-01	B	SUV3	E7	110354	HG		2.1,5	20						
	All Models	14	A,E	SUV1,2	E18	110405	CH,BN	X	4.2,7.5	45						
Commander		06-10	B	SUV1,2	E16	110408	BN,CG	X	2.1,5	15						
	w/Factory 7-Way	06-10	H	SUV6							E3	2E115 110381	RD BN,RD	Both 4-Flat		10 5
Compass		07-10	B,E	SUV1,2	E18	110420	BN,CH	X	2.1,4.2	45						
		11-15	B,E	SUV1,2	E20	110539	BN,CH	X	4.2,7.5	45						
Grand Cherokee		93	B,E	SUV3,4	E17	110340	†,CH		2.1,4.2	45						
		94-98	B,E	SUV3,4	E16	110349	CH,JM		2.1,4.2	45						
		99-04	B,E	SUV3,4	E10	110369	CH		2.1,4.2	10						
	w/Factory 7-Way	00-04	H	SUV6							E3	2E115 110381	RD BN,RD	Both 4-Flat		10 5
		05-06	B	SUV1,2	E17	110394	BN,CG	X	2.1,5	20						
	w/Factory 7-Way	05-06	H	SUV6							E3	2E115 110381	RD BN,RD	Both 4-Flat		10 5
		07-10	A	SUV1,2	E7	110425	BN		7.5	20						
	w/Factory 7-Way	07-10	A	SUV6							E3	2E115 110381	RD BN,RD	Both 4-Flat		10 5

† = Available while supply lasts.

				T-DMF (4-11in)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
JEEP (Continued)																
Grand Cherokee (Continued)	11-13	A	SUV1,2	E7	118425	BN		7.5	20							
w/Factory 7-Way	11-15	H	SUV6							E8	2E119 118015 118J84	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Grand Wagoneer	93	B,E	SUV3,4	E17	118348	f,CH		2.1,4,2	45							
Liberty	02-07	B,E	SUV1,2	E20	118524	CH	X	4.2,7.5	45							
w/Factory 7-Way	05-08	H	SUV6							E3	20135 118381	RD BN,RD	Both 4-Flat		7.5	10 5
	08-12	B,E	SUV1,2	E19	118554	BN,CH	X	4.2,7.5	45							
w/Factory 7-Way	09-12	H	SUV6							E8	2E119 118015 118J84	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Patriot	07	B,E	SUV1,2	E18	118428	BN,CH	X	2.1,4,2	45							
	08-15	A,E	SUV1,2	E18	118552	CH	X	4.2,7.5	45							
TJ	Canada 97	A	SUV5,7	E5	118356	BN		7.5	10							
	Canada 98-04	A	SUV5,7	E7	118409	BN		7.5	15							
	Canada 05-06	A	SUV5,7	E7	118409	BN		7.5	15							
Wrangler	91-95	A	SUV5,7	E5	118356	BN		7.5	10							
	97	A	SUV5,7	E5	118356	BN		7.5	10							
	All, Inc. Unlimited 98-04	A	SUV5,7	E7	118409	BN		7.5	15							
	All, Inc. Unlimited 05-06	A	SUV5,7	E7	118409	BN		7.5	15							
All, Except Right Hand Drive & Limited Edition Models	07-15	A	SUV1	E5	118416	BN		7.5	10							
KIA																
Amanti	07-09	B	PC3,4	E10	118453	HG		2.1,7.5	10							
Borrego	w/Factory 7-Way 09-11	H	SUV6							E8	2E119 118015 118J84	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Cadenza	14	B,E	PC3,4	E15	118616	CH	X	2.1,5,6	45							
Forte	4 Dr. Sedan, All Models 10-13	B	PC3,4	E12	118415	CG	X	2.1,5	20							
	4 Dr. Sedan, All Models 14-15	B,E	PC3,4	E15	118594	CH	X	2.1,5,6	45							
Optima	07-08	A	PC3,4	E7	118452			7.5	10							
	09-10	B	PC3,4	E12	118433	CG	X	2.1,5	10							
	All, Inc. EX & LX 11-13	B	PC3,4	E10	118453	HG		2.1,7.5	10							
Rio	4 Dr. Sedan EX 12-14	B,E	PC3,4	E16	118570	CH	X	2.1,5,6	45							
	4 Dr. Sedan LX 12-14	B,E	PC3,4	E16	118570	CH	X	2.1,5,6	45							
	4 Dr. Sedan SX 12-14	B,E	PC3,4	E16	118570	CH	X	2.1,5,6	45							
Rio5	5 Dr. Hatchback EX 12-14	B,E	PC3,4	E16	118570	CH	X	2.1,5,6	45							
	5 Dr. Hatchback LX 12-14	B,E	PC3,4	E16	118570	CH	X	2.1,5,6	45							
	5 Dr. Hatchback SX 12-14	B,E	PC3,4	E16	118570	CH	X	2.1,5,6	45							
Rondo	07-10	B	SUV1,2	E14	118431	BN,CG	X	2.1,5	15							
	Canada Only 11-12	B	SUV1,2	E14	118431	BN,CG	X	2.1,5	15							
	Canada Only 14-13	B,E	SUV1,2	E19	118410	BN,CH	X	2.1,5,6	45							
Sedona	02-05	B	SUV1,2	E8	118309	HG		2.1,5	25							
	All Models 06-12	B,E	SUV1,2	E19	118410	BN,CH	X	2.1,5,6	45							
	All Models 14	B,E	SUV1,2	E19	118410	BN,CH	X	2.1,5,6	45							
Sorento	03-06	B	SUV7	E7	118307	BN,HG		2.1,5	5							
w/Factory Tow Package	07-09	B,E	SUV7							E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
Base I4	11-13	B,E	SUV1,2	E23	118506	CH	X	4.2,7.5	45							
EX I4	11-13	B,E	SUV1,2	E23	118506	CH	X	4.2,7.5	45							
EX V6 w/Factory Tow Package	11-13	B,E	SUV5							E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
EX V6 w/o Factory Tow Package	11-13	B,E	SUV1,2	E23	118506	CH	X	4.2,7.5	45							
LX I4	11-13	B,E	SUV1,2	E23	118506	CH	X	4.2,7.5	45							
LX V6	11-13	B,E	SUV1,2	E23	118506	CH	X	4.2,7.5	45	E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
LX V6 w/Factory Tow Package	11-13	B,E	SUV5							E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
SX V6	11-13	B,E	SUV5							E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
EX V6	14	B,E	SUV5							E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
Limited V6	14	B,E	SUV5							E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
LX I4	14	B,E	SUV1,2	E16	118583	BN,CH	X	4.2,7.5	45							
LX V6	14	B,E	SUV5							E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
SX V6	14	B,E	SUV5							E13	118269	BN,CH	4-Flat	X	4.2,7.5	20
Soul	Except Models with LED Taillights 10-15	B	SUV1,2	E14	118431	BN,CG	X	2.1,5	15							
				E17	118637	CH	X	2.1,5,6	45							
	Models with LED Taillights 10-15	B,E	SUV1,2	E17	118637	CH	X	2.1,5,6	45							

† = Available while supply lasts.

				T-ONE (4-1in)						Tow Harness							
MAKE/MODEL	YEAR	ELEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN	
KIA (Continued)																	
Sportage	98-02	B,E	SUV3,4	E12	110371	†,HG		2.1,5	20								
	6 Cyl. Models Only	05-10	B	SUV5	E8	110401	BN,CG	X	2.1,5	5							
	All Models	11-14	B,E	SUV1,5	E25	110526	CH	X	4.2,7.5	45							
LAND ROVER																	
Range Rover Evoque	12-14	H	SUV5	E1	110624	BN		7.5	10								
LEXUS																	
ES 300h	Hybrid	13-14	B,E	PC3,4	E17	110592	CH	X	2.1,5.6	45							
ES 350		07-11	B,E	PC3,4	E16	110438	CH	X	2.1,5.6	45							
		13-14	B,E	PC3,4	E17	110592	CH	X	2.1,5.6	45							
GS 350		13-14	B,E	PC3,4	E17	110598	CH	X	2.1,5.6	45							
GS 350 F Sport		13	B,E	PC3,4	E17	110598	CH	X	2.1,5.6	45							
GS 450h		13	B,E	PC3,4	E17	110598	CH	X	2.1,5.6	45							
GX 460	w/Factory 7-Way	10-11	A	SUV5						E12	110262	BN,RD	Both			10	
		10-11	A	SUV5						2E119	RD	RD	Both			10	
										110015	RD	RD	7-Way			10	
										E8	110384	BN,RD	4-Flat	7.5		5	
											20137	RD				10	
GX 470	w/Factory 7-Way	03-06	E	SUV1,2													
HS 250h	Hybrid	10-12	B,E	PC3,4	E17	110510	CH	X	2.1,5.6	20							
IS 250		09-13	B,E	PC3,4	E16	110609	CH	X	2.1,5.6	45							
IS 350		09-14	B,E	PC3,4	E16	110609	CH	X	2.1,5.6	45							
LX 450		96-97	B	SUV6	E5	110357	BN,HG		2.1,5	5							
LX 470		98-99	B	SUV6	E5	110365	BN,HG		2.1,5	5							
		01-07	B	SUV6							E3	110245	BN,HG	4-Flat	7.5	10	
LX 570		08-11	B	SUV6							E3	110245	BN,HG	4-Flat	7.5	10	
RX 300		01-03	E,Z	SUV1,2							E3	110245	BN,HG	4-Flat	7.5	10	
RX 330		04-06	B,E	SUV3,4	E17	110478	CH	X	2.1,5.6	45							
RX 350		07-09	B,E	SUV3,4	E17	110478	CH	X	2.1,5.6	45							
		10-12	B,E	SUV3,4	E17	110478	CH	X	2.1,5.6	45	E13	110255	BN,CH	4-Flat	X	2.1,5.6	20
	w/Factory Tow Package	10-15	A	SUV6							E3	110252	BN,RD	4-Flat	7.5	5	
RX 450h	Hybrid	10-12	E	SUV4							E13	110255	BN,CH	4-Flat	X	2.1,5.6	20
Hybrid w/Factory Tow Package		10-12	A	SUV6							E3	110252	BN,RD	4-Flat	7.5	5	
LINCOLN																	
Aviator	w/Factory 7-Way	03-04	A	SUV1,2	E5	110344	BN		7.5	10							
		03-04	A	SUV6							2E119	RD	Both			10	
	w/Factory 7-Way	05	A	SUV6							110015	RD	RD	Both		10	
										23119	RD	Both	7-Way			10	
LS		00-06	G	PC3,4	E17	110373	LS		2.1,4.2	20							
Mark LT	w/Factory 7-Way	06-08	A	PU3							2E119	RD	Both			10	
											110015	RD	7-Way			10	
MKS		09-12	B,E	PC3,4	E18	110471	CH	X	2.1,5.6	45							
		13-14	B,E	PC3,4	E15	110599	CH	X	2.1,5.6	45							
MKT	w/Factory 7-Way	10-12	A	SUV6							23119	RD	Both			10	
											110015	RD	RD	7-Way		10	
	All Models	10-14	A,E	SUV3,4	E18	110507	CH	X	2.1,5.6	45							
MKX		07-10	N	SUV1,2	E17	110551	CH	X	4.2,7.5	45							
		11-15	N	SUV1,2	E23	110519	CH	X	4.2,7.5	45							
MKZ		07-09	B,E	PC1,2	E17	110507	CH	X	2.1,5.6	45							
		10-12	B,E	PC3,4	E21	110543	CH,TR	X	2.1,5.6	45							
	All, Inc. Hybrid	13-15	A,E	PC3,4	E17	110591	CH	X	2.1,5.6	45							
Navigator	w/Factory 7-Way	98-03	A	SUV1,2	E5	110344	BN		7.5	10							
		98-03	A	SUV6							23119	RD	Both			10	
	w/Factory 7-Way	04-11	A	SUV6							110015	RD	RD	Both		10	
										23119	RD	Both	7-Way			10	
Zephyr		06	B,E	PC1,2	E17	110507	CH	X	2.1,5.6	45							
MAZDA																	
2		11-14	B,E	PC3,4	E17	110520	CH	X	2.1,5.6	45							
3																	
4 Dr. Sedan, Except Models with Grand Touring LED Taillights Package		04-09	B	PC3,4	E14	110420	CG	X	2.1,5	15							

† = Available while supply lasts.

				T-DMF (4-11in)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	PCE	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
MAZDA (Continued)																
3 (Continued)																
5 Dr. Hatchback, Except Models with Grand Touring LED Taillights Package	04-09	B	PC3,4	E14	118420	CG	X	2.1,5	15							
4 Dr. Sedan, Except Models with Grand Touring LED Taillights Package	10-13	B	PC3,4	E14	118420	CG	X	2.1,5	15							
5 Dr. Hatchback, Except Models with Grand Touring LED Taillights Package	10-13	B	PC3,4	E14	118420	CG	X	2.1,5	15							
5 Dr. Hatchback	14	B,E	PC3,4	E16	118405	CH	X	2.1,5,6	45							
4 Dr. Sedan	14-15	B,E	PC3,4	E16	118405	CH	X	2.1,5,6	45							
5	All Models	06-10	B,E	PC3,4	E17	118520	CH	X	2.1,5,6	45						
	All Models	12-15	B,E	PC3,4	E17	118520	CH	X	2.1,5,6	45						
6	4 Dr. Sedan	03-08	B,E	PC3,4	E16	118405	CH	X	2.1,5,6	45						
	5 Dr. Hatchback	04-08	B,E	PC3,4	E16	118405	CH	X	2.1,5,6	45						
	4 Dr. Sedan	09-13	B,E	PC3,4	E19	118483	CH	X	2.1,5,6	45						
	4 Dr. Sedan	14	B,E	PC3,4	E17	118587	CH	X	2.1,5,6	45						
CX-5		13-15	B,E	SUV3,4	E19	118563	CH	X	4,2,7,5	45						
CX-7		07-12	B,E	SUV3,4	E16	118405	CH	X	2.1,5,6	45						
	w/Factory Tow Package	07-12	B,E	SUV4						E12	118249	CH	4-Flat	X	2.1,4,2	5
CX-9		07-12	B,E	SUV3,4	E17	118520	CH	X	2.1,5,6	45						
Navajo		91-94	A	SUV1	E3	118324	†,BN		7.5	20						
Pickup, B2300	All Models	94-08	B	PU3	E7	118325	BN,HG		2.1,5	5						
	w/Factory Tow Package	98-01	A	SUV5						E2	118241	BN	4-Flat		7.5	5
Pickup, B2500	All Models	98-01	B	PU3	E7	118325	BN,HG		2.1,5	5						
	w/Factory Tow Package	98-01	A	SUV5						E2	118241	BN	4-Flat		7.5	5
Pickup, B3000	All Models	94-08	B	PU3	E7	118325	BN,HG		2.1,5	5						
	w/Factory Tow Package	98-01	A	SUV5						E2	118241	BN	4-Flat		7.5	5
Pickup, B4000	All Models	94-08	B	PU3	E7	118325	BN,HG		2.1,5	5						
	w/Factory Tow Package	98-01	A	SUV5						E2	118241	BN	4-Flat		7.5	5
Tribute		01-03	B	SUV1,2	E9	118343	HG,RW		2.1,5	10						
					E16	118345	BN,CH,RW		2.1,4,2	45						
		05-06	B,E	SUV1,2	E17	118426	BN,CH	X	2.1,4,2	45						
	All, Inc. Hybrid & Vehicles w/Backup Sensors	08-11	A	SUV1,2	E17	118551	CH	X	4,2,7,5	45						
	All, Inc. Hybrid & Vehicles w/o Backup Sensors	08-11	A	SUV5						E1	118251	BN,QP	4-Flat		7.5	5
MERCURY																
Grand Marquis		92-97	A,E	PC3,4	E9	118326			7.5	20						
Mariner																
	All, Inc. Hybrid & Vehicles w/Backup Sensors	05-07	A,E	SUV1,2	E17	118551	CH	X	4,2,7,5	45						
	All, Inc. Hybrid & Vehicles w/Backup Sensors	08-11	A	SUV1,2	E17	118551	CH	X	4,2,7,5	45						
	All, Inc. Hybrid & Vehicles w/o Backup Sensors	08-11	A	SUV5						E1	118251	BN,QP	4-Flat		7.5	5
Milan		06-09	B,E	PC1,2	E17	118502	CH	X	2.1,5,6	45						
		10-11	B,E	PC1,2	E17	118502	CH	X	2.1,5,6	45						
Monterey Van		04-07	N	SUV1,2	E17	118385	CH	X	2.1,5,6	45						
Mountaineer		97-01	B,E	SUV1,2	E16	118345	BN,CH		2.1,4,2	45						
	w/Factory Tow Package	97-01	A	SUV7						E2	118241	BN	4-Flat		7.5	5
	w/Factory 7-Way	00-01	A	SUV6						23119	RD	Both	7-Way		10	10
										118015	RD	Both	7-Way		10	10
	w/Factory 7-Way	02-03	A	SUV1,2	E5	118344	BN		7.5	10		23119	RD	Both	7-Way	10
	w/Factory 7-Way	02-03	A	SUV6							23119	RD	Both	7-Way	10	10
	w/Factory 7-Way	04-10	A	SUV6							23119	RD	Both	7-Way	10	10
Sable	Sedan, All Models	92-95	A	PC3,4	E10	118351	†		7.5	10						
	Sedan, All Models	96-99	B	PC3,4	E9	118333	HG		2.1,5	10						
	Sedan, All Models	00-03	A	PC3,4	E4	118375			7.5	10						
	Sedan, All Models	08-09	A	PC3,4	E7	118447			7.5	10						
Tracer	4 Dr. Sedan	97-99	A	PC1,2	E5	118344			7.5	10						
Villager Mini Van		98	B	SUV3	E10	118367	BN,HG		2.1,5	5						
MITSUBISHI																
Endeavor		04-08	B,E	SUV3	E12	118516	CH	X	2.1,5,6	30						
		10-11	B,E	SUV3	E12	118516	CH	X	2.1,5,6	30						
Galant		07-12	B	PC3,4	E14	118420	CG	X	2.1,5	15						

† = Available while supply lasts.

				T-DMF (4-1in)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
MITSUBISHI (Continued)																
Lancer 4 Dr. Sedan, Except Evolution, Ralliart & Models w/Dual Exhaust	12-14	B,E	PC1,2	E16	110530	GP, JR	X	2.1,5.6	45							
Lancer Sportback 5 Dr. Hatchback, Except Ralliart & Models w/Dual Exhaust	10-14	B,E	PC1,2	E16	110530	JR	X	2.1,5.6	45							
Montero Does Not Inc. Montero Sport	01-06	B	SUV1,2	E12	110580	BN,HG		2.1,5	20							
Outlander	03-06	B,E	SUV3,4	E8	110506	HG		2.1,5	25							
	07-13	B,E	SUV3,4	E18	110518	CH	X	4.2,7.5	45							
	14-15	B,E	SUV3,4	E17	110482	CH	X	2.1,5.6	45							
Outlander Sport	11-14	B,LD	SUV1,2	E16	110530	CH	X	2.1,5.6	45							
Raider w/Factory 7-Way	06-09	A	PU1,2	E6	110523	BN		7.5	10	E3	20135 110381	RD BN,RD	Both 4-Flat		7.5	10 5
	06-09	A	PU3													
RVR Canada Only	11-12	B,LD	SUV1,2	E16	110530	CH	X	2.1,5.6	45							
NISSAN																
Altima 4 Dr. Sedan	98-01	B	PC3,4	E8	110561	HG		2.1,5	20							
	07-15	B,E	PC3,4	E17	110470	CH	X	2.1,5.6	45							
	08-13	B	PC3,4	E17	110470	CH	X	2.1,5.6	45							
Armada (See Pathfinder Armada for 2004 Model Year) w/Factory 7-Way	05-14	H	SUV6							E8	20119 110015 110384	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Cube	09-12	B	SUV1,2	E15	110492	CG	X	2.1,7.5	45							
Frontier Pickup w/Factory Tow Package	98-04	B	PU4	E10	110562	BN,HG		2.1,5	5	E3 E9 E21	110263 110267 110266	BN,RD,Z BN,RD,Z BN	4-Flat 7-Way 7-Way		7.5	5 5 30
	05-12	B,E	PU3													
	05-13	H	PU3													
	05-14	H	PU3	E14	110525	BN		7.5	30							
JUKE All Models	11-14	B,E	SUV3,4	E17	110528	CH	X	2.1,5.6	45							
Leaf	11-14	B,E	PC3,4	E16	110625	CH	X	2.1,5.6	45							
Maxima All Models	04-08	B,E	PC3,4	E17	110470	CH	X	2.1,5.6	45							
	09-14	B,E	PC3,4	E17	110470	CH	X	2.1,5.6	45							
Murano All, Except CrossCabriolet	09-14	B,E	SUV3,4	E16	110481	CH	X	2.1,5.6	45							
NV1500 All Models	12-14	B,E	SUV3,4	E17	110553	CH	X	4.2,7.5	45							
NV200 All Models	13-14	B,E	SUV3,4	E17	110547	CH	X	4.2,7.5	45							
NV2500 HD All Models	12-14	B,E	SUV3,4	E17	110553	CH	X	4.2,7.5	45							
NV3500 HD All Models	12-14	B,E	SUV3,4	E17	110553	CH	X	4.2,7.5	45							
Pathfinder	87-95	B	SUV1,2	E8	110353	BN,HG		2.1,5	10							
	96-04	B	SUV1,2	E8	110361	HG		2.1,5	20							
	05-12	B	SUV5	E3 E9	110263 110267	BN BN		7.5	5							
	05-12	H	SUV5	E14	110525	BN		7.5	30	E21	110266	BN	7-Way			30
Pathfinder Armada LE (See Armada for 2005 & Newer Models) w/Factory 7-Way	04	H	SUV6							E8	23119 110015 110384	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Pathfinder Armada SE (See Armada for 2005 & Newer Models) w/Factory 7-Way	04	H	SUV6							E8	23119 110015 110384	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Pickup, D21 (App. starts with 86-1/2)	86-94	B	PU1,2	E8	110553	BN,HG		2.1,5	10							
Quest Mini Van	98	B	SUV3	E10	110362	BN,HG		2.1,5	5							
	04-09	B,E	SUV1,2	E16	110469	CH	X	2.1,5.6	45							
	11-13	B,E	SUV1,2	E19	110547	BN,CH	X	4.2,7.5	45							
Rogue All, Except Krom	08-13	B,E	SUV3,4	E15	110480	CH	X	2.1,5.6	45							
	14-15	B,E	SUV3,4	E15	110480	CH	X	2.1,5.6	45							
Rogue Select	14	B,E	SUV3,4	E15	110480	CH	X	2.1,5.6	45							
Sentra	07-12	B,E	PC3,4	E17	110470	CH	X	2.1,5.6	45							
	13-14	B,E	PC3,4	E16	110587	CH	X	2.1,5.6	45							
Titan Pickup w/Factory 7-Way	04-14	H	PU3							E8	23119 110015 110384	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Versa 5 Dr. Hatchback	07-12	B,E	PC3,4	E17	110545	CH	X	2.1,5.6	45							
Versa Note All Models	14	B,E	PC3,4	E16	110587	CH	X	2.1,5.6	45							

† = Available while supply lasts.

MAKE/MODEL					T-DMF (4-11in)						Tow Harness					
YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN	
NISSAN (Continued)																
Xterra	w/Factory Tow Package	00-04	B	SUV7						E1	118244	BN	4-Flat		7.5	5
	w/Factory Tow Package	05-12	B,E	SUV5						E3	118263	BN,RD,Z	4-Flat		7.5	5
	All Models	05-13	H	SUV5	E14	118525	BN	7.5	30	E21	118266	BN	7-Way			30
	w/Factory Tow Package	05-13	B,E	SUV5						E9	118267	BN,RD,Z	7-Way			5
OLDSMOBILE																
Bravada	w/Factory 7-Way	99-01	A	SUV6						E8	20047 2E119 118015 118284	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5
	w/Factory 7-Way	02-04	H	SUV6						E8	20047 2E119 118015 118284	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5
Custom Cruiser Wagon		91-92	A	PC3,4	E4	118352	†	7.5	10							
Silhouette		93-96	A,E	SUV1,2	E7	118337	†	7.5	20							
		97-04	B	SUV3	E8	118355	HG	2.1,5	10							
PLYMOUTH																
Grand Voyager		91-95	A	SUV1,2	E6	118323	BN	7.5	10							
		96-00	B	SUV1,2	E10	118334	HG	2.1,5	20							
Voyager		91-95	A	SUV1,2	E6	118323	BN	7.5	10							
		96-00	B	SUV1,2	E10	118334	HG	2.1,5	20							
PONTIAC																
Aztek		01-05	A	SUV1,2	E10	118383	BN	7.5	20							
G3	5 Dr.	09	B	PC3,4	E13	118485	CG	X	2.1,7.5	15						
G5	2 Dr. Only	07-09	A	PC1,2	E5	118407	BN	7.5	15							
G5 GT	2 Dr. Only	07-09	A	PC1,2	E5	118407	BN	7.5	15							
G5 Pursuit	2 Dr. Only (Canada Only)	07-09	A	PC1,2	E5	118407	BN	7.5	15							
	4 Dr. (Canada Only)	07-09	A	PC1,2	E8	118398	BN	7.5	10							
G6	All Models	05-09	A	PC1,2	E7	118439	BN	7.5	15							
Montana		99-05	B	SUV3	E8	118355	HG	2.1,5	10							
	(Canada Only)	07-09	A	SUV1,2	E8	118355	HG	2.1,5	10							
Montana SV6	All, Inc. AWD	05-06	A	SUV1,2	E10	118396	BN	7.5	15							
	All, Inc. AWD (Canada Only)	07-09	A	SUV1,2	E10	118396	BN	7.5	15							
Torrent		06	B	SUV3	E8	118391	CG	X	2.1,5	10						
		07-09	A	SUV3	E7	118432	CE	7.5	10							
Trans Sport Van		93-96	A	SUV1,2	E7	118337	†	7.5	20							
	All, Inc. Montana	97-98	B	SUV3	E8	118355	HG	2.1,5	10							
Vibe		03-08	B	SUV3,4	E11	118458	CG	X	2.1,5	15						
		09-10	B,E	SUV3,4	E16	118460	CH	X	2.1,4,2	45						
RAM																
Pickup, 1500	w/Factory 7-Way	11-14	A	PU3						E8	2E119 118015 118284	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Pickup, 2500 HD	w/Factory 7-Way	11-14	A	PU3						E8	2E119 118015 118284	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Pickup, 3500 HD	w/Factory 7-Way	11-14	A	PU3						E8	2E119 118015 118284	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
Pickup, Dakota		11	A	PU1,2	E6	118323	BN	7.5	10							
ProMaster 1500	All Models	14														
			B,E	SUV3,4	E18	118618	CH	X	4.2,7.5	45						60
ProMaster 2500	All Models	14														
			B,E	SUV3,4	E18	118618	CH	X	4.2,7.5	45						60
ProMaster 3500	All Models	14														
			B,E	SUV3,4	E18	118618	CH	X	4.2,7.5	45						60
SAAB																
9-7X	w/Factory 7-Way	05-09								E8	2E119 2E119 118015 118284	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5

† = Available while supply lasts.

				T-DMF (4-1in)						Tow Harness						
MAKE/MODEL	YEAR	FLEC	POS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
SATURN																
Aura	07-09	B,LD	PC1,2	E11	110423	BN,HG		2.1,4.2	15							
Outlook	07-09	N	SUV1,2	E10	110434	BN		7.5	15							
	w/Factory 7-Way	07-09	N							E8	23047 23119 110015 110304	RD RD RD BN,RD	7-Way Both 7-Way 4-Flat		7.5	10 10 10 5
Relay	05-07	A	SUV1,2	E10	110396	BN		7.5	15							
Vue	All Models	02-07	B	SUV1,2	E16	110410	BN,CG	X	2.1,5	20						
	All Models	08-09	B,E	SUV3,4	E19	110443	CH	X	2.1,4.2	45						
SCION																
FR-S	14	B,E	PC3,4	E16	110629	CH	X	2.1,5.6	45							
iC	07-10	B	PC3,4	E13	110404	CG	X	2.1,5	15							
	14	B,E	PC3,4	E18	110615	CH	X	2.1,5.6	45							
xB	04-07	B	SUV3,4	E12	110414	CG	X	2.1,5	20							
	08-10	B,E	SUV3,4	E18	110460	CH	X	2.1,5.6	45							
	11-13	B,E	SUV3,4	E16	110460	CH	X	2.1,4.2	45							
xD	12-13	B,E	PC3,4	E15	110600	CH	X	2.1,5.6	45							
SUBARU																
B9 Tribeca																
All Models (See Tribeca for 2008 & Newer Models)	06-07	B,E	SUV8	E12	110461	CH	X	2.1,4.2	10							
Forester	98-08	B,E	SUV4	E12	110461	CH	X	2.1,4.2	10							
	09-14	B,E	SUV8	E11	110467	CH	X	2.1,5.6	15							
Impreza	4 Dr. Sedan, Inc. WRX	08-11	B,E	PC3,4	E17	110464	CH	X	2.1,5.6	45						
	5 Dr. Wagon, Inc. Sport, Except WRX & WRX STi	12-13	B,E	PC3,4	E19	110573	CH	X	2.1,5.6	45						
	4 Dr. Sedan, Except WRX & WRX STi	12-14	B,E	PC3,4	E15	110581	CH	X	2.1,5.6	45						
Legacy	Sedan	10-15	B,E	PC3,4	E14	110511	CH	X	2.1,5.6	45						
Legacy Wagon	Outback Only	96-99	B,E	PC3,4	E12	110461	CH	X	2.1,4.2	10						
		05-07	B,E	PC3,4	E12	110461	CH	X	2.1,4.2	10						
Outback Wagon	All, Except Sport	00-09	B,E	PC3,4	E12	110461	CH	X	2.1,4.2	10						
	All, Except Sport	10-15	B,E	PC3	E11	110467	CH	X	2.1,5.6	15						
Tribeca																
All Models (See B9 Tribeca for 2007 & Older Models)	08-14	B,E	SUV8	E12	110461	CH	X	2.1,4.2	10							
XV Crosstrek	13-14	B,E	SUV3	E11	110467	CH	X	2.1,5.6	15							
SUZUKI																
Equator	09-12	H	PU3	E14	110525	BN		7.5	30							
	w/Factory Tow Package	09-12	B,E							E3	110263	BN,RD,Z	4-Flat		7.5	5
										E9	110267	BN,RD,Z	7-Way			5
		09-13	H							E21	110266	BN	7-Way			30
Grand Vitara	99-05	B	SUV3	E5	110372	HG		2.1,5	5							
	06-12	B	SUV3,4	E12	110456	CG	X	2.1,5	20							
Sidekick	89-98	B	SUV3	E5	110372	HG		2.1,5	5							
SX4	Crossover	07-11	B	SUV3,4	E12	110456	CG	X	2.1,5	20						
	Sport Sedan	08-11	B	PC3,4	E12	110475	CG	X	2.1,5	20						
Vitara	99-05	B	SUV3	E5	110372	HG		2.1,5	5							
XL-7	01-06	B	SUV3	E5	110372	HG		2.1,5	5							
	w/Factory Tow Package	07-09	B	SUV3						E7	110432	CE,RD			7.5	10
TOYOTA																
4Runner	96-02	B,E	SUV3,4	E11	110341	HG		2.1,5	20							
	01-02	B,E	SUV3,4							E3	110345	BN,HG	4-Flat		7.5	10
	w/Factory 7-Way	03-06	B	SUV1,2						E12	23117 110267	RD BN,RD	Both			10
		10-11	A	SUV5							23119	RD	Both			10
	w/Factory 7-Way	10-11	A	SUV5						E8	110015 110304	RD BN,RD	7-Way 4-Flat		7.5	10 5
Avalon	11-12	B,E	PC3,4	E17	110482	CH	X	2.1,5.6	45							
	13-14	B,E	PC3,4	E16	110570	CH	X	4.2,7.5	45							
Camry	4 Dr. Sedan	97-01	B	PC3,4	E8	110350	HG		2.1,5	5						
	4 Dr. Sedan	02-06	B	PC3,4	E10	110300	HG		2.1,5	5						
	4 Dr. Sedan, Except Hybrid	07-09	B,E	PC3,4	E16	110405	CH	X	2.1,5.6	45						
	4 Dr. Sedan, Hybrid	07-11	B,LD	PC3,4	E17	110482	CH	X	2.1,5.6	45						
	4 Dr. Sedan, Except Hybrid	10-11	B,LD	PC3,4	E17	110482	CH	X	2.1,5.6	45						
	4 Dr. Sedan, Except Hybrid	12-14	B,E	PC3,4	E16	110405	CH	X	2.1,5.6	45						
	4 Dr. Sedan, Inc. Hybrid	12-14	B,E	PC3,4	E16	110405	CH	X	2.1,5.6	45						












† = Available while supply lasts.

				T-DMF (4-11in)						Tow Harness						
MAKE/MODEL	YEAR	FLEET	PCS	PC	Part No.	FN	CP	Amp	IN	PC	Part No.	FN	TYPE	CP	Amp	IN
TOYOTA (Continued)																
Corolla	03	B	PC3,4	E13	118387	CG	X	2.1,5	15							
	09-13	B,E	PC3,4	E16	118459	CH	X	2.1,4,2	45							
	14-15	B,E	PC3,4	E16	118405	CH	X	2.1,5,6	45							
Echo	00-02	B	PC3,4	E12	118386	CG	X	2.1,5	20							
FJ Cruiser	07-14	B	SUV3,4	E16	118405	CH	X	2.1,5,6	45							
Highlander	01-03	B,Z	SUV6							E3	118245	BN,HG	4-Flat		7.5	10
	01-07	B,Z	SUV3,4	E10	118413	HG		2.1,4,2	20							
	All, Except Hybrid	04-07	B	SUV3	E10	118248	CH	X	2.1,4,2	20						
	All, Inc. Hybrid	08-15	B,E	SUV3,4	E13	118449	CH	X	2.1,4,2	20						
	All, Inc. Hybrid															
Hilux	08-12	B	PU3,4	E13	118496	BN,HG		2.1,7,5	10							
LandCruiser	96-97	B	SUV6	E5	118357	BN,HG		2.1,5	5							
	98-99	B	SUV6	E5	118365	BN,HG		2.1,5	5							
	01-02	B	SUV6							E3	118245	BN,HG	4-Flat		7.5	10
Matrix	03-08	B	SUV3,4	E12	118386	CG	X	2.1,5	20							
	All Models	09-13	B,E	SUV3,4	E16	118460	CH	X	2.1,4,2	45						
Pickup	All, Except T-100	89-95	PU1,2	E14	118379	BN,HG		2.1,5	10							
Prius	04-11	B,E	PC3,4	E16	118505	CH	X	2.1,5,6	25							
	4 Dr. Sedan, Except Plug-In Model	12	B,E	PC3,4	E16	118505	CH	X	2.1,5,6	25						
Prius V	12-14	B,E	PC3,4	E13	118610	CH	X	2.1,5,6	45							
RAV4	96-00	B	SUV3,4	E12	118388	CG	X	2.1,5	20							
	01-05	B	SUV3,4	E12	118389	CG	X	2.1,5	20							
	06-12	B,E	SUV3,4	E16	118412	CH	X	2.1,4,2	45							
	13-15	B,E	SUV3,4	E16	118578	CH	X	4.2,7,5	45							
Sequoia	01-02	B	SUV7							E1	118246	BN	4-Flat		7.5	5
	w/Factory 7-Way	03-04	RD	SUV6							20137	RD				10
		08-10	N	SUV3,4	E16	118412	CH	X	2.1,4,2	45						
Sienna Van	04-10	B	SUV1,2	E10	118304			2.1,5	20							
	All Models	11-14	B,E	SUV1,2	E18	118498	CH	X	2.1,5,6	45						
T-100 Pickup	93-98	B	PU3,4	E13	118496	BN,HG		2.1,7,5	10							
Tacoma Pickup	(App. starts with 95-1/2)	95-04	B	PU1,2	E14	118379	BN,HG		2.1,5	10						
		05-08	B	PU1,2	E13	118496	BN,HG		2.1,7,5	10						
	w/Factory 7-Way	09-12	H	PU3						E8	2E119 118015 118384	RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 5
		09-15	B,LD	PU1,2	E13	118496	BN,HG		2.1,7,5	10						
Tundra	00	B,E	PU3	E15	118367	BN,CH		7.5	10							
	01-02	B,E	PU3	E17	118378	BN,CH		7.5	10							
	w/Factory 7-Way	03-06	B,E	PU3,4						E8	23137 23119 118015 118384	RD RD RD BN,RD	Both 7-Way 4-Flat		7.5	10 10 10 5
	w/Factory 7-Way	10-13	H	PU3												
Venza	09-15	B,E	SUV3,4	E17	118487	CH	X	2.1,5,6	45							
Yaris	4 Dr. Sedan	07-11	B,E	PC3,4	E18	118517	CH	X	2.1,5,6	45						
VOLKSWAGEN																
Jetta	4 Dr. Sedan	05-10	BTT	PC3,4	E22	118531	CH	X	4.2,7,5	45						
	4 Dr. Sedan	11-15	B,E	PC3,4	E27	118577	CH	X	4.2,7,5	45						
Passat	4 Dr. Sedan	06-10	BM	PC1,2	E25	118567	CH	X	4.2,7,5	45						
Passat Wagon		07-10	BM	PC1,2	E22	118530	CH	X	4.2,7,5	45						
Routan		09-12	A	SUV1,2	E7	118490		7.5	20							
Touareg		04-10	B,E	SUV3,4	E24	118509	CH	X	4.2,7,5	45						
VOLVO																
S80 Sedan	07-15	B,E	PC3,4	E19	118454	CH	X	2.1,5,6	45							
V70 Wagon																
	All, Inc. AWD (Excludes Models w/Optional Power Operated Tailgate)	08-10	B,E	SUV3,4	E15	118463	CH	X	2.1,5,6	45						
XC60	10-14	B,E	SUV3,4	E20	118523	CH	X	4.2,7,5	45							
XC90	05-14	B,E	SUV3,4	E18	118411	CH	X	2.1,5,6	20							

† = Available while supply lasts.

- †=Available while supply lasts.
- T=Upgrades from OEM 4-Flat to 6-Way wiring.
- Z=Upgrades from OEM 4-Flat to 7-Way wiring.
- A=2 wire system.
- B=3 wire system. Converter required.
- BW=Multiplexed wiring system. ModuLite® HD Plus or Ultra required.
- BN=Exterior mounted plug on some or all models. May require an aftermarket electrical mounting box or bracket. (Sold separately)
- BT=Shared Brake/Tail multiplexed wiring system. ModuLite® HD Plus or Ultra required.
- BT=Shared Brake/Tail/Turn multiplexed wiring system. ModuLite® HD Plus or Ultra required.
- CE=T-One includes fuse(s) & relay(s). Converter not required. Standard 2 wire system at factory tow plug.
- CG=T-One incorporates circuit protected taillight converter.
- CH=T-One is equipped with circuit protected ModuLite® module.
- E=ModuLite® required.
- F=2003 Models w/Build date after 11/1/02.
- FN=2003 Models w/Build date before 11/1/02.
- G=Low-side switching system.
- GP=Hitch crosstube concealed behind bumper.
- H=3 wire system with OEM standard 2 wire harness.
- HE=T-One incorporates taillight converter.
- HJ=Per Dodge owner's manual: If trailer is equipped with more than standard lighting (1 taillight per side) use of ModuLite® or dealer supplied harness is required.
- JW=Some early production 1994 models may require #118348.
- LD=Vehicle has LED taillamps.
- LS=T-One incorporates low-side switching taillight converter. Additional installation time required.
- M=DO NOT cut or splice vehicle wiring. Only use approved T-One or see auto dealer for trailer tow wiring kit.
- QP=Will not fit vehicles with backup sensors built into rear bumper.
- RD=For vehicles equipped with factory tow package may require additional components or may be used as a replacement harness.
- RW=On some models it may require an upgraded flasher or ModuLite®.
- TE=Trimming or Modification of the vehicle connector may be required.
- Z=May be equipped with Factory Tow Prep Plug. Determine at time of installation.

SELECTING THE CORRECT ELECTRICAL PRODUCT

A Code: 2 wire system: Direct wiring solutions	B Code: 3 wire system: Converter required	A,E Code: 2 wire system: ModuLite® required B,E Code: 3 wire system: ModuLite® required	BM, BT, BTT Code: Multiplexed system: ModuLite® HD Plus or Ultra required
<div data-bbox="145 343 464 629">  20250 4-Flat, 12' Long  702305 5-Way Flat, 4' Long  20224 USCAR 7-Way Connector </div> <div data-bbox="188 640 448 665">Direct wire system only</div>			
<div data-bbox="145 754 783 1044">  119130 Converter  707295 Converter  119178 Converter w/circuit protection </div> <div data-bbox="188 1054 687 1079">Works on non powered required systems only</div>			
<div data-bbox="145 1168 1102 1458">  119179 ModuLite® Protector and 119180 ModuLite® Protector with Wiring Kit  119147 ModuLite® HD Protector and 119148 ModuLite® HD Protector with Wiring Kit  119177 ModuLite® HD Protector w/BU </div> <div data-bbox="188 1469 810 1493">Works on any standard system that requires a ModuLite®</div>			
<div data-bbox="145 1583 1422 1873">  119190 ModuLite® HD Plus and 119191 ModuLite® HD Plus with Wiring Kit  119192 ModuLite® Ultra </div> <div data-bbox="188 1883 831 1908">Works on all systems, except electrical codes D, LS and N.</div>			

† = Available while supply lasts.

A Code: 2 wire system.

Vehicles are listed as A when the vehicle's system matches the trailer's 2 wire system. The vehicle's turn & brake functions are combined on one wire. The tail light function is on a separate wire (2 wire system). Also, it has been determined that the vehicle's system is able to handle a normal load expected from one set of trailer lights. Directly wiring into the vehicle's system does not protect the vehicle from shorts or overloads. To ensure maximum vehicle protection and maximum trailer light brightness, a ModuLite® should be used.

B Code: 3 wire system. Converter required.

Vehicles are listed as B when the vehicle's system is different than the trailer's 2 wire system. Each function: turn, brake and tail light are on separate wires (3 wire system). Also, it has been determined that the vehicle's system is able to handle a normal load expected from one set of trailer lights. To ensure maximum vehicle protection and maximum trailer light brightness, a ModuLite® should be used.

A,E Code: 2 wire system. ModuLite® required.

Vehicles are listed as A,E when the vehicle's system matches the trailer's 2 wire system. The vehicle's turn & brake functions are combined on one wire and the tail light function is on a separate wire (2 wire system). Also, it has been determined that the vehicle's system is not able to handle a normal load expected from one set of trailer lights. When installing the ModuLite®, the brake input (red wire) is not will not be used. It and should be attached to the ground wire instead.

B,E Code: 3 wire system. ModuLite® required.

Vehicles are listed as B,E when the vehicle's system is different than the trailer's 2 wire system. Each function: turn, brake and tail light are on separate wires (3 wire system). Also, it has been determined that the vehicle's system is not able to handle a normal load expected from one set of trailer lights. When installing the ModuLite® all input wires are used.

BM Code: Multiplexed wiring system. ModuLite® HD Plus or Ultra required.

Vehicles are listed as BM when the vehicle's system is different than the trailer's 2 wire system. The vehicle's functions are shared on one wire. The vehicle uses different voltages and frequencies to activate the rear combination lamps. These vehicle systems are not able to handle a normal load expected from one set of trailer lights. Either the ModuLite® HD Plus or Ultra is required.

At time of installation, determine the type of the vehicle's shared system. For vehicles that share a tail and brake circuit, the tail input (brown wire) is not used and should be attached to the ground. For vehicles that share a tail, brake and turn circuit the tail input (brown wire) and brake input (red wire) are not used and should be attached to the ground.

BT Code: Brake/Tail multiplexed wiring system. ModuLite® HD Plus or Ultra required.

Vehicles are listed as BT when the vehicle's system is different than the trailer's 2 wire system. The vehicle's brake & tail functions are combined on one wire and the turn function is on a separate wire (multiplexed shared brake and tail). Also, it has been determined the vehicle's system is not able to handle a normal load expected from one set of trailer lights. When installing the ModuLite HD Plus or Ultra, the tail input (brown wire) is not used and should be attached to the ground.

BTT Code: Brake/Tail/Turn multiplexed wiring system. ModuLite® HD Plus or Ultra required.

Vehicles are listed as BTT when the vehicle's system is different than the trailer's 2 wire system. The vehicle's brake, tail and turn functions are combined on one wire (multiplexed shared brake, tail & turn). Also, it has been determined that the vehicle's system is not able to handle a normal load expected from one set of trailer lights. When installing the ModuLite HD Plus or Ultra, the tail input (brown wire) and brake input (red wire) are not used and should be attached to the ground.

† = Available while supply lasts.




ModuLite® POWER MODULES


Power Modules that LIGHT IT UP!



Without **ModuLite®** all the additional power required to supply the trailer lights (**represented by the red line**) pass through the vehicle's electrical system including the fuse panel, turn signal switch, taillight harness and lamp out sensor if so equipped.



With **ModuLite®** all the additional power required to supply the trailer lights (**represented by the green line**) is supplied directly from the battery. Only a small amount of power is required from the fuse panel, turn signal switch, taillight harness and lamp out sensor if so equipped, to signal when to illuminate the trailer lights.



† = Available while supply lasts.



ModuLite® POWER MODULES

TRAILER LIGHT POWER MODULES

- Virtually eliminates additional electrical draw on the vehicle's taillight circuits
- Ensures maximum trailer light brightness
- Powers the trailer's stop, turn, tail and running lights without overloading vehicle electrical systems
- Compatible with:
 - 2 & 3 wire systems
 - PWM
 - Multiplex
 - LED tail lights
- Eliminates the need for heavy duty flashers

IDENTIFYING THE NEED FOR MODULITE®

- Today's vehicles have light gauge wire
- Computerized vehicle sensors monitor electrical current draw
- Without ModuLite® the sensors may give false readings
- Adding additional towing lights w/o ModuLite® may overload the system
- System problems and failure may occur without ModuLite®

HOW IT WORKS

- ModuLite® connects directly to vehicle's battery & powers the towing lights
- ModuLite® provides from 2.1 to 7.5 amps of power per circuit to the trailer lights, depending on the unit

INSTALLATION

ModuLite® power modules typically install in 30 to 45 minutes depending on the ease of routing the power supply wire from the battery to the rear of the vehicle.

WHEN YOU NEED MODULITE®

- Trailer has more than one light assembly per side and is equipped with multiple clearance or running lights
- If the tow vehicle may tow a variety of different trailers
- Vehicle is equipped with lamp out sensors or other electronic devices that could be damaged by voltage fluctuations
- Owners manual cautions against adding additional loads to electrical circuits

For example: Jeep Grand Cherokee

"Do not connect trailer lighting system directly to the lighting system of your vehicle. Failure to comply could damage the vehicles electrical system and/or result in personal injury."

CALCULATE THE TRAILER AMPERAGE REQUIREMENT

Bulb Type	Candle Power	Rated Amps	Watts
57—1895	2	0.27	3.780
2057	32	2.10	26.880
	2	0.48	6.720
MR16	—	—	35
921	21	1.40	17.920
922	15	0.98	12.544
1141	21	1.44	18.432
93	15	1.04	13.312
105	12	1.07	13.696
1156	32	2.10	26.880
1157	32	2.10	26.880
	3	0.59	8.260
168	3	0.35	4.900
194	2	0.27	3.780

† = Available while supply lasts.



ModuLite® POWER MODULES



119179



119180

MODULITE® PROTECTOR

- The unit is rated for up to 2.1 amps for Turns/Stops circuits and 5.6 amps for the Taillight circuit
- Draws power directly from the vehicle battery and uses less than 5mA of the vehicle circuit for sensing to turn the trailer functions on and off
- Will work with either LED/Incandescent bulbs (vehicle & trailer)
- Has integrated re-settable Short Circuit and Overload protection, to safeguard itself and the tow vehicle from shorts and installation wiring mishaps
- Designed not to send feedback thru the vehicle circuits
- The trailer brakes will override the hazard lamps when the brake is activated
- The taillight circuit has been upgraded to work with vehicles that use a pulse width modulation (PWM), this will allow the converter to turn on fully and gives the trailer lights full brightness during activation
- Will not work with vehicles with low-side switch
- Can be used on a 2 wire or 3 wire system
- All solid-state components in potted encapsulation
- Includes integrated protective cover

Part No.	Description	Packaging
119179	Modulite® Protector	Clam
119179-012	Modulite® Protector (12 Pack)	Bulk
119179-050	Modulite® Protector (50 Pack)	Bulk
119180	Modulite® Protector & Wiring Kit (119179 & 118151)	Clam



119147



119148

MODULITE® HD PROTECTOR




- The unit is rated for up to 4.2 amps for Turns/Stops circuits and 7.5 amps for the Taillight circuit
- Draws power directly from the vehicle battery and uses less than 5mA of the vehicle circuit for sensing to turn the trailer functions on and off
- Will work with either LED/Incandescent bulbs (vehicle & trailer)
- Has integrated re-settable Short Circuit and Overload protection, to safeguard itself and the tow vehicle from shorts and installation wiring mishaps
- Designed not to send feedback thru the vehicle circuits
- The trailer brakes will override the hazard lamps when the brake is activated
- The taillight circuit has been upgraded to work with vehicles that use a pulse width modulation (PWM), this will allow the converter to turn on fully and gives the trailer lights full brightness during activation
- Will not work with vehicles with low-side switch
- Can be used on a 2 wire or 3 wire system
- All solid-state components in potted encapsulation
- Includes integrated protective cover

Part No.	Description	Packaging
119147	Modulite® HD Protector	Clam
119147-012	Modulite® HD Protector (12 Pack)	Bulk
119147-050	Modulite® HD Protector (50 Pack)	Bulk
119148	Modulite® HD Protector & Wiring Kit (119147 & 118151)	Clam

† = Available while supply lasts.



ModuLite® POWER MODULES



118150



118151

MODULITE® HD PLUS

- The unit is rated for up to 4.2 amps for Turns/Stops circuits and 7.5 amps for the Taillight circuit
- Universal ModuLite designed to be used on most vehicles plus the hard to wire vehicles
- Draws power directly from the vehicle battery and uses less than 5mA of the vehicle circuit for sensing to turn the trailer functions on and off
- Will work with either LED/Incandescent bulbs (vehicle & trailer)
- Has integrated re-settable Short Circuit and Overload protection, to safeguard itself and the tow vehicle from shorts and installation wiring mishaps
- Designed not to send feedback thru the vehicle circuits
- The trailer brakes will override the hazard lamps when the brake is activated
- Advanced circuitry works in all standard applications as well as vehicles with ST and STT pulse width modulation (PWM) systems
- Interprets/decodes multiplex signal inputs (i.e. Audi, BMW, Mercedes and VW)
- Will not work with vehicles with low-side switch
- Can be used on a 2 wire or 3 wire system
- All solid-state components in potted encapsulation
- Includes integrated protective cover

Part No.	Description	Packaging
119190	Modulite® HD Plus	Clam
119190-012	Modulite® HD Plus (12 Pack)	Bulk
119190-050	Modulite® HD Plus (50 Pack)	Bulk
119191	Modulite® HD Plus Includes Wiring Kit (119190 & 118151)	Clam

MODULITE® WIRING KITS

Part No.	Description	Packaging
118150	Upgraded Wiring Kit for Installing all ModuLites®, Includes 20' pre-wrapped in convoluted tubing, 20 - 8" Wire Ties, 1 - 10 & 1 - 15 Fuses, and Weather Sealed Fuse Holder	Clam
118151	Wiring Kit For Installing All ModuLites®, Includes 10 Amp Fuse (20' Length)	Clam

† = Available while supply lasts.



ModuLite® POWER MODULES



119177

MODULITE® HD PROTECTOR W/BACKUP

- The unit is rated for up to 4.2 amps for Turns/Stops circuits and 7.5 amps for the Taillight circuit and 4.2 amps for Back-Up circuit
- Draws power directly from the vehicle battery and uses less than 5mA of the vehicle circuit for sensing to turn the trailer functions on and off
- Will work with either LED/Incandescent bulbs (vehicle & trailer)
- Has integrated re-settable Short Circuit and Overload protection, to safeguard itself and the tow vehicle from shorts and installation wiring mishaps
- Designed not to send feedback thru the vehicle circuits
- The trailer brakes will override the hazard lamps when the brake is activated
- The taillight circuit has been upgraded to work with vehicles that use a pulse width modulation (PWM), this will allow the converter to turn on fully and gives the trailer lights full brightness during activation
- Will not work with vehicles with low-side switch
- Integrated 5-flat electrical wiring connector. Fifth circuit added for surge brake lockout or backup light circuit on trailers (some units will come with a 5-way cap, mounting bracket sold separately)
- Can be used on a 2 wire or 3 wire system
- All solid-state components in potted encapsulation
- Includes integrated protective cover

Part No.	Description	Packaging
119177	Modulite® HD Protector w/Backup & 5-Flat Connector for Backup Light or Surge Brake Lockout Circuit	Clam



119192

MODULITE® ULTRA

- The unit is rated for up to 4.2 amps for Turns/Stops circuits and 16 amps for the Taillight circuit
- Universal ModuLite designed to be used on most vehicles plus the hard to wire vehicles
- Draws power directly from the vehicle battery and uses less than 5mA of the vehicle circuit for sensing to turn the trailer functions on and off
- Will work with either LED/Incandescent bulbs (vehicle & trailer)
- Has integrated re-settable Short Circuit and Overload protection, to safeguard itself and the tow vehicle from shorts and installation wiring mishaps
- Designed not to send feedback thru the vehicle circuits
- The trailer brakes will override the hazard lamps when the brake is activated
- Advanced circuitry works in all standard applications as well as vehicles with ST and STT pulse width modulation (PWM) systems
- Interprets/decodes multiplex signal inputs (i.e. Audi, BMW, Mercedes and VW)
- Will not work with vehicles with low-side switch
- Can be used on a 2 wire or 3 wire system
- All solid-state components in potted encapsulation

Part No.	Description	Packaging
119192	ModuLite® Ultra	Clam

† = Available while supply lasts.


119178

TAILLIGHT CONVERTERS WITH CIRCUIT PROTECTION

- This unit rated for up to 2.1 amps for Turns/Stops circuits and 7.5 amps for the Taillight circuit
- Adapts import and domestic vehicles with separate turn and stop lights (3 wire system) to standard trailer taillight wiring (2 wire system)
- Will work with either LED/Incandescent bulbs (vehicle & trailer)
- Has integrated re-settable Short Circuit and Overload protection, to safeguard itself and the tow vehicle from shorts and installation wiring mishaps
- Designed not to send feedback thru the vehicle circuits
- All solid-state components in potted encapsulation
- Will not work with vehicles with low-side switch
- Includes integrated protective cover

Part No.	Description	Packaging
119178	Taillight Converter with 60" 4-Flat Car End Connector	Clam
119178-012	Taillight Converter (12 Pack)	Bulk
119178-050	Taillight Converter (50 Pack)	Bulk


119130

707295

TAILLIGHT CONVERTERS

- This unit rated for up to 2.1 amps for Turns/Stops circuits and 7.5 amps for the Taillight circuit
- Adapts import and domestic vehicles with separate turn and stop lights (3 wire system) to standard trailer taillight wiring (2 wire system)
- Will work with either LED/Incandescent bulbs (vehicle & trailer)
- Designed not to send feedback thru the vehicle circuits
- All solid-state components in potted encapsulation
- Will not work with vehicles with low-side switch
- Includes integrated protective cover


Part No.	Description	Packaging
119130	Taillight Converter with 60" 4-Flat Car End Connector	Clam
119130-012	Taillight Converter (12 Pack)	Bulk
119130-050	Taillight Converter (50 Pack)	Bulk
707295	Taillight Converter with 60" 4-Flat Car End Connector	Clam


118158

2 TO 3-WAY TAILLIGHT CONVERTERS

- Allows R.V.'s & other vehicles with 2 wire systems to tow vehicles and trailers with 3 wire systems

Part No.	Description	Packaging
118158	Connects A Tow Vehicle With A 2 Wire System To A Towed Vehicle With A 3 Wire System	Clam


118821

TAILLIGHT ISOLATING DIODE SYSTEM


- Allows motorhome to power lights on towed vehicle w/o power feedback

Part No.	Description	Packaging
118821	Taillight Isolating System With 4-Flat	Clam

† = Available while supply lasts.



20250



20251

MULTI-FIT WIRING HARNESS

- Easy do-it-yourself tow vehicle wiring kits for applications without T-One® Connectors
- Test light included on 20251 & 20252
- 16 gauge wire w/4-Flat dust cover



Part No.	Description	Packaging
20250	Vehicles w/common turn and stop lights and factory (O.E.M.) wiring harness. 12" length	Clam
20251	Designed for vehicles w/ separate turn and stop lights and no factory (O.E.M.) wiring harness. Converter specification of 2.1 amps per stop/turn circuit & 4.2 amps per tail circuit. Includes circuit tester & 60" leads.	Clam
20252	Vehicles w/common turn and stop lights and no factory (O.E.M.) wiring harness. Includes circuit tester. 72" length	Clam

† = Available while supply lasts.



Wunside Harness Design



Note: Various length and combinations available. Contact your Cequent Performance Products Representative for details.

Note: All Cequent Performance Products 4-Way Flat Wire Harnesses conform to SAE J1128 interface specifications.

4-WAY FLAT WIRE HARNESSES

Color coded harnesses in various lengths available with car and trailer end connectors. Trailer ends can be purchased in straight lengths, loops, wunside or wishbone harness styles. Various length and combinations are available.

4-Way Flat Car End Wire Harnesses

Part No.	Description	Packaging
002301	4-Way Flat 4 Ft. Car End, 18" Ground	Bulk
707275	4-Way Flat 4 Ft. Car End, 18" Ground	Clam
101469	4-Way Flat 6 Ft. Car End, 6 Ft. Ground	Bulk
707272	4-Way Flat 6 Ft. Car End, 6 Ft. Ground	Clam

4-Way Flat Trailer End Wire Harnesses

Part No.	Description	Packaging
18004001	4-Way Flat 12" Trailer End	Bulk

4-Way Flat Car End and Trailer End Wire Harnesses - Loop Style

Part No.	Description	Packaging
18185001	4-Way Flat 18" Loop w/Wire Taps	Bulk
18044001	4-Way Flat 48" Loop w/Wire Taps	Bulk
18045001	4-Way Flat 60" Loop w/Wire Taps	Bulk

4-Way Flat Trailer End Wire Harnesses - Wunside Style

Part No.	Description	Packaging
002401	4-Way Flat 18" Trailer End, Wunside Harness, 18" Ground	Bulk
707285	4-Way Flat 18" Trailer End, Wunside Harness, 18" Ground	Clam
002120	4-Way Flat 20 Ft. Trailer End, Wunside Harness, 3 Ft. Ground	Bulk
002125	4-Way Flat 25 Ft. Trailer End, Wunside Harness, 3 Ft. Ground	Bulk
002130	4-Way Flat 30 Ft. Trailer End, Wunside Harness, 3 Ft. Ground	Bulk

4-Way Flat Trailer End Wire Harnesses - Wishbone Style

Part No.	Description	Packaging
002402	4-Way Flat 18" Trailer End, Wishbone Harness, 18" Ground	Bulk
707286	4-Way Flat 18" Trailer End, Wishbone Harness, 18" Ground	Clam
002215	4-Way Flat 15 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Bulk
002220	4-Way Flat 20 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Bulk
108820	4-Way Flat 20 Ft. Trailer End, Wishbone Harness, 30" Ground	Bulk
707261	4-Way Flat 25 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Clam
108825	4-Way Flat 25 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Bulk
002230	4-Way Flat 30 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Bulk
108830	4-Way Flat 30 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Bulk
002235	4-Way Flat 35 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Bulk
108835	4-Way Flat 35 Ft. Trailer End, Wishbone Harness, 30" Ground	Bulk
002240	4-Way Flat 40 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Bulk
108840	4-Way Flat 40 Ft. Trailer End, Wishbone Harness, 3 Ft. Ground	Bulk

4-Way Flat Trailer End Wire Harnesses With Car Ends - Wishbone Style

Part No.	Description	Packaging
707270	4-Way Flat 18" Trailer End, Wishbone Harness, 18" Ground w/4 Ft. Car End, 18" Ground	Clam
707103	4-Way Flat 25 Ft. Trailer End, Wishbone Harness Kit w/Hardware, 3 Ft. Ground w/4 Ft. Car End, 18" Ground	Clam
707104	4-Way Flat 30 Ft. Trailer End, Wishbone HarnessKit w/Hardware, 3 Ft. Ground w/4 Ft. Car End, 18" Ground	Clam

Double Ended 4-Way Flat Wire Harness - Extension Style

Part No.	Description	Packaging
707254	Double Ended 4-Way 2 Ft. Cord (4-Way Flat Car & Trailer Ends)	Clam

4-WAY FLAT WIRE HARNESSSES

All WesBarg® 4-Flat Wiring conforms to SAE Spec. J1128 assuring you of consistent quality and reliability. 4-Flat harnesses come in a variety of lengths and packages to fit your every need.

Features Include:

- 18 gauge bonded wires
- Taillight, stop and turn functions printed on wire
- Ground wire runs full length of assembly

4-WAY FLAT CAR END WIRE HARNESSSES

- 7.5 Amps max per circuit



Part No.	Description	Packaging
118001	48" Car End - Includes 4 Wire Taps	Clam
118001-024	48" Car End (24 Pack)	Boxed
118001-200	48" Car End (200 Pack)	Boxed
118002	60" Car End - Includes 4 Wire Taps	Clam
118002-024	60" Car End (24 Pack)	Boxed
118002-200	60" Car End (200 Pack)	Boxed
118172-024	72" Car End (24 Pack)	Boxed
118172-150	72" Car End (150 Pack)	Boxed

4-WAY FLAT TRAILER END WIRE HARNESSSES


- 7.5 Amps max per circuit



Part No.	Description	Packaging
118004	12" Trailer End	Clam
118004-012	12" Trailer End (12 pack)	Boxed
118009	21' Trailer End	Clam
118033	48" Trailer End	Clam
118033-012	48" Trailer End (12 pack)	Bagged
118192	25' Trailer End w/dual taillight (brown) wires	Clam

4-WAY FLAT CAR AND TRAILER WIRE HARNESSSES

- 7.5 Amps max per circuit
- Includes both car and trailer 4-Flat Connectors wired end to end



Part No.	Description	Packaging
118044	48" Car & Trailer End Loop - includes 4 wire taps	Clam
118044-010	48" Car & Trailer End Loops (10 pack)	Bagged
118044-175	48" Car & Trailer End Loops (175 pack)	Boxed
118045	60" Car & Trailer End Loop - includes 4 wire taps	Clam
118045-010	60" Car & Trailer End Loops (10 pack)	Boxed
118045-175	60" Car & Trailer End Loops (175 pack)	Boxed
118615-020	72" Car & Trailer End Loops (20 pack)	Boxed
118636	24' Car & Trailer End Loop	Clam
118185	18" Car & Trailer End Loop - includes 4 wire taps	Clam
118185-025	18" Car & Trailer End Loops (25 pack)	Bagged
118185-200	18" Car & Trailer End Loops (200 pack)	Boxed

† = Available while supply lasts.



4-WAY ROUND ELECTRICAL CONNECTORS

- Attractive chrome housing

Part No.	Description	Packaging
118077	4-Way Round Chrome Car End & Trailer End Plug Connectors	Clam
118101	4-Way Round Chrome Car End Connector	Clam
118102	4-Way Round Chrome Trailer End Connector	Clam



118043


4-FLAT CAR END CONNECTORS

- 7.5 Amps max per circuit

Part No.	Description	Packaging
118043	30" Car End "Knockout" Socket Connector 16 Gauge Wire (Un-Bonded). Requires 1-1/4" Hole.	Clam
118603	60" Car End "Knockout" Socket Connector 16 Gauge Wire (Un-Bonded). Requires 1-1/4" Hole.	Clam



54000-026



54000-027

4-WAY / 5-WAY FLAT WIRE HARNESSES WITH COILED CABLE

WesBarg

Coiled 14 gauge cable available with either 4-way or 5-way flat trailer end connectors. Cable extended length to 11 feet.

4-Way / 5-Way Flat Wire Harnesses With Coiled Cable

Part No.	Description	Packaging
54000-026	4-Way Flat Trailer End w/11' Coiled Cable	Bulk
54000-027	5-Way Flat Trailer End w/11' Coiled Cable	Bulk



787159

4-WAY FLAT CONNECTORS WITH JACKETED CABLE

WesBarg

Color coded sealed cable available with trailer end connector, jacketed cable and 4' stripped wire leads. No exposed wires and sealed for environmental protection.

4-Way Flat Trailer End Connectors With Jacketed Cable

Part No.	Description	Packaging
787264	4-Way Flat 4' Trailer End w/Jacketed Cable	Bulk
787268	4-Way Flat 8' Trailer End w/Jacketed Cable	Bulk
787270	4-Way Flat 10' Trailer End w/Jacketed Cable	Bulk
787274	4-Way Flat 14' Trailer End w/Jacketed Cable	Bulk

Double Ended 4-Way Flat Connector With Jacketed Cable - Extension Style

Part No.	Description	Packaging
787159	Double Ended 4-Way 88" Cord (4-Way Flat Trailer & 4-Way Square Car Ends)	Bulk

Note: Various length and combinations available. Contact your Cequent Performance Products Representative for details.



118022

2-WAY FLAT WIRE HARNESS

- 2-Flat hookup - 12" loop

Part No.	Description	Packaging
118022	2-Flat Electrical Connector Loop - 12"	Clam

† = Available while supply lasts.



787301

4-WAY FLAT DUST COVER

Part No.	Description	Packaging
104393	4-Way Flat Dust Cover	Bulk
787301	4-Way Flat Dust Cover	Clam



20112

4-WAY FLAT DUST COVER

Part No.	Description	Packaging
20112	Dust Cover For 4-Flat Connector	Clam
20112-024	Dust Cover For 4-Flat Connector (24 Pack)	Boxed



118147-025

4-WAY FLAT COVER W/LED TESTER



Part No.	Description	Packaging
118147-025	4-Flat Cover w/LED Tester (25 pack)	Bagged



20118

5-WAY FLAT DUST COVER

Part No.	Description	Packaging
20118	Dust Cover, 5-Flat Connector	Clam
20118-024	Dust Cover, 5-Flat Connector (24 pack)	Boxed



Note: Various length and combinations available. Contact your Cequent Performance Products Representative for details.



5-WAY FLAT WIRE HARNESSES

Color coded harnesses in various lengths available with car and trailer end connectors. Trailer ends can be purchased in wunside or wishbone harness styles. Various length and combinations are available.

5-Way Flat Car End Wire Harnesses

Part No.	Description	Packaging
702305	5-Way Flat 4 Ft. Car End , 18" Ground, 4 Ft. Auxiliary	Clam
002309	5-Way Flat 6 Ft. Car End, 6 Ft. Ground, 6 Ft. Auxiliary	Bulk
707273	5-Way Flat 6 Ft. Car End, 6 Ft. Ground, 6 Ft. Auxiliary	Clam

5-Way Flat Trailer End Wire Harnesses - Wunside Style

Part No.	Description	Packaging
702405	5-Way Flat 18" Trailer End, Wunside Harness, 18" Ground, 18" Auxiliary	Clam

5-Way Flat Trailer End Wire Harnesses - Wishbone Style

Part No.	Description	Packaging
002409	5-Way Flat 4 Ft. Trailer End, Wishbone Harness, 4 Ft. Ground, 4 Ft. Auxiliary	Bulk
707283	5-Way Flat 4 Ft. Trailer End, Wishbone Harness, 4 Ft. Ground, 4 Ft. Auxiliary	Clam
002275	5-Way Flat 25 Ft. Trailer End, Wishbone Harness, 4 Ft. Ground, 5 Ft. Auxiliary	Bulk
702275	5-Way Flat 25 Ft. Trailer End, Wishbone Harness, 4 Ft. Ground, 5 Ft. Auxiliary	Clam
002280	5-Way Flat 30 Ft. Trailer End, Wishbone Harness, 4 Ft. Ground, 5 Ft. Auxiliary	Bulk
002285	5-Way Flat 35 Ft. Trailer End, Wishbone Harness, 4 Ft. Ground, 5 Ft. Auxiliary	Bulk
002290	5-Way Flat 40 Ft. Trailer End, Wishbone Harness, 4 Ft. Ground, 5 Ft. Auxiliary	Bulk

5-Way Flat Trailer End Wire Harnesses With Car End - Wishbone Style

Part No.	Description	Packaging
707105	5-Way Flat 25 Ft. Trailer End, Wishbone Harness Kit w/Hardware, 4 Ft. Ground, 5 Ft. Auxiliary w/6 Ft. Car End, 6 Ft. Ground, 6 Ft. Auxiliary	Clam

Double Ended 5-Way Flat Wire Harness - Extension Style

Part No.	Description	Packaging
707255	Double Ended 5-Way 2 Ft. Cord (5-Way Flat Car and Trailers Ends)	Clam

5-WAY FLAT ELECTRICAL WIRE HARNESSES

- Fifth wire added for surge brake lockout or backup light circuit on today's newer trailers
- 7.5 amps maximum per circuit

Part No.	Description	Packaging
118016	5-Flat 72" Car End Wiring Harness	Clam
118016-025	5-Flat 72" Car End Wiring Harness (25 pack)	Boxed
118017	5-Flat 48" Trailer End Wiring Harness	Clam
118215	5-Flat 72" Car & Trailer End Loop	Clam



6-WAY METAL CONNECTORS

Heavy duty die cast corrosion resistant housing, spring loaded car end cover, and coded terminals. Interchangeable with other standard 6-way connectors.


Part No.	Description	Packaging
62	6-Way Metal Car End Only	Bulk
54-60-101	6-Way Metal Car End Only	Bagged
63	6-Way Metal Trailer End Only	Bulk
54-60-103	6-Way Metal Trailer End Only	Bagged



6-WAY ELECTRICAL CONNECTORS

- Durable metal shell

Part No.	Description	Packaging
118036	6-Way Heavy-Duty Metal Car End Socket Connector	Clam
118036-006	6-Way Heavy-Duty Metal Car End Socket Connectors (6 pack)	Bagged
118036-050	6-Way Heavy-Duty Metal Car End Socket Connectors (50 pack)	Boxed
118037	6-way Heavy-Duty Metal Trailer End Plug Connector	Clam
118037-006	6-Way Heavy-Duty Metal Trailer End Plug Connectors (6 pack)	Bagged
118037-050	6-Way Heavy-Duty Metal Trailer End Plug Connectors (50 pack)	Boxed



6-WAY SQUARE WIRE HARNESSES

- Used on tent trailers
- 7.5 amps maximum per circuit

Part No.	Description	Packaging
30105	6-Way Square Connector Kit (Male & Female Ends) - 12"	Clam
118104	6-Way Square to 4-Flat Adapter - 12" Loop	Bagged



30105

118104



6-WAY SUPER SEALED CAR ENDS WITH CABLE

Prewired, 6-Way car end sealed with 2, 4 or 7 ft. of UL listed 6-way cable (White, Blue and Red-10 gauge; Yellow, Brown and Green-14 gauge). Solid brass terminals and housing of industrial-strength, glass-filled thermoplastic, door with EPDM rubber gasket and heavy duty stainless steel spring. Manufactured with UL listed PVC for flexibility and features molded construction to encapsulate terminals and wires. Patent Pending.

Part No.	Description	Packaging
50-86-004	6-Way Super Sealed Car End w/4 Ft. Cable	Bulk
51-86-004	6-Way Super Sealed Car End w/4 Ft. Cable	Clam
50-86-007	6-Way Super Sealed Car End w/7 Ft. Cable	Bulk
51-86-007	6-Way Super Sealed Car End w/7 Ft. Cable	Clam



6-WAY MOLDED TRAILER END CONNECTORS WITH CABLE

6-Way heavy duty series molded connector available with two different wires. Can be purchased with 3-10 gauge and 3-14 gauge wires (primary wire gauges; Yellow, Brown, Green - 14 gauge) or can be purchased with 6-14 gauge wires. Both models feature encapsulated terminals and wires to form one weather resistant, non-corrosive assembly. Molded connector can be used with thermo-plastic or metal 6-way car end connectors. Various length and combinations are available.

6-Way Molded Trailer End with Cable, 3-10 gauge, 3-14 gauge

Part No.	Description	Packaging
50-61-008	6-Way Molded Trailer Cord w/8 Ft. Cable, 3-10 gauge, 3-14 gauge	Bulk

6-Way Molded Trailer End with Cable, 6-14 gauge

Part No.	Description	Packaging
50-61-104	6-Way Molded Trailer Cord w/4 Ft. Cable, 6-14 gauge	Bulk
50-61-106	6-Way Molded Trailer Cord w/6 Ft. Cable, 6-14 gauge	Bulk
50-61-108	6-Way Molded Trailer Cord w/8 Ft. Cable, 6-14 gauge	Bulk

Note: Various length and combinations available. Contact your Cequent Performance Products Representative for details.



7-WAY THERMO-PLASTIC CONNECTORS

12-volt thermo-plastic connector with brass contact to prevent corrosion. Built-in cable clamp prevents wear on 7-way cable. Unique method of forming contact pins provides for easy connecting and disconnecting.

Part No.	Description	Packaging
50-77-001	7-Way Plastic Car End Only	Bulk
51-77-001	7-Way Plastic Car End Only	Clam
54-77-001	7-Way Plastic Car End Only	Bagged
50-77-003	7-Way Plastic Trailer End Only	Bulk
51-77-003	7-Way Plastic Trailer End Only	Clam
54-77-003	7-Way Plastic Trailer End Only	Bagged



7-WAY METAL CONNECTORS

12-volt metal connector with plastic core. Metal housing is 20 gauge steel, zinc plated to protect against corrosion. Trigger grip for easy disconnection.

Part No.	Description	Packaging
50-57-503	7-Way Metal Car End Only	Bulk
51-57-503	7-Way Metal Car End Only	Clam
54-57-503	7-Way Metal Car End Only	Bagged
50-57-007	7-Way Metal Trailer End Only	Bulk
54-57-007	7-Way Metal Trailer End Only	Bagged



7-WAY STANDARD ELECTRICAL CONNECTORS

- Available with metal or plastic shell
- RV blade style

Part No.	Description	Packaging
118020	7-Way Plastic Car End Socket Connector	Clam
118020-006	7-Way Plastic Car End Socket Connectors (6 pack)	Bulk
118020-050	7-Way Plastic Car End Socket Connectors (50 pack)	Boxed
118021	7-Way Plastic Trailer End Plug Connector	Clam
118021-006	7-Way Plastic Trailer End Plug Connectors (6 pack)	Bulk
118021-050	7-Way Plastic Trailer End Plug Connectors (50 pack)	Boxed
118030	7-Way Metal Car End Socket Connector	Clam
118031	7-Way Metal Trailer End Plug Connector	Clam



7-WAY SUPER SEALED CAR ENDS WITH CABLE

Prewired 7-way car end sealed with 2, 4, 7 or 9 ft. of UL listed 7-way cable. Solid brass terminals, housing of industrial-strength, glass-filled thermoplastic, door with EPDM rubber gasket and heavy duty stainless steel spring. Manufactured with UL listed PVC for flexibility and features molded construction to encapsulate terminals and wires. Patent Pending.

Part No.	Description	Packaging
50-87-002	7-Way Super Sealed Car End w/2 Ft. Cable	Bulk
51-87-002	7-Way Super Sealed Car End w/2 Ft. Cable	Clam
50-87-004	7-Way Super Sealed Car End w/4 Ft. Cable	Bulk
51-87-004	7-Way Super Sealed Car End w/4 Ft. Cable	Clam
50-87-007	7-Way Super Sealed Car End w/7 Ft. Cable	Bulk
51-87-007	7-Way Super Sealed Car End w/7 Ft. Cable	Clam
50-87-009	7-Way Super Sealed Car End w/9 Ft. Cable	Bulk

† = Available while supply lasts.



Note: Various length and combinations available. Contact your Cequent Performance Products Representative for details.

7-WAY MOLDED TRAILER END CONNECTORS WITH CABLE - RV CLOCKING* **WesBarg**

7-way plastic trailer connector molded to heavy duty 7-way insulated cable. Made with self-cleaning contacts and molded to encapsulate terminals and wires to form one weather resistant, non-corrosive assembly. Primary wire gauges within the insulated cable are: Black and White-10 gauge, Blue-12 gauge, Brown-Red-Green-Yellow-14 gauge. Molded connector can be used with thermo-plastic or metal 7-way car end connectors. Various length and combinations are available.

7-Way Molded Trailer End with Cable

Part No.	Description	Packaging
50-67-907	7-Way Molded Trailer Cord w/4 Ft. Cable	Bulk
50-67-001	7-Way Molded Trailer Cord w/6 Ft. Cable	Bulk
51-67-001	7-Way Molded Trailer Cord w/6 Ft. Cable	Clam
50-67-002	7-Way Molded Trailer Cord w/7 Ft. Cable	Bulk
50-67-003	7-Way Molded Trailer Cord w/8 Ft. Cable	Bulk
51-67-003	7-Way Molded Trailer Cord w/8 Ft. Cable	Clam
50-67-004	7-Way Molded Trailer Cord w/9 Ft. Cable	Bulk
50-67-005	7-Way Molded Trailer Cord w/10 Ft. Cable	Bulk
50-67-007	7-Way Molded Trailer Cord w/12 Ft. Cable	Bulk
50-67-103	7-Way Molded Trailer Cord w/15 Ft. Cable	Bulk
50-67-106	7-Way Molded Trailer Cord w/18 Ft. Cable	Bulk

7-Way Molded Trailer End with Cable and 7-Way Metal Car End and Bracket

Part No.	Description	Packaging
50-67-503	7-Way Molded Trl w/8 Ft. Cable, 7-Way Metal Car End, Bracket	Bulk

7-Way Molded Trailer End with Cable and Breakaway Switch

Part No.	Description	Packaging
50-67-408†	7-Way Molded Trailer w/8 Ft. Cable and Breakaway Switch	Bulk
50-67-410	7-Way Molded Trailer w/10 Ft. Cable and Breakaway Switch	Bulk

Double Ended 7-Way Molded Trailer End with Cable

Part No.	Description	Packaging
50-67-901	Double Ended 7-Way Molded Trailer Cord w/6 Ft. Cable	Bulk
50-67-210	Double Ended 7-Way Molded Trailer Cord w/8 Ft. Cable	Bulk
51-67-210	Double Ended 7-Way Molded Trailer Cord w/8 Ft. Cable	Clam



***Note:** Reference Wiring Diagrams for pin locations.

7-WAY COLD WEATHER MOLDED TRAILER END CONNECTORS WITH CABLE - COLD WEATHER CLOCKING*

7-way trailer connector molded to cold environment heavy duty blue silicon 7-way insulated cable (rated to -55°C/-67°F). Made with self-cleaning contacts and molded to encapsulate terminals and wires to form one weather resistant, non-corrosive assembly. Primary wire gauges within the insulated cable are: Black-White-Red-10 gauge, Blue-Brown-Green-Yellow-14 gauge. Molded connector can be used with thermo-plastic or metal 7-way car end connectors. Various length and combinations are available.

7-Way Cold Weather Molded Trailer End Connectors With Cable

Part No.	Description	Packaging
54006-009	7-Way Cold Weather Molded Trailer Cord w/6 Ft. Cable	Bulk
54006-010	7-Way Cold Weather Molded Trailer Cord w/8 Ft. Cable	Bulk
54006-015	7-Way Cold Weather Molded Trailer Cord w/10 Ft. Cable	Bulk
54006-016	7-Way Cold Weather Molded Trailer Cord w/12 Ft. Cable	Bulk

† = Available while supply lasts.



54006-043

7-WAY CONNECTORS **NEW!**

WesBarg

- Durable connectors

Part No.	Description	Packaging
54006-043	Coiled 7-Way Molded Trailer Connector, 6'	Bagged
54006-044	Coiled 7-Way Molded Trailer Connector, 8'	Bagged
54006-045	Coiled 7-Way Molded Trailer Connector, 10'	Bagged
54006-046	Coiled 7-Way Molded Trailer Connector, 12'	Bagged



118664

6-WAY / 7-WAY TRAILER EXTENSION

- Durable connectors
- 7 ft. lead reaches almost anywhere

Part No.	Description	Packaging
118666	6-Way Connector - extension cable 7'	Bagged
118664	7-Way Connector - extension cable 7'	Bagged



7-WAY MOLDED TRAILER END CONNECTOR REPLACEMENT KIT - RV CLOCKING*

Easy to install, complete with instructions. Features self cleaning contacts, one foot of cable, butt connectors and weather resistant shrink tubing.

7-Way Molded Trailer End with Cable

Part No.	Description	Packaging
54-67-525	7-Way Molded Trailer End Connector Replacement Kit w/1 Ft. Cable	Bagged

*NOTE: Reference Wiring Diagrams for pin locations.



7-WAY MOLDED TRAILER CONNECTORS WITH CABLE - TRAILER CLOCKING*

7-way plastic connector molded to heavy duty 7-way insulated cable using trailer clocking*. Provides 7-way connector contact color coding more conducive to horse and livestock trailers verses RV trailers. Made with self-cleaning contacts and molded to encapsulate terminals and wires to form one weather resistant, non-corrosive assembly. Permits the trailer to have the clean appearance and environmental advantages of a sealed, molded 7-way cord. Primary wire gauges within the insulated cable are: Black and White-10 gauge, Blue-12 gauge, Brown-Red-Green-Yellow-14 gauge.

Part No.	Description	Packaging
50-67-614	7-Way Molded Trailer Cord w/4' Cable	Bulk
50-67-616	7-Way Molded Trailer Cord w/6' Cable	Bulk
50-67-618	7-Way Molded Trailer Cord w/8' Cable	Bulk
50-67-620	7-Way Molded Trailer Cord w/10' Cable	Bulk

*NOTE: Reference Wiring Diagrams for pin locations.

Note: Various length and combinations available. Crimped junction box terminals can be added. Contact your Cequent Performance Products Representative for details.



90° 7-WAY PRE-WIRED CABLES FOR HOOK-UP OF FIFTH WHEEL AND GOOSENECK TRAILERS

7-way 90° connector molded to heavy duty 7-way insulated cable for fifth wheel or gooseneck trailer applications. Allows remote wiring in pickup beds or other hard to access areas. 90° molded from flame retardant material. Features a patented mounting bracket that allows for installation in virtually all pickup models and styles and includes self-tapping stainless steel mounting screws. Manufactured with UL listed 10/2, 12/1 and 14/4 jacketed cable.

Part No.	Description	Packaging
50-97-407	90° 7-Way Molded Trailer Cord w/7 Ft. Cable	Bulk
51-97-407	90° 7-Way Molded Trailer Cord w/7 Ft. Cable	Clam



90° VEHICLE SPECIFIC COMPLETE KITS

Part No.	Description	Packaging
50-97-410	90° 7-Way Complete Connector Kit w/9 Ft. Cable	Bulk
51-97-410	90° 7-Way Complete Connector Kit w/9 Ft. Cable	Box
50-97-411	90° 7-Way Complete Connector Kit w/9 Ft. Cable	Bulk
51-97-411	90° 7-Way Complete Connector Kit w/9 Ft. Cable	Box
50-97-412	90° 7-Way Complete Connector Kit w/9 Ft. Cable	Bulk
51-97-412	90° 7-Way Complete Connector Kit w/9 Ft. Cable	Box
54700-003	90° 7-Way Complete Connector Kit w/7 Ft. Cable	Bulk
54701-003	90° 7-Way Complete Connector Kit w/7 Ft. Cable	Box
54700-004	90° 7-Way Complete Connector Kit w/7 Ft. Cable	Bulk
54701-004	90° 7-Way Complete Connector Kit w/7 Ft. Cable	Box

SEE APPLICATION CHART ON FOLLOWING PAGE FOR VEHICLE SPECIFIC APPLICATIONS.



20223

USCAR 7-WAY PRE-WIRED CABLES FOR HOOK-UP OF FIFTH WHEEL AND GOOSENECK TRAILERS

Allows remote wiring in pickup beds or other hard to access areas when towing a fifth wheel or gooseneck trailer, using an OEM USCAR connector. Features durable plastic housing with weather tight seal.

Part No.	Description	Packaging
20224	USCAR 7-Way Connector w/4 Ft. Cable	Clam
20223	USCAR 7-Way Connector w/7 Ft. Cable	Clam



20130

20146

USCAR VEHICLE SPECIFIC COMPLETE KITS

Part No.	Description	Packaging
20110	USCAR 7-Way Complete Connector Kit w/7 Ft. Cable	Clam
20111	USCAR 7-Way Complete Connector Kit w/7 Ft. Cable	Clam
20113	USCAR 7-Way Complete Connector Kit w/7 Ft. Cable	Clam
20146	Fifth Wheel Adapter Harness, 7-Way Flat Pin U.S. Car Connector Assembly 9 ft., Dodge, Ford, GM, RAM & Toyota	Clam

PRE-WIRED CABLES FOR HOOK-UP OF FIFTH WHEEL AND GOOSENECK TRAILERS

Allows remote wiring in pickup beds or other hard to access areas when towing a fifth wheel or gooseneck trailer, upgrading from OEM wiring.

Part No.	Description	Packaging
20128	4-Flat (OEM) to 6-Way Connector Kit w/7 Ft. Cable	Clam
20129	4-Flat (OEM) to 6-Way Connector Kit w/7 Ft. Cable	Clam
20130	4-Flat (OEM) to 7-Way Connector Kit w/7 Ft. Cable	Clam
20131	4-Flat (OEM) to 7-Way Connector Kit w/7 Ft. Cable	Clam
20140	Fifth Wheel Adapter Harness, 7-Way Flat Pin USCAR connector assembly w/7' Cable w/Pigtails for Choice of Hardwiring 6- or 7-Way Connector, GM, Ford, Dodge, Toyota	Clam



20129



20140

† = Available while supply lasts.

**7-WAY 90° / PRE-WIRED CABLE
APPLICATION CHART**


MODEL	YEAR	PWS	7Ft. CLAM	9Ft. CLAM	90°/9Ft. BOXED	90°/9Ft. BULK	90°/7Ft. BOXED	90°/7Ft. BULK
CHEVROLET/GMC								
Pickup, Sierra 1500 HD (Classic), w/Factory 7-Way	07	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 1500 HD w/Factory 7-Way	01-06	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 1500 LD (Classic), w/Factory 7-Way	07	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 1500 LD w/Factory 7-Way	07-15	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 1500 LD w/Factory 7-Way	99-06	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 2500 HD (Classic), w/Factory 7-Way	07	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 2500 HD Denali HD, w/Factory 7-Way	11-12	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 2500 HD w/Factory 7-Way	01-06	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 2500 HD w/Factory 7-Way	07-15	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 2500 LD w/Factory 7-Way	99-04	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 3500 HD, w/Factory 7-Way	07-14	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 3500 Series (Classic), w/Factory 7-Way	07	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Sierra 3500 Series w/Factory 7-Way	01-06	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 1500 HD (Classic), w/Factory 7-Way	07	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 1500 HD w/Factory 7-Way	01-06	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 1500 LD (Classic), w/Factory 7-Way	07	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 1500 LD w/Factory 7-Way	07-13	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 1500 LD w/Factory 7-Way	99-06	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 2500 HD (Classic), w/Factory 7-Way	07	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 2500 HD w/Factory 7-Way	01-06	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 2500 HD w/Factory 7-Way	07-15	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 2500 LD w/Factory 7-Way	99-04	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 3500 HD, w/Factory 7-Way	07-14	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 3500 Series (Classic), w/Factory 7-Way	07	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Silverado 3500 Series w/Factory 7-Way	01-06	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003

‡ = Available while supply lasts.

**7-WAY 90° / PRE-WIRED CABLE
APPLICATION CHART**


MODEL	YEAR	POS	7Ft. CLAM	9Ft. CLAM	90°/9Ft. BOXED	90°/9Ft. BULK	90°/7Ft. BOXED	90°/7Ft. BULK
DODGE								
Pickup, Ram, Full Size 1500 Only w/Factory 7-Way	00-08	PU3	20111		51-97-411	50-97-411		
Pickup, Ram, Full Size 1500 Only w/Factory 7-Way (See RAM for 2011 & Newer Models)	09-10	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Ram, Full Size 2500 HD Only w/Factory 7-Way	00-09	PU3	20111		51-97-411	50-97-411		
Pickup, Ram, Full Size 2500 HD Only w/Factory 7-Way (See RAM for 2011 & Newer Models)	10	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
Pickup, Ram, Full Size 3500 HD Only w/Factory 7-Way	00-09	PU3	20111		51-97-411	50-97-411		
Pickup, Ram, Full Size 3500 HD Only w/Factory 7-Way (See RAM for 2011 & Newer Models)	10							
		PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
FORD								
F-150 Flareside, w/Factory 7-Way	04-13	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-150 Light Duty Flareside w/Factory 4-Flat	97-03	PU1,2	20128 † 20130 ‡					
F-150 Light Duty Flareside w/Factory 7-Way	97-03	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-150 Light Duty Heritage Flareside, w/Factory 7-Way	04	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-150 Light Duty Heritage Styleside, w/Factory 7-Way	04	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-150 Light Duty Heritage w/Factory 4-Flat	04	PU1,2	20128 † 20130 ‡					
F-150 Light Duty Styleside w/Factory 4-Flat	97-03	PU1,2	20128 † 20130 ‡					
F-150 Light Duty Styleside w/Factory 7-Way	97-03	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-150 Styleside, w/Factory 7-Way	04-13	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-150 SuperCrew w/Factory 7-Way	04-13	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-250 Light Duty Styleside w/Factory 4-Flat	97-99	PU1,2	20128 † 20130 ‡					
F-250 Light Duty Styleside w/Factory 7-Way	97-99	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-250 Super Duty w/Factory 4-Flat	99-01	PU1,2	20129 † 20131 ‡					
F-250 Super Duty w/Factory 7-Way	99-15	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-350 Super Duty w/Factory 4-Flat	99-01	PU1,2	20129 † 20131 ‡					
F-350 Super Duty w/Factory 7-Way	99-15	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-450 Super Duty w/Factory 4-Flat	99-01	PU1,2	20129 † 20131 ‡					
F-450 Super Duty w/Factory 7-Way	99-14	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003
F-550 Super Duty w/Factory 4-Flat	99-01	PU1,2	20129 † 20131 ‡					
F-550 Super Duty w/Factory 7-Way	99-11	PU3	20110 20140 ‡	20146	51-97-410	50-97-410	54701-003	54700-003

‡ = Available while supply lasts.

7-WAY 90° / PRE-WIRED CABLE
APPLICATION CHART

MODEL	YEAR	POS	7Ft. CLAM	9Ft. CLAM	90°/9Ft. BOXED	90°/9Ft. BULK	90°/7Ft. BOXED	90°/7Ft. BULK
LINCOLN								
Mark LT w/Factory 7-Way	06-08	PU3	20110 20140 †	20146	51-97-410	50-97-410	547011-003	54700-003
NISSAN								
Titan Pickup w/Factory 7-Way	04-14	PU3	20110 20140 †	20146	51-97-410	50-97-410	547011-003	54700-003
RAM								
Pickup, 1500 w/Factory 7-Way	11-14	PU3	20110 20140 †	20146	51-97-410	50-97-410	547011-003	54700-003
Pickup, 2500 HD w/Factory 7-Way	11-14	PU3	20110 20140 †	20146	51-97-410	50-97-410	547011-003	54700-003
Pickup, 3500 HD w/Factory 7-Way	11-14	PU3	20110 20140 †	20146	51-97-410	50-97-410	547011-003	54700-003
TOYOTA								
Tundra w/Factory 7-Way	07-09	PU3	20113		51-97-412	50-97-412	547011-004	54700-004
Tundra w/Factory 7-Way	10-13	PU3	20110 20140 †	20146	51-97-410	50-97-410		54700-003

1- upgrades from O.E.M. 4-Flat to 6-Way wiring, 2- upgrades from O.E.M. 4-Flat to 7-Way wiring, 3- Pigtails for Choice of Hardwiring 6 or 7-Way Connector

NOTES

ELECTRICAL WIRING & ACCESSORIES

C-54



7-WAY ROUND PIN AG CONNECTORS

A discrete round pin 7-way vehicle and implement connector for AG OEM and aftermarket use. Vehicle side connector includes a mountable storage box. Implement side connector includes a metal spring cable relief.

Part No.	Description	Packaging
787305	7-Way Round Pin AG Vehicle Connector	Bulk
787303	7-Way Round Pin AG Vehicle Connector	Clam
787304	7-Way Round Pin AG Trailer Connector	Bulk
787302	7-Way Round Pin AG Trailer Connector	Clam



105728

7-WAY AG PLUG HOLDER

Part No.	Description	Packaging
105728	AG 7-Way Plug Holder	Clam



54003-018

54003-020

AG REPAIR HARNESSES

Part No.	Description	Packaging
54003-017	AG Repair Harness, 4 Wire w/4-Way Square Connector	Bulk
54003-018	AG Repair Harness, 4 Wire w/4-Way Square Connector	Bulk
54003-020	AG Repair Harness, 4 Wire w/4-Way Weatherpack Connector	Bulk



MAGNET KIT

Use of this magnet kit allows for temporary installation of single or dual lights. Set of four with hardware.

Part No.	Description	Packaging
002590	Magnet Kit, 90 lb. Pull	Bulk



TANDEM HAUL ADAPTER

The Tandem Haul Adapter allows implements to be towed in tandem, providing versatility and economy.


Part No.	Description	Packaging
002500	Tandem Haul Adapter	Bulk
002625	Tandem Haul Kit	Bulk



AG LIGHT ENHANCED LIGHTING MODULES

Install to meet the enhanced lighting standard and have a dramatic safety feature to better signal turns by tractors and implements. Contact your Cequent Representative for additional information.

Part No.	Description	Packaging
108060	Module w/Wire Leads	Bulk
108318	Module w/Molded Plugs	Bulk
108319	Module w/Weatherproof Plugs	Bulk
109992	Module w/Brake Light Signal Function w/Wire Leads	Bulk



AG EXTENSION HARNESSES

Install on towable field implements to bring power from the tractor to AG Lights. Full length ground assures reliable and continuous operation. Custom configurations and lengths available.

Part No.	Description	Packaging
002510	10' Heavy-Duty Wishbone Harness	Bulk
002408	5' Economy Extension Harness	Bulk
002410	10' Economy Extension Harness	Bulk
002415	15' Straight Section Harness w/7-Pin AG Plug and Flat 4-Way	Bulk
002425	25' Straight Section Harness w/7-Pin AG Plug and Flat 4-Way	Bulk
002430	30' Straight Section Harness w/7-Pin AG Plug and Flat 4-Way	Bulk
002435	35' Extension Harness	Bulk
002504	10' Economy Rear Wishbone Harness	Bulk
002505	15' Economy Rear Wishbone Harness	Bulk
002515	15' Heavy-Duty Rear Wishbone Harness	Bulk



† = Available while supply lasts.

WesBarg™**LED HEAVY-DUTY AG LIGHTS**

Available in single and dual units, these lights meet all ASABE S279.15 lighting requirements including 4cp to side on amber lens. Dual lights designed for right hand and left hand horizontal mounting. Rugged external housing and lens design. Same mounting foot print hardware and electrical connections as incandescent equivalent. Brake functions wired with SQ-4 plug.

6" x 5 1/2" x 3", 10 1/2" x 5 1/2" x 3"

Part No.	Description
54209-009	Single LED AG Light w/2 Wire Leads - Lens: Rear-Red, Front-Blank
54209-011	Single LED AG Light w/2 Wire Leads - Lens: Rear-Amber, Front-Amber
54209-010	Single LED AG Light w/2-Way Plug - Lens: Rear-Red, Front-Blank
54209-012	Single LED AG Light w/2-Way Plug - Lens: Rear-Amber, Front-Amber
54209-013	Single LED AG Light w/3 Wire Leads - Lens: Rear-Red, Front-Blank
54209-015	Single LED AG Light w/3 Wire Leads - Lens: Rear-Amber, Front-Blank
54209-014	Single LED AG Light w/3-Way Plug - Lens: Rear-Red, Front-Blank
54209-016	Single LED AG Light w/3-Way Plug - Lens: Rear-Amber, Front-Amber
54209-019	Dual RH LED AG Light w/3 Wire Leads - Lens: Rear-Red/Amber, Front-Amber/Blank
54209-005	Dual LH LED AG Light w/3 Wire Leads - Lens: Rear-Amber/Red, Front-Blank/Amber
54209-020	Dual RH LED AG Light w/3-Way Plug - Lens: Rear-Red/Amber, Front-Amber/Blank
54209-006	Dual LH LED AG Light w/3-Way Plug - Lens: Rear-Amber/Red, Front-Blank/Amber
54209-021	Dual RH LED AG Light w/4 Wire Leads - Lens: Rear-Red/Amber, Front-Amber/Blank
54209-007	Dual LH LED AG Light w/4 Wire Leads - Lens: Rear-Amber/Red, Front-Blank/Amber
54209-022	Dual RH LED AG Light w/4-Way Square Plug - Lens: Rear-Red/Amber, Front-Amber/Blank
54209-008	Dual LH LED AG Light w/4-Way Square Plug - Lens: Rear-Amber/Red, Front-Blank/Amber

Note: Reference AG Lighting - Technical for mounting applications.

LED ECONOMY AG LIGHT KIT

Featuring left hand and right hand dual light units, this kit include a 35 ft. wishbone wire harness, 7-pin AG plug and tri-plugs. For protection in critical areas, 5' of convoluted tubing is included.

Part No.	Description
54003-040	Economy AG LED Light Kit

Replacement Parts	
54209-006	Dual LH LED AG Light w/3-Way Plug - Lens: Rear-Amber/Red, Front-Amber/Blank
54209-020	Dual RH LED AG Light w/3-Way Plug - Lens: Rear-Red/Amber, Front-Amber/Blank

US Patent D347,903/5,335,155

NOTE: Reference AG Lighting - Technical for mounting applications.

LED AG TRANSPORT LIGHT KITS

Featuring left and right hand dual light units with brake function, these kits include a 46 ft. round wishbone cable, four 90 lb. magnets and a 7-pin round plug.

Part No.	Description
54003-041	Deluxe AG LED Transport Kit w/Brake Light Function, 7-Pin

Replacement Parts	
54209-008	Dual LH LED AG Light w/4-Way Square Plug - Lens: Rear-Amber/Red, Front-Amber/Blank
54209-022	Dual RH LED AG Light w/4-Way Square Plug - Lens: Rear-Red/Amber, Front-Amber/Blank
002590	Magnet Kit, 90 lb. Pull

US Patent D347,903/5,335,155

NOTE: Reference AG Lighting - Technical for mounting applications.

PEDESTAL MOUNT AG LED LIGHT

16 wire gauge

Dia. 4-3/4" x Height 5" x Cable Length 12"

Part No.	Description
54209-031	Pedestal Mount Single AG LED Light w/Amber/Amber
54209-032	Pedestal Mount Single AG LED Light w/Red/Red

† = Available while supply lasts.

Note: Custom AG lighting and wiring kits are available. Contact your Cequent representative for requirements and minimum annual quantities.



WesBarg™

HEAVY-DUTY AG LIGHTS

Available in single and dual units, these lights meet all ASABE S279.13 lighting requirements including 4cp to side on amber lens. Dual lights designed for right hand-horizontal/vertical mounting or left hand-horizontal/vertical mounting. Rugged external housing and lens design with vibration dampening bulb holder. Brake functions wired with SQ-4 plug.

6" x 5 1/2" x 3", 10 1/2" x 5 1/2" x 3"

Part No.	Description
8260501	Single AG Light 2 Wire w/3-Way Plug - Lens: Rear-Red, Front-Blank
8260601	Single AG Light 2 Wire w/3-Way Plug - Lens: Rear-Amber, Front-Amber
8261001	Single AG Light 3 Wire w/3-Way Plug - Lens: Rear-Red, Front-Blank
8260502	Single AG Light 2 Wire w/2-Way Weatherpack Plug - Lens: Rear-Red, Front-Blank
8260602	Single AG Light 2 Wire w/2-Way Weatherpack Plug - Lens: Rear-Amber, Front-Amber
8260604	Single AG Light 2 Wire w/2-Way Weatherpack Plug - Lens: Rear-Amber, Front-Amber
8261002	Single AG Light 3 Wire w/3-Way Weatherpack Plug - Lens: Rear-Red, Front-Blank
8260001	Dual LH AG Light 3 Wire w/3-Way Plug - Lens: Rear-Amber/Red, Front-Blank/Amber
8260101	Dual RH AG Light 3 Wire w/3-Way Plug - Lens: Rear-Red/Amber, Front-Amber/Blank
8261501	Dual LH AG Light 4 Wire w/4-Way Square Plug-Lens: Rear-Amber/Red, Front-Blank/Amber
8261601	Dual RH AG Light 4 Wire w/4-Way Square Plug-Lens: Rear-Red/Amber, Front-Amber/Blank
8261605	Dual RH AG Light 4 Wire w/4-Way Weatherpack Plug-Lens: Rear-Red/Amber, Front-Amber/Blank

Replacement Parts

30-90-157	Bulb #1157, Double Filament
802650	Lens Amber, AG Lamp
802651	Lens Red, AG Lamp
802652	Insert Black, AG Lamp

Note: Reference AG Lighting - Technical for mounting applications.

Note: Custom AG lighting and wiring kits are available. Contact your Cequent representative for requirements and minimum annual quantities.

ECONOMY AG LIGHT KIT

Featuring left hand and right hand dual light units, this kit include a 35 ft. wishbone wire harness, 7-pin AG plug and tri-plugs. For protection in critical areas, 5' of convoluted tubing is included.



Part No.	Description
002670	Economy AG Light Kit

Replacement Parts

8260001	Dual AG Light w/Amber/Red
8260101	Dual AG Light w/Red/Amber

US Patent D347,903/5,335,155

NOTE: Reference AG Lighting - Technical for mounting applications.

AG TRANSPORT LIGHT KITS

Featuring left and right hand dual light units with brake function, these kits include a 46 ft. round wishbone cable, four 90 lb. magnets and either a 7-pin or 6-pin round plug.



NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

Part No.	Description
002675	Deluxe AG Transport Kit w/Brake Light Function, 6-Pin
002676	Deluxe AG Transport Kit w/Brake Light Function, 7-Pin


Replacement Parts

8261501	Dual AG Light w/Amber/Red w/Brake Light Function
8261601	Dual AG Light w/Red/Amber w/Brake Light Function
002590	Magnet Kit, 90 lb. Pull

US Patent D347,903/5,335,155

Note: Reference AG Lighting - Technical for mounting applications.

† = Available while supply lasts.



VEHICLE/TRAILER ADAPTERS

WesBarg

Adapters for a quick switch from one style plug to another when towing multiple trailers.

Standard Vehicle/Trailer Adapters - Step - Down Style

Part No.	Description	Packaging
50-98-054	6-Way Round Pin to 4-Way Flat (Photo A)	Bulk
707281	6-Way Round Pin to 4-Way Flat (Photo A)	Clam
50-98-050	7-Way Blade to 4-Way Flat (Photo B)	Bulk
54-98-050	7-Way Blade to 4-Way Flat (Photo B)	Bagged
707282	7-Way Blade to 4-Way Flat (Photo H)	Clam
50-98-052	7-Way Round Pin to 4-Way Flat (Photo C)	Bulk
54-98-052	7-Way Round Pin to 4-Way Flat (Photo C)	Bagged
51-30703	7-Way Blade to 5-Way Flat (Photo D)	Clam
767940	7-Way Blade to 5-Way Flat (Photo D)	Clam
007257	7-Way Blade to 5-Way Flat, 6" Wire (Photo E)	Clam
707250	7-Way Blade to 5-Way Flat, 18" Wire (Photo F)	Clam
50-98-051	7-Way Blade to 6-Way Round Pin (Auxiliary in Center) (Photo G)	Bulk
54-98-051	7-Way Blade to 6-Way Round Pin (Auxiliary in Center) (Photo G)	Bagged

Standard Vehicle/Trailer Adapters - Step - Up Style

Part No.	Description	Packaging
51-20036	4-Way Flat to 5-Way Flat (Photo A)	Clam

Dual Port Vehicle/Trailer Adapters - Step - Up Style

Part No.	Description	Packaging
20144	4-Way Flat to 4-Way Flat and 7-Way Blade (Photo A)	Clam
20143	4-Way Flat to 4-Way Flat and 6-Way Round (Photo B)	Clam

VEHICLE/TRAILER COILED WIRE JUMPERS

Environmentally sealed 16 gauge coiled wire prevents tangling. Attractive marine yellow, no fade color. 7-Way mates with OE style 7-way blade connectors. 5-way mates with either a 4-way or 5-way flat connector.

5-WAY TO 5-WAY COILED WIRE JUMPER

Part No.	Description	Packaging
787206	5-Way Coiled Jumper w/4 Ft. Cable (5-Way Flat Car and Trailer Ends)	Bulk
787194	5-Way Coiled Jumper w/4 Ft. Cable (5-Way Flat Car and Trailer Ends)	Clam

7-WAY TO 5-WAY COILED WIRE JUMPERS

Part No.	Description	Packaging
787207	7-Way Trailer to 5-Way Flat Car End Coiled Jumper w/4 Ft. Cable	Bulk
787195	7-Way Trailer to 5-Way Flat Car End Coiled Jumper w/4 Ft. Cable	Clam
787208	7-Way Trailer to 5-Way Flat Car End Coiled Jumper w/8 Ft. Cable	Bulk
787196	7-Way Trailer to 5-Way Flat Car End Coiled Jumper w/8 Ft. Cable	Clam


† = Available while supply lasts.

4, 5, 6 AND 7-WAY ADAPTERS

- Allows convenient connection to multiple trailers
- Simple plug-in installation

Standard Vehicle Adapters

Part No.	Description	Packaging
118700	6-Way Round Pin To 4-Flat Adapter	Clam
118700-050	6-Way Round Pin To 4-Flat Adapter (50 Pack)	Boxed
118702	7-Way Flat Pin To 4-Flat Adapter	Clam
118702-050	7-Way Flat Pin To 4-Flat Adapter (50 Pack)	Boxed
118709	7-Way Round Pin To 4-Flat Adapter	Clam
118710	7-Way European Style Round Pin to 4-Flat Adapter	Clam
118704	7-Way To 6-Way Adapter, Electric Brakes To Outer Pin (S)	Clam
118704-050	7-Way To 6-Way Adapter, Electric Brakes To Outer Pin (S) (50 Pack)	Boxed
118708	7-Way To 6-Way Adapter, Electric Brakes To Center Pin (A)	Clam
118708-050	7-Way To 6-Way Adapter, Electric Brakes To Center Pin (A) (50 Pack)	Boxed
118703	7-Way To 5-Flat Adapter	Clam
20136	4-Flat To 5-Flat Adapter	Clam
118032	4-Flat To 4-Flat Universal Adapter	Bagged
118601	4-Flat Knockout Adapter	Clam



Vehicle Adapter for Vehicles with a Lamp Out Indicator Module Towing a Trailer with LED Lights

Part No.	Description	Packaging
20141	7-Way Flat Pin To 5-Flat Adapter w/LED Lamp Out By-Pass	Clam
20142	7-Way Flat Pin to 7-Flat Pin Adapter w/LED Lamp Out By-Pass for European Vehicles	Clam

7-WAY TO CIGARETTE ADAPTER

- Provides 12v power at rear of vehicle for travel accessories
- Ideal for power inverter hook-up
- Great for tailgating

Part No.	Description	Packaging
118019	7-Way to Cigarette Lighter Plug Adapter	Clam

† = Available while supply lasts.



7-WAY TO 4-WAY RETRACTABLE WIRING ADAPTER

- Converts 7-way round blade connector to standard 4-way flat connector
- Adjust length up to 42", no wires dragging on the ground
- Retractable 4-way flat car end plug connects with standard 4-way flat trailer end plug
- Adapts to factory 7-way blade receptacle
- Protects & stores when not in use



Plug & Play Installation

Part No.	Description	Packaging
78007	7-way Round Blade to 4-way Flat	Open Plastic Shroud



7-WAY BLADE TO 4-FLAT W/LED CIRCUIT TESTER

- Easily adapt OEM 7-way blade connector to either 5-flat or a 4-flat connector, Patent pending
- Instantly checks electrical circuit for connectivity
- Displays connectivity using high visibility Blue LEDs
- Attached dust cover included to keep terminals clean when not towing a trailer

Part No.	Description	Packaging
78118	7-Way Blade to 4 or 5-Flat w/LED Circuit Tester	Open Plastic Shroud



7-WAY TO 4-WAY WITH TOW-GLO

- Easily adapt OEM 7-way blade connector to basic 4-flat connector
- Glows BLUE when tail light circuit is activated assisting on seeing connection at night-time
- Attached dust cover included to keep terminals clean when not towing a trailer

Part No.	Description	Packaging
78117	7-Way Blade to 4-Flat w/Tow-Glo	Open Plastic Shroud



20321



20125



118799



118607

6-WAY AND 7-WAY ELECTRICAL ADAPTERS

WesBarg

- Used to convert any trailer wiring component, T-One® or Taillight Converter with a 4-Flat Trailer End Connector to a 6 or 7-Way Round Connector
- For simple mounting, choose 6 & 7-Way Mounting Box Part Numbers 118156, 118157 or 118159 (sold separately)

Part No.	Description	Packaging
20320	4-Flat To 6-Way Round Pin Connector	Clam
20320-012	4-Flat To 6-Way Round Pin Connector (12 Pack)	Bulk
20321	4-Flat To 7-Way Flat Pin Connector - Plastic	Clam
20321-012	4-Flat To 7-Way Flat Pin Connector - Plastic (12 Pack)	Bulk
20322	4-Flat To 7-Way Flat Pin Connector - Metal	Clam
20125	4-Flat To 7-Way Flat Pin U.S. Car Connector - Plastic	Clam

7-WAY PRE-WIRED ADAPTERS

- Used to convert any trailer wiring component, T-One® or Taillight Converter with a 4-Flat Trailer End Connector to a 7-Way Round Connector. Each kit includes 20' of wire.
- For simple mounting, choose 7-Way Mounting Box Part Numbers 118156, 118157 or 118159 (sold separately)

Part No.	Description	Packaging
118799	7-Way Flat Pin Connector w/ Pre-wired Brake Wire	Clam


BRAKE MATE™ KIT - 7-WAY PRE-WIRED ADAPTERS

Includes all necessary parts required to completely install all brake controls. No other parts are necessary. Each BRAKE MATE™ KIT includes:

- Pre-wired 7-way round connector
- Scotch locks (5 pcs.)
- 4-Flat trailer end
- Ring connectors (7 pcs.)
- Heavy-Duty flasher
- Self tapping screws (8 pcs.)
- Heavy-Duty breakers (2 pcs.)
- Tie straps (6 pcs.)
- For simple mounting, choose 7-Way Mounting Box Part Numbers 118156, 118157 or 118159 (sold separately)

Part No.	Description	Packaging
118607	7-Way Flat Pin Brake Mate™ Kit	Clam

† = Available while supply lasts.



CAR END MOUNTING BRACKETS

Heavy duty plated steel brackets. Features reinforcing beads or flanges for strength. The Black plated model can blend in with the black connector and black hitch for clean consistent finish. Combination brackets have a black, powder coat finish and are formed from 16 gauge steel for strength and durability. Combination brackets are for use with WesBarg branded 4-Way and 5-Way Flat connectors.

4-Way Flat Car End Connector Mounting Brackets

Part No.	Description	Packaging
54-18137	4, 5 and 6-Way Round Black Mounting Bracket w/Screws and Nuts (Photo A)	Clam

5-Way Flat Car End Connector Mounting Bracket

Part No.	Description	Packaging
54-20045	5-Way Flat Black Mounting Bracket (Photo B)	Bagged
54-18137	4, 5 and 6-Way Round Black Mounting Bracket w/Screws and Nuts (Photo A)	Bagged

6-Way Car End Connector Mounting Brackets

Part No.	Description	Packaging
54-18137	4, 5 and 6-Way Round Black Mounting Bracket w/Screws and Nuts (Photo A)	Bagged

7-Way Car End Connector Mounting Brackets

Part No.	Description	Packaging
50-77-070*	7-Way Bracket for Car End (Photo C)	Bulk
50-77-071*	7-Way Black Bracket for Car End (Photo D)	Bulk
54-77-071*	7-Way Black Bracket for Car End (Photo D)	Bagged
54-20012	7-Way US Car Black Mounting Bracket w/Screws and Nuts (Photo E)	Bagged

Combination Connector Mounting Brackets

Part No.	Description	Packaging
50-77-074	7-Way and 4-Way Flat Mounting Bracket (Photo F)	Bulk
54-77-074	7-Way and 4-Way Flat Mounting Bracket (Photo F)	Bagged
50-77-075	7-Way and 5-Way Flat Mounting Bracket (Photo F)	Bulk
54-77-075	7-Way and 5-Way Flat Mounting Bracket (Photo F)	Bagged

* NOTE:

50-77-070, 50-77-071, 54-77-071, 118138, 118138-010 brackets only fit the following Car End Connectors:

WesBarg 7-Way Super Sealed Car Ends with Cable

WesBarg 7-Way Thermo-Plastic or Metal Car End Connectors


WesBarg 90° 7-Way Pre-Wired Cables



4-WAY AND 6-WAY MOUNTING BRACKET

Part No.	Description
118132	Mounting Bracket for 4 & 6-Way Round Connectors (does not include fasteners)

† = Available while supply lasts.



4, 5, 6 AND 7-WAY CONNECTOR MOUNTING BRACKETS


WesBarg's line of mounting brackets allows for installation of electrical wiring plugs on vehicles without damage to bumpers or fascia trim. Attachment brackets are designed to attach above or below receiver cross tube with hose clamp.



ATTACHMENT BRACKETS (PIECE 1 OF 2)

- Attaches to cross tube of hitch


Part No.	Description	Packaging
118136	Attachment Bracket For 6 & 7-Way Round Connectors, Includes Clamp (Piece 1 Of 2, Long Bracket)	Clam
118140	Attachment Bracket For 4-Flat, 5-Flat, 4-Way & 5-Way Round Connectors, Includes Clamp (Piece 1 Of 2, Short Bracket)	Clam



MOUNTING BRACKETS (PIECE 2 OF 2)

- Mounts electrical connector to attachment bracket
- Includes screws and nuts
- Attractive point-of-purchase packaging

Part No.	Description	Packaging
118137	Mounting Bracket For 4, 5 & 6-Way Round Connectors, (Piece 2 Of 2)	Clam
118137-010	Mounting Bracket (10 Pack)	Bulk
118138*	Mounting Bracket, (Piece 2 Of 2)	Clam
118138-010*	Mounting Bracket (10 Pack)	Bulk
118144	Mounting Bracket For 4-Flat Connectors, (Piece 2 Of 2)	Clam
118144-010	Mounting Bracket (10 Pack)	Bulk
20212	Mounting Bracket For 7-Way Us Car Connectors, (Piece 2 Of 2)	Clam
20212-010	Mounting Bracket (10 Pack)	Bulk
20046	Mounting Bracket For 5-Flat Connectors, (Piece 2 Of 2)	Clam



4-WAY FLAT CAR END CONNECTOR MOUNTING BRACKETS

Part No.	Description	Packaging
118149	4-Way Flat Universal Mounting Bracket	Clam
118149-010	4-Way Flat Universal Mounting Bracket (10 pack)	Clam

* NOTE:

50-77-070, 50-77-071, 54-77-071, 118138, 118138-010 brackets only fit the following Car End Connectors:

WesBarg 7-Way Super Sealed Car Ends with Cable

WesBarg 7-Way Thermo-Plastic or Metal Car End Connectors

WesBarg 90° 7-Way Pre-Wired Cables



6-WAY AND 7-WAY PLUG HOLDER

This holder is designed to house your 6-way or 7-way trailer end connector safely out-of-the-way when disconnected from the tow car. Universal holder will accommodate either die cast, steel, plastic or molded trailer ends. Black molded plastic holder mounts on the jackpost with provided cable-ties or the attached adhesive strip and can be mounted on any flat surface with provided screws.

Part No.	Description	Packaging
50-98-003	6-Way and 7-Way Plug Holder	Bulk
54-98-003	6-Way and 7-Way Plug Holder	Bagged



6-WAY AND 7-WAY CONNECTOR HOLDER

- Securely stores 6 and 7-Way Trailer Connectors when not in use
- Mount to tongue jack or trailer frame


Part No.	Description	Packaging
118152	6-Way and 7-Way Trailer Connector Holder	Bagged



4-FLAT CONNECTOR STORAGE BOX & COVERS

- Neatly stores 4-Flat and 5-Flat connectors
- Easily installs with cable ties or screws (included)
- Weatherproof construction

Part No.	Description	Packaging
118145	Connector Storage Box	Clam



6-WAY AND 7-WAY CONNECTOR MOUNTING BOXES

- No need to disconnect existing wiring
- No drilling
- Mounts with hose clamp included
- Corrosion free
- High impact plastic
- Fits all standard & U.S. car 7-way connectors

Part No.	Description	Packaging
118156	6-Way and 7-Way Connector Mounting Box For Hitches w/2-1/2" Sq. Cross Tubes	Display Box
118156-010	6-Way and 7-Way Connector Mounting Box (10 Pack)	Boxed
118157	6-Way and 7-Way Connector Mounting Box For Hitches w/3" Sq. Cross Tubes	Display Box
118157-010	6-Way and 7-Way Connector Mounting Box (10 Pack)	Boxed
118159	6-Way and 7-Way Connector Mounting Box With Universal Fit For Both Square And Round Tube Hitches	Display Box
118159-010	6-Way and 7-Way Connector Mounting Box (10 Pack)	Boxed

JUNCTION / BREAKER BOXES

Provide a fast, simplified way of connecting wires from the trailer connector to the trailer wiring. The box, complete with 5 wire enter/exit ports, includes hardware, rubber grommets, and features external mounting flanges.

Dimensions: 3 1/4" x 6 1/2" x 2 1/4"



Part No.	Description	Packaging
14-715810	Junction Box	Bulk
787535	Junction Box	Bagged
54501-002†	Breaker Box	Bulk

Note: Most WesBarg® 7-way cable products meet UL standards and are appropriately marked. If a non-UL listed cable will be used to connect tow vehicles to trailers capable of housing or transporting live occupants, Cequent Performance Products recommends the use of a wiring Junction Box. This will provide a simplified method of connecting wire leads from the trailer connector to the UL listed trailer wiring.

† = Available while supply lasts.

TOW VEHICLE WIRING COMPONENTS HEAVY DUTY FLASHERS & RELAYS



Part No.	Description	Packaging
39552†	Heavy-Duty 552 Flasher	Clam
39552-012†	Heavy-Duty 552 Flasher (12 pack)	Bulk
38659-010†	SPDT 5 Terminal Micro Relay, 12 Volt, 30 Amp, 1997-Up Ford F-150/F-250 (10 pack)	Bulk
38660-010†	SPDT 5 Terminal Relay, 14 Volt, 20 Amp, 1999-Up Ford F-250/F-350 (10 pack)	Bulk
38665-012	4 Terminal Relay, 12 Volt, 2007-Up Chevrolet Equinox, Pontiac Torrent & Suzuki XL-7/2008-Up Ford Escape, Mazda Tribute & Mercury Mariner (12-pack)	Bagged
38666-010	4 Terminal Relay, Small, 12 Volt, 2004-Up Infiniti QX56, Nissan Armada & Titan/2005-Up Nissan Frontier, Pathfinder & Xterra/2009-Up Suzuki Equator (10-pack)	Bagged
38667-010	6 Terminal Relay, Large, 12 Volt, 2004-Up Infiniti QX56, Nissan Armada & Titan/2005-Up Nissan Frontier, Pathfinder & Xterra/2009-Up Suzuki Equator (10-pack)	Bagged

PRIMARY WIRE



Part No.	Description	Packaging
18035†	500' 18 gauge, 4 conductor, bonded wire (1 spool)	Spool
38269†	500' 16 gauge, green (1 spool)	Spool
38272†	500' 16 gauge, brown (1 spool)	Spool
38270†	500' 16 gauge, yellow (1 spool)	Spool
38271†	500' 16 gauge, white (1 spool)	Spool
38210†	100' 14 gauge, 6 trailer wires (1 spool)	Spool
38265†	500' 14 gauge, white (1 spool)	Spool
38266†	500' 14 gauge, blue (1 spool)	Spool
38267†	500' 14 gauge, red (1 spool)	Spool
38268†	500' 14 gauge, black (1 spool)	Spool
38250†	500' 12-2, duplex wire, black & blue (1 spool)	Spool
38262†	500' 12 gauge, white (1 spool)	Spool
38263†	500' 12 gauge, black (1 spool)	Spool
38264†	500' 12 gauge, blue (1 spool)	Spool
18191†	250' 12 gauge, 7 conductor, jacketed wire - white, black & blue, 14 gauge yellow, brown, green & red (1 spool)	Spool
38279†	500' 10 gauge, black (1 spool)	Spool

FUSES & FUSE HOLDERS



Part No.	Description	Packaging
18099-025†	In-line Fuse Holder wire taps (self-stripping) for use w/32v maximum - 20 amp maximum bayonet type fuses & 14 to 18 gauge wire (25 pack)	Bagged
18167-010†	20 amp. Fuse Holder with protective cover (10 pack)	Bagged
38650†	In-line Fuse Holder w/20 amp fuse	Clam
38654†	40 amp. Maxi-Fuse®*	Clam
38661-010†	Fuse Line, 32 volt, 30 amp, 98-up Dodge (10 pack)	Bulk

* Maxi-fuse® / Slo-Blo® brand or comparable substitute

WIRE CONDUIT

Part No.	Description	Packaging
29522†	3/8" Conduit - 50 foot coil in a bag (1 spool)	Spool
29523†	1/2" Conduit - 50 foot coil in a bag (1 spool)	Spool

† = Available while supply lasts.



118634



118630



002802



002806

UNIVERSAL BATTERY CONNECTORS

WesBarg

Part No.	Description	Packaging
118630†	Side Post, 1-3/4" Short Side Terminal	Clam
118631†	Side Post, 1-3/16" Long Side Terminal	Clam
118634†	Tap/Ground Kit, Side Mount With 22-16 Gauge Terminals	Clam

HARDWARE COMPONENTS

Assortment of hardware components designed specifically for the trailer industry.

Part No.	Description	Packaging
104429	Clip, Plastic Wire, Adhesive Back	Bulk
002802	Clip, Metal Wire	Bulk
002805	Nut, Wire (Large, 14-16 gauge)	Bulk
002806	Tap, White Wire, Double Leads	Bulk
002807	Tap, Blue Wire, Single Leads	Bulk

TERMINALS AND CONNECTORS


38330-100
38332-100

18121-100

38331-100
38337-100

38338-100
38339-100

38341-100


20035-025

20034-025

Part No.	Description	
38330-100†	Butt Connectors, 14-16 gauge wire, blue (100 pack)	Bulk
38332-100†	Butt Connectors, 10-12 gauge wire, yellow (100 pack)	Bulk
18121-100†	Ring Terminal, 10-12 gauge wire, 3/16" stud (100 pack)	Boxed
38335-100†	Ring Terminal, 10-12 gauge wire, 5/16" stud (100 pack)	Bulk
38331-100†	Insulated Ring Terminal, 14-16 gauge wire, #10 stud (3/16") (100 pack)	Bulk
38337-100†	Insulated Ring Terminal, 10-12 gauge wire, #10 stud (3/16") (100 pack)	Bulk
38338-100†	Insulated Ring Terminal, 10-12 gauge wire, 1/4" stud (100 pack)	Bulk
38339-100†	Insulated Ring Terminal, 10-12 gauge wire, 3/8" stud (100 pack)	Bulk
38341-100†	Fully Insulated Disconnect, female, 14-16 gauge wire (100 pack)	Bulk
18164-020†	1/4" Diameter Shrink Tube, 8" length (20 pack)	Bagged
20034-025	Perm-A-Seal® Butt Connectors, 14-16 gauge, blue (25 pack)	Bagged
20035-025	Perm-A-Seal® Butt Connectors, 10-12 gauge, yellow (25 pack)	Bagged

* Perm-A-Seal® brand or comparable substitute

BULK WIRE TAPS & TIES



38410-100

38400-100

38342-100

38550-100

38551-100

Part No.	Description	
38400-100†	Wire Taps, 14 to 18 gauge wire (3m 564) white (100 pack)	Bulk
38342-100†	Wire Taps, 10 to 12 gauge wire (3m 562) yellow (100 pack)	Bulk
38410-100†	Wire Taps, 14 to 18 gauge wire (3m 801) blue (100 pack)	Bulk
38550-100†	14-1/2" All Weather Cable Ties, black (100 pack)	Bulk
38551-100†	8" All Weather Cable Ties, black (100 pack)	Bulk
05102-100†	6-5/8" All Weather Beaded Cable Ties, white (100 pack)	Bagged

† = Available while supply lasts.



CIRCUIT BREAKERS



Used in 6, 12 and 24V DC applications. Automotive, R.V., air conditioners, battery chargers, any application requiring over-current protection. Non-corrosive molded cover eliminates grounding when operating against a fault line. Includes mounting bracket and installed nuts and washers.

Part No.	Description	Packaging
7010A	15 Amp Circuit Breaker	Bulk
7011A	20 Amp Circuit Breaker	Bulk
7012A	30 Amp Circuit Breaker	Bulk
7013A	40 Amp Circuit Breaker	Bulk
7022A	50 Amp Circuit Breaker	Bulk
7010A-S	15 Amp Circuit Breaker	Clam - Tekonsha
7011A-S	20 Amp Circuit Breaker	Clam - Tekonsha
7012A-S	30 Amp Circuit Breaker	Clam - Tekonsha
7013A-S	40 Amp Circuit Breaker	Clam - Tekonsha
7022A-S	50 Amp Circuit Breaker	Clam - Tekonsha



38620, 38630, 38640

CIRCUIT BREAKERS

Part No.	Description	Packaging
38620†	20 amp. In-line Circuit Breaker w/bracket	Clam
38620-010†	20 amp. In-line Circuit Breakers w/brackets (10 pack)	Bagged
38630†	30 amp. In-line Circuit Breaker w/bracket	Clam
38630-010†	30 amp. In-line Circuit Breakers w/brackets (10 pack)	Bagged
38640†	40 amp. In-line Circuit Breaker w/bracket	Clam
38640-010†	40 amp. In-line Circuit Breakers w/brackets (10 pack)	Bagged



7200

ELECTROTEK® NON-CONDUCTIVE DIELECTRIC SILICONE COMPOUND

ElectroTek® is to be used for all electrical connections, where a dielectric compound is required to prevent voltage loss from arcing and to protect contacts from corrosion. Suppresses radio frequency interference, dissipates heat, insulates trailer wiring connectors and seals out moisture. Effective for automotive, RV and marine electrical applications. Non-water soluble. 3 oz. tube.

Part No.	Description	Packaging
7200	ElectroTek	Bulk
7200P	ElectroTek	Clam - Tekonsha



11755

DIELECTRIC GREASE

Using dielectric grease on electrical connectors helps prevent corrosion and increases reliability.

Part No.	Description	Packaging
11755	Dielectric Grease, 2 oz. tube	Boxed

† = Available while supply lasts.

AG LIGHTING



AG LIGHTS

Meet lighting standards for agricultural field equipment and improve high-way operating safety easily and cost effectively with AG Lights by Cequent™. No other lighting package offers you the quality and dependability of AG Lights by Cequent. Designed specifically for the agricultural industry, AG Lights by Cequent withstand the most rigorous field and environmental conditions for long life and wear without repair. A variety of mounts enable easy and quick placement on all towable field equipment – harvesters, field cultivators, tillage equipment, forage boxes, and more.

SAFETY IS KEY

Meet ASAE lighting recommendations for agricultural equipment and improve safety, while operating on highways easily and cost effectively, with AG Lights by Cequent. No other lighting package offers you the quality, durability, and reliability of AG Lights by Cequent. Designed specifically for the agricultural industry, these Heavy-Duty AG Lights, when combined with Cequent's AG Wiring, withstand the most rigorous field and environmental conditions for long life and wear.

DURABLE, DEPENDABLE CONSTRUCTION OF HEAVY-DUTY AG LIGHTS

- High-impact, glass-filled thermoplastic housings deflect objects away from the lens area and prevent them from damaging or dislodging the lights assembly.
- Acrylic lenses.
- All fasteners provided are coated to resist rust.
- Bulb replacement, if ever needed, is simple – uses readily available standard automotive #1157 bulbs.

USER-FRIENDLY DESIGN

- AG Harnesses are designed with a full-length ground circuit, from tractor to AG Lamp, assuring reliable and continuous operation.
- Each light's wiring is routed through a center port area, helping facilitate a variety of light placement.
- AG Lights by Cequent are available with a variety of connector options.
- Choose from mounting screws, bolts, or heavy-duty magnets to meet your mounting needs.

- All lighting units are designed for easy customer repairs... right in the field. Pry out lenses with flat screwdriver for easy access to, and replacement of, the #1157 bulb.
- Five distinctly different light styles to meet your performance and styling requirements.

ELECTRONIC ENHANCED AG LIGHTING MODULE

Cequent, known for innovation and product reliability, presents an electronic module to deliver the ASAE recommended "enhanced turn signal lighting" with conventional AG lights and a standard wiring scheme. This unit may be hard-wired into the AG lighting harness or coupled-in by use of a variety of plug assemblies.

Use of Cequent's electronic enhanced AG lighting module helps to meet the new ASAE standard cost effectively. It eliminates the need for special wedge-based bulbs and non-standard wire schemes to deliver the enhanced turn signal lighting called for by this ASAE standard.




Refer to the Standard AG Implement Enhanced Lighting Guide.

MULTIPLE MOUNTING OPTIONS

A variety of mounts enable suitable placement on tractors and all towable field equipment – harvesters, cultivators, tillage equipment, fertilizers, forage boxes, and more. Heavy-Duty AG Lights by Cequent have a patented design incorporating multiple mounting options and lighting combinations. Dual AG Light models provide amber flashing and turn indicators plus red tail light functions. Amber or red single lights provide maximum mount flexibility (vertically or horizontally) to meet applicable lighting requirements. All AG Lights by Cequent, except the grommated series, are equipped with an exclusive molded weather-resistant low profile tri-plug. Custom plug configurations are also available.

Additionally, an optional brake light function is available for dual light or single red-lensed models. This optional function is also needed on lights used with enhanced turn light systems. The brake light option is recommended when implements are to be towed by non-farm vehicles or tractors with brakes (brake lights).

AG SAFETY LIGHTING SYSTEMS



† = Available while supply lasts.


STANDARD AG IMPLEMENT ENHANCED LIGHTING SCHEME

Under both the standard and enhanced lighting schemes, when traveling straight forward, the amber (outside) lights flash in unison with the tractor's amber lights on the high intensity at approximately 100 pulses per minute, and the low intensity of the red (inside) lights are on constantly.

With the standard wire harness in place, when a turn is being signaled, the amber light signaling the turn will increase flashing to approximately 120 pulses per minute with the amber light on the opposite side changing to a constant high intensity light. This mirrors the amber light on the tractor. Both red lights, however, remain on a constant low intensity.

To meet the enhanced lighting standard, introduce Electronic AG Light Enhanced Module to the implement's wire harness, and simply add red lights that have an active high intensity along with an additional RH and LH wire to these red lights. With this enhanced AG lighting system, during a turn the red light next to the amber turn side light will rapidly flash on the high intensity in unison with the amber light, and the red light on the opposite side will remain constant on the high intensity. This is a dramatic safety feature to better signal (to everyone) turns by tractors and implements.


AG LIGHTING WIRING DIAGRAM



Rev. 02/10

† = Available while supply lasts.

AG LIGHTING WIRING DIAGRAM WITH BRAKE




Rev. 02/10

† = Available while supply lasts.

TECHNICAL INFORMATION
IS CURRENT AS OF THE
PRINTING OF THIS
CATALOG. CONTACT
TECHNICAL SERVICE FOR
PERIODIC UPDATES.

6-WAY ROUND PIN CONNECTOR WIRING DIAGRAM


6-WAY MOLDED TRAILER/ SEALED CAR CONNECTOR & CABLE



TRAILER END
As viewed from front
face of 6-way connector
with molded on cable.

CAR END
As viewed from front
face of 6-way connector
with sealed cable.

6-WAY ZINC DIE-CAST CONNECTOR



TRAILER END
As viewed from core
back side where wires are
attached with screws.


CAR END
As viewed from core
back side where wires are
attached with screws.

6 - W A Y W I R I N G I N D E X


Wire Color & Gauge	Molded Trailer/Sealed Car Connector Terminal	Zinc Die-Cast Connector Terminal
White / 10/14 gauge	Common Ground	GD - Common Ground
Blue / 10/14 gauge	Electric Brake	S - Electric Brake
Green / 14 gauge	Right Stop & Turn	TM - Tail & License
Red / 10/14 gauge	Auxiliary	LT - Left Stop & Turn
Brown / 14 gauge	Tail & License	RT - Right Stop & Turn
Yellow / 14 gauge	Left Stop & Turn	A - Auxiliary

4-WAY ROUND PIN / FLAT CONNECTOR WIRING DIAGRAM

4-WAY ROUND PIN CONNECTOR



TRAILER END
As viewed from core back side where
wires are attached with screws.



CAR END
As viewed from core back side where
wires are attached with screws.

4-WAY FLAT CONNECTOR




TRAILER END

CAR END

5-WAY FLAT CONNECTOR WIRING DIAGRAM

5-WAY FLAT CONNECTOR



TRAILER END


CAR END

TECHNICAL INFORMATION IS
CURRENT AS OF THE PRINTING
OF THIS CATALOG. CONTACT
TECHNICAL SERVICE FOR
PERIODIC UPDATES.


† = Available while supply lasts.

7-WAY RV BLADE CONNECTOR WIRING DIAGRAM

7-WAY MOLDED TRAILER/ SEALED CAR CONNECTOR & CABLE



7-WAY THERMO-PLASTIC/ METAL CONNECTOR




7 - WAY WIRING INDEX

Wire Color & Gauge	Molded Trailer/Sealed Car Connector Terminal	Thermo-Plastic/Metal Connector Terminal
White / 10 gauge	Common Ground	#1 Common Ground
Blue / 12 gauge	Electric Brake	#2 Electric Brake
Green / 14 gauge	Tail & License	#3 Tail & License
Black / 10 gauge	Battery Charge	#4 Battery Charge
Red / 14 gauge	Left Stop & Turn	#5 Left Stop & Turn
Brown / 14 gauge	Right Stop & Turn	#6 Right Stop & Turn
Yellow / 14 gauge	Center Auxiliary	#7 Center Auxiliary

7-WAY MOLDED TRAILER CONNECTORS

PIN CLOCKING


RV - Gauge 2/10, 1/12, 4/14



WIRE COLOR, GAUGE & FUNCTION

White / 10 gauge / Common Ground
Blue / 12 gauge / Electric Brake
Green / 14 gauge / Tail & License
Black / 10 gauge / Battery Charge
Red / 14 gauge / Left Stop & Turn
Brown / 14 gauge / Right Stop & Turn
Yellow / 14 gauge / Center Auxiliary


Heavy Duty Trailer - Gauge 2/10, 1/12, 4/14



WIRE COLOR & GAUGE

White / 10 gauge
Blue / 12 gauge
Green / 14 gauge
Black / 10 gauge
Red / 14 gauge
Brown / 14 gauge
Yellow / 14 gauge

Cold Weather - Gauge 3/10, 4/14



WIRE COLOR & GAUGE

White / 10 gauge
Blue / 14 gauge
Green / 14 gauge
Black / 10 gauge
Red / 10 gauge
Brown / 14 gauge
Yellow / 14 gauge

TECHNICAL INFORMATION
IS CURRENT AS OF THE
PRINTING OF THIS CATALOG.
CONTACT TECHNICAL SERVICE
FOR PERIODIC UPDATES.

NOTE: 7-Way Heavy Duty and Cold Weather trailer wiring diagrams represent wire location and color but are NOT supplied to represent any wire or color functions. Please contact your trailer manufacturer for further details.

† = Available while supply lasts.


WEIGHT DISTRIBUTION SYSTEMS

Cequent has been the leader in weight distributing systems for 60 years. Over those years, much has changed within the industries we serve. Tow vehicles and their frames have been made lighter while the trailers have become heavier. The technology utilized yesterday can no longer be used in today's world.




REESE® STRAIT-LINE® HITCH AND DUAL CAM HIGH-PERFORMANCE SWAY CONTROL

The ultimate hitch in detail and design. The Strait-Line Hitch consists of Reese's patented Dual Cam High-Performance Sway Control and High-Performance Weight Distributing System in one easy-to-install package.




- Pro-active design forces the trailer to stay in a straight line behind your tow vehicle.
- The stronger the sway force, the more the Dual Cam HP works to stop it.
- Simple installation and adjustment
- Fully automatic and self-centering
- Rated up to 1,700 lbs. TW and 17,000 lbs. GTW
- Limited Lifetime Warranty



PRO SERIES™ COMPLETE ROUND BAR KIT

The innovative Pro Series™ Complete Round Bar weight distribution is engineered to provide the features you expect in a weight distribution kit at an economical price.

- Provides everything needed to improve towing, safety and performance right out of the box
- Preinstalled and torqued sway control ball and 2-5/16" hitch ball, u-bolts and chains
- Fabricated head and welded hitch bar
- Includes friction sway control and mounting hardware
- Available in 550/750/1,000/1,200 lbs kits
- Limited 10 year warranty



PRO SERIES™ RB3

The innovative Pro Series™ Round Bar weight distribution is engineered to provide the features you expect in a weight distribution kit at an economical price.

- Fabricated head and welded hitch bar
- Head is compatible with optional Friction Sway controls (each side)
- Available in 550/750/1,000 lbs kits
- Limited 10 year warranty

WEIGHT DISTRIBUTION SYSTEMS

Cequent Weight Distribution Systems

Reese® Strait-Line® System

Reese® SC Hitch Kits

Reese® Trunnion Style Weight Distribution

Reese® Round Bar Style Weight Distribution

Reese® Titan® Weight Distribution

Reese® STEADi-FLEX™ Light Duty Weight Distribution Kits

Draw-Tite® Trunnion Style Weight Distribution



Draw-Tite® Round Bar Style Weight Distribution

Pro Series™ Complete Round Bar Weight Distribution

Pro Series™ Trunnion Style Weight Distribution

Pro Series™ RB2 Weight Distribution

Pro Series™ RB3 Weight Distribution



SWAY CONTROLS

Reese® Dual Cam Sway Control

Reese® Friction Sway Control

Draw-Tite® Dual Cam Sway Control

Draw-Tite® Friction Sway Control

Pro Series™ Friction Sway Control

WEIGHT DISTRIBUTION ACCESSORIES

Hitch Bars

Chain Hangers

Snap Up Brackets



Add a weight distributing system to provide a more level ride, greater steering and brake control.


THE DIFFERENCES ARE IN

construction materials, welding, manufacturing processes and hook-up. Adjustment is simple because of the easy-to-operate snap-up brackets that allow spring bar tension to be adjusted by changing links in the support chains. Rather than merely supporting the trailer tongue weight (TW), weight-distributing hitches apply leverage between the towing vehicle and trailer causing the TW to be carried by all axles of the tow vehicle and trailer.

A Weight Distributing Hitch System is composed of four major elements:

1. the hitch receiver
2. the weight distribution kit
3. the hitch ball
4. the sway control (see below)

They work in unison to provide complete towing system compatibility.



without weight distributing



with weight distribution

Dual Cam HP

SWAY CONTROL

Premier Sway Control – Unlike the friction sway control, the Dual Cam HP has the ability to forestall sway from the start in addition to resisting sway once it's begun. Works only when needed and allows free and easy vehicle/trailer interaction. Installs on the trailer and therefore doesn't require adjustment every time the tow vehicle and trailer are hooked up, unless ball mount height angle or the number of working chain links are changed.

- Integrated cams in the spring bars reduce noise
- No U-bolts to conflict with bottle racks or other A-Frame mounted items
- Specific attachment reference points provided
- Simple, easy adjustment of centerline
- Fits more applications
- Improved installation times
- Years of extensive field testing



† = Available while supply lasts.

WHY CHOOSE OUR WEIGHT DISTRIBUTING?

We have been the leader in weight distributing systems for more than 60 years. Over those years, much has changed within the industries we serve. Tow vehicles and their frames have been made lighter while the trailers have become heavier. The technology utilized yesterday can no longer be used in today's world.

This is why we have been the leader in weight distributing systems for over 60 years.



QUALITY RAW MATERIALS

- Specially formulated bar stock is specified from the steel mill to meet demanding standards
- Inspected for adherence to specifications prior to being released to manufacturing



QUALITY MANUFACTURING PROCESS


- Thermal induction heating prepares the bar stock to be hot-rolled and tapered
- Hot-rolling/tapering (not forging) allows us to control the molecular structure in the steel to give it the desired strength and flexibility
- Austempering heat treat changes the chemical makeup (hardness) of the steel and transforms the raw stock into a spring bar



Round Style Spring Bars

QUALITY TESTING

- Spring bars are tested for flexibility and its ability to accept deflection without bending or breaking.
- Rockwell hardness tests are performed to ensure that the raw stock has been transformed into a spring bar.



Trunion Style Spring Bars

WE ARE THE INDUSTRY STANDARD IN SPRING BARS

† = Available while supply lasts.

STRAIT-LINE® SYSTEM

This is the ultimate hitch in detail and design. No other hitch gives the driver the control this one does at a reasonable price. The Strait-Line® Hitch consists of our patented Dual Cam High-Performance Sway Control and our High-Performance Weight Distributing System in one easy-to-install package.

The Strait-Line® Hitch was given this name as its pro-active design literally forces the trailer to stay in a straight line behind the tow vehicle. Sway is controlled by the Dual Cam High-Performance System. The stronger the sway force, the more the Dual Cam System works to stop it.

The Strait-Line® Hitch combines weight distributing with the best proven pro-active sway control system available in a newly-designed, easy-to-install kit.

- Simple installation and adjustment
- Fully automatic and self-centering
- Hooking up spring bars automatically hooks up sway control
- Reduced noise
- No U-bolts to interfere with bottle racks or other A-Frame mounted items
- Specific attachment reference points provided
- Easy adjustment of centerline
- No need to relocate items on top of A-Frame to install Dual Cam High-Performance Sway Control
- Limited Lifetime Warranty

STRAIT-LINE® TRUNNION BAR HITCH W/O HITCH BAR


Part No.	Description
66072	Strait-Line® 600 Trunnion Bar (includes 66020 & 26002)
66073	Strait-Line® 800 Trunnion Bar (includes 66021 & 26002)
66074	Strait-Line® 1200 Trunnion Bar (includes 66022 & 26002)
66130	Strait-Line® 1500 Trunnion Bar for Ultra Frame® receivers (includes 66131 & 26002)
66075	Strait-Line® 1700 Trunnion Bar for Titan® receivers (includes 66006 & 26002)

STRAIT-LINE® TRUNNION BAR HITCH W/HITCH BAR #54970


Part No.	Description
66082	Strait-Line® 600 Trunnion Bar w/Hitch Bar (includes 66540 & 26002)
66083	Strait-Line® 800 Trunnion Bar w/Hitch Bar (includes 66541 & 26002)
66084	Strait-Line® 1200 Trunnion Bar w/Hitch Bar (includes 66542 & 26002)

STRAIT-LINE® ROUND BAR HITCH W/HITCH BAR #54970

Part No.	Description
66086	Strait-Line® 600 Round Bar w/Hitch Bar (incl 65509 & 26002)
66087	Strait-Line® 800 Round Bar w/Hitch Bar (incl 67509 & 26002)
66088	Strait-Line® 1200 Round Bar w/Hitch Bar (incl 61009 & 26002)



NOTE: See page D-20 for help selecting the correct Weight Distribution System.



† = Available while supply lasts.

The best integrated friction control system on the market with 6 points of true friction control.



Four easy steps to hook up the Spring Bar

Step 1:

Place spring bar and lift handle onto clamp-on bracket



Step 2:

Rotate lift handle upward



Step 3:

Remove lift handle



Step 4:

Close and secure lid with pin

REESE® SC HITCH KITS

- Ratings 600/800/1200/1500 lbs. with hitch bar #54970
- Integrated friction sway control with automotive friction material as used on vehicle brakes – sway control provides consistent control in various weather conditions
- Reese® style serrated washer system allows for easy head adjustment - does not require head removal for washer adjustment
- Raised hitch ball platform
- Clamp on brackets and adjustable pad hangers allow for placement on trailer frames without removing the gas bottles/batteries
- Lift handle accessory included to reduce the amount of lifting required by the trailer jack when preloading the WD system
- Tapered spring bars with preassembled trunnions reduce install time
- Tapered bars provide superior weight distribution performance over a variety of uneven road and weather conditions
- Proven durability
- Limited Lifetime Warranty

NOTE: See page D-20 for help selecting the correct Weight Distribution System.



REESE® SC w/HITCH BAR #54970

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66151	Weight Distributing Hitch	10,000 lbs.	600 lbs.
66153	Weight Distributing Hitch	10,000 lbs.	800 lbs.
66155	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
66157	Weight Distributing Hitch	15,000 lbs.	1,500 lbs.

REPLACEMENT PARTS

Part No.	Description
58356	600 lbs. Trunnion Spring Bar
58357	800 lbs. Trunnion Spring Bar
58358	1,200 lbs. Trunnion Spring Bar
58359	1,500 lbs. Trunnion Spring Bar
58518	800 lbs. Bracket for Bottom Mounted Couplers NEW!
58519	1,200 lbs. Bracket for Bottom Mounted Couplers NEW!

† = Available while supply lasts.



TRUNNION STYLE

Reese® has combined the best of the features from all of our weight distributing kits to create the High-Performance Trunnion Kit. It includes a head design with superior strength and easy adjustment.

The head includes a forged raised ball platform and forged Trunnion mounts. The channel of the head utilizes our “serrated washer” design. The serrated washers make it easier to dial in the set up of the High-Performance Weight Distributing Kit.

In addition to the changes in the head, the High-Performance Weight Distributing Kit includes the highest rated spring bars per class in the industry. They also feature an integrated cam for easy set up with the optional Dual Cam High-Performance Sway Control. Other features include 9-link chains for easier set up on larger trailer frames and innovative snap-up brackets designed for superior strength and durability.

- Raised hitch ball platform eliminates the need for raised hitch balls
- Easy-to-use serrated washers for head adjustment
- Forged ball platform and spring bar mounts
- Rated up to 15,000 lbs. GTW and 1,500 lbs. TW
- Limited Lifetime Warranty

PATENTED INNOVATIVE DESIGN


Easy-to-use serrated washer

Raised hitch ball platform eliminates the need for raised hitch balls

Forged ball platform and spring bar mounts

PATENTED INNOVATIVE DESIGN

Forged integrated cam



NOTE: See page D-20 for help selecting the correct Weight Distribution System.

WEIGHT DISTRIBUTION W/O HITCH BAR

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66020	Weight Distributing Hitch	10,000 lbs.	600 lbs.
66021	Weight Distributing Hitch	10,000 lbs.	800 lbs.
66022	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
66131*	Weight Distributing Hitch	15,000 lbs.	1,500 lbs.

U.S. Patent Nos. 5,375,867 and 5,465,991, other patents pending

* Designed to be used with Ultra Frame® receiver

WEIGHT DISTRIBUTION W/HITCH BAR #54970

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66540	Weight Distributing Hitch	10,000 lbs.	600 lbs.
66541	Weight Distributing Hitch	10,000 lbs.	800 lbs.
66542	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.

U.S. Patent Nos. 5,375,867 and 5,465,991, other patents pending

REPLACEMENT PARTS

Part No.	Description
58167	Adjustable Ball Mount w/hardware
22225	800 lbs. Trunnion Spring Bar
66009	1,200 lbs. Trunnion Spring Bar
58369	1,500 lbs. Trunnion Spring Bar
6637	Snap Up Bracket Assembly Kit w/handle (2-piece)
21501	Snap Up Bracket w/Set Screw & Safety Pin
58392	Snap Up Bracket w/Set Screw & Safety Pin (for use w/Weight Distribution Systems w/ Tongue Weights 800 lbs. and Over)
58207	Ball Mount Shim Kit

† = Available while supply lasts.



58167

ROUND BAR STYLE

The Round Bar Weight Distributing Hitch features easy-to-use adjusting blocks for easier and faster ball mount angle adjustment. It includes a one-piece cast head, snap-up brackets and chains; spring bars include an integrated cam for use with optional dual cam sway control.

In addition to the changes in the head, the Round Bar Weight Distributing Kit includes the highest rated spring bars per class in the industry. They also feature an integrated cam for easy set up with the optional Dual Cam High-Performance Sway Control. Other features include 9-link chains for easier set up on larger trailer frames and innovative snap-up brackets designed for superior strength and durability.

- Easy-to-use adjusting washers for head adjustment
- One piece cast head
- Rated up to 12,000 lbs. GTW and 1,200 lbs. TW
- Limited Lifetime Warranty

NOTE: See page D-20 for help selecting the correct Weight Distribution System.



PATENTED INNOVATIVE DESIGN

Easy-to-use adjusting washer

One piece cast head

Integrated right hand sway control platform

PATENTED INNOVATIVE DESIGN

Forged integrated cam



WEIGHT DISTRIBUTION W/HITCH BAR #54970

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
65509	Weight Distributing Hitch	10,000 lbs.	600 lbs.
67509	Weight Distributing Hitch	10,000 lbs.	800 lbs.
61009	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.

REPLACEMENT PARTS

Part No.	Description
58112	Adjustable Ball Mount w/hardware
58114	800 lbs. Round Spring Bar
58115	1,200 lbs. Round Spring Bar
6637	Snap Up Bracket Assembly Kit w/handle (2-piece)
21501	Snap Up Bracket w/Set Screw & Safety Pin
58392	Snap Up Bracket w/Set Screw & Safety Pin (for use w/Weight Distribution Systems w/ Tongue Weights 800 lbs. and Over)
58207	Ball Mount Shim Kit



58112



58114

58115



6637


† = Available while supply lasts.

TITAN® WEIGHT DISTRIBUTING TRUNNION STYLE

Designed for loads beyond normal everyday towing situations, Titan® Weight Distributing Hitch system provides a trunnion design with the highest rating available in the towing industry. Coupled with a 2-1/2" Class V Titan® receiver, heavy loads are transported with ease. Ideal for commercial and industrial use.



- Trunnion style weight distributing kit with integrated cams for use with Dual Cam Sway Control
- Perfect for use with horse trailers and RV's with heavy tongue weights
- Adjustable hitch bar sold separately
- Great for agricultural, marine and recreational use
- Limited Lifetime Warranty



54977

TITAN® WEIGHT DISTRIBUTING TRUNNION STYLE W/O HITCH BAR

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66006	Weight Distributing Hitch	17,000 lbs.	1,700 lbs.

Note: Do not exceed tow vehicle, hitch or equipment ratings.

TITAN® HITCH BAR SELECTION CHART

Part No.	Total Ht Adj	Length (L)	Rise (R)	Drop (D)	GTW/TW (lbs.)
54976	6-1/4"	15"	5-1/4"	1-1/4"	17,000/1,700
54977	14-1/4"	15"	8-1/4"	5-3/4"	17,000/1,700

NOTE: Do not exceed tow vehicle, hitch or equipment rating

REPLACEMENT PARTS

Part No.	Description
58167	Titan® Trunnion Bolt-Together Head Kit w/ hardware
58392	Snap Up Bracket w/Set Screw & Safety Pin (for use w/Weight Distribution Systems w/ Tongue Weights 800 lbs. and Over)



58167


STEADi-FLEX™

STEADi-FLEX™ LIGHT DUTY WEIGHT DISTRIBUTING KIT

This weight distributing system is designed with tapered spring bars for a softer ride. Friction material, used for sway control, provides a quiet ride. Wide spring bars, with a simple pin and clip assembly, reduce wear in the head and on the friction pads.

- No drill installation
- Will fit 6" frames w/bottom mount couplers
- Hitch bar included
- Hitch ball sold separately

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
66557	STEADi-FLEX™ Light Weight Distributing Kit w/Shank, Built In Friction Sway Control & Hardware	4000 lbs.	400 lbs.
66558	STEADi-FLEX™ Light Weight Distributing Kit w/Shank, Built In Friction Sway Control & Hardware	6000 lbs.	600 lbs.

NOTE: See page D-20 for help selecting the correct Weight Distribution System.

† = Available while supply lasts.

NOTES

[illegible]

WEIGHT DISTRIBUTION SYSTEMS



TRUNNION STYLE

Draw-Tite® has combined the best of the features from all of our weight distributing kits to create the Trunnion Kit. It includes a head design with superior strength and easy adjustment.

The head includes a forged raised ball platform and forged Trunnion mounts. The channel of the head utilizes our “serrated washer” design. The serrated washers make it easier to dial in the set up of the Weight Distributing Kit.

In addition to the changes in the head, the Weight Distributing Kit includes the highest rated spring bars per class in the industry. They also feature an integrated cam for easy set up with the optional Dual Cam High-Performance Sway Control. Other features include 9-link chains for easier set up on larger trailer frames and innovative snap-up brackets designed for superior strength and durability.

PATENTED INNOVATIVE DESIGN

Easy-to-use serrated washer

Raised hitch ball platform eliminates the need for raised hitch balls


Forged ball platform and spring bar mounts

PATENTED INNOVATIVE DESIGN

Forged integrated cam

- Raised hitch ball platform eliminates the need for raised hitch balls
- Easy-to-use serrated washers for head adjustment
- Forged ball platform and spring bar mounts
- Rated up to 15,000 lbs. GTW and 1,500 lbs. TW
- Limited Lifetime Warranty

NOTE: See page D-20 for help selecting the correct Weight Distribution System.



WEIGHT DISTRIBUTION W/O HITCH BAR

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
7901†	Weight Distributing Hitch	10,000 lbs.	600 lbs.
7902†	Weight Distributing Hitch	10,000 lbs.	800 lbs.
7903†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
66131*	Weight Distributing Hitch	15,000 lbs.	1,500 lbs.

* Designed to be used with Ultra Frame® receiver

REPLACEMENT PARTS

Part No.	Description
6637	Snap Up Bracket Assembly Kit (qty 2) w/handle
62167	Bolt together single ear head assembly & hardware
6664†	800 lbs. trunnion spring bars (qty 2), chains & fasteners
6666†	1,200 lbs. trunnion spring bars (qty 2), chains & fasteners
58369	1,500 lbs. trunnion spring bar
21501	Snap Up Bracket w/Set Screw & Safety Pin
58392	Snap Up Bracket w/Set Screw & Safety Pin (for use w/Weight Distribution Systems w/ Tongue Weights 800 lbs. and Over)



62167


ROUND BAR STYLE

The Round Bar Weight Distributing Hitch features easy-to-use adjusting blocks for easier and faster ball mount angle adjustment. It includes a one-piece cast head, snap-up brackets and chains; spring bars include an integrated cam for use with optional dual cam sway control.


In addition to the changes in the head, the Round Bar Weight Distributing Kit includes the highest rated spring bars per class in the industry. They also feature an integrated cam for easy set up with the optional Dual Cam High-Performance Sway Control. Other features include 9-link chains for easier set up on larger trailer frames and innovative snap-up brackets designed for superior strength and durability.



PATENTED INNOVATIVE DESIGN



PATENTED INNOVATIVE DESIGN



- Easy-to-use adjusting washers for head adjustment
- One piece cast head
- Rated up to 12,000 lbs. GTW and 1,200 lbs. TW
- Limited Lifetime Warranty

NOTE: See page D-20 for help selecting the correct Weight Distribution System.



WEIGHT DISTRIBUTION W/O HITCH BAR

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
3203†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.

REPLACEMENT PARTS

Part No.	Description
6637	Snap Up Bracket Assembly Kit (qty 2) w/handle
62112	Bolt together head assembly & hardware
62113†	600 lbs. round spring bar (qty 1)
62114†	800 lbs. round spring bar (qty 1)
62115†	1,200 lbs. round spring bar (qty 1)
21501	Snap Up Bracket w/Set Screw & Safety Pin
58392	Snap Up Bracket w/Set Screw & Safety Pin (for use w/Weight Distribution Systems w/ Tongue Weights 800 lbs. and Over)



† = Available while supply lasts.



TRUNNION STYLE WEIGHT DISTRIBUTION BOLT-TOGETHER KITS

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
WEIGHT DISTRIBUTION W/HITCH BAR #3210			
7901 10†	Weight Distributing Hitch	10,000 lbs.	600 lbs.
7902 10†	Weight Distributing Hitch	10,000 lbs.	800 lbs.
7903 10†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
WEIGHT DISTRIBUTION W/HITCH BAR #3212			
7901 12†	Weight Distributing Hitch	10,000 lbs.	600 lbs.
7902 12†	Weight Distributing Hitch	10,000 lbs.	800 lbs.
7903 12†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
WEIGHT DISTRIBUTION W/HITCH BAR #3214			
7901 14†	Weight Distributing Hitch	10,000 lbs.	600 lbs.
7902 14†	Weight Distributing Hitch	10,000 lbs.	800 lbs.
7903 14†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
WEIGHT DISTRIBUTION W/HITCH BAR #3215			
7901 15†	Weight Distributing Hitch	10,000 lbs.	600 lbs.
7902 15†	Weight Distributing Hitch	10,000 lbs.	800 lbs.
7903 15†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.

ROUND BAR STYLE WEIGHT DISTRIBUTION BOLT-TOGETHER KITS

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
WEIGHT DISTRIBUTION W/HITCH BAR #3210			
3203 10†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
WEIGHT DISTRIBUTION W/HITCH BAR #3212			
3203 12†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
WEIGHT DISTRIBUTION W/HITCH BAR #3214			
3203 14†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.
WEIGHT DISTRIBUTION W/HITCH BAR #3215			
3203 15†	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.

NOTE: See page D-20 for help selecting the correct Weight Distribution System.

† = Available while supply lasts.



PRO SERIES™ COMPLETE ROUND BAR KIT

The innovative Pro Series™ Complete Round Bar weight distribution is engineered to provide the features you expect in a weight distribution kit at an economical price.

- Provides everything needed to improve towing, safety and performance right out of the box
- Preinstalled and torqued sway control ball and 2-5/16" hitch ball, u-bolts and chains
- Fabricated head and welded hitch bar
- Includes friction sway control and mounting hardware
- Limited 10 year warranty



Part No.	Description	Gross Trailer Wt.	Tongue Wt.
49901	Pro Series™ Complete Round Bar WD Kit	10,000 lbs.	550 lbs.
49902	Pro Series™ Complete Round Bar WD Kit	10,000 lbs.	750 lbs.
49903	Pro Series™ Complete Round Bar WD Kit	10,000 lbs.	1,000 lbs.
49904	Pro Series™ Complete Round Bar WD Kit	10,000 lbs.	1,200 lbs.

REPLACEMENT PARTS

58439	Pro Series™ Complete RB, 550 lbs. Spring Bar w/o Bend (Qty. 2)
58440	Pro Series™ Complete RB, 750 lbs. Spring Bar w/o Bend (Qty. 2)
58441	Pro Series™ Complete RB, 1000 lbs. Spring Bar w/o Bend (Qty. 2)
58442	Pro Series™ Complete RB, Weight Distributing Bolt-Together Head w/2-5/16" Chrome Hitch Ball, Sway Control Ball & Mounting Hardware
58444	Pro Series™ Complete RB, Weight Distributing Bolt-Together Head Shim Kit

Note: Minimum purchase requirements for these products. Please contact your Cequent Performance Products sales representative for further details.

PRO SERIES™ TRUNNION STYLE

The innovative Pro Series™ Trunnion weight distribution is engineered to provide the features you expect in a weight distribution kit at an economical price.

- New combination single piece cast head
- Easy to use adjusting washers
- Unique washer design allows for quick spring bar tension adjustment
- Round tapered spring bars
- Head is compatible with optional Friction Sway Control (each side)
- Includes hitch bar #54970
- Limited 10 year warranty



WEIGHT DISTRIBUTION W/HITCH BAR #63970

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
49585	Weight Distributing Hitch	10,000 lbs.	600 lbs.
49586	Weight Distributing Hitch	10,000 lbs.	800 lbs.
49587	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.

Available in skid quantities of 20. (Example: 49585-020)

† = Available while supply lasts.


NOTE: See page D-20 for help selecting the correct Weight Distribution System.



PRO SERIES™ RB2

The innovative Pro Series™ Round Bar weight distribution is engineered to provide the features you expect in a weight distribution kit at an economical price.

- New combination single piece cast head
- Easy to use adjusting washers
- Unique washer design allows for quick spring bar tension adjustment
- Head is compatible with optional Friction Sway Controls (each side)
- Includes hitch bar #54970
- Limited 10 year warranty




WEIGHT DISTRIBUTION w/HITCH BAR #63970

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
49568	Weight Distributing Hitch	10,000 lbs.	600 lbs.
49569	Weight Distributing Hitch	10,000 lbs.	800 lbs.
49570	Weight Distributing Hitch	12,000 lbs.	1,200 lbs.

Available in skid quantities of 20. (Example: 49570-020)

PRO SERIES™ RB3

- Fabricated head and welded hitch bar
- Available in 550/750/1,000 lbs kits
- Head is compatible with optional Friction Sway controls (each side)
- Limited 10 year warranty



WEIGHT DISTRIBUTION w/HITCH BAR

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
49581	Weight Distributing Hitch	10,000 lbs.	550 lbs.
49582	Weight Distributing Hitch	10,000 lbs.	750 lbs.
49583	Weight Distributing Hitch	10,000 lbs.	1,000 lbs.

REPLACEMENT PARTS

58439	Pro Series™ Complete RB, 550 lbs. Spring Bar w/o Bend (Qty. 2)
58440	Pro Series™ Complete RB, 750 lbs. Spring Bar w/o Bend (Qty. 2)
58441	Pro Series™ Complete RB, 1000 lbs. Spring Bar w/o Bend (Qty. 2)
58442	Pro Series™ Complete RB, Weight Distributing Bolt-Together Head w/2-5/16" Chrome Hitch Ball, Sway Control Ball & Mounting Hardware
58444	Pro Series™ Complete RB, Weight Distributing Bolt-Together Head Shim Kit

Available in skid quantities of 20. (Example: 49583-020)

† = Available while supply lasts.

NOTE: See page D-20 for help selecting the correct Weight Distribution System.



54980


ADJUSTABLE BALL MOUNTS W/ HITCH BARS

Part No.	Description
54980	Complete Adjustable Ball Mount with 54970 Hitch Bar
54994	Complete Adjustable Ball Mount with 54998 Hitch Bar

Dual Cam^{HP}



26002



58507

DUAL CAM HIGH-PERFORMANCE SWAY CONTROL

This patented product is Reese® Products main technique for controlling trailer sway. Unlike Friction Sway Control, this approach works to control sway from the start rather than just resisting sway once it's begun. And it works only when needed. The advantage of the Dual Cam System is its ability to forestall sway in addition to sway resistance. It works to hold down the start of swaying activity while at the same time allowing free and easy vehicle and trailer interaction. Another advantage of the Dual Cam System is that it is installed on the trailer and therefore does not require adjustment every time the towing vehicle and trailer are hooked up, unless hitch weight or tow vehicle loading are changed.

- Integrated cams into the spring bars reduce noise
- No U-bolts to interfere with bottle racks or other A-Frame mounted items
- Specific attachment reference points provided
- Fits most applications
- Improved installation times
- Years of extensive field testing

Part No.	Description
26002	Dual Cam High Performance Sway Control
58507	Rivet Nuts (Qty. 4) for tube frames (Dual Cam High Performance Bracket)

Weight distributing hitch not included; use of sway controls with surge brakes not recommended; this product is recommended to be used with weight distribution that has the integrated spring bars only



3442



58060

FRICTION SWAY CONTROL

- Installs and removes easily
- Removes with two spring locking pins
- Heavy construction for added reliability
- Friction brake keeps trailer and tow vehicle stable
- Quick attachment to trailer frame and ball mount
- Can be used on left and right side of trailer



26660

Part No.	Description
26660	Sway Control Assembly and fasteners - (boxed)
3442	Weld-on Sway Control adapter
58060	Replacement Sway Control ball 1-1/4" x 5/8"
58062	Replacement Ball Plate Assembly

Weight distributing hitch not included; use of sway controls with surge brakes is not recommended

Dual Cam **HP**



26102†



58507



3442



58060



3400

83660



26003
26005

DUAL CAM HIGH-PERFORMANCE SWAY CONTROL



This patented product is Draw-Tite's main technique for controlling trailer sway. Unlike Friction Sway Control, this approach works to control sway from the start rather than just resisting sway once it's begun. And it works only when needed. The advantage of the Dual Cam System is its ability to forestall sway in addition to sway resistance. It works to hold down the start of swaying activity while at the same time allowing free and easy vehicle and trailer interaction. Another advantage of the Dual Cam System is that it is installed on the trailer and therefore does not require adjustment every time the towing vehicle and trailer are hooked up, unless hitch weight or tow vehicle loading are changed.

- Integrated cams into the spring bars reduce noise
- No U-bolts to interfere with bottle racks or other A-Frame mounted items
- Specific attachment reference points provided
- Fits most applications
- Improved installation times
- Years of extensive field testing

Part No.	Description
26102†	Dual Cam High Performance Sway Control
58507	Rivet Nuts (Qty. 4) for tube frames (Dual Cam High Performance Bracket)

Note: Weight distributing hitch not included; use of sway controls with surge brakes not recommended; this product is recommended to be used with weight distribution that has the integrated spring bars only.

FRICTION SWAY CONTROL

- Installs and removes easily
- Removes with two spring locking pins
- Heavy construction for added reliability
- Friction brake keeps trailer and tow vehicle stable
- Quick attachment to trailer frame and ball mount
- Can be used on left and right side of trailer



Part No.	Description
3400	Sway Control Assembly and fasteners - (boxed)
3442	Weld-on Sway Control adapter
58060	Replacement Sway Control ball 1-1/4" x 5/8"
58062	Replacement Ball Plate Assembly

Note: Weight distributing hitch not included; use of sway controls with surge brakes is not recommended.



Part No.	Description
83660	Pro Series Friction Sway Control
3442	Weld-on Sway Control adapter
58060	Replacement Sway Control ball 1-1/4" x 5/8"
58062	Replacement Ball Plate Assembly

Note: Weight distributing hitch not included; use of sway controls with surge brakes is not recommended.

BOLT-ON MOUNTING ADAPTERS FOR SWAY CONTROL

- Easy bolt-on installation
- Bulk packaged
- Black powder coat finish over A-coat

Part No.	Description
26003	Sway Control Adapter Bracket for Class III & IV 2" ball mounts
26005	Sway Control Adapter Bracket for Class II 1-1/4" drawbars

26003 cannot be used with Class I or Class II Drawbars.

26005 can not be used with Class I Drawbars.


Ball platform does not prevent adapter from turning during tightening.

† = Available while supply lasts.

WEIGHT DISTRIBUTING HITCH BARS

Sold separately from the Weight Distributing Hitch Kits, hitch bars offer a full range of style and adjustability. Designed for use with all Trunnion and Round Bar Weight Distributing Kits.

- Angled, extended, "T" and deep drop designs available
- Designed for use in the rise or drop position
- Refer to the diagrams below to assist in determining the correct Length, Rise & Drop required when selecting the correct hitch bar for your Weight Distributing Hitch.



How to measure for the proper hitch bar
(Illustrations show Adjustable Hitch Bar)



Part No	Hitch Bar Size	Capacity lbs. (TW)	A Height (in.)	B Length (in.)	C-D Rise - Drop (in.)	Cast / Welded	Brand
3210†	2"	1,400	6-1/4"	7-3/4"	4-1/4" - 6-1/4"	Welded	Reese
3212†	2"	1,400	6-1/4"	9-3/4"	4-1/4" - 6-1/4"	Welded	Reese
3214	2"	1,400	6-1/4"	11-3/4"	4-1/4" - 6-1/4"	Welded	Reese
3215	2"	1,400	6-1/4"	8-3/4"	8-3/4" - 10-3/4"	Welded	Reese
3344	2"	1,400	5"	8-3/4"	N/A - 13-1/4"	Welded	Reese
54970	2"	1,500 (1,000)	6-1/4"	9-1/4" (10-1/4")	4-1/4" - 6-1/4"	Cast	Reese
63970†	2"	1,500 (1,000)	6-1/4"	9-1/4" (10-1/4")	4-1/4" - 6-1/4"	Cast	Pro Series
63971	2"	1,500	7-1/2"	9-3/4"	N/A - 10"	Cast	Pro Series
54998	2"	1,600	7-1/2"	9-1/4"	4-7/8" - 6-7/8"	Cast	Reese
63911	2"	1,200	6-1/4"	7-3/4"	4-1/4" - 6-1/4"	Cast	Pro Series
54976	2-1/2"	1,700	6-1/4"	11-1/2"	4" - 6-1/2"	Cast	Reese
54977	2-1/2"	1,700	6-1/4"	11-1/2"	7-3/4" - 10-1/4"	Cast	Reese

NOTE: Do not exceed tow vehicle, hitch or equipment rating

† = Available while supply lasts.

5780



LOAD-MASTER TRAILER TONGUE WEIGHT SCALE

- Load-Master is a hydraulic pressure gauge for measuring trailer tongue weights from 0 to 2,000 lbs.

Part No.	Description
5780	Load-Master Trailer Tongue Weight Scale

POLE TONGUE ADAPTER

A Pole Tongue Adapter is used as a mounting platform for the Lift Brackets of a Weight Distributing Hitch System when a trailer has a pole or straight tongue rather than an A-Frame tongue.

- Fits all lift units regardless of manufacturer
- Fits tongue widths from 1-5/8" to 5"
- Fits tongue heights from 3" to 6"



3280

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
3280	Pole Tongue Adapter and Fastener Kit	7,500 lbs.	750 lbs.
58393	Pole Tongue Adapter and Fastener Kit	14,000 lbs.* 12,000 lbs.**	1400 lbs.* 1200 lbs.**

Note: Not for use with light duty weight distributing hitch

* When mounted on top of the tongue

** When mounted below the tongue

WEIGHT DISTRIBUTING CHAIN HANGERS

For trailers with tongue interference (gas bottles, batteries, covered frames, etc.) where snap up brackets (#21501) won't install easily, we offer two easy-to-install options.



58305



58306



- Bla
- Installs quickly! (approximately 15 minutes)
- Includes hardware

Part No.	Description	Gross Trailer Wt.	Tongue Wt.
58305	Chain Hanger, Bolt On	14,000 lbs.	1400 lbs.
58306	Chain Hanger, Clamp On	14,000 lbs.	1400 lbs.

WEIGHT DISTRIBUTING SNAP UP BRACKETS

- Rugged positive locking design
- Unit locks using safety pin (#55180)
- Narrower, for increased frame clearance
- One-piece cast chain hook
- Black powder coat finish over A-coat



21501

Part No.	Description
6637	Snap Up Bracket Assembly Kit w/handle (2- piece)
58162	Snap Up Handle
21501	Snap Up Bracket w/Set Screw & Safety Pin
58392	Snap Up Bracket w/Set Screw & Safety Pin (for use w/Weight Distribution Systems w/ Tongue Weights 800 lbs. and Over)

† = Available while supply lasts.

SELECTING THE RIGHT WEIGHT DISTRIBUTION SYSTEM

The hitch weight formula for determining the load which the hitch must carry:

HITCH WEIGHT* = TONGUE WEIGHT + VEHICLE CARGO LOAD BEHIND REAR AXLE

Tongue weight includes the trailer tongue weight with full gas, water and waste systems and everything packed inside the trailer. Vehicle cargo includes all materials carried in your tow vehicle, such as boat motors, gas cans, tools, etc.

The hitch weight formula for determining the load which the hitch must carry:

600 WEIGHT DISTRIBUTING HITCH

Specially suited for use on medium boat trailers, light travel trailers, single horse trailers, heavy fold-down campers, heavy luggage or utility trailers.

800 WEIGHT DISTRIBUTING HITCH

Ideal for medium travel trailers, heavy boat trailers, heavy horse trailers.

1200 WEIGHT DISTRIBUTING HITCH

Excellent with heavy travel trailers, extra-heavy boat and horse trailers.

1500 & 1700 WEIGHT DISTRIBUTING HITCHES

Great for agricultural, marine and heavy recreational use.


TO DETERMINE THE CORRECT WEIGHT DISTRIBUTING HITCH:

1. Determine the tongue weight of your trailer
2. Estimate the vehicle cargo load
3. Match the sum of these weights to the proper Reese hitch.

Example:

Tongue weight **500 lbs.**
Plus vehicle cargo load **+ 200 lbs.**
Total hitch weight **= 700 lbs.**

Using the selector shown above, an 800 weight-distributing hitch is adequate.



HEAVY-DUTY TRUNNION BAR



HEAVY-DUTY ROUND BAR



* = Available while supply lasts.

Titan® 16K & 20K FIFTH WHEEL HITCHES



Reese®, the brand that started the towing industry once again revolutionizes the fifth wheel with the introduction of the new Titan® 16K & 20K. Reese® remains unmatched in safety, reliability and performance. Optional slider available for additional turning clearance.



NEW CONTOURED HANDLE

- Customized grip includes universal control instructions
- New control handle eliminates separate latch and high visibility for system lock and load

PREMIUM REESE ARCH

- Updated pin mounting holes better align with current rail kits, reducing looseness



NEW CAST HEAD

- Commercial durability and strength
- Improved head funneling for king pin to latch
- Patent pending king pin indicator is highly visible


NEW CAST JAW SYSTEM

- Double jaw mechanism designed to be heavier for longer wear, with improved tolerances, eliminating chocking in jaw system
- Improved life and wear with added grease points



NEW CAST PIVOT BEAM

- Incorporates a vibration isolator system for vertical and longitudinal vibration dampening and improved ride
- Wider mounting for better stability and reduced wear
- Easier assembly of cast pivot beam to cross member
- Vertical height adjustment from 14" to 18"
- Head and pivot beam can be offset 1" front or rear to maximize performance



SAE J2638 COMPLIANT

- Based on heavy duty, accelerated life cycle criteria developed by SAE for fifth wheel and gooseneck
- Fatigue and static tested to pass 900,000 cycles

SIDEWINDER COMPATIBLE

- Premium choice for short bed trucks

REESE®
PIONEERING PERFORMANCE

FIFTH WHEEL HITCHES

FIFTH WHEEL HITCHES

Reese® Elite™ Fifth Wheel Hitches

Reese® Elite™ Slider

Reese® Elite™ Rail Kits

Reese® Fifth Wheel Hitches

Draw-Tite® Fifth Wheel Hitches

Pro Series™ Fifth Wheel Hitches

Fifth Wheel Sliders

FIFTH WHEEL HITCH ACCESSORIES

Fifth Wheel Mounting Rails and Installation Kits

Fifth Wheel Adapter Brackets

Lube Plates

Accessory Kit


Chain Bracket Kit

Pull Pin Lock Plates

Fifth Wheel Locks

FIFTH WHEEL APPLICATIONS

Fifth Wheel Application Guide



ELITE™

NEW!
30871

 Includes 90° Wire
Harness 50-97-410

PRE ASSEMBLED 26.5K ELITE™ NEW!

- 26,500 lbs. capacity / 6,625 lbs. pin weigh capacity
- 14" – 16-1/2" vertical adjustment
- Improved 4 way head pivot
- 4° side to side pivot for better control
- Forged single jaw
- Increased king pin/jaw contact design
- Self latching jaw design
- King pin indicator
- Wider footprint for increased stability
- Stamped rounded head
- Wider 9" (vs 6") king pin funnel area on head
- Vehicle specific under bed mounting kits
- Lockable handle (Pad lock sold separately)
- 1/4" turn handle "quick lock" mount system
- Non-pin mounting reduces slop
- Contemporary 21st century appearance
- Extended length handle
- Pre-assembled fifth wheel units
- Saves approximately one hour of assembly time
- Foot assembly is hand tightened
- Includes wrench to tighten foot assembly
- Shipped in one convenient carton
- SAE J2638 Compliant
- Limited Lifetime Warranty

REESE

Part No.	Description
30871	26.5K Elite™ - pre assembled

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.


30143

 Includes 90° Wire
Harness 50-97-410

PRE ASSEMBLED 25K ELITE™

All 26.5K features other than gross and pin weight capacity.

- 25,000 lbs. capacity / 6,250 lbs. pin weight capacity
- 14" – 16-1/2" vertical adjustment
- SAE J2638 Compliant

Part No.	Description
30143	25K Elite™ - pre assembled

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.


30142

 Includes 90° Wire
Harness 50-97-410

PRE ASSEMBLED 18K ELITE™

All 25K features other than gross and pin weight capacity.

- 18,000 lbs. capacity / 4,500 lbs. pin weight capacity
- 14" – 18" vertical adjustment
- SAE J2638 Compliant

Part No.	Description
30142	18K Elite™ - pre assembled
30144	18K Elite™ with Silder - pre assembled

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.


30144

† = Available while supply lasts.



ELITE™ SLIDER

Designed for short bed and extended cab short bed pickups to provide additional turning clearance and to prevent damage to truck and trailer in tight locations at low speeds.

- 10" travel
- Fits 18K Elite™ fifth wheel
- Round rail design allows for smoother operation
- Operation from either side of unit (handle can be mounted on either side)
- Angled steel rollers reduces binding
- Operates even when vehicle not in straight line
- Operation up to 45° angle.
- Lock pin for additional security
- Rubber grip handle for comfortable operation
- The vertical adjustment is limited to 16" - 18"
- SAE J2638 Compliant




Part No.	Description
30070†	Elite™ Slider, for use with the 18K Elite™ fifth wheels only


ELITE™ RAIL KITS

Elite™ Rail Kits are designed for use with the Elite™ Systems only.

- "Power Puck" mounting system provides uninhibited use of truck bed when fifth wheel or gooseneck is dismounted
- Wider platform/mounting footprint (increased stability)
- Custom-fit under-bed mounting system
- Black powder coat finish
- SAE J2638 Compliant



SEE APPLICATION GUIDE FOR VEHICLE SPECIFIC RAIL KITS



30149

ACCESSORY/REPLACEMENT PARTS

Part No.	Description
30149	Elite™ Rail Kit Accessory, Plastic Bedliner Puck Adapter Kit (includes: (4) Pucks & (4) Spacers)
58458	Replacement Part, Trim Rings (4) for GM and Dodge Elite™ Rail Kits

† = Available while supply lasts.

REESE® 20K FIFTH WHEEL, DROP-IN FOR RAM 2500 HD/3500 HD

REESE


- 20,000 lbs. capacity / 5,000 lbs. pin weight capacity
- Direct fit for RAM trucks with OE tow package
- Built-in handles for easy, safe installation and removal
- Built with Elite™ series fifth wheel head
- SAE J2638 Compliant
- Limited Lifetime Warranty


Part No.	Description
30160	Reese® 20K Fifth Wheel, Drop-In for RAM 2500 HD/3500 HD w/Factory Installed OE Rail System

REPLACEMENT PARTS

Part No.	Description
30863	Center Section, Drop-In for Ram Drop In #30160
30864	Fifth Wheel Base Arches, Drop-In for Ram #30160
117300	Elite™ Fifth Wheel Head Kit



30863



30864



117300

† = Available while supply lasts.


RAIL KIT MOUNTING ADAPTER



30156

- 20,000 lbs. capacity / 5,000 lbs. pin weight capacity
- SAE J2638 Compliant
- The robust Reese adapter will not touch or scratch the truck bed
- Works with any 15K, 16K, or 20K standard fifth wheel hitch
- Uses the fast and secure Reese® patented latching system
- Built-in handles for safe, easy installation and removal
- Limited Lifetime Warranty

Part No.	Description
30156	Rail Kit Mounting Adapter, Drop-In for RAM 2500 HD/3500 HD w/Factory Installed OE Rail System



30154

- 25,000 lbs. gross/6,250 lbs. pin weight capacity
- SAE J2638 Compliant
- Use with RAM OEM under-bed rail kit
- The robust Reese adapter will not touch or scratch the truck bed
- Works with any standard fifth wheel hitch up to 25k
- Uses the fast and secure Reese® patented latching system
- Limited Lifetime Warranty

Part No.	Description
30154	Rail Kit Mounting Adapter (For Use w/RAM OEM Under-Bed Rail Kits)

† = Available while supply lasts.



30866



CONTOURED HANDLE



CAST HEAD & JAW



CAST PIVOT BEAM



30867



30870

REESE® TITAN® 16K FIFTH WHEEL

Reese®, the brand that started the towing industry once again revolutionizes the fifth wheel hitch with the introduction of the new Titan® 16K. Reese® remains unmatched in safety, reliability and performance.

- 16,000 lbs. capacity / 4,000 lbs. pin weight capacity
- CONTOURED HANDLE
 - Customized grip includes universal control instructions
 - New control handle eliminates separate latch and high visibility for system lock and load
- PREMIUM REESE ARCH
 - Updated pin mounting holes better align with current rail kits, reducing looseness
- SAE J2638 COMPLIANT
 - Based on heavy duty, accelerated life cycle criteria developed by SAE for fifth wheels
 - Fatigue and static tested to pass 900,000 cycles
- SIDEWINDER COMPATIBLE
 - Premium choice for short bed trucks
- CAST HEAD
 - Commercial durability and strength
 - Improved head funneling for king pin to latch
 - Patent pending king pin indicator is highly visible
- CAST JAW SYSTEM
 - Double jaw mechanism, heavier for longer wear, improved tolerances, eliminating chucking in jaw system
 - Improved life and wear with added grease points
- CAST PIVOT BEAM
 - Incorporates a dual vibration isolator system for vertical and longitudinal vibration dampening and improved ride
 - Wider mounting for better stability and reduced wear
 - Easier assembly of cast pivot beam to cross member
 - Vertical height adjustment from 14" to 18"
 - Head and pivot beam can be offset 1" front or rear to maximize performance
- Requires rails & installation kit (sold separately)
- Optional slider available for additional turning clearance
- Limited Lifetime Warranty

Part No.	Description
30866	Titan® 16K Fifth Wheel Hitch
30869	Titan® 16K Fifth Wheel Hitch and Round Tube Slider
83003	Titan® 16K Fifth Wheel Lube Plate
83004	Titan® 16K Fifth Wheel 12" Thin Round Lube Plate, 1/8" Thick

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

REESE® TITAN® 20K FIFTH WHEEL

- 20,000 lbs. capacity / 5,000 lbs. pin weight capacity
- All Titan® 16K features PLUS quadruple vibration isolator system for vertical and longitudinal vibration dampening and improved ride
- Custom lube plate included

Part No.	Description
30867	Titan® 20K Fifth Wheel Hitch
30870	Titan® 20K Fifth Wheel Hitch and Round Tube Slider

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

† = Available while supply lasts.



50024

REESE® ROUND TUBE SLIDER

- Up to 20,000 lbs
- 11" travel rearward from center of rail
- Slider system re-engineered to be the best in the industry
- Current slider systems expanded to give true ease and precision
- Contoured rollers float from side to side to accommodate mounting systems that may not be fully square
- Embossed roller supports for low friction and longer wear
- Forged mounting feet for wide consistent attachment to rails
- Updated pin mounting holes to better align with the current rail kits and reduce play
- Plated rails hold up longer for extended wear
- SAE J2638 COMPLIANT
 - Based on heavy duty, accelerated life cycle criteria developed by SAE for fifth wheel and gooseneck
 - SAE J2638 is a fatigue and static requirements of new European style test of 900,000 cycles
 - New customized grip

Part No.	Description
50024	Round Tube Slider

REPLACEMENT PARTS

Part No.	Description
NEW! 58493	Titan® Round Tube Slider Handle, Grip, Roll Pin & Cotter Pins



30153



58467

REESE® OUTBOARD MOUNTING RAILS

- SAE J2638 COMPLIANT
 - Based on heavy duty, accelerated life cycle criteria developed by SAE for fifth wheels
 - J2638 are fatigue and static requirements based on the European style test of 900,000 cycles
- HARDWARE
 - Grade 8 hardware, meets all Canadian requirements
- FAST CUSTOM MOUNT SYSTEM
 - Rails are wider (48") for faster install, because the mounting points are outside the truck frame, allowing the installer to avoid under-bed components

Part No.	Description
30153	Reese® Outboard Fifth Wheel Mounting Rails Only (10 bolt design)
ACCESSORY PARTS	
58467	4 Hole Style Pins (Qty. 4) & Clips (Qty. 4) for Reese Outboard Fifth Wheel Mounting Rails #30153



Vehicle Specific Brackets -
Kits with Vehicle Specific
Brackets and Mounting Rails

REESE® OUTBOARD INSTALLATION BRACKETS AND KITS

- Vehicle specific Reese Outboard Fifth Wheel Custom Quick Install Brackets available
- Kits also available that include Reese Outboard Fifth Wheel Mounting Rails and Vehicle Specific Brackets

SEE APPLICATION GUIDE OR WWW.REESEPRODUCTS.COM FOR VEHICLE APPLICATIONS

† = Available while supply lasts.



30054

REESE® 30K FIFTH WHEEL LOW PROFILE HITCH

REESE

- 30,000 lbs. capacity; 7,500 lbs. pin weight capacity
- Low profile design can be vertically adjusted 3" to permit level trailering (9-1/2" to 12-1/2") above vehicle deck
- Side-tilt design reduces vehicle frame stress, creating a smoother, more comfortable ride and making hook-up and un-hook much easier
- Specially designed and engineered for the serious tower, primarily on medium-duty conversion trucks
- Actuating handle is more easily accessible than most fifth wheels, making hook-up quicker and more convenient
- Limited Lifetime Warranty

Part No.	Description
30054	Reese® 30K Fifth Wheel Complete Base rails not used with this model. Mounts directly to medium-duty truck.

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

REESE® 22K FIFTH WHEEL

Features side-to-side pivot to better accommodate hook-ups on uneven ground. Quick installation, strong, reliable performance and easy removal to allow full truck bed access.

- 22,000 lbs. capacity; 5,500 lbs. pin weight capacity
- Two-jaw locking system
- Fore-and-aft and side-to-side pivot
- Locking jaw handle
- Vertically adjusts from 14-1/4" to 18-1/4"
- Solid base assembly for superior stability
- Requires rails & installation kit (sold separately)
- Limited Lifetime Warranty



30033



Includes 90° Wire
Harness 50-97-410

Part No.	Description
30033	Reese® 22K Fifth Wheel

Rails and installation kit must be ordered separately (#30035).

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

REPLACEMENT PARTS

Part No.	Description
30730	22K Base Assembly with adj. brackets (Reese®)
58099	22K Head only (Reese®)
58385	22K Adjustment bracket

† = Available while supply lasts.

THE FIFTH WHEEL YOU KNOW, BUT BETTER!

REESE

Reese® 20K fifth wheel



30081

Reese® 20K fifth wheel
offered with round tube slider



30083

Reese® 20K fifth wheel
offered with square tube slider



30084



Features our Elite™ head, with the base and mounting kit that you already know & love from our Reese® line of fifth wheel hitches!

The above bed rail system uses the popular universal mounting kit 30035 (sold separately) or the vehicle specific custom quick install kits which reduce install time by up to fifty percent.

REESE® 20K FIFTH WHEEL

- 20,000 lbs. capacity / 5,000 lbs. pin weight capacity
- 14" to 18" vertical height adjustment
- Features Elite™ Series head...
 - Stamped rounded head
 - 4 way (front & back/side-to-side) head pivot
 - 6° side-to-side head pivot
 - King pin indicator
 - Increased king pin contact design
 - Wider 9" king pin funnel area
 - Forged single jaw
 - Self-latching jaw design
- Limited Lifetime Warranty

Part No.	Description
30081	Reese® 20K Fifth Wheel
30083	Reese® 20K Fifth Wheel with round tube slider
30084	Reese® 20K Fifth Wheel with square tube slider

Rails and installation kit must be ordered separately (#30035).

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

† = Available while supply lasts.

REESE®

30047

REESE® 16K FIFTH WHEEL

Featuring side-to-side pivot action to better accommodate hook-ups on uneven ground. Quick-easy installation, strong performance and easy removal in just seconds to allow full access to the truck bed.

- 16,000 lbs. capacity; 4,000 lbs. pin weight capacity
- Two-jaw locking system
- Fore-and-aft and side-to-side 4°-5° pivot
- Locking jaw handle
- Vertically adjusts from 14-1/2" to 18"
- Wide stance one-piece legs for improved stability
- Requires rails & installation kit (sold separately)
- Limited Lifetime Warranty

Part No.	Description	Adjustment Heights
30047	Reese® 16K Fifth Wheel	14-1/2" to 18"
30051	Reese® 16K Fifth Wheel	15" to 18" with square tube slider
30075	Reese® 16K Fifth Wheel	15" to 18" with round tube slider

Rails and installation kit must be ordered separately (#30035).

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.



30727

REPLACEMENT PARTS

Part No.	Description
30047A	Head with Head Support & hardware
58146	Fifth Wheel Head only (service kit)
58147	Cross Member – head support only
30727	Fifth Wheel Legs only (set of two)
58521	16K Head Assembly Hardware (Contains: (1) Cotter Pin, (2) Rubber Mumpers, (4) Locknuts 1/2"-13, (4) Hex Bolt 1/2"-13 x 4-1/2" GR5, (2) Nuts 8-32, (4) Spring Clips, (2) Machine Screws 8-32 x 1" & (4) Pull Pins)

NEW!**DRAW-TITE®**

6032†

16K SELECT SERIES FIFTH WHEEL

Featuring side-to-side pivot action to better accommodate hook-ups on uneven ground. Quick, easy installation, strong performance and easy removal in just seconds to allow full access to the truck bed.

- 16,000 lbs. capacity; 4,000 lbs. pin weight capacity
- Two-jaw locking system
- Fore-and-aft and side-to-side 4°-5° pivot
- Locking jaw handle
- Vertically adjusts from 14-1/2" to 18"
- Wide stance one-piece legs for improved stability
- Requires rails & installation kit (sold separately)
- Limited Lifetime Warranty

Part No.	Description	Adjustment Heights
6032†	Draw-Tite® 16K Fifth Wheel	14-1/2" to 18"
6033†	Draw-Tite® 16K Fifth Wheel	15" to 18" with square tube slider

Rails and installation kit must be ordered separately (#30035, 10-bolt).

Rails and installation kit must be ordered separately (#30095, 4-bolt).

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

REPLACEMENT PARTS

Part No.	Description
6044†	Fifth Wheel Leg
58521	16K Head Assembly Hardware (Contains: (1) Cotter Pin, (2) Rubber Mumpers, (4) Locknuts 1/2"-13, (4) Hex Bolt 1/2"-13 x 4-1/2" GR5, (2) Nuts 8-32, (4) Spring Clips, (2) Machine Screws 8-32 x 1" & (4) Pull Pins)

NEW!

† = Available while supply lasts.

PRO SERIES™ 25,000 LBS. FIFTH WHEEL HITCH



30862

- Rated for 25,000 lbs. capacity / 6,250 lbs. pin weight capacity
- Grease grooves in the top of the skid plate
- Features a king pin funnel for easier hooking and unhooking
- Answers to the trend of higher towing capacities by vehicle manufacturers
- Dual jaw system completely surrounds the king pin for significantly reduced wear
- Attaches to the widest slots on the universal rail kits
- Limited 10 year warranty

Part No.	Description
30862	Pro Series™ 25K Fifth Wheel Hitch

† = Available while supply lasts.



PRO SERIES™ 20,000 LBS. FIFTH WHEEL HITCHES



30118



30119



30120

- 20,000 lbs. capacity; 5,000 lbs. pin weight capacity
- Full floating head for improved hooking and unhooking, as well as ride
- Dual jaw system completely surrounds the king pin for significantly reduced wear
- Lubricated and clamped side joints for tight and efficient operation
- Lightweight, easy to install and remove
- Adjustable height, from 13" to 17"
- Sturdy, robust and reliable
- One-piece formed legs, provides a wider footprint for superior stability
- Sidewinder compatible, preferred for short bed pickups
- Fits universal 4-bolt rail kit (P/N 30095) Must utilize center attachment points for 20K capacities included with 20K Fifth Wheel Hitches) or 10-bolt rail kit (P/N 30035)
- Compatible slider system available
- Best value in marketplace, more combination options
- Available with your choice of either #30035 or #30095 base rail kits
- Limited 10 year warranty

Part No.	Description
30118	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head and Support <i>Legs, Rails, and Installation Kit sold separately</i>
30119*	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head, Support, and Legs <i>Rails and Installation Kit sold separately</i>
30120*	Pro Series™ 20,000 lbs. Fifth Wheel Head, Support, Legs, and Rails (4 bolt)
30132*	Pro Series™ 20,000 lbs. Fifth Wheel Head, Support, Legs, and Rails (10 bolt)

* Available in skid quantities of 16 (Example: 30120-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

PRO SERIES™ 20,000 LBS. FIFTH WHEEL HITCHES WITH SQUARE TUBE SLIDER

Designed for shortbed trucks to provide clearance and prevent damage to truck and trailer in tight spaces at slow speeds



30121



30122

- 20,000 lbs. capacity; 5,000 lbs. pin weight capacity
- 10" travel front to back
- Adjustable with trailer attached
- Can be used with full size trucks
- Dual jaw system completely surrounds the king pin for significantly reduced wear
- Full floating head for improved hooking and unhooking, as well as ride
- Jaw handle with tab for optional padlock security (padlock not included)
- Vertically adjusts from 13" to 17" to best match-up with different trailers
- Wide stance one-piece legs for improved stability
- Available with your choice of either #30035 or #30095 base rail kits
- Limited 10 year warranty

Part No.	Description
30121*	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head, Support, and Pro Series™ Slider <i>Rails and Installation Kit sold separately</i>
30122*	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails (4 bolt)
30133*	Pro Series™ 20,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails (10 bolt)

* Available in skid quantities of 16 (Example: 30121-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

† = Available while supply lasts.



PRO SERIES™ 16,000 LBS. FIFTH WHEEL HITCHES

- 16,000 lbs. capacity; 4,000 lbs. pin weight capacity
- Full floating head for improved hooking and unhooking, as well as ride
- Dual jaw system completely surrounds the king pin for significantly reduced wear
- Lightweight, easy to install and remove
- Adjustable height, from 13" to 17"
- One-piece formed legs, provides a wider footprint for superior stability
- Sidewinder compatible, preferred for short bed pickups
- Fits universal 4-bolt rail kit (P/N 30095) or 10-bolt rail kit (P/N 30035)
- Compatible slider system available
- Sturdy, robust and reliable
- Best value in marketplace, more combination options
- Available with your choice of either #30035 or #30095 base rail kits
- Limited 10 year warranty



30854



30855



30856

Part No.	Description
30854	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head and Support <i>Legs, Rails and Installation Kit sold separately</i>
30855*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head and Support and Legs <i>Rails, and Installation Kit sold separately</i>
30856*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, Legs, and Rails (4 bolt)
31859*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, Legs, and Rails (10 bolt)

* Available in skid quantities of 16 (Example: 30856-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

PRO SERIES™ 16,000 LBS. FIFTH WHEEL HITCHES WITH SQUARE TUBE SLIDER

Designed for shortbed trucks to provide clearance and prevent damage to truck and trailer in tight spaces at slow speeds

- 16,000 lbs. capacity; 4,000 lbs. pin weight capacity
- Dual jaw system completely surrounds the king pin for significantly reduced wear
- 10" travel front to back
- Adjustable with trailer attached
- Can be used with full size trucks
- Full floating head for improved hooking and unhooking, as well as ride
- Jaw handle with tab for optional padlock security (padlock not included)
- Vertically adjusts from 13" to 17" to best match-up with different trailers
- Wide stance one-piece legs for improved stability
- Available with your choice of either #30035 or #30095 base rail kits
- Limited 10 year warranty



30857



30858

Part No.	Description
30857*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, and Pro Series™ Slider <i>Rails and Installation Kit sold separately</i>
30858*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails (4 bolt)
31860*	Pro Series™ 16,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails (10 bolt)

* Available in skid quantities of 16 (Example: 31860-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepside.

REPLACEMENT PARTS

Part No.	Description
58521	Replacement Part, 16K Head Assembly Hardware (Contains: (1) Cotter Pin, (2) Rubber Mumpers, (4) Locknuts 1/2"-13 , (4) Hex Bolt 1/2"-13 x 4-1/2" GR5, (2) Nuts 8-32, (4) Spring Clips, (2) Machine Screws 8-32 x 1" & (4) Pull Pins)

† = Available while supply lasts.



PRO SERIES™ 15,000 LBS FIFTH WHEEL HITCHES

An economy fifth wheel hitch that doesn't act like one. The Pro Series™ offers features only found in larger units. Installs and removes easily for full bed access.


- 15,000 lbs. capacity; 3,750 lbs. pin weight capacity
- Rounded slide bar mechanism designed for automatic latching with cushion grip handle
- 4-way pivoting head for easier hookup on uneven ground
- Jaw handle with tab for padlock security (padlock not included)
- Vertically adjusts from 13" to 17" to best match-up with different trailers
- Wide stance one-piece legs for improved stability
- Available with your choice of either #30035 or #30095 base rail kits
- Limited 10 year warranty




30099




30093



30056



30094



30076

Part No.	Description
30099	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Legs, Rails and Installation Kit sold separately
30093*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head and Support and Legs Rails, and Installation Kit sold separately
30056*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Legs, and Rails (4 bolt)
30128*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Legs, and Rails (10 bolt)

* Available in skid quantities of 16 (Example: 30056-016)

Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

PRO SERIES™ 15,000 LBS. FIFTH WHEEL HITCHES WITH SQUARE TUBE SLIDER

Designed for shortbed trucks to provide clearance and prevent damage to truck and trailer in tight spaces at slow speeds. All 15,000 lbs. hitch features, **PLUS** -

- 10" travel front to back
- Adjustable with trailer attached
- Can be used with full size trucks

Part No.	Description
30094*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, and Pro Series™ Slider Rails and Installation Kit sold separately
30076*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails. (4 bolt)
30129*	Pro Series™ 15,000 lbs. Fifth Wheel Hitch Head, Support, Pro Series™ Slider, and Rails. (10 bolt)

* Available in skid quantities of 16 (Example: 30076-016)


Note: Will not fit trucks with beds shorter than 6' in length unless used with Sidewinder™. Will not fit trucks with flareside/stepsides.

PRO SERIES™ FIFTH WHEEL HITCH - SERVICE KITS

Part No.	Description
58471	Head and pivot
58472	20K crossmember
58473	Handle assembly
58474	Pivot shaft, shaft nut and cotter pin
58475	20K hardware
58476	Head, pivot and handle
58484	Pivot pin

† = Available while supply lasts.

Designed for short bed trucks and extended cab short bed pickups to provide additional turning clearance and to prevent damage to truck when spotting trailer. Fits Pro Series™ and 16K Select Series Fifth Wheel Hitches.



30048

Requires #30035 or #30095 universal base rail kit (sold separately)



SQUARE TUBE SLIDER (KWIK-SLIDE®)

- 6 roller design
- 10" travel fore-and-aft
- Works with full size trucks
- Fully adjustable with trailer attached
- Minimum 13" extended trailer pin box recommended
- Requires #30035 or #30095 Universal Base Rail Kit (sold separately)




Part No.	Description
30048	Kwik-Slide® Slider for 16K Select Series fifth wheel hitches


Rails and installation kit must be ordered separately (#30035, 10-bolt).

Rails and installation kit must be ordered separately (#30095, 4-bolt).

Note: Check clearance between king pin bed and tailgate before moving to maneuvering position.



Without a slider, a standard hookup interferes with corner of trailer at 45° and may cause damage




With a slider, and a minimum 13" pin box extension, an extra 10" of clearance eliminates interference with corner of trailer up to 80°

PRO SERIES™ FIFTH WHEEL SLIDER UNIT W/ROLLERS



- 4 roller design
- 10" travel fore-and-aft
- Works with full size trucks
- Fully adjustable with trailer attached
- Minimum 13" extended trailer pin box recommended
- Requires #30035 or #30095 Universal Base Rail Kit (sold separately)
- Limited 10 year warranty



30092

Requires #30035 or #30095 universal base rail kit (sold separately)

Part No.	Description
30092	Pro Series™ Fifth Wheel Slider Unit w/Rollers for 15K, 16K and 20K Head Assemblies (requires head assembly)

Rails and installation kit must be ordered separately (#30035, 10-bolt).

Rails and installation kit must be ordered separately (#30095, 4-bolt).

Note: Check clearance between king pin bed and tailgate before moving to maneuvering position.

† = Available while supply lasts.



83001

83002



83003



83004



6011



30053

50223



lock not
included



58093



63251

63254

ELITE™ & REESE® FIFTH WHEEL LUBE PLATES

REESE

Nylon lube plate protects fifth wheel plate from the wear of normal towing

- Eliminates the need for messy grease

Part No.	Description
83001	12" Lube Plate for use with Elite™ & Reese® 20K fifth wheel hitches only
83002	Fifth Wheel 10" Lube Plate for Reese® 16K & 22K fifth wheels
83003	Fifth Wheel Lube Plate for Reese® Titan® 16K fifth wheels
83004	Titan® 16K Fifth Wheel 12" Thin Round Lube Plate, 1/8" Thick

FIFTH WHEEL LUBE PLATE

DRAW-TITE

- Large surface for extra protection

Part No.	Description
6011	Fifth Wheel 10" Lube Plate for 16K and 22K Select Series™ & Pro Series™ Fifth Wheels

FIFTH WHEEL ACCESSORY KIT

REESE

- Everything a new fifth wheel buyer needs to get started
- Lube, plate, cover, king pin lock, lock links

Part No.	Description
30053*	Fifth Wheel Starter Kit (for Reese® only)
30055*	Cover only

*Note: Does not fit Elite™ or 20K Reese®.

CHAIN BRACKET KIT

Fits Reese® fifth wheel rails and most popular brands. Provides secure attachment for trailer safety chains.

Part No.	Description
50223	Chain Bracket Kit, 18,000 lbs. each

PULL PIN LOCK PLATES


- Prevents theft of fifth wheel and unwanted removal of pull pins
- Add a standard padlock to make the locking plate a security device

Part No.	Description
58093	Pin Lock Plates for 1/2" pull pins for fifth wheels (4 pack)

FIFTH WHEEL LOCKS

Part No.	Description
KING PIN LOCKS	
63251	Fifth Wheel King Pin Lock, Extruded T6 Tempered Aluminum Body
RAIL LOCK	
63254	Fifth Wheel Rail Lock, Push Button, Replaces One Locking Pin

† = Available while supply lasts.




FIFTH WHEEL RAILS & INSTALLATION KITS

Rails and installation kits for full-size trucks. Quick and easy installation with full truck bed access. For use on all fifth wheel hitches except Elite™ (formerly Signature Series).

FIFTH WHEEL MOUNTING RAILS

Part No.	Description
30124	Fifth Wheel Mounting Rails Only (4 - Bolt Design)
58058	Fifth Wheel Mounting Rails Only (10 - Bolt Design)
30153	Reese Outboard Fifth Wheel Mounting Rails Only (10 - Bolt Design)
58314	Mounting Brackets for Fifth Wheel Rails
58503	Fifth Wheel Mounting Rails Accessory, Corrugation Spacer Kit for #30035/#30153/#58058 (10 - Bolt Design)
58467	Replacement Part, Hole Style Pins (Qty. 4) & Clips (Qty. 4) for Reese Outboard Fifth Wheel Mounting Rails #30153



FIFTH WHEEL INSTALLATION KITS

Part No.	Description
30035	Fifth Wheel Rails and Installation Kit, Includes Brackets and Hardware (10 - Bolt Design) (May Require Additional Kit - See Application Guide)
30035-040	Fifth Wheel Rails and Installation Kit, Includes Brackets and Hardware (10 - Bolt Design) (40 Pack) (May Require Additional Kit - See Application Guide)
30439	Installation Kit w/Hardware and Brackets for #30035, #58058 (10 - Bolt Design)
58023	Fifth Wheel Bracket Kit (Optional for #30035)
58166	Fifth Wheel Tube Spacer Kit (Optional for #30035)
58208	Chevrolet Composite Bed Kit for Above the Bed Rail Kit #30035 (10 - Bolt Design) used w/Select Series Fifth Wheels & 25K Above-Bed Gooseneck
30095	Fifth Wheel Rails and Installation Kit, Includes Brackets and Hardware (4 - Bolt Design) (May Require Additional Kit - See Application Guide)
30095-032	Fifth Wheel Rails and Installation Kit, Includes Brackets and Hardware (4 - Bolt Design) (32 Pack) (May Require Additional Kit - See Application Guide)
30125	Installation Kit w/Hardware and Brackets for #30095, #30124 (4 - Bolt Design)
58504	Replacement Part, Installation Hardware for #30035/#30153/#58058 (10 - Bolt Design) (Contains: (10) Carriage Bolt 1/2"-13 x 2" GR8, (10) Hex Nut 1/2"-13 GR5 & (10) Block 5/16" x 1" x 2")

Quick Install Bracket Kit

CUSTOM QUICK INSTALL BRACKETS AND KITS

- Vehicle specific Fifth Wheel Custom Quick Install Brackets available.
- Kits also available that include Fifth Wheel Mounting Rails and Vehicle Specific Brackets.
- **SEE APPLICATION GUIDE OR WWW.CEQUENTGROUP.COM FOR VEHICLE SPECIFIC APPLICATIONS.**



Universal Bracket Kit

UNIVERSAL FIFTH WHEEL ADAPTER BRACKETS


- Vehicle specific Universal Fifth Wheel Adapter Brackets available.
- Kits available for use with 4-Bolt and 10-Bolt Mounting Rail Kits.
- **SEE APPLICATION GUIDE OR WWW.CEQUENTGROUP.COM FOR VEHICLE SPECIFIC APPLICATIONS.**

SEE APPLICATION GUIDE OR WWW.CEQUENTGROUP.COM FOR VEHICLE APPLICATIONS

† = Available while supply lasts.

REESE® ELITE

FIFTH WHEEL RAIL KITS



Model	Style	Years	Bracket#	Drill	Footnote
Chevrolet/GMC					
C/K Series		88-00	30063 †	YES	KE
Silverado/Sierra	1500 LD 5.8 ft. Bed, 2 & 4 WD	04-07	30061	NO	SW
Silverado/Sierra	1500 LD 6.6 ft. Bed, 2 & 4 WD	99-07	30061	NO	
Silverado/Sierra	1500 LD 8 ft. Bed, 2 & 4 WD	99-07	30060 †	YES	
Silverado/Sierra	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-07	30061	NO	
Silverado/Sierra	2500 LD 6.6 ft. Bed, 2 & 4 WD	99-04	30061	NO	
Silverado/Sierra	2500 LD 8 ft. Bed, 2 & 4 WD	99-04	30060 †	YES	
Silverado/Sierra	2500 HD 6.6 ft. Bed, 2 & 4 WD	01-10	30061	NO	
Silverado/Sierra	2500 HD, 2 & 4 WD	11-15	30868	NO	
Silverado/Sierra	2500 HD 8 ft. Bed, 2 & 4 WD	01-07	30060 †	YES	
Silverado/Sierra	2500 HD 8 ft. Bed, 2 & 4 WD	01-10	30082 †	NO	
Silverado/Sierra	3500 Series 8 ft. Bed, 2 & 4 WD	01-07	30062	YES	
Silverado/Sierra	3500 Series 8 ft. Bed, 2 & 4 WD	01-07	30082 †	NO	
Silverado/Sierra	3500 HD 6.6 ft. Bed, 2 & 4 WD	07-10	30061	YES	
Silverado/Sierra	3500 HD, 2 & 4 WD	11-15	30868	NO	
Silverado/Sierra	3500 HD 8 ft. Bed, 2 & 4 WD	07-10	30082 †	YES	
Dodge					
Ram	1500	94-01	30069 †	YES	
Ram	1500, Except Mega Cab	02-08	30067	YES	
Ram	1500, Inc. Mega Cab	02-08	30074	NO	
Ram	2500	94-01	30069 †	YES	
Ram	2500	2002	30069	YES	
Ram	2500 HD, Except Mega Cab	03-10	30067	YES	
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	03-10	30074	NO	
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	2010	30852	NO	
Ram	3500	94-01	30069 †	YES	
Ram	3500	2002	30069 †	YES	
Ram	3500 HD, Except Mega Cab	03-10	30067	YES	
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	03-10	30074	NO	
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	2010	30852	NO	



ELITE

FIFTH WHEEL RAIL KITS

Model	Style	Years	Bracket#	Drill	Footnote
Ford					
F-150		04-14	30064	YES	SW
F-250 Super Duty	Will Not Fit Cab & Chassis	99-10	30073	YES	
F-250 Super Duty	Will Not Fit Cab & Chassis	11-15	30126	NO	
F-350 Super Duty	Will Not Fit Cab & Chassis	99-10	30073	YES	
F-350 Super Duty	Will Not Fit Cab & Chassis	11-15	30126	NO	
F-450 Super Duty	Will Not Fit Cab & Chassis	08-10	30073	YES	
F-450 Super Duty	Will Not Fit Cab & Chassis	11-14	30126	NO	
RAM					
2500 HD	Except Mega Cab	11-12	30067	YES	
2500 HD	Inc. Mega Cab, 2 & 4 WD	11-13	30074	YES	
2500 HD	Inc. Mega Cab, 2 & 4 WD	11-12	30852	YES	
3500 HD	Except Mega Cab	11-12	30067	YES	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12	30074	YES	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12	30852	YES	
Toyota					
Tundra	w/Regular Cab & Long Bed Only	00-06	30078 †	NO	

KE = Does not fit 88-91 4 Dr. Crew Cab models.

SW = Do not install on a truck with less than a 6' long bed unless the trailer is equipped with a Sidewinder pin box coupler #SW16K or #SW19K.

† = Available while supply lasts.



Make/Model	Style	Years	Brkt#	Rail#	ComboKit	Drill	Footnote
Chevrolet/GMC							
Silverado/Sierra	1500 LD 5.8 ft. Bed, 2 & 4 WD	04-14	56007	30153	56007-53	NO	SW
Silverado/Sierra	1500 LD 6.6 ft. Bed, 2 & 4 WD	99-14	56007	30153	56007-53	NO	
Silverado/Sierra	1500 LD 8 ft. Bed, 2 & 4 WD	99-13	56007	30153	56007-53	NO	
Silverado/Sierra	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-07	56007	30153	56007-53	NO	
Silverado/Sierra	2500 LD, 2 & 4 WD	99-04	56007	30153	56007-53	NO	
Silverado/Sierra	2500 HD, 2 & 4 WD	01-10	56007	30153	56007-53	NO	
Silverado/Sierra	2500 HD, 2 & 4 WD	08-10	56004	30153	56004-53	NO	
Silverado/Sierra	2500 HD, 2 & 4 WD	11-15	56001	30153	56001-53	NO	
Silverado/Sierra	3500 Series 8 ft. Bed, 2 & 4 WD	01-07	56007	30153	56007-53	NO	
Silverado/Sierra	3500 HD, 2 & 4 WD	07-10	56007	30153	56007-53	NO	
Silverado/Sierra	3500 HD, 2 & 4 WD	08-10	56004	30153	56004-53	NO	
Silverado/Sierra	3500 HD, 2 & 4 WD	11-15	56001	30153	56001-53	NO	
Dodge							
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	03-10	56003†	30153	N/A	NO	
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	03-10	56011	30153	56011-53	NO	
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	03-10	56003†	30153	N/A	NO	
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	03-10	56011	30153	56011-53	NO	
Ford							
F-150		04-14	56006	30153	56006-53	NO	SW
F-150		2015	56013	30153	56013-53	YES	SW
F-250 Super Duty	Will Not Fit Cab & Chassis	99-10	56005	30153	56005-53	NO	
F-250 Super Duty	Will Not Fit Cab & Chassis	11-15	56002	30153	56002-53	NO	
F-350 Super Duty	Will Not Fit Cab & Chassis	99-10	56005	30153	56005-53	NO	
F-350 Super Duty	Will Not Fit Cab & Chassis	11-15	56002	30153	56002-53	NO	
F-450 Super Duty	Will Not Fit Cab & Chassis	08-10	56005	30153	56005-53	NO	
F-450 Super Duty	Will Not Fit Cab & Chassis	11-14	56002	30153	56002-53	NO	
RAM							
2500 HD	Inc. Mega Cab, 2 & 4 WD	11-12	56003†	30153	N/A	NO	
2500 HD	Inc. Mega Cab, 2 & 4 WD	11-13	56011	30153	56011-53	NO	
2500 HD	Inc. Mega Cab, 2 & 4 WD	2014	56009	30153	56009-53	NO	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12	56003†	30153	N/A	NO	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12	56011	30153	56011-53	NO	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/RamBox Cargo Management System	13-14	56010	30153	56010-53	NO	

SW = Do not install on a truck with less than a 6' long bed unless the trailer is equipped with a Sidewinder pin box coupler #SW16K or #SW19K.

† = Available while supply lasts.



Model	Style	Years	Brkt#	Rail#	ComboKit	Drill	Footnote
Chevrolet/GMC							
Silverado/Sierra	1500 LD 5.8 ft. Bed, 2 & 4 WD	04-14	50064	58058	50064-58	NO	SW
Silverado/Sierra	1500 LD 6.6 ft. Bed, 2 & 4 WD	99-14	50064	58058	50064-58	NO	
Silverado/Sierra	1500 LD 8 ft. Bed, 2 & 4 WD	99-13	50064	58058	50064-58	NO	
Silverado/Sierra	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-07	50064	58058	50064-58	NO	
Silverado/Sierra	2500 LD, 2 & 4 WD	99-04	50064	58058	50064-58	NO	
Silverado/Sierra	2500 HD, 2 & 4 WD	01-10	50064	58058	50064-58	NO	
Silverado/Sierra	2500 HD, 2 & 4 WD	11-15	50066	58058	50066-58	NO	
Silverado/Sierra	3500 Series 8 ft. Bed, 2 & 4 WD	01-07	50064	58058	50064-58	NO	
Silverado/Sierra	3500 HD, 2 & 4 WD	07-10	50064	58058	50064-58	NO	
Silverado/Sierra	3500 HD, 2 & 4 WD	11-15	50066	58058	50066-58	NO	
Dodge							
Ram	1500, 2 & 4 WD Except Mega Cab	02-08	50040	58058	50040-58	NO	
Ram	1500 Mega Cab w/6 ft. Bed, 2 & 4 WD	06-08	50140	58058	50140-58	NO	
Ram	1500, 2 & 4 WD	09-10	50083	58058	50083-58	NO	O
Ram	2500 HD, 2 & 4 WD, Except Mega Cab & Models w/Overload Springs	03-10	50040	58058	50040-58	NO	
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	03-09	50140	58058	50140-58	NO	
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs	2010	50140	58058	50140-58	NO	
Ram	3500 HD, 2 & 4 WD, Except Mega Cab & Models w/Overload Springs	03-10	50040	58058	50040-58	NO	
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	03-09	50140	58058	50140-58	NO	
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs	2010	50140	58058	50140-58	NO	
Ford							
F-150 Light Duty	Styleside	97-04	50042	58058	50042-58	NO	
F-150		04-14	50081	58058	50081-58	NO	SW
F-150		2015	50086	58058	N/A	YES	SW
F-250 Light Duty	Styleside	97-99	50042	58058	50042-58	NO	
F-250 Super Duty	Will Not Fit Cab & Chassis	99-04	50043	58058	50043-58	YES	
F-250 Super Duty	Will Not Fit Cab & Chassis	99-10	50082	58058	50082-58	NO	
F-250 Super Duty	Will Not Fit Cab & Chassis	11-15	50073	58058	50073-58	NO	
F-350 Super Duty	Will Not Fit Cab & Chassis	99-04	50043	58058	50043-58	YES	
F-350 Super Duty	Will Not Fit Cab & Chassis	99-10	50082	58058	50082-58	NO	
F-350 Super Duty	Will Not Fit Cab & Chassis	11-15	50073	58058	50073-58	NO	
F-450 Super Duty	Will Not Fit Cab & Chassis	08-10	50082	58058	50082-58	NO	
F-450 Super Duty	Will Not Fit Cab & Chassis	11-14	50073	58058	50073-58	NO	

† = Available while supply lasts.

Model	Style	Years	Brkt#	Rail#	ComboKit	Drill	Footnote
RAM							
1500	2 & 4 WD	11-12	50083	58058	50083-58	NO	O
1500	2 & 4 WD, Except Models w/Air Suspension or w/ECODiesel Engine	13-14	50083	58058	50083-58	NO	MB,O
1500	2 & 4 WD, Except Models w/Air Suspension	2014	50141	58058	50141-58	NO	MB,O
2500 HD	2 & 4 WD, Except Mega Cab & Models w/Overload Springs	11-12	50040	58058	50040-58	YES	
2500 HD	Inc. Mega Cab, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs	11-12	50140	58058	50140-58	YES	
2500 HD	Inc. Mega Cab, 2 & 4 WD	2014	50054	58058	50054-58	NO	
3500 HD	2 & 4 WD, Except Mega Cab & Models w/Overload Springs	11-12	50040	58058	50040-58	YES	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs	11-12	50140	58058	50140-58	YES	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/RamBox Cargo Management System	13-14	50085	58058	50085-58	NO	
Toyota							
Tundra		07-15	50084	58058	50084-58	NO	SW
Tundra	w/Regular Cab & Long Bed Only	00-06	50059†	58058	N/A	NO	

MB = Will not fit models equipped with air suspension package.

O = Will not fit vehicles equipped with dual exhaust exiting below the bumper.

SW = Do not install on a truck with less than a 6' long bed unless the trailer is equipped with a Sidewinder pin box coupler #SW16K or #SW19K.

† = Available while supply lasts.



Model	Style	Years	Brkt#	Rail#	ComboKit	Drill	Footnote
Chevrolet/GMC							
Silverado/Sierra	1500 LD 5.8 ft. Bed, 2 & 4 WD	04-14	50064	30124	50064-24	NO	SW
Silverado/Sierra	1500 LD 6.6 ft. Bed, 2 & 4 WD	99-14	50064	30124	50064-24	NO	
Silverado/Sierra	1500 LD 8 ft. Bed, 2 & 4 WD	99-13	50064	30124	50064-24	NO	
Silverado/Sierra	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-07	50064	30124	50064-24	NO	
Silverado/Sierra	2500 HD, 2 & 4 WD	01-10	50064	30124	50064-24	NO	
Silverado/Sierra	2500 HD, 2 & 4 WD	11-15	50066	30124	50066-24	NO	
Silverado/Sierra	2500 LD, 2 & 4 WD	99-04	50064	30124	50064-24	NO	
Silverado/Sierra	3500 Series 8 ft. Bed, 2 & 4 WD	01-07	50064	30124	50064-24	NO	
Silverado/Sierra	3500 HD, 2 & 4 WD	07-10	50064	30124	50064-24	NO	
Silverado/Sierra	3500 HD, 2 & 4 WD	11-15	50066	30124	50066-24	NO	
Dodge							
Ram	1500 Mega Cab w/6 ft. Bed, 2 & 4 WD	06-08	50140	30124	50140-24	NO	
Ram	1500, 2 & 4 WD	09-10	50083	30124	50083-24	NO	O
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	03-09	50140	30124	50140-24	NO	
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs	2010	50140	30124	50140-24	NO	
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	03-09	50140	30124	50140-24	NO	
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs	2010	50140	30124	50140-24	NO	
Ford							
F-150		04-14	50081	30124	50081-24	NO	
F-150		2015	50086	30124	N/A	YES	SW
F-250 Super Duty	Will Not Fit Cab & Chassis	99-10	50082	30124	50082-24	NO	
F-250 Super Duty	Will Not Fit Cab & Chassis	11-15	50073	30124	50073-24	NO	
F-350 Super Duty	Will Not Fit Cab & Chassis	99-10	50082	30124	50082-24	NO	
F-350 Super Duty	Will Not Fit Cab & Chassis	11-15	50073	30124	50073-24	NO	
F-450 Super Duty	Will Not Fit Cab & Chassis	08-10	50082	30124	50082-24	NO	
F-450 Super Duty	Will Not Fit Cab & Chassis	11-14	50073	30124	50073-24	NO	
RAM							
1500	2 & 4 WD, Except Models w/Air Suspension	2014	50141	30124	50141-24	NO	MB,O
1500	2 & 4 WD	11-12	50083	30124	50083-24	NO	O
1500	2 & 4 WD, Except Models w/Air Suspension or w/ECODiesel Engine	13-14	50083	30124	50083-24	NO	MB,O
2500 HD	Inc. Mega Cab, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs	11-12	50140	30124	50140-24	YES	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/Gas Engines w/Overload Springs	11-12	50140	30124	50140-24	YES	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/RamBox Cargo Management System	13-14	50085	30124	50085-24	NO	

MB = Will not fit models equipped with air suspension package.

O = Will not fit vehicles equipped with dual exhaust exiting below the bumper.

SW = Do not install on a truck with less than a 6' long bed unless the trailer is equipped with a Sidewinder pin box coupler #SW16K or #SW19K.

† = Available while supply lasts.



Model	Style	Years	10-Bolt	Required	4-Bolt	Required
Chevrolet/GMC						
C/K Series		73-86	30035		30095	
C/K Series		88-00	30035		30095	
Silverado/Sierra	1500 LD 5.8 ft. Bed, 2 & 4 WD	04-14	30035		30095	
Silverado/Sierra	1500 LD 6.6 ft. Bed, 2 & 4 WD	99-14	30035		30095	
Silverado/Sierra	1500 LD 8 ft. Bed, 2 & 4 WD	99-13	30035		30095	
Silverado/Sierra	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-07	30035		30095	
Silverado/Sierra	2500 LD, 2 & 4 WD	99-04	30035		30095	
Silverado/Sierra	2500 HD, 2 & 4 WD	01-15	30035		30095	
Silverado/Sierra	3500 Series 8 ft. Bed, 2 & 4 WD	01-07	30035		30095	
Silverado/Sierra	3500 HD, 2 & 4 WD	07-15	30035		30095	
Dodge						
D100		73-89	30035		30095	
D150		77-93	30035		30095	
D200		73-80	30035		30095	
D250		81-93	30035		30095	
D300		73-80	30035		30095	
D350		81-93	30035		30095	
Dakota		94-04	30035			
Ram	1500 Crew Cab w/5.7 ft. Bed	09-10	30035	58386		
Ram	1500 Mega Cab w/6 ft. Bed, 2 & 4 WD	06-08			30095	
Ram	1500 Only, All Models	94-01	30035		30095	
Ram	1500 Quad Cab w/6.4 ft. Bed, 2 & 4 WD	09-10	30035	58386	30095	58433
Ram	1500 Regular Cab w/6.4 ft. Bed, 2 & 4 WD	09-10	30035	58386	30095	58433
Ram	1500 Regular Cab w/8 ft. Bed, 2 & 4 WD	09-10	30035	58386	30095	58433
Ram	1500, Inc. Mega Cab	02-08	30035	58023	30095	58432
Ram	2500 HD with Overload Springs	03-10	30035	58186		
Ram	2500 HD without Overload Springs	03-10	30035	58023	30095	
Ram	2500 Only, All Models	94-02	30035		30095	
Ram	3500 HD with Overload Springs	03-10	30035	58186		
Ram	3500 HD without Overload Springs	03-10	30035	58023	30095	
Ram	3500 Only, All Models	94-02	30035		30095	
Ford						
F-100		73-83	30035		30095	
F-150		75-96	30035		30095	
F-150		04-14	30035	58426	30095	58426
F-150		04-13	30080			
F-150 Light Duty	Styleside, Except SuperCrew	97-04	30035		30095	

† = Available while supply lasts.

UNIVERSAL FIFTH WHEEL RAIL KIT & ADAPTER BRACKET APPLICATION GUIDE

Model	Style	Years	10-Bolt	Required	4-Bolt	Required
Ford						
F-250		73-96	30035		30095	
F-250 Light Duty	Styleside	97-99	30035		30095	
F-250 Heavy Duty		97-97	30035		30095	
F-250 Super Duty	Will Not Fit Cab & Chassis	99-04	30035			
F-250 Super Duty	Will Not Fit Cab & Chassis	05-15	30035		30095	58425
F-350		73-96	30035		30095	
F-350 Heavy Duty		97-97	30035		30095	
F-350 Super Duty	Will Not Fit Cab & Chassis	99-04	30035			
F-350 Super Duty	Will Not Fit Cab & Chassis	05-15	30035		30095	58425
F-450 Super Duty	Will Not Fit Cab & Chassis	08-14	30035		30095	58425
Nissan						
Titan Pickup		04-14	30035	58405		
RAM						
1500	Crew Cab w/5.7 ft. Bed, 2 & 4 WD	11-12	30035	58386		
1500	Crew Cab w/5.7 ft. Bed, 2 & 4 WD, Except Models w/Air Suspension or w/ECODiesel Engine	13-14	30035	58386		
1500	Crew Cab w/6.4 ft. Bed, 2 & 4 WD, Except Models w/Air Suspension or w/ECODiesel Engine	14-14	30035	58386		
1500	Crew Cab w/6.4 ft. Bed, 2 & 4 WD, w/ECODiesel Engine, Except Models w/Air Suspension	14-14	30035	58523		
1500	Quad Cab w/6.4 ft. Bed, 2 & 4 WD	11-12	30035	58386	30095	58433
1500	Quad Cab w/6.4 ft. Bed, 2 & 4 WD, Except Models w/Air Suspension or w/ECODiesel Engine	13-14	30035	58386	30095	58433
1500	Quad Cab w/6.4 ft. Bed, 2 & 4 WD, w/ECODiesel Engine, Except Models w/Air Suspension	14-14	30035	58523		
1500	Regular Cab w/6.4 ft. Bed, 2 & 4 WD	11-12	30035	58386	30095	58433
1500	Regular Cab w/6.4 ft. Bed, 2 & 4 WD, Except Models w/Air Suspension or w/ECODiesel Engine	13-14	30035	58386	30095	58433
1500	Regular Cab w/6.4 ft. Bed, 2 & 4 WD, w/ECODiesel Engine, Except Models w/Air Suspension	14-14	30035	58523		
1500	Regular Cab w/8 ft. Bed, 2 & 4 WD	11-12	30035	58386	30095	58433
1500	Regular Cab w/8 ft. Bed, 2 & 4 WD, Except Models w/Air Suspension or w/ECODiesel Engine	13-14	30035	58386	30095	58433
1500	Regular Cab w/8 ft. Bed, 2 & 4 WD, w/ECODiesel Engine, Except Models w/Air Suspension	14-14	30035	58523		
2500 HD	Inc. Mega Cab, 2 & 4 WD	14-14	30035	58522	30095	58522
2500 HD	with Overload Springs	11-12	30035	58186		
2500 HD	without Overload Springs	11-13	30035	58023	30095	
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD, Except Models w/RamBox Cargo Management System	13-14	30035	58520		
3500 HD	with Overload Springs	11-12	30035	58186		
3500 HD	without Overload Springs	11-12	30035	58023	30095	
Toyota						
Tundra		07-15	30035	58309		
Tundra	w/Regular Cab & Long Bed Only	00-06	30035	58197	30095	

Note: Do not install on a truck with less than a 6' long bed unless the trailer is equipped with a Sidewinder pin box coupler #SW16K or #SW19K.

† = Available while supply lasts.

REESE® PIN BOXES

Better Following, Tighter Turning, Smoother Ride.



PIONEERING PERFORMANCE

Choose reliable pin boxes that reduce the jarring and stress of towing while protecting your investment in your truck and fifth wheel trailer. Reese pin boxes have been engineered and developed by industry veterans to offer superior performance and durability. That's reliability you can count on.

SIDEWINDER™

FOR TIGHTER TURNS UP TO 90-PLUS DEGREES*

- Premium pin box designed specifically for short bed pickups
- Eliminates turning and clearance issues
- Moves the pivot point rearward while keeping the load centered over the axles
- Offers faster steering wheel response for easier backing
- Allows hookup at any angle
- Preserves space in the truck bed for cargo
- Strong by design with a slim look
- Tested for real world conditions

*Not all tow vehicle and trailer combinations will allow 90-degree turn.



5TH AIRBORNE™

SUPERIOR SHOCK-ABSORPTION

- Delivers smooth ride that overcomes both vertical shock and longitudinal chucking
- Relieves stress on your tow vehicle, trailer, and trailer contents
- Includes adjustable air spring to optimize performance for each rig combination
- Durable design outperforms competing products by substantial margins in grueling tests
- Streamlined, high-tech design for attractive appearance



ELITE AIRBORNE/SIDEWINDER™

DELIVERS THE SMOOTHEST RIDE

- Provides all the benefits of both the 5th Airborne air-ride pin box and the Sidewinder pin box
- Enhances maneuverability and comfort
- Takes the worry and discomfort out of traveling with a fifth wheel trailer
- Durable, lasting design combines attractive look with optimal function

ELITE



OVER 60 YEARS OF INNOVATION, ROAD-TESTED BY AMERICA.

PIN BOXES

GOOSENECK COUPLER FOR RV'S

Goose Box™ Gooseneck Coupler for RV's

PIN BOX CONVERSION

Pin Box Matrix Conversion

PIN BOXES

Reese® Elite Airborne/Sidewinder™

Reese® Sidewinder™

Reese® 5th Airborne™

PIN BOXES - TECHNICAL

Pin Boxes - Technical



GOOSE BOX™ GOOSENECK COUPLER FOR RV'S



STEP UP TO RV COMFORT AND KEEP YOUR GOOSENECK HITCH!

Take the heavy equipment out of the truck bed! The Goose Box™ gooseneck coupler is specifically designed for RV trailer owners who wish to tow with their gooseneck hitch. The Reese® Goose Box™ replaces a traditional pin box so the RV works with the truck gooseneck hitch. Includes 5th Airborne™ technology for a superb ride.

- World's first OE approved gooseneck adapter, Endorsed by Lippert Components, Inc. for their frame systems
- Fits Lippert #1621 and #1716 wing sets
- 5th Airborne™ expertise reduces stress transferred to the RV frame
- Independent lab tested & proven to provide a better ride than king pin "bolt-on" adapter solutions (Bosch Automotive Proving Grounds)
- Bulldog® gooseneck coupler technology with traditional king pin styling
- Air bag, dual shocks and hollow rubber springs provide multi-directional shock absorption for a smoother driving experience
- Air pressure relief valve prevents overfilling of air bag
- Available in bulk or individual packaging
- Rated for 16,000 lbs. capacity utilizing both CSA & SAE J2638 test standards
- Limited Lifetime Warranty



Air Pressure Relief Valve

Part No.	Description
94621	Goose Box™ For Lippert #1621 & #1716 Wing Sets (bulk - minimum order, 3 pcs.)
94622	Goose Box™ For Lippert #1621 & #1716 Wing Sets (carton)
ACCESSORY PARTS	
49150	Optional Safety Chain
61301	Spacer Kit

Fits wing set Make and Model #s: - Lippert #1621 - Lippert #1621 HD - Lippert #0719 - Fabex PB-600 Series

Spacer kit (#61301) required for installation on: - Lippert #1716 - Lippert #1116 - Lippert #0115

Patent Pending.

† = Available while supply lasts.



SAY YES, TO GOOSE BOX™!

Tests were conducted on a traditional pin box, existing gooseneck extension adapters, and the Goose Box™. The results were conclusive!



"The Goose Box is a great solution for fifth-wheel RV users who prefer to use gooseneck hitches," said Jason Lippert, CEO of Lippert Components. "We are very pleased with the results of the thorough testing of the Goose Box, which demonstrates that it is compatible with our RV frame. As a result, the proper installation of a Goose Box pin box will be acceptable under our RV frame warranty." – Lippert Press Release

After reviewing the Bosch Test reports for the Reese Goose Box™, Lippert Components (the world's largest manufacturer of RV frames) accepts the Goose Box for the towing of RVs with gooseneck hitches. "Proper installation of a Goose Box in its intended application will not void the chassis warranty when installed on a coach either by the OEM or in the aftermarket." – Jarod Lippert, Director of Marketing



† = Available while supply lasts.

SMOOTHER RIDE, EASIER TURNING

Happier trails,
whatever path you take.



REESE®

Whether you want to smooth out the rough road's impact on your trailer, hassle free 90-plus degree turning, or both, Reese has a fifth wheel pin box to meet your needs. Rely on Reese's innovative design and superior performance to handle whatever challenges you face down the road.*

COMPARE

	5th Airborne™ 16K	5th Airborne™ 21K	Sidewinder™ 16K	Sidewinder™ 19K	Elite Airborne / Sidewinder™ 16K
Length	17.75 ^{***}	Varies by Model	22"	22"	22"
GVW Capable	16K	21K	16K	19K	16K
Air-ride	Yes	Yes	No	No	Yes
Anti-chucking Horizontal	60% Less	60% Less	No	No	60% Less
Shock Control Vertical	44% Less	44% Less	No	No	44% Less
Short Bed Truck Capable	With Extended Pin Box and Sliding Hitch	With Extended Pin Box and Sliding Hitch	Yes	Yes	Yes
Extra Space in Truck Bed	No	No	Yes	Yes	Yes
Reduces Need for Wide Turns	No	No	Yes	Yes	Yes
Easier to Back Up	No	No	Yes	Yes	Yes
Convertible to Air-ride	Included	Included	Yes	Yes	Included

*Not all tow vehicle and trailer combinations will allow 90-degree turn.

**Measurement is from the front bolts to the king pin.


PIN BOX MATRIX CONVERSION

OEM Part Numbers	5th Airborne™ 16K COMPLETE PART NUMBER	5th Airborne™ 21K COMPLETE PART NUMBER	Sidewinder™ 16K COMPLETE PART NUMBER	Sidewinder™ 19K COMPLETE PART NUMBER	Elite Airborne / Sidewinder™ 16K COMPLETE PART NUMBER
STANDARD					
Fabex 520, 530, and 560 Lippert 1116 and 0115 RBW 7019	Not Available	5AB-S500-700	61410	61411	61412
Fabex 663 M&M 663 Lippert 0719	Not Available	5AB-S0719-600†	61420	61421	61422
Venture CJ13515	Not Available	5AB-S13515†	61450	Not Available	61452
Dexter 221-0033-00	Not Available	Not Available	61450	Not Available	61452
Leland 7910	Not Available	5AB-E7920	ST400-SW16K	ST400-SW19K	ST400-5AS16K
Youngs Welding	Not Available	5AB-S800†	Not Available	Not Available	ST500† & 5AS16K**
EXTENDED					
Fabex 500, 503 and 765 Lippert 1716 RBW 7028	Not Available	5AB-E510-710	61410	61411	61412
Fabex 665 M&M 665 Lippert 1621 HD	Not Available	5AB-E1621-610	61420	61421	61422
Lippert 1621	5AB-E1621-16K*	5AB-E1621-610	61420	61421	61422
Venture CJ13517	Not Available	5AB-E13517†	61450	Not Available	61452
Dexter 221-0031-00	Not Available	Not Available	61450	Not Available	61452
Leland 7920 and 7921	Not Available	5AB-E7920	ST400-SW16K	ST400-SW19K	ST400-5AS16K
Youngs Welding	Not Available	5AB-E810†	Not Available	Not Available	ST500† & 5AS16K**
TUBE					
Atwood AB-34 and AB-72	Not Available	5AB-T7234†	Not Available	Not Available	Not Available
RBW 7016-2P	Not Available	5AB-T7016†	Not Available	Not Available	Not Available
Youngs Welding Straight 8x8	Not Available	5AB-T820†	Not Available	Not Available	Not Available

*Note: 5AB-E1621-16K is not rated to directly replace the Lippert 1621 HD models, only the Lippert 1621

**Note: Must order both part numbers separately

ELITE AIRBORNE/SIDEWINDER™ COMBO THE BEST OF BOTH WORLDS



Note: Sidewinder™ is not designed for use with: Pull Rite, Curt Q5, B&W Companion, Cequent Hi-Rise™ or Fifth Wheel Adapters that connect to a goose ball.

Reese® Elite™ pin boxes provide the smoothest ride of the best air-ride pin box on the market and automatically eliminates turning and clearance headaches.

- Provides all the benefits of both the Reese 5th Airborne air-ride pin box and the Reese Sidewinder pin box
- Enhances maneuverability and comfort
- Takes the worry and discomfort out of traveling with a fifth wheel trailer
- Durable, lasting design combines attractive look with optimal function
- 90-plus degree** turning with a short bed truck
- SAE/CSA rated 16K
- Limited Lifetime Warranty



***Warning: Not all vehicles and trailer combinations will allow a 90-plus degree turn.*

Part No.	Description
5AS16K	Elite Airborne/Sidewinder™ Complete: 16K Arm Assembly w/King Pin
61300	Sidewinder™ 12" Wide Turret w/Hardware Replaces Fabex, M & M or Lippert Pin Boxes
61301	Sidewinder™ Spacer Kit (for 12.5" Pin Boxes - use with #61300)
61302	Sidewinder™ Turret w/Hardware Replaces Fabex, M & M or Lippert Pin Boxes
61412	Elite Airborne/Sidewinder™ Combo: 16K Arm Assembly w/King Pin #5AS16K, Turret w/Hardware #61300 & Spacer Kit #61301
61422	Elite Airborne/Sidewinder™ Combo: 16K Arm Assembly w/King Pin #5AS16K, Turret w/Hardware #61300
61452	Elite Airborne/Sidewinder™ Combo: 16K Arm Assembly w/King Pin #5AS16K, Turret w/Hardware #61302
ST400-5AS16K	Elite Airborne/Sidewinder™ Combo: 16K Arm Assembly w/King Pin #5AS16K, Turret w/Hardware #ST400


For pin box conversion see pin box matrix chart.



† = Available while supply lasts.

NOTES

PIN BOXES



19K SIDEWINDER™ NIMBLE AND QUICK, WORRY-FREE TURNING

Reese® Sidewinder™, with a limited lifetime warranty, is the premium pin box designed specifically for short bed pickups. The nimble and quick design automatically eliminates turning and clearance headaches. Now you can make up to 90-degree plus* turns without exiting the truck. Without throwing a switch. Without pushing a button.

Sidewinder's king pin locking mechanism moves the pivot position 22" rear of the pin box's attachment point. This enables Sidewinder to handle up to a 90-degree plus turn effortlessly. By moving the pivot rearward while keeping the load centered over the axles, the trailer tracks more closely to the truck. This reduces the need for extra-wide turns and allows short bed pickups to jackknife with no fear of contact. And it's all done automatically. Sidewinder also offers faster steering wheel response, making backing up easier than ever before. The pivoting pin box makes hook up possible at any angle. And since the towing position of the pin box arm is locked in line with the truck, you can make full use of the truck bed space, giving you extra storage space for fuel tanks, toolboxes and cargo.

Don't let the slim looks fool you. Sidewinder has been built for strength. The C-channel design gives it more stability and strength than the standard pin box design. It also allows better load capacity and the ability to support heavier loads. Tested for real world conditions, Sidewinder has cleared rigorous testing by BOSCH automotive proving grounds and exceeds all SAE/CSA Standard 19K ratings requirements for RVs.



61301


Part No.	Description
SW19K	Sidewinder™ Standard 19K Arm w/King Pin
61300	Sidewinder™ 12" Wide Turret w/Hardware Replaces Fabex, M & M or Lippert Pin Boxes
61301	Sidewinder™ Spacer Kit (for 12.5" Pin Boxes - use with #61300)
61411	Sidewinder™ Combo: 19K Arm w/King Pin #SW19K, Turret w/Hardware #61300 & Spacer Kit #61301
61421	Sidewinder™ Combo: 19K Arm w/King Pin #SW19K, Turret w/Hardware #61300
ST400	Sidewinder™ Turret w/Hardware
ST400-SW19K	Sidewinder™ Combo: 19K Arm w/King Pin #SW19K, Turret w/Hardware #ST400
ST500†	Sidewinder™ Turret w/Hardware

For pin box conversion see pin box matrix chart.

Note: Sidewinder™ is not designed for use with: Pull Rite, Curt Q5, B&W Companion, Cequent Hi-Rise™ or Fifth Wheel Adapters that connect to a goose ball.

Nimble and quick. Up to 90-degree plus turning.*

The Sidewinder moves the pivot from the truck bed to the pin box mounting brackets under the nose of the trailer. In this way you gain 22 inches of increased clearance instead of the typical 9 inches. It is now possible to jackknife the short bed truck with no fear of contact. It is all done automatically.



More space above bed walls for fuel tanks, toolboxes and cargo.

Universal king pin locking wedge is reversible and adjustable to work with all popular fifth-wheel hitch brands.



*WARNING: Not all tow vehicle and trailer combinations will allow a 90 degree turn

† = Available while supply lasts.

16K SIDEWINDER™ NIMBLE AND QUICK, WORRY-FREE TURNING



Reese® Sidewinder™, with a limited lifetime warranty, is the premium pin box designed specifically for short bed pickups. The nimble and quick design automatically eliminates turning and clearance headaches. Now you can make up to 90-degree plus* turns without exiting the truck. Without throwing a switch. Without pushing a button.

Sidewinder's king pin locking mechanism moves the pivot position 22" rear of the pin box's attachment point. This enables Sidewinder to handle up to a 90-degree plus turn effortlessly. By moving the pivot rearward while keeping the load centered over the axles, the trailer tracks more closely to the truck. This reduces the need for extra-wide turns and allows short bed pickups to jackknife with no fear of contact. And it's all done automatically. Sidewinder also offers faster steering wheel response, making backing up easier than ever before. The pivoting pin box makes hook up possible at any angle. And since the towing position of the pin box arm is locked in line with the truck, you can make full use of the truck bed space, giving you extra storage space for fuel tanks, toolboxes and cargo.

Don't let the slim looks fool you. Sidewinder has been built for strength. The C-channel design gives it more stability and strength than the standard pin box design. It also allows better load capacity and the ability to support heavier loads. Tested for real world conditions, Sidewinder has cleared rigorous testing by BOSCH automotive proving grounds and exceeds all SAE/CSA Standard 16K ratings requirements for RVs.

**WARNING: Not all tow vehicle and trailer combinations will allow a 90 degree turn*



61301

Part No.	Description
SW16K	Sidewinder™ Standard 16K Arm w/King Pin
61300	Sidewinder™ 12" Wide Turret w/Hardware Replaces Fabex, M & M or Lippert Pin Boxes
61301	Sidewinder™ Spacer Kit (for 12.5" Pin Boxes - use with #61300)
61410	Sidewinder™ Combo: 16K Arm w/King Pin #SW16K, Turret w/Hardware #61300 & Spacer Kit #61301
61420	Sidewinder™ Combo: 16K Arm w/King Pin #SW16K, Turret w/Hardware #61300
61302	Sidewinder™ 12" Wide Turret w/Hardware Replace Venture or Dexter Pin Boxes
61450	Sidewinder™ Combo: 16K Arm w/King Pin #SW16K, Turret w/Hardware #61302
ST400	Sidewinder™ Turret w/Hardware
ST400-SW16K	Sidewinder™ Combo: 16K Arm w/King Pin #SW16K, Turret w/Hardware #ST400
ST500†	Sidewinder™ Turret w/Hardware

For pin box conversion see pin box matrix chart.

Note: Sidewinder™ is not designed for use with: Pull Rite, Curt Q5, B&W Companion, Cequent Hi-Rise™ or Fifth Wheel Adapters that connect to a goose ball.

CUSTOM WEDGES

- Designed to work with the Sidewinder and Airborne / Sidewinder
- Replacement wedge that is designed for specific fifth wheel hitches

30850



SWW-03



Part No.	Description
SWW-01	Custom Wedge for Elite™ Series & Reese® 20K Fifth Wheels
30850	Custom Wedge for Pro Series™ (Slide-Bar Style) Fifth Wheels
SWW-03	Custom Wedge for Reese® & Pro Series™ (Dual Jaw, except Titan®) 16K Fifth Wheels
SWW-04	Custom Wedge for Original Husky Fifth Wheels
SWW-05	Custom Wedge for Hi-Jacker Fifth Wheels
SWW-06	Custom Wedge for B&W Fifth Wheels
SWW-07	Custom Wedge for RBW and Newer Husky Fifth Wheels
SWW-08	Custom Wedge for Colibert Fifth Wheels
SWW-09	Custom Wedge for PullRite Fifth Wheels
30861	Custom Wedge for Curt E16

† = Available while supply lasts.

5TH AIRBORNE™ MAKE YOUR NEXT GETAWAY A BREEZE



The smoothest ride:


Your fifth wheel takes a lot of abuse from turbulence caused by potholes, section dividers, bridge decks and heavily worn interstate highways. The 5th Airborne premium fifth wheel air-ride pin box acts as a buffer between the tow vehicle and the trailer, minimizing the challenges in the road. This significantly reduces the negative impact of vertical shock and longitudinal chocking. The 5th Airborne does more than improve your ride; it protects your investments by relieving stress on your coach's frame, cabinets, mechanicals, and support mechanisms. Furniture, appliances, TVs, computers, dishes, glassware and other fragile items stay in their places. Drivers and passengers also benefit from reduced fatigue and the improved safety provided by the 5th Airborne's smooth ride.

Best on the market:

The 5th Airborne premium fifth wheel air-ride pin box was engineered and developed by long-time veterans of the towing industry.

Tests prove it's the smoothest ride.

5th Airborne significantly outperforms two leading competitors.



This product has been through grueling tests to measure its performance against the top two competing premium pin boxes on the market. The 5th Airborne pin box, with its innovative forward pivot design, outperformed both leading competitors. Test measurements were recorded in both the vertical (air-ride softening) direction and the longitudinal (anti-chocking) direction. The documented results proved that the 5th Airborne performed significantly better in both orientations.

The streamlined, high-tech design of 5th Airborne adds a touch of class to the otherwise mechanical-looking hitch. 5th Airborne is engineered with a 21K CSA rating/SAE and includes a limited lifetime warranty.

5th Airborne is designed to allow tuning of the air-spring, a feature that permits adjustment to optimize the performance of each rig combination. The air-spring is enclosed within the pin box, providing protection from UV exposure and road hazards. The entire pin box is preassembled and designed for easy installation using existing holes and hardware.


Part No.	Description
5AB-E13517†	5th Airborne™ for Venture CJ13517 pin box
5AB-E1621-610	5th Airborne™ Extended 12" Wide Air Ride pin box
5AB-E510-710	5th Airborne™ Extended 12-1/2" Wide Air Ride pin box
5AB-E1621-16K	5th Airborne™ Extended 12" Wide Air Ride, 1-Piece Design - for Lippert 1621 only, 16K CSA rating/SAE
5AB-E7920	5th Airborne™ for Leland pin box
5AB-E810†	5th Airborne™ for Youngs welding pin box
5AB-S0719-600†	5th Airborne™ for Lippert 719 & Fabex 600 pin boxes
5AB-S13515†	5th Airborne™ for Venture CJ13515 pin box
5AB-S500-700	5th Airborne™ Standard 12-1/2" Wide Air Ride pin box
5AB-S800†	5th Airborne™ for Youngs welding pin box
5AB-T7016†	5th Airborne™ for RBW 7016
5AB-T7234†	5th Airborne™ Tube Style 12-1/2" Wide
5AB-T820†	5th Airborne™ Tube Style 8" Wide Air Ride pin box
5AB-E510-710K†	5th Airborne™ Extended 12" Wide Air Ride pin box for 2007 Keystone Everest with Sidewinder

For pin box conversion see pin box matrix chart.

† = Available while supply lasts.

WHY AN EXTENDED PIN BOX


Trucks come in many different configurations. Cequent Performance Products' hitches are designed for use in light trucks such as the Ford F-Series, the Chevy Silverado and the Dodge Ram. Cequent Performance Products recommends the use of long bed (8ft) light trucks for the best combination in truck -trailer turning clearance.



RULE OF THUMB:

The distance from the back of the truck cab to the center of the rear truck axle "X", should be approximately 4 inches greater than one-half the trailer width "Y".


If a short bed pickup (less than 8 ft. but longer than 6 ft.) is to be used for towing, Cequent Performance Products recommends the trailer be equipped with a minimum 13" extended pin box to help gain additional truck -trailer turning clearance (See trailer manufacturer for options) (See below). It also may be helpful for the 18K version to add an Elite series Slider (Part # 30070) for increased turning clearance for low speed, non-highway maneuvering.



WARNING:

Do Not install this fifth wheel hitch on or attempt to tow with a short bed pickup truck that has a bed shorter than 6 ft. Unless you use a REESE Sidewinder or Revolution Pin Box. Doing so could result in vehicle damage, Serious injury, or Death.


The height of the hitch and the pin box should be adjusted so the trailer is approximately level as it is towed. Allow approximately 6 inches clearance between the top of the pickup walls and the underside of the front of the trailer for pitch and roll of the trailer. (See below.) For off road use allow more clearance between pickup walls and trailer.



CAUTION:

The measurements above are guidelines. If your measurements are close to those numbers re-check clearances. If vehicle and/or trailer has any added bed vicinity accessories (i.e. fairings, airdams, groundeffects, bedrails, etc.), additional dimensioning and clearance checks have to be made.

PIN BOX DIMENSIONS



† = Available while supply lasts.



QUALITY **MEETS**

EXPERIENCE



**MOUNTS UNDER
THE BED!**

Draw-Tite® Hide-A-Goose™ Gooseneck Hitch

CLEAN INSTALLATION

- Small, 3-1/2" ball hole
- Spring loaded safety chain loops
- Vehicle Specific No Drill Rails means no cutting, welding, or bed removal

UNRESTRICTED USE OF TRUCK BED

- Ball stores in hitch when not in use
- Below bed rail kits are vehicle specific

MAXIMIZE TOWING CAPACITY

- 2-5/16" chrome plated high strength steel ball
- Heavy duty handle engages and locks ball in place
- Rated for up to 30,000 lbs. GTW & 7,500 lbs. vertical load*

* Check manufacturer's vehicle weight ratings for your specific capacity. Minimum truck bed length of 6' required.

GOOSENECK HITCH SYSTEMS

GOOSENECK COUPLER FOR RV'S

Goose Box™ Gooseneck Coupler for RV's

ELITE™ UNDER-BED GOOSENECK HITCH SYSTEMS

Reese® Elite™ Under-Bed Gooseneck Hitch System

Reese® Elite™ Pop-In™ Ball Kit

ABOVE-BED GOOSENECK HITCHES

Reese® Above-Bed Gooseneck Hitch

Draw-Tite® Above-Bed Gooseneck Hitch

Pro Series™ Above-Bed Gooseneck Hitch

UNDER-BED GOOSENECK HITCH SYSTEMS

Draw-Tite® Under-Bed Gooseneck Hitch System

Draw-Tite® Hide-A-Goose™ Gooseneck Hitch Head

Draw-Tite® Fold-Down Gooseneck Hitch Head

Draw-Tite® Remov-A-Ball® Gooseneck Hitch Head

Draw-Tite® Hi-Rise™ Conversion Hitch

Bulldog® Under-Bed Gooseneck Hitch System

Bulldog® Under-Bed Gooseneck Hitch Head

Bulldog® Fold-Down Gooseneck Hitch Head

Bulldog® Remov-A-Ball® Gooseneck Hitch Head

Bulldog® Hi-Rise™ Conversion Hitch

GOOSENECK HITCH SYSTEM ACCESSORIES

Gooseneck Hitch Accessories

GOOSENECK HITCH SYSTEM - TECHNICAL

Gooseneck Hitch System - Technical

GOOSENECK HITCH APPLICATIONS

Gooseneck Hitch Application Guide



GOOSE BOX™ GOOSENECK COUPLER FOR RV'S

REESE**STEP UP TO RV COMFORT AND KEEP YOUR GOOSENECK HITCH!**

Take the heavy equipment out of the truck bed! The Goose Box™ gooseneck coupler is specifically designed for RV trailer owners who wish to tow with their gooseneck hitch. The Reese® Goose Box™ replaces a traditional pin box so the RV works with the truck gooseneck hitch. Includes 5th Airborne™ technology for a superb ride.

- World's first OE approved gooseneck adapter, Endorsed by Lippert Components, Inc. for their frame systems
- Fits Lippert #1621 and #1716 wing sets
- 5th Airborne™ expertise reduces stress transferred to the RV frame
- Independent lab tested & proven to provide a better ride than king pin "bolt-on" adapter solutions (Bosch Automotive Proving Grounds)
- Bulldog® gooseneck coupler technology with traditional king pin styling
- Air bag, dual shocks and hollow rubber springs provide multi-directional shock absorption for a smoother driving experience
- Air pressure relief valve prevents overfilling of air bag
- Available in bulk or individual packaging
- Rated for 16,000 lbs. capacity utilizing both CSA & SAE J2638 test standards
- Limited Lifetime Warranty



Air Pressure Relief Valve

Part No.	Description
94621	Goose Box™ For Lippert #1621 & #1716 Wing Sets (bulk - minimum order, 3 pcs.)
94622	Goose Box™ For Lippert #1621 & #1716 Wing Sets (carton)
ACCESSORY PARTS	
49150	Optional Safety Chain
61301	Spacer Kit

Fits wing set Make and Model #s: - Lippert #1621 - Lippert #1621 HD - Lippert #0719 - Fabex PB-600 Series

Spacer kit (#61301) required for installation on: - Lippert #1716 - Lippert #1116 - Lippert #0115

Patent Pending.

† = Available while supply lasts.




SAY YES, TO GOOSE BOX™!

Tests were conducted on a traditional pin box, existing gooseneck extension adapters, and the Goose Box™. The results were conclusive!



"The Goose Box is a great solution for fifth-wheel RV users who prefer to use gooseneck hitches," said Jason Lippert, CEO of Lippert Components. "We are very pleased with the results of the thorough testing of the Goose Box, which demonstrates that it is compatible with our RV frame. As a result, the proper installation of a Goose Box pin box will be acceptable under our RV frame warranty." – Lippert Press Release

After reviewing the Bosch Test reports for the Reese Goose Box™, Lippert Components (the world's largest manufacturer of RV frames) accepts the Goose Box for the towing of RVs with gooseneck hitches. "Proper installation of a Goose Box in its intended application will not void the chassis warranty when installed on a coach either by the OEM or in the aftermarket." – Jarod Lippert, Director of Marketing



† = Available while supply lasts.


30138-26

30138

REESE® ELITE™ UNDER-BED GOOSENECK HITCH

- Easy Under-Bed bolt-in installation
- Rated for 25,000 lbs. gross weight capacity*
- Passes SAE J2638, the toughest industry standard
- Pop-In™ Ball – lever inside ball head activates ball bearing locking system, lift and turn lever to unlock and remove ball
- Two safety chain holders attach directly to rail system
- Fifth wheel ready uses outer four holes to mount a fifth wheel hitch
- Hole cover keeps Pop-In™ Ball sleeve free of debris
- Storage bag included
- Patented and Patents Pending

Aligns to center hole in 2011-2015 Ford F-250 / F-350 / F-450 truck beds

Part No.	Description
30138-26	Elite™ Gooseneck Complete Hitch (includes #30126 rail and Pop-in™ ball kit)
30138	Elite™ Gooseneck Head with Pop-In™ 2-5/16" Ball (use with #30126 rail kit)

**Your actual weight capacity is limited to the towing vehicle or gooseneck rail kit capacity.*

2011-2015 Chevrolet Silverado / GMC Sierra 2500 & 3500 HD pickups

Part No.	Description
30158-68	Elite™ Gooseneck Complete Hitch (includes #30868 rail and Pop-in™ ball kit)
30158	Elite™ Gooseneck Head w/Pop-In™ 2-5/16" Ball (use w/#30852 or #30868 rail kit)

**Your actual weight capacity is limited to the towing vehicle or gooseneck rail kit capacity.*


30158

30158-68

30158-52


**FIFTH
WHEEL
READY!**



SEE APPLICATION GUIDE OR WWW.REESEPROD.COM FOR ADDITIONAL TRUCK APPLICATIONS.

† = Available while supply lasts.


30137

Lever inside ball head activates ball bearing locking system


30135

58468

19311

30136

19315

19314

30845

For use with Elite™ rail kits only


58419

58079

ELITE™ POP-IN™ BALL KIT

- Pop-In™ Ball – lever inside ball head activates ball bearing locking system, lift and turn lever to unlock and remove ball
- Two safety chain holders
- Hole cover keeps Pop-In™ Ball sleeve free of debris
- Storage bag included
- Ball rated for 30,000 lbs. capacity*
- Patents Pending



Part No.	Description
30137	Elite™ Pop-In™ Ball Kit (Includes: (1) 2-5/16" Pop-In™ Ball #19311, (1) Storage Bag, (2) Safety Chain Attachments & (1) Hole Cover)
30136	Replacement Part, Hole Cover for Elite™ Under-Bed Gooseneck Hitch
30134	Replacement Part, Safety Chain Attachment for Elite™ Under-Bed Gooseneck Hitch (1 pack)
58468	Replacement Part, Safety Chain Attachment for Elite™ Under-Bed Gooseneck Hitch (2 pack)
30135	Replacement Part, Storage Bag for Elite™ Under-Bed Bolt-On Gooseneck 2-5/16" Pop-In Ball #19311
19311	Replacement Part, 2-5/16" Pop-In™ Ball for Elite™ Under-Bed Gooseneck Hitch
19315	1" High Rise, 2-5/16" Pop-In™ Ball for Elite™ Under-Bed Gooseneck Hitch
19314	3" Pop-In™ Ball for Elite™ Under-Bed Gooseneck Hitch
30140	Elite™ Series Under-Bed Gooseneck Accessories Kit, RAM OEM Kit Only (Includes: 2-5/16" Pop-In™ Ball #19311, Storage Bag, Safety Chain Attachments & Hole Cover)
30145	Replacement Part, Safety Chain Attachment (Qty. 1) for Elite™ Under-Bed Bolt-On Gooseneck, RAM OEM Kit Only

*Your actual weight capacity is limited to the towing vehicle or gooseneck rail kit capacity.

ELITE™ SERIES ABOVE-BED GOOSENECK

- Rated for 25,000 lbs. capacity
- 2-5/16" high strength zinc plated ball
- Specifically designed for the Professional tower who employs both fifth wheel and gooseneck trailers
- Utilizes the same vehicle specific under-bed rail kit system as the Elite™ fifth wheel
- Above-Bed Gooseneck can be easily removed for unobstructed use of the truck bed
- Weather resistant plastic covering provides protection from the elements and aesthetic appeal
- Built-in chain bracket to accommodate safety chain

Part No.	Description
30845	25K Elite™ Series Gooseneck
58419	Service kit adapter for Signature Series Fifth Wheels & Goosenecks when used on Elite™ Rail Kits (#30126 & #30868) & Ford OEM rail kits

Note: Will not fit trucks with beds shorter than 6' in length. Will not fit trucks with flareside/stepsides.

25K ABOVE-BED GOOSENECK

- Easy installation and removal allows for full access to truck bed
- Utilizes same base rails as our fifth wheel hitches
- 2-5/16" high strength zinc plated ball
- In-truck platform rated for 25,000 lbs. gross vehicle towing weight and 6,250 lbs. vertical load
- Black powder coat finish

Part No.	Description	Capacity	Pin Capacity
58079	25K Gooseneck Hitch	25,000 lbs.	6,250 lbs.
58208	Chevrolet Composite Bed Kit for gooseneck		

Rails and installation kit must be ordered separately (#30035, 10-bolt or #30095, 4-bolt).

† = Available while supply lasts.



GOOSENECK SYSTEM

Draw-Tite has designed a Gooseneck Hitch System to meet your gooseneck towing needs. The secret of the system is in the rail kit. We've designed rail kits to fit your specific truck that can attach to your choice of the Hide-A-Goose, Fold-Down or Remov-A-Ball® heads. Easy install, reliable service.

SEE APPLICATION GUIDE OR WWW.DRAW-TITE.COM FOR VEHICLE APPLICATIONS.


SAME RAIL KIT - 3 METHODS OF ATTACHMENT

Use fit guide below and select your vehicle.


Option #1 Hide-A-Goose – ball stores in truck bed.

Option #2 Fold-Down – ball folds down in truck bed.


Option #3 Remov-A-Ball® – ball removes and is stored separately.



Hide-A-Goose




Fold-Down



Remov-A-Ball



9460
9464



9465



9466



9467

30K HIDE-A-GOOSE™ GOOSENECK HITCH HEAD


- Allows full use of pick-up bed area when hauling cargo
- No alteration of OE exhaust systems required
- Accommodates all standard vehicle suspensions
- 2-5/16" high strength chrome plated ball standard, 3" ball optional
- Magnetic cover protects ball hole when not in use
- Rated up to 30,000 lbs. gross trailer weight and 7,500 lbs. vertical load, tested to SAE J2638 Static and Reese® Dynamic Specs for 30,000 lbs. gross vehicle weight rating
- Rail kits are rated to match manufacturer's vehicle weight ratings
- Spring loaded safety chain loops included
- Requires installation rail kit

Part No.	Description	Capacity	Pin Capacity
9460	Hide-A-Goose™ Wide Hitch Head	30,000 lbs.	7,500 lbs.
9465	Hide-A-Goose™ Narrow Hitch Head	30,000 lbs.	7,500 lbs.
9464	Hide-A-Goose™ Wide Hitch Head	30,000 lbs.	7,500 lbs.
9466	Hide-A-Goose™ Hitch Head, Ram 3500	30,000 lbs.	7,500 lbs.
9467	Hide-A-Goose™ Hitch Head, Ram 2500	20,000 lbs.	5,000 lbs.



Note: See fit guide in Application Catalog.

25K FOLD-DOWN GOOSENECK HITCH HEAD

- Fold-Down design allows unrestricted use of the truck bed when not towing
- Takes only seconds to raise or lower the ball into position
- 2-5/16" high strength chrome plated ball standard
- Includes mounting hardware & integrated drop down spring loaded safety chain loops
- Oversize pull ring allows user to raise or lower the ball while wearing gloves
- Integrated grease fitting is visible & easily accessible
- Platform & ball rated for 25,000 lbs. gross vehicle towing weight and 6,250 lbs. vertical load
- Rail kits are rated to match manufacturer's vehicle weight ratings
- No alteration of factory exhaust systems required
- Requires installation rail kit




8339



Part No.	Description
8339	Fold-Down Gooseneck Hitch Head

† = Available while supply lasts.

REMOV-A-BALL®



6300



30K REMOV-A-BALL® GOOSENECK HITCH HEAD

- Allows full use of pick-up bed area when hauling cargo
- No alteration of OE exhaust systems required
- Accommodates all standard vehicle suspensions
- 2-5/16" high strength zinc plated ball standard
- Spring loaded chrome sliding pin insures positive ball lock
- Lockable to prevent ball theft (lock not included)
- Magnetic cover protects ball hole and activating lever slot when not in use
- In-truck platform may be used with rail kits or installed on any vehicle providing adequate structure to secure the platform
- In-truck platform is rated for 30,000 lbs. gross trailer weight and 7,500 lbs. vertical load and tested to V.E.S.C.-19 specs for 30,000 lbs. gross vehicle weight rating
- Rail kits are rated to match manufacturer's vehicle weight ratings
- Spring loaded safety chain loops included
- Requires installation rail kit

Part No.	Description
6300	Remov-A-Ball® Gooseneck Hitch Head

HI-RISE™ CONVERSION HITCH

Converts a gooseneck hitch into a fifth wheel hitch.

- 4-Way pivoting head with self latching jaw design
- 4 degree side-to-side pivot for better control
- Fifth wheel height adjustments (14-1/4" - 18")
- 2 Bolts for bed Height Adjustments
- Offset Legs enhance performance while braking
- Adjustable stabilizer strips fit bed corrugation pattern
- Lockable, extended length handle
- Not Rated for use with Reese Sidewinder™
- Only works with B&W gooseneck hitch and Cequent (94XX) series heads utilizing (44XX) Series Rails
- 18K gross trailer weight / 4.5K pin weight capacity
- Limited 5 year warranty



9480



Part No.	Description
9480	Hi-Rise™ Conversion Hitch

REPLACEMENT PARTS

58438	Stablizer Strips
117300	Eltie™ Fifth Wheel Head Kit

Your actual weight capacity is limited to the towing vehicle or gooseneck rail kit capacity

25K ABOVE-BED GOOSENECK

- Easy installation and removal allows for full access to truck bed
- Utilizes same base rails (#30035 or #30095) as our fifth wheel hitches
- 2-5/16" high strength zinc plated ball standard
- In-truck platform rated for 25,000 lbs. gross vehicle towing weight and 6,250 lbs. vertical load
- Black powder coat finish



6002

Part No.	Description	Capacity	Pin Capacity
6002	25K Gooseneck Hitch	25,000 lbs.	6,250 lbs.
58208	Chevrolet Composite Bed Kit for gooseneck		

Rails and installation kit must be ordered separately (#30035, 10-bolt or #30095, 4-bolt).

† = Available while supply lasts.



GOOSENECK SYSTEM

Bulldog has designed a Gooseneck Hitch System to meet your gooseneck towing needs. The secret of the system is in the rail kit. We've designed rail kits to fit your specific truck that can attach to your choice of the Under-Bed, Fold-Down or Remov-A-Ball® heads.

SEE APPLICATION GUIDE OR WWW.BULLDOGPONDUCTS.NET FOR VEHICLE APPLICATIONS.

SAME RAIL KIT - 3 METHODS OF ATTACHMENT

Use fit guide below and select your vehicle.


Option #1 Under-Bed – ball stores in truck bed.

Option #2 Fold-Down – ball folds down in truck bed.


Option #3 Remov-A-Ball® – ball removes and is stored separately.



Under-Bed



Fold-Down



Remov-A-Ball



9470†
9474†



9475†



9476†



9477†

30K UNDER-BED GOOSENECK HITCH HEAD

- Allows full use of pick-up bed area when hauling cargo
- No alteration of OE exhaust systems required
- Accommodates all standard vehicle suspensions
- 2-5/16" high strength chrome plated ball standard, 3" ball optional
- Magnetic cover protects ball hole when not in use
- Rated up to 30,000 lbs. gross trailer weight and 7,500 lbs. vertical load, tested to SAE J2638 Static and Reese® Dynamic Specs for 30,000 lbs. gross vehicle weight rating
- Rail kits are rated to match manufacturer's vehicle weight ratings
- Spring loaded safety chain loops included
- Requires installation rail kit

Part No.	Description	Capacity	Pin Capacity
9470†	Under-Bed Gooseneck Wide Hitch Head	30,000 lbs.	7,500 lbs.
9475†	Under-Bed Gooseneck Narrow Hitch Head	30,000 lbs.	7,500 lbs.
9474†	Under-Bed Gooseneck Wide Hitch Head	30,000 lbs.	7,500 lbs.
9476†	Under-Bed Gooseneck Hitch Head, Ram 3500	30,000 lbs.	7,500 lbs.
9477†	Under-Bed Gooseneck Hitch Head, Ram 2500	20,000 lbs.	5,000 lbs.

Note: See fit guide in Application Catalog.

25K FOLD-DOWN GOOSENECK HITCH HEAD

- Fold-Down design allows unrestricted use of the truck bed when not towing
- Takes only seconds to raise or lower the ball into position
- 2-5/16" high strength chrome plated ball standard
- Includes mounting hardware & integrated drop down spring loaded safety chain loops
- Oversize pull ring allows user to raise or lower the ball while wearing gloves
- Integrated grease fitting is visible & easily accessible
- Platform & ball rated for 25,000 lbs. gross vehicle towing weight and 6,250 lbs. vertical load
- Rail kits are rated to match manufacturer's vehicle weight ratings
- No alteration of factory exhaust systems required
- Requires installation rail kit

Part No.	Description
8339	Fold-Down Gooseneck Hitch Head

† = Available while supply lasts.



REMOV-A-BALL®



630044†

30K REMOV-A-BALL® GOOSENECK HITCH HEAD

- Allows full use of pick-up bed area when hauling cargo
- No alteration of OE exhaust systems required
- Accommodates all standard vehicle suspensions
- 2-5/16" high strength zinc plated ball standard
- Spring loaded chrome sliding pin insures positive ball lock
- Lockable to prevent ball theft (lock not included)
- Magnetic cover protects ball hole and activating lever slot when not in use
- In-truck platform may be used with rail kits or installed on any vehicle providing adequate structure to secure the platform
- In-truck platform is rated for 30,000 lbs. gross trailer weight and 7,500 lbs. vertical load and tested to V.E.S.C.-19 specs for 30,000 lbs. gross vehicle weight rating
- Rail kits are rated to match manufacturer's vehicle weight ratings
- Spring loaded safety chain loops included
- Requires installation rail kit

Part No.	Description
630044†	Remov-A-Ball® Gooseneck Hitch Head



9481†

HI-RISE™ CONVERSION HITCH

Converts a gooseneck hitch into a fifth wheel hitch.

- 4-Way pivoting head with self latching jaw design
- 4 degree side-to-side pivot for better control
- Fifth wheel height adjustments (14-1/4" - 18")
- 2 Bolts for bed Height Adjustments
- Offset Legs enhance performance while braking
- Adjustable stabilizer strips fit bed corrugation pattern
- Lockable, extended length handle
- Not Rated for use with Reese Sidewinder™
- Only works with B&W gooseneck hitch and Cequent (94XX) series heads utilizing (44XX) Series Rails
- 18K gross trailer weight / 4.5K pin weight capacity
- Limited 5 year warranty

Part No.	Description
9481†	Hi-Rise™ Conversion Hitch

REPLACEMENT PARTS

58438	Stabilizer Strips
117300	Eltie™ Fifth Wheel Head Kit

Your actual weight capacity is limited to the towing vehicle or gooseneck rail kit capacity



† = Available while supply lasts.



49080

Available in skid quantities of 24 (Example: 49080-024)


PRO SERIES™ 25K ABOVE-BED GOOSENECK



- Easy installation and removal allows for full access to truck bed
- Utilizes same base rails (#30035 or #30095) as our fifth wheel hitches
- Raised safety chain locations all for easy trailer connection
- 2-5/16" high strength zinc ball
- In-truck platform rated for 25,000 lbs. gross vehicle towing weight and 6,250 lbs. vertical load
- Ball is offset 2" to accommodate 6 & 8 ft. truck beds
- Limited 5 year warranty

Part No.	Description	Capacity	Pin Capacity
49080	25K Gooseneck Hitch	25,000 lbs.	6,250 lbs.
58208	Chevrolet Composite Bed Kit for gooseneck		

Rails and installation kit must be ordered separately (#30035, 10-bolt or #30095, 4-bolt).



19306

19307

19308



5983



58390



58389



58524

NEW!


GOOSENECK HITCH ACCESSORIES & REPLACEMENT PARTS

Part No.	Description
GOOSENECK REPLACEMENT PARTS	
6308	Replacement U-Bolt Safety Chain Kit
ABOVE-BED GOOSENECK REPLACEMENT PARTS	
19310	Replacement Gooseneck 2-5/16" Hitch Ball
UNDER-BED GOOSENECK REPLACEMENT PARTS	
19306	2-5/16" Hitch Ball w/1" Rise for 946x / 947x gooseneck Heads
19307	3" Hitch Ball for 946x / 947x Gooseneck Heads
19308	2-5/16" Hitch Ball w/5" Offset for 946x / 947x Gooseneck Heads
19309	2-5/16" Hitch Ball for 946x / 947x Gooseneck Heads
58312	Gooseneck Head U-Bolt Kit for 946x / 947x Gooseneck Heads
58389	Replacement Magnetic Cover for Hide-A-Goose™ Hitch Head
58390†	Replacement Magnetic Cover for Under-Bed Hitch Head
58524	Replacement Cover for Hide-A-Goose™ Gooseneck
REMOV-A-BALL® HITCH HEAD REPLACEMENT PARTS	
5983	Replacement Magnetic Cover for Remov-A-Ball®
5973	Replacement 2-5/16" Ball for Remov-A-Ball®

GOOSENECK INSTALLATION TEMPLATES

- Stainless steel cutting template for Fold Down installation

Part No.	Description
6425	Fold Down Gooseneck Installation Template for #8339



6425



58381

HOLE SAW

Part No.	Description
58381	3-1/2" Hole Saw

† = Available while supply lasts.

GOOSENECK HITCH SYSTEMS

Gooseneck Hitch Systems conveniently allow unrestricted use of the pickup bed. In-truck platforms support 2-5/16" and 3" hitch balls. All framework for Gooseneck Trailer Hitches reside under the bed of the truck with only the ball exposed above the bed of the truck. Stronger, and able to utilize the full suspension of the truck, Gooseneck Hitch Systems are rated up to full towing capacity of the vehicle as determined by the manufacturer. Bulldog Gooseneck Hitch Systems utilize a unique set of mounting rails, specific to each vehicle, that will accommodate any of the hitch heads.

HOW LARGE A TRAILER CAN I TOW?

Each truck has a published Gross Combined Weight Rating GCWR. This is the maximum allowable tow rating in terms of the combined vehicle and trailer weight. When the Gross Vehicle Weight GVW is subtracted, the maximum Gross Trailer Weight is revealed.

In this example, the maximum allowable trailer towing weight is 12,800 lbs. GTW. The rail kit for this vehicle has been tested to meet maximum vehicle tow capacity.

GCWR - GVW = MAX. GTW

2001 GMC Heavy Duty 2500, 4 Wheel Drive Extended Cab

Engine: Duramax 6600

Horsepower: 300 hp @ 3100 rpm

Torque: 520 ft. lbs. @ 1800 rpm

Transmission: Allison 5-speed Automatic

Axle Ratio: 3.73 to 1

GVW: 9,200 lbs.

GCWR: 22,000 lbs.

22,000 lbs. GCWR - 9,200 lbs. GVW = 12,800 lbs. GTW

COMMON TERMINOLOGY:

Base Curb Weight - The nominal weight of a vehicle with standard equipment and a full tank of fuel. It does not include passengers, cargo or optional equipment.

Commercial Towing - Any vehicle/trailer combination exceeding 26,000 lbs. Gross Combined Weight GCW.

Commercial Vehicle - Any vehicle that exceeds 10,000 lbs. GVW.

Gross Vehicle Weight (GVW) - The actual weight of the vehicle when fully loaded. It is the base curb weight plus the cargo weight.

Gross Vehicle Weight Rating (GVWR) - The maximum allowable weight of the fully loaded vehicle.

Gross Combined Weight (GCW) - The actual weight of the vehicle and trailer combined. This weight should always be obtained by weighing the vehicle and trailer together on a scale.

Gross Combined Weight Rating (GCWR) - The maximum weight of the towing vehicle and the loaded trailer - including cargo and passengers.

Gross Axle Weight (GAW) - The total weight supported by each axle (front or rear). To compute this weight for your vehicle and trailer combined, take the loaded vehicle and trailer to a scale. With the trailer attached, place the front wheels of the vehicle on the scale to obtain the front GAW. To obtain the rear GAW, weigh the towing vehicle with the trailer attached, but with just the four wheels of the vehicle on the scale. The rear GAW is determined by subtracting the front GAW from that amount.

Gross Axle Weight Rating (GAWR) - The total weight each axle is capable of carrying. The total load on each axle must not exceed its GAWR.

Gross Trailer Weight (GTW) - The weight of a trailer fully loaded.

Maximum Loaded Trailer Weight - The maximum allowable fully loaded weight of the trailer. This weight is obtained by subtracting the towing vehicle's GVW from its GCWR.

Payload - The combined maximum allowable weight of cargo, occupants and optional equipment that the vehicle is designed to carry. (Gross Vehicle Weight Rating minus the base curb weight.)

Rail Kit - The components and hardware that mount the gooseneck hitch to the vehicle frame.


† = Available while supply lasts.




REESE® ELITE GOOSENECK

MAKE/MODEL		YEAR	FW	RAIL KIT	COMPLETE KIT	HEAD ONLY
CHEVROLET						
Pickup, Silverado	2500 HD 6.6 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
	2500 HD 6.6 ft. Bed, 2 & 4 WD	2015	Ø	30868	30158-68	30158
	2500 HD 8 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
	2500 HD 8 ft. Bed, 2 & 4 WD	2015	Ø	30868	30158-68	30158
	3500 HD 6.6 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
	3500 HD 6.6 ft. Bed, 2 & 4 WD	2015	Ø	30868	30158-68	30158
	3500 HD 8 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
	3500 HD 8 ft. Bed, 2 & 4 WD	2015	Ø	30868	30158-68	30158
DODGE						
Pickup, Ram, Full Size	2500 HD, Inc. Mega Cab, 2 & 4 WD (See RAM for 2011 & Newer Models)	2010	Ø	30852	30158-52	30158
	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD (See RAM for 2011 & Newer Models)	2010	Ø	30852	30158-52	30158
FORD						
F-250 Super Duty	Will Not Fit Cab & Chassis	11-15	Ø	30126	30138-26	30138
F-350 Super Duty	Will Not Fit Cab & Chassis	11-15	Ø	30126	30138-26	30138
F-450 Super Duty	Will Not Fit Cab & Chassis	11-14	Ø	30126	30138-26	30138
GMC						
Pickup, Sierra	2500 HD 6.6 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
	2500 HD 6.6 ft. Bed, 2 & 4 WD	2015	Ø	30868	30158-68	30158
	2500 HD 8 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
	2500 HD 8 ft. Bed, 2 & 4 WD	2015	Ø	30868	30158-68	30158
	3500 HD 6.6 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
	3500 HD 6.6 ft. Bed, 2 & 4 WD	2015	Ø	30868	30158-68	30158
	3500 HD 8 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
	3500 HD 8 ft. Bed, 2 & 4 WD	2015	Ø	30868	30158-68	30158
	Denali HD 6.6 ft. Bed, 2 & 4 WD	11-14	Ø	30868	30158-68	30158
RAM						
Pickup, 2500 HD	Inc. Mega Cab, 2 & 4 WD	11-12		30852	30158-52	30158
Pickup, 3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12		30852	30158-52	30158

† = Available while supply lasts.



Hide-A-Goose™



Fold-Down



Remov-A-Ball

Model	Style	Years	Rail#	Drill	Foot note	Head	ComboKit	Fold-Down	Remov-A-Ball
Chevrolet/GMC									
C1500/K1500		88-00	4440	NO	KE	9465	9465-40	8339	6300
C2500/K2500		88-00	4440	NO	KE	9465	9465-40	8339	6300
C3500/K3500	8 ft. Bed, Except Crew Cab	88-00	4440	NO	KE	9465	9465-40	8339	6300
Silverado/Sierra	1500 LD 5.8 ft. Bed, 2 & 4 WD	07-14	4454	NO	TV	9465	9465-54	8339	6300
Silverado/Sierra	1500 LD, 2 & 4 WD	99-14	4454	NO		9465	9465-54	8339	6300
Silverado/Sierra	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-07	4454	YES		9465	9465-54	8339	6300
Silverado/Sierra	2500 LD, 2 & 4 WD	99-04	4454	NO		9465	9465-54	8339	6300
Silverado/Sierra	2500 HD, 2 & 4 WD	01-10	4434	NO		9465	9465-34	8339	6300
Silverado/Sierra	2500 HD, 2 & 4 WD	11-15	4456	NO	KH	9465	9465-56	8339	6300
Silverado/Sierra	3500 Series 8 ft. Bed, 2 & 4 WD	01-07	4445	NO		9465	9465-45	8339	6300
Silverado/Sierra	3500 HD, 2 & 4 WD	07-10	4434	NO		9465	9465-34	8339	6300
Silverado/Sierra	3500 HD, 2 & 4 WD	11-15	4456	NO	KH	9465	9465-56	8339	6300
Dodge									
Ram	1500	94-01	4439	NO		9460	9460-39	8339	6300
Ram	1500 Only, Except Mega Cab	02-08	4438	NO		9464	9464-38	8339	6300
Ram	1500 Mega Cab w/6 ft. Bed, 2 & 4 WD	06-08	4435	NO	JR	9464	9464-35	8339	6300
Ram	1500, 2 & 4 WD	09-10	4446	NO		9464	9464-46	8339	6300
Ram	2500	94-02	4439	NO		9460	9460-39	8339	6300
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	03-10	4435	NO	JR	9464	9464-35	8339	6300
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	2010	4457	NO	JR, TX	9464	9464-57	8339	6300
Ram	3500	94-02	4439	NO		9460	9460-39	8339	6300
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	03-10	4435	NO	JR	9464	9464-35	8339	6300
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	2010	4457	NO	JR, TX	9464	9464-57	8339	6300
Ford									
F-150		04-14	4437	NO	TV	9465	9465-37	8339	6300
F-150		2015	4484	NO		9465	9465-84	8339	6300
F-250 Super Duty	Will Not Fit Cab & Chassis	99-15	4448	NO		9460	9460-48	8339	6300
F-350 Super Duty	Will Not Fit Cab & Chassis	99-15	4448	NO		9460	9460-48	8339	6300
F-450 Super Duty	Will Not Fit Cab & Chassis	08-14	4449	NO	JR	9460	9460-49	8339	6300
RAM									
1500	2 & 4 WD	11-12	4446	NO		9464	9464-46	8339	6300
1500	2 & 4 WD, Except Models w/Air Suspension	13-14	4446	NO	MB	9464	9464-46	8339	6300
2500 HD	Inc. Mega Cab, 2 & 4 WD	11-12	4435	YES	JR	9464	9464-35	8339	6300
2500 HD	Inc. Mega Cab, 2 & 4 WD	11-12	4457	NO	JR, TX	9464	9464-57	8339	6300
2500 HD	Inc. Mega Cab, 2 & 4 WD	2013	4457	YES	JR, TX	9464	9464-57	8339	6300
2500 HD	Inc. Mega Cab, 2 & 4 WD	2014	N/A	YES		9467*	N/A	N/A	N/A
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12	4435	YES	JR	9464	9464-35	8339	6300
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12	4457	NO	JR, TX	9464	9464-57	8339	6300
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	13-14	N/A	YES		9466*	N/A	N/A	N/A
Toyota									
Tundra		07-15	4436	NO	JR, TV	9465	9465-36	N/A	N/A

* Denotes Gooseneck Head Does Not Require Rail Kit

JR = Exhaust must be temporarily lowered for installation.

KE = Does not fit 88-91 4 Dr. Crew Cab models.

KH = Minor heat shield modification may be required.



MB = Will not fit models equipped with air suspension package.

O = Will not fit vehicles equipped with dual exhaust exiting below the bumper.

TV = May require Offset Extension Ball #19308 on trucks with less than a 6' long bed.

TX = This product has a higher load capacity.

† = Available while supply lasts.


Under-Bed

Fold-Down

Remov-A-Ball

Model	Style	Years	Rail#	Drill	Foot note	Head	ComboKit	Fold-Down	Remov-A-Ball
Chevrolet/GMC									
C1500/K1500		88-00	4440	NO	KE	9475†	9475-40†	8339	630044†
C2500/K2500		88-00	4440	NO	KE	9475†	9475-40†	8339	630044†
C3500/K3500	8 ft. Bed, Except Crew Cab	88-00	4440	NO	KE	9475†	9475-40†	8339	630044†
Silverado/Sierra	1500 LD 5.8 ft. Bed, 2 & 4 WD	07-14	4454	NO	TV	9475†	9475-54†	8339	630044†
Silverado/Sierra	1500 LD, 2 & 4 WD	99-14	4454	NO		9475†	9475-54†	8339	630044†
Silverado/Sierra	1500 HD 6.6 ft. Bed, 2 & 4 WD	01-07	4454	YES		9475†	9475-54†	8339	630044†
Silverado/Sierra	2500 LD, 2 & 4 WD	99-04	4454	NO		9475†	9475-54†	8339	630044†
Silverado/Sierra	2500 HD, 2 & 4 WD	01-10	4434	NO		9475†	9475-34†	8339	630044†
Silverado/Sierra	2500 HD, 2 & 4 WD	11-15	4456	NO	KH	9475†	9475-56†	8339	630044†
Silverado/Sierra	3500 Series 8 ft. Bed, 2 & 4 WD	01-07	4445	NO		9475†	9475-45†	8339	630044†
Silverado/Sierra	3500 HD, 2 & 4 WD	07-10	4434	NO		9475†	9475-34†	8339	630044†
Silverado/Sierra	3500 HD, 2 & 4 WD	11-15	4456	NO	KH	9475†	9475-56†	8339	630044†
Dodge									
Ram	1500	94-01	4439	NO		9470†	9470-39†	8339	630044†
Ram	1500 Only, Except Mega Cab	02-08	4438	NO		9474†	9474-38†	8339	630044†
Ram	1500 Mega Cab w/6 ft. Bed, 2 & 4 WD	06-08	4435	NO	JR	9474†	9474-35†	8339	630044†
Ram	1500, 2 & 4 WD	09-10	4446	NO		9474†	9474-46†	8339	630044†
Ram	2500	94-02	4439	NO		9470†	9470-39†	8339	630044†
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	03-10	4435	NO	JR	9474†	9474-35†	8339	630044†
Ram	2500 HD, Inc. Mega Cab, 2 & 4 WD	2010	4457	NO	JR,TX	9474†	9474-57†	8339	630044†
Ram	3500	94-02	4439	NO		9470†	9470-39†	8339	630044†
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	03-10	4435	NO	JR	9474†	9474-35†	8339	630044†
Ram	3500 HD, Inc. Mega Cab & Dually, 2 & 4 WD	2010	4457	NO	JR,TX	9474†	9474-57†	8339	630044†
Ford									
F-150		04-14	4437	NO	TV	9475†	9475-37†	8339	630044†
F-150		2015	4484	NO		9475†	N/A	8339	630044†
F-250 Super Duty	Will Not Fit Cab & Chassis	99-15	4448	NO		9470†	9470-48†	8339	630044†
F-350 Super Duty	Will Not Fit Cab & Chassis	99-15	4448	NO		9470†	9470-48†	8339	630044†
F-450 Super Duty	Will Not Fit Cab & Chassis	08-14	4449	NO	JR	9470†	9470-49†	8339	630044†
RAM									
1500	2 & 4 WD	11-12	4446	NO		9474†	9474-46†	8339	630044†
1500	2 & 4 WD, Except Models w/Air Suspension	13-14	4446	NO	MB	9474†	9474-46†	8339	630044†
2500 HD	Inc. Mega Cab, 2 & 4 WD	11-12	4435	YES	JR	9474†	9474-35†	8339	630044†
2500 HD	Inc. Mega Cab, 2 & 4 WD	11-12	4457	NO	JR,TX	9474†	9474-57†	8339	630044†
2500 HD	Inc. Mega Cab, 2 & 4 WD	2013	4457	YES	JR,TX	9474†	9474-57†	8339	630044†
2500 HD	Inc. Mega Cab, 2 & 4 WD	2014	N/A	YES		9477†*	N/A	N/A	N/A
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12	4435	YES	JR	9474†	9474-35†	8339	630044†
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	11-12	4457	NO	JR,TX	9474†	9474-57†	8339	630044†
3500 HD	Inc. Mega Cab & Dually, 2 & 4 WD	13-14	N/A	YES		9476†*	N/A	N/A	N/A
Toyota									
Tundra		07-15	4436	NO	JR,TV	9475†	9475-36†	N/A	N/A

* Denotes Gooseneck Head Does Not Require Rail Kit

JR = Exhaust must be temporarily lowered for installation.

KE = Does not fit 88-91 4 Dr. Crew Cab models.

KH = Minor heat shield modification may be required.

MB = Will not fit models equipped with air suspension package.

O = Will not fit vehicles equipped with dual exhaust exiting below the bumper.

TV = May require Offset Extension Ball #19308 on trucks with less than a 6' long bed.

TX = This product has a higher load capacity.

† = Available while supply lasts.

[illegible]

trailer BRAKE CONTROLS

**SMART
BRAKING**

Smart Braking With Proportional Technology

Unlike timed brake controls that deliver the same power under all braking conditions, Tekonsha Brake Controls use Proportional Technology that senses the type of braking event, and applies appropriate power to the trailer brakes.



INNOVATIVE TRAILER BRAKING SOLUTIONS

Tekonsha® is the industry leader and innovator in electric trailer brake controls and breakaway systems. No matter what you are towing, Tekonsha can help you stop it.

Eliminate Hardwiring

All Tekonsha brake controls include adapter for OE Wire Harnesses. Simply "Plug & Play!"



BRAKE CONTROLS

ELECTRIC TRAILER BRAKE CONTROLS

Tekonsha® Prodigy® RF

Tekonsha® P3® / Prodigy® P2

Tekonsha® Primus™ IQ / Voyager®

Reese® Brakeman® IV / Brakeman® Ultra /
Brakeman® Digital / Brakeman® Compact

Draw-Tite® I-Stop™ IQ

Draw-Tite® Activator® IV / Activator® III /
Activator® II / Activator®

Pro Series™ Pilot® / POD™

Brake Control Accessories

Pulse Preventer

Brake Mate™ Wiring Kits



BRAKE CONTROL WIRING HARNESSES

Brake Control Wiring Harnesses

Vehicle Specific Brake Control Wiring
Harness Applications





90250



PRODIGY® RF THE PERFECT SHARED-TRAILER SOLUTION

If you take to the road with multiple vehicles, there's really only one solution: PRODIGY® RF. Consider all it offers:

- User does not need a dash mounted, hard wired brake control
- True proportional trailer braking, forward or reverse
- Trailer braking power supplied via 7-Way Connector from the vehicle
- Suitable for use on any trailer with up to 3 braking axles

In the Tow Vehicle (Hand Held unit):

- Wireless communication between the remote hand unit and trailer mounted power module eliminates the need for under dash wiring
- Easy to see LED display for trailer brake voltage, power output and diagnostics

- Easy to use remote hand control; includes the Prodigy "Boost" system to allow for different levels of customized braking
- Unit provides continual diagnostic scanning with a visual warning display
- Hand held unit plugs into any standard 12 volt power accessory adaptor
- Hand held unit has a limited 5 year warranty

On the Trailer (Power Module Unit):

- Power module uses standard RV Blade style (Bargman) 7-Way truck and trailer connectors
- Trailer Power Module is watertight and is powered through 7-way cable from the tow vehicle.
- Multiple mounting options on the tongue or front of the trailer
- Trailer mounted power module has a limited 15 year warranty (limited 1 year warranty on cord)

Part No.	Description	Packaging
90250	Prodigy® RF Trailer Mount Brake Control w/Hand Held Unit	Display Box - Tekonsha
90251	Prodigy® RF Remote Hand Held Unit, Replacement Part	Clam Shell - Tekonsha

† = Available while supply lasts.



90195

NOTE: Plug & Play feature allows quick and easy connection. It adapts to all Cequent 2-Plug vehicle specific brake control wiring harnesses.



P3®

TAKING INNOVATION TO A WHOLE NEW LEVEL

P3; the industry's most advanced electric trailer brake control. A true proportional braking system, P3 has several added features, making it the new standard for electric trailer brake controls.

- 5 storable setting options for pulling different trailers or preferences of multiple drivers
- A distinct, easy-to-read LCD display with multiple screen color options
- "Up-Front" controls provide easy access to all P3 features
- Easy to understand diagnostics show output current, battery/ brake/output voltage
- A "flashing red" warning system alerts user to "No Trailer Brake" situations
- Select Electric over Hydraulic or Electric trailer brake mode
- Screen information display in English, French or Spanish
- "The Original Boost" feature allows for different levels of customized braking
- Compact, dash-hugging design
- Integrated Plug & Play port for 2-plug adapters
- Snap-in mounting clip allows user to remove and store the control when not in use
- Electric trailer brake control for up to 4 braking axles
- Limited Lifetime Warranty

Part No.	Description	Packaging
90195	P3® Proportional Electronic Trailer Brake Control	Display Box - Tekonsha

PRODIGY® P2



90885

PRODIGY® P2

ADVANCED INTELLIGENCE

- Reverse battery protection for both vehicle and breakaway
- Designed to work with electric over hydraulic brake systems
- Numerous mounting options – including 360 degree vertical rotation
- Digital display depicts voltage delivery to trailer during braking
- No level adjustment necessary – it adjusts itself to varying terrain as you drive
- Great for backing into tough spots! Works proportionally in reverse - with the ability to disable when not needed
- Produces stops that are in proportion to vehicle's deceleration rate
- "Boost" feature gives users the ability to apply more initial trailer braking power when towing heavier trailers
- Continual diagnostics check for proper connection, shorted magnet conditions and much more
- Integrated Plug & Play port for 2-plug adapters
- Pocket-mount allows user to remove and store the control when not in use
- Electric trailer brake control for up to 4 braking axles
- Limited Lifetime Warranty

Part No.	Description	Packaging
90885	Prodigy® P2 Proportional Electronic Trailer Brake Control	Display Box - Tekonsha

† = Available while supply lasts.

PRIMUS^{IQ}



NOTE: Plug & Play feature allows quick and easy connection. It adapts to all Cequent 2-Plug vehicle specific brake control wiring harnesses.



PRIMUSTM IQ THE SMARTER BRAKING SOLUTION

Primus IQ is a totally proportional electric trailer brake control. This easy-to-set system allows the driver maximum flexibility when determining how the trailer should respond to a braking event. Snap-in dash mounting clip and removable electrical connector allow the unit to be quickly stored (or moved to another vehicle) when not in use.

- Works proportionally in reverse
- No level adjustment necessary, adjusts to varying terrain as you drive
- Digital display shows voltage to trailer during braking
- "The Original Boost" feature allows for customized braking
- Integrated Plug & Play port for 2-plug adapters
- Diagnostic features incorporated in LED display
- Electric trailer brake control for up to 3 braking axles
- Snap-in mounting clip allows user to remove and store the control when not in use
- Limited Lifetime Warranty

Part No.	Description	Packaging
90160	Primus TM IQ Proportional Electronic Trailer Brake Control	Display Box - Tekonsha

VOYAGER[®]



VOYAGER[®]

The Voyager incorporates Tekonsha's patented braking sensor and is the best value you'll find for smooth and secure trailer braking. It's compact size and features, like a bicolored LED brake monitor (to assure a complete connection to trailer brakes and give an indication of relative braking power being applied) make the Voyager extremely versatile. Voyager minimizes interference with tow vehicle electrical systems, has a broad setting range and is compatible with most any vehicle.

- Broad control range makes setting quick and easy
- As braking power is applied, the LED changes color gradually from green (completed circuit) to red, to indicate relative braking power
- Advanced electronics minimize false braking for smoother ride
- Electric trailer brake control for up to 4 braking axles
- Plug & Play feature allows quick and easy connection
- Limited 5 year warranty

Part No.	Description	Packaging
9030	Voyager [®] Proportional Electronic Trailer Brake Control	Display Box - Tekonsha


† = Available while supply lasts.



BRAKEMAN® IV

- 1 to 4 axle trailers
- Digital output indicator
- Small, compact design
- Up-front push buttons for Sync and Output
- Diagnostics for Overload, Open Ground
- Short Circuit Protected
- Mounts in any direction
- No leveling required
- Mounting hardware included
- Smooth and simple installation
- Plug & Play feature allows quick and easy connection
- Attractive point-of-purchase display packaging
- Lifetime limited warranty

Part No.	Description	Packaging
83504	Brakeman® IV Electronic Brake Control	Clam - Reese



NOTE: Replacing 83500

NOTE: Plug & Play feature allows quick and easy connection. It adapts to all Cequent 2-Plug vehicle specific brake control wiring harnesses.

BRAKEMAN® ULTRA

- 1 to 4 axle trailers
- Overload indicator
- Digital output indicator
- “Up-front” manual over-ride control
- Soft touch thumb wheels
- Front display allows viewing at almost any angle
- Stylish upgraded appearance
- Mounts in any position
- No leveling required
- Mounting hardware included
- Integrated Plug & Play port for 2-plug adapters
- Limited Lifetime Warranty

Part No.	Description	Packaging
83520	Brakeman® Ultra Electronic Brake Control	Clam - Reese



† = Available while supply lasts.




BRAKEMAN® DIGITAL

- 1 to 4 axle trailers
- Digital output indicator
- Thumb wheel output adjustment
- Overload indicator
- Plug & Play feature allows quick and easy connection
- Limited Lifetime Warranty

Part No.	Description	Packaging
83500†	Brakeman® Digital Electronic Brake Control	Clam - Reese

Note: Not recommended for use with BMW X5 Sport Utility Vehicles



83500†

NOTE: Replaced by 83504


NOTE: Plug & Play feature allows quick and easy connection. It adapts to all Cequent 2-Plug vehicle specific brake control wiring harnesses.

BRAKEMAN® COMPACT

- 1 & 2 axle trailers
- Illuminated LED output indicator
- Slide adjustment output control
- Plug & Play feature allows quick and easy connection
- Limited 5 year warranty

Part No.	Description	Packaging
83501	Brakeman® Compact Electronic Brake Control	Clam - Reese

Note: Not recommended for use with BMW X5 Sport Utility Vehicles




83501



20191



NOTE: Plug & Play feature allows quick and easy connection. It adapts to all Cequent 2-Plug vehicle specific brake control wiring harnesses.



5504

NOTE: Replacing 5500



I-STOP™ IQ BRAKE CONTROL FOR 1 TO 3 AXLE TRAILERS

A totally proportional electric trailer brake control, the new Draw-Tite I-Stop™ IQ is self-leveling so no level adjustment is necessary.

Utilizing primary sensor technology the IQ now includes the “Boost” feature that gives users the ability to apply more initial trailer braking when towing heavier trailers. It works proportionally in reverse for backing into tough spots and includes a snap-in dash mounting clip and removable electrical connector that allows the unit to be quickly stored when not in use. You will appreciate the digital readout depicting a secure electrical connection, amount of voltage delivery to the trailer brakes and diagnostic features incorporated in the LED display.

- Integrated Plug & Play port for 2-plug adapters
- Self-diagnostics features will illuminate LED readout when issues occur
- Includes a “Boost” feature
- Works proportionally in reverse
- Snap-in dash mounting clip and hardware included
- Digital LED readout
- Snap-in mounting clip allows user to remove and store the control when not in use
- Limited Lifetime Warranty

Part No.	Description	Packaging
20191	I-Stop™ IQ Proportional Electronic Trailer Brake Control	Display Box - Draw-Tite

ACTIVATOR® IV BRAKE CONTROL

- 1 to 4 axle trailers
- Digital output indicator
- Small, compact design
- Up-front push buttons for Sync and Output
- Diagnostics for Overload, Open Ground
- Short Circuit Protected
- Mounts in any direction
- No leveling required
- Mounting hardware included
- Smooth and simple installation
- Plug & Play feature allows quick and easy connection
- Attractive point-of-purchase display packaging
- Lifetime limited warranty

Part No.	Description	Packaging
5504	Activator® IV Electronic Brake Control	Clam - Draw-Tite



ACTIVATOR[®] III BRAKE CONTROL



5520

NOTE: Plug & Play feature allows quick and easy connection. It adapts to all Cequent 2-Plug vehicle specific brake control wiring harnesses.

- 1 to 4 axle trailers
- Overload indicator
- Digital output indicator
- “Up-front” manual over-ride control
- Soft touch thumb wheels
- Front display allows viewing at almost any angle
- Stylish upgraded appearance
- Mounts in any position
- No leveling required
- Mounting hardware included
- Integrated Plug & Play port for 2-plug adapters
- Limited Lifetime Warranty

Part No.	Description	Packaging
5520	Activator [®] III Electronic Brake Control	Clam - Draw-Tite

ACTIVATOR[®] II BRAKE CONTROL



5500†


NOTE: Replaced by 5504

- 1 to 4 axle trailers
- Digital output indicator
- Thumb wheel output adjustment
- Overload indicator
- Plug & Play feature allows quick and easy connection
- Attractive point-of-purchase display packaging
- Limited Lifetime Warranty

Part No.	Description	Packaging
5500†	Activator [®] II Electronic Brake Control	Clam - Draw-Tite

Note: Not recommended for use with BMW X5 Sport Utility Vehicles

ACTIVATOR[®] BRAKE CONTROL



5100

- 1 & 2 axle trailers
- Illuminated LED output indicator
- Slide adjustment output control
- Plug & Play feature allows quick and easy connection
- Attractive point-of-purchase display packaging
- Limited 5 year warranty

Part No.	Description	Packaging
5100	Activator [®] Electronic Brake Control	Clam - Draw-Tite

Note: Not recommended for use with BMW X5 Sport Utility Vehicles

† = Available while supply lasts.



PILOT® BRAKE CONTROL

FOR 1 TO 3 AXLE TRAILERS

The Pilot® has just made owning and operating a digital brake control easier than ever. Because of the flexible mounting options, you are able to mount the Pilot® in any direction. Our microprocessor allows you the ability to read the display even when the Pilot® is mounted upside down. The Pilot's digital display shows voltage output to the brakes with additional protection against short circuit or loss of ground. Capable for handling up to 3 axle trailers.

- Large easy to read dual digital display shows:
 - Properly wired control
 - Voltage output to brakes (vs. a percentage output)
 - Connection to trailer
- Dark smoke lens ideal for direct light applications; performs better than red lens
- Microprocessor allows control to be mounted upside down and still have a readable display
- Protection against short circuit and loss of ground
- Standard mounting bracket included, optional pivot mount available (P/N 5298)
- For use on any 12 volt negative ground system
- Plug & Play feature allows quick and easy connection
- Limited Lifetime Warranty

Part No.	Description	Packaging
80550	Pilot® Electronic Brake Control	Clam - Pro Series



80550

NOTE: Plug & Play feature allows quick and easy connection. It adapts to all Cequent 2-Plug vehicle specific brake control wiring harnesses.

POD™ BRAKE CONTROL

FOR 1 & 2 AXLE TRAILERS

The POD™ (Power on Demand) is your best choice for 1 or 2 axle trailers, especially when your installation options are limited. The POD™ can be mounted in any direction, and its unique design features "up-front-easy-access" adjustment controls, even when mounted upside down.

- Power-on LED for a positive tow vehicle-to-trailer connection
- "Up-front" manual over-ride control
- Rugged, easy mount chassis
- Mounting hardware included
- Smooth and simple installation
- Solid state electronics
- Plug & Play feature allows quick and easy connection
- Limited 5 year warranty

Part No.	Description	Packaging
80500	POD™ Electronic Brake Control	Clam - Pro Series



80500

† = Available while supply lasts.



BRAKE CONTROL ACCESSORIES

Clip / Pivot Mounting




Bulk	Clam	Application	Description
5901TEK		P3 90195	Dash Mounting Clip
5904		P3 90195	Dash Mounting Clip Bracket
5906		P3 90195	T-Slot Mounting Kit
5298		Pilot 80550	Dash Pivot Mounting Kit
	7686	Prodigy P2 90885	Dash Pocket Mounting Kit
6927		Primus IQ 90160, I-Stop IQ 20191	Dash Mounting Clip

Traditional Bracket Mounting

Bulk	Clam	Application	Description
	7685	Prodigy P2 90885	Mounting Bracket Kit
5280		Primus IQ 90160, I-Stop IQ 20191, Pilot 80550	Mounting Bracket Only
2178		P3 90195, Voyager 9030, POD 80500	Mounting Bracket Kit

Replacement Wiring Harness

Bulk	Clam	Application	Description
	7894	P3 90195, P2 90885, Primus IQ 90160, I-Stop IQ 20191, 5520 Activator III, 83520 Brakeman Ultra	30" Pigtail Harness Kit
	20127	P3 90195, P2 90885, Primus IQ 90160, I-Stop IQ 20191, 5520 Activator III, 83520 Brakeman Ultra	12" Pigtail Harness
	20127-012	P3 90195, P2 90885, Primus IQ 90160, I-Stop IQ 20191, 5520 Activator III, 83520 Brakeman Ultra (12 pack)	12" Pigtail Harness



PULSE PREVENTER

Immunizes against the effects of 4-Way flashers on some brake controls.

Part No.	Description	Packaging
20501	Pulse Preventer	Clam



118607

BRAKE MATE™ KIT

Includes all necessary parts required to completely install all brake controls. No other parts are necessary.

Each Brake Mate™ Kit includes:

- Pre-wired 7-Way round connector
- Heavy duty flasher
- Heavy duty breakers (2 pcs.)
- Self tapping screws (8 pcs.)
- Integrated 4-Flat trailer end
- Tie straps (6 pcs.)
- Scotch locks (5 pcs.)
- For simple mounting, choose 7-Way Mounting Box Part Numbers 118156, 118157
- Ring connectors (7 pcs.) or 118159 (sold separately)

Part No.	Description	Packaging
118607	7-Way Brake Mate™ Kit – Flat Pin	Clam



20505, 20506

BRAKE MATE™ KIT

Part No.	Description	Packaging
20505	Wiring Kit for 1 - 2 Axles Brake Control Systems, Includes 25' 12-2 Duplex Wire, 20 Amp Circuit Breaker and Attaching Terminals	Clam
20506	Wiring Kit for 3 – 4 Axles Brake Control Systems, Includes 25' 10-2 Duplex Wire, 30 Amp Circuit Breaker and Attaching Terminals	Clam

† = Available while supply lasts.



BRAKE CONTROL WIRING HARNESSES

All vehicle specific brake control wiring harnesses are available in 1-Plug or 2-Plug styles.

1-Plug units are designed for brake controls manufactured with electrical wiring mounted on the back of the unit, otherwise known as a pigtail. Wiring harnesses must be spliced into the existing pigtail to allow the vehicle specific plug to be installed.

2-Plug units are designed for brake controls that have a wiring port built into the back of the unit. Simply plug the brake control end of the wiring harness into the back of the brake control and the vehicle end into the automobile's port. Brake controls that utilize the 2-plug style of wiring harness will be identified with the Plug & Play logo.



3014**
3014-P
3014-S
20276†



3015**
3015-P
3015-S*
20264*†
22284†



3016**
3016-P
3016-S
20275†
22295†



3017**
3017-P
3017-S



3020**
3020-P
20261*†
22281†



3021**
3021-P
3021-S
20273*†
22293†



3023**
3023-P
3023-S
30234-P
30235
30235-P
20277†



3025**
3025-P
3025-S
20263*†
22283†



3026**
3026-P
3026-S
20269*†
22289†



3032**
3032-P
20271†
22291†



3034**
3034-P
3034-S
20270†
22290†



3035**
3035-P
3035-S*
20260*†
22280†



3036**
3036-P
3036-S
20272*†
22292†



3040**
3040-P
3040-S
20265†
22285†



3045**
3045-P
3045-S
20274†
22294†



3050**
3050-P
3050-S
20266†
22286†



3065**
3065-P
3065-S
20267*†
22287†



3070**
3070-P
3070-S
20268†
22288†

* Clam and also available in bulk 12-pack. (Ex: 3015-S-012) ** Bulk 20-pack. † = Available while supplies last.

BP1 - Under or behind dash, to the left or right of the emergency brake pedal.

BP2 - Under or behind dash to the left of the steering column and brake pedal.

BP3 - Under or behind dash to the right of the steering column and brake pedal.

BP4 - Kick panel area, on the Driver's side.

BP5 - Under or behind dash, behind the center console.

BP6 - Under or behind dash on the passenger side, near glovebox.

BP7 - Centered behind dash between the steering column and the radio.

BP8 - Under or behind dash to the right of the steering column and brake pedal. Also includes 7-Way adapter kit located at the rear center behind the bumper. This unit complies with all applicable California Regulations.

BP9 - Includes 7-Way adapter kit located at the rear center behind the bumper. This unit complies with all applicable California Regulations.

VEHICLE SPECIFIC BRAKE CONTROL WIRING HARNESS POSITION



† = Available while supply lasts.

BRAKE CONTROL WIRING HARNESSES APPLICATION GUIDE



Model	Year	PDS	1-PLUG CLAM Part No.	1-PLUG CLAM Part No.	2-PLUG CLAM Part No.	2-PLUG CLAM Part No.	2-PLUG BULK Part No.
BUMK							
Enclave w/Factory 7-Way	08-15	BP1	20269†	3026-S	22289†	3026-P	3026
CADILLAC							
Escalade	02	BP1	20263†	3025-S	22283†	3025-P	3025
Escalade	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Escalade ESV	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Escalade EXT	02	BP1	20263†	3025-S	22283†	3025-P	3025
Escalade EXT	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
CHEVROLET							
Avalanche 1500	02	BP1	20263†	3025-S	22283†	3025-P	3025
Avalanche 1500	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Avalanche 2500	02	BP1	20263†	3025-S	22283†	3025-P	3025
Avalanche 2500	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 1500 HD	01-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Silverado 1500 HD	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 1500 HD (Classic)	07	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 1500 LD	99-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Silverado 1500 LD	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 1500 LD (Classic)	07	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 1500 LD 5.8 ft. Bed, 2 & 4 WD	14-15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Silverado 1500 LD 6.6 ft. Bed, 2 & 4 WD	14-15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Silverado 1500 LD 8 ft. Bed, 2 & 4 WD	14-15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Silverado 2500 HD	01-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Silverado 2500 HD	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 2500 HD (Classic)	07	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 2500 HD 6.6 ft. Bed, 2 & 4 WD	15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Silverado 2500 HD 8 ft. Bed, 2 & 4 WD	15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Silverado 2500 LD	99-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Silverado 2500 LD	03-04	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 3500 HD 6.6 ft. Bed, 2 & 4 WD	15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Silverado 3500 HD 8 ft. Bed, 2 & 4 WD	15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Silverado 3500 Series	01-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Silverado 3500 Series	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Silverado 3500 Series (Classic)	07	BP1	20264†	3015-S	22284†	3015-P	3015
Suburban 1500	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Suburban 1500, w/Amber Turn Signals	00-02	BP1	20263†	3025-S	22283†	3025-P	3025
Suburban 2500	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Suburban 2500, w/Amber Turn Signals	00-02	BP1	20263†	3025-S	22283†	3025-P	3025
Tahoe	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Tahoe w/Amber Turn Signals	00-02	BP1	20263†	3025-S	22283†	3025-P	3025
Traverse w/Factory 7-Way	09-15	BP1	20269†	3026-S	22289†	3026-P	3026
CHRYSLER							
Aspen w/Factory Tow Package	07-09	BP2	20261†	3020-S	22281†	3020-P	3020
DODGE							
Durango w/Factory Tow Package	98-09	BP2	20261†	3020-S	22281†	3020-P	3020
Durango w/Factory Tow Package	11-14	BP2	20274†	3045-S	22294†	3045-P	3045
Pickup, Dakota w/Factory Tow Package (See RAM for 2011 Models)	97-10	BP2	20261†	3020-S	22281†	3020-P	3020
Pickup, Ram, Full Size 1500 Only, All Models	95-09	BP2	20261†	3020-S	22281†	3020-P	3020
Pickup, Ram, Full Size 1500 Only, All Models (See RAM for 2011 & Newer Models)	10	BP1	20273†	3021-S	22293†	3021-P	3021
Pickup, Ram, Full Size 2500 HD Only, All Models (See RAM for 2011 & Newer Models)	10	BP1	20273†	3021-S	22293†	3021-P	3021
Pickup, Ram, Full Size 2500 Only, All Models	95-09	BP2	20261†	3020-S	22281†	3020-P	3020
Pickup, Ram, Full Size 3500 HD Only, All Models (See RAM for 2011 & Newer Models)	10	BP1	20273†	3021-S	22293†	3021-P	3021
Pickup, Ram, Full Size 3500 Only, All Models	95-09	BP2	20261†	3020-S	22281†	3020-P	3020

† = Available while supply lasts.

BRAKE CONTROL WIRING HARNESSES APPLICATION GUIDE



1-PLUG CLAM 1-PLUG CLAM 2-PLUG CLAM 2-PLUG CLAM 2-PLUG BULK

Model	Year	PDS	Part No.	Part No.	Part No.	Part No.	Part No.
FORD							
Bronco Full Size	94-96	BP3	20260†	3035-S	22280†	3035-P	3035
E-150 Econoline Van Full Size, All Models	92-08	BP3	20260†	3035-S	22280†	3035-P	3035
E-150 Econoline Van Full Size, All Models	09-14	BP7	20270†	3034-S	22290†	3034-P	3034
E-250 Econoline Van Full Size, All Models	92-08	BP3	20260†	3035-S	22280†	3035-P	3035
E-250 Econoline Van Full Size, All Models	09-14	BP7	20270†	3034-S	22290†	3034-P	3034
E-350 Econoline Van Full Size, All Models	92-08	BP3	20260†	3035-S	22280†	3035-P	3035
E-350 Econoline Van Full Size, All Models	09-14	BP7	20270†	3034-S	22290†	3034-P	3034
E-350 Econoline Van RV Cutaway w/Factory Tow Prep Plug	92-08	BP3	20260†	3035-S	22280†	3035-P	3035
E-350 Econoline Van RV Cutaway w/Factory Tow Prep Plug	09-11	BP7	20270†	3034-S	22290†	3034-P	3034
E-450 Econoline Van RV Cutaway w/Factory Tow Prep Plug	92-08	BP3	20260†	3035-S	22280†	3035-P	3035
E-450 Econoline Van RV Cutaway w/Factory Tow Prep Plug	09-11	BP7	20270†	3034-S	22290†	3034-P	3034
Excursion	00-05	BP3	20260†	3035-S	22280†	3035-P	3035
Expedition	97-12	BP3	20260†	3035-S	22280†	3035-P	3035
Expedition	13-15	BP5	20270†	3034-S	22290†	3034-P	3034
Explorer w/Factory Tow Package	02-05	BP6	20260†	3035-S	22280†	3035-P	3035
Explorer w/Factory Tow Package	06-10	BP2	20260†	3035-S	22280†	3035-P	3035
Explorer w/Factory Tow Package	11-15	BP2	20260†	3035-S	22280†	3035-P	3035
Explorer Sport Trac w/Factory Tow Package	07-10	BP2	20260†	3035-S	22280†	3035-P	3035
F-150	94-96	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 Flareside	04-08	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 Flareside	09-15	BP3	20272†	3036-S	22292†	3036-P	3036
F-150 Styleside	04-08	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 Styleside	09-15	BP3	20272†	3036-S	22292†	3036-P	3036
F-150 Light Duty Flareside	97-03	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 Light Duty Styleside	97-03	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 Light Duty Heritage Flareside	04	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 Light Duty Heritage Styleside	04	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 SuperCrew	00-03	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 SuperCrew	04-08	BP3	20260†	3035-S	22280†	3035-P	3035
F-150 SuperCrew w/5.5 & 6.5 ft. Beds	09-15	BP3	20272†	3036-S	22292†	3036-P	3036
F-250	94-96	BP3	20260†	3035-S	22280†	3035-P	3035
F-250 Heavy Duty	97	BP3	20260†	3035-S	22280†	3035-P	3035
F-250 Light Duty Styleside	97-99	BP3	20260†	3035-S	22280†	3035-P	3035
F-250 Super Duty	99-04	BP3	20260†	3035-S	22280†	3035-P	3035
F-250 Super Duty	05-07	BP5	20267†	3065-S	22287†	3065-P	3065
F-250 Super Duty	08-15	BP3	20270†	3034-S	22290†	3034-P	3034
F-350	94-96	BP3	20260†	3035-S	22280†	3035-P	3035
F-350 Heavy Duty	97	BP3	20260†	3035-S	22280†	3035-P	3035
F-350 Super Duty	99-04	BP3	20260†	3035-S	22280†	3035-P	3035
F-350 Super Duty	05-07	BP5	20267†	3065-S	22287†	3065-P	3065
F-350 Super Duty	08-15	BP3	20270†	3034-S	22290†	3034-P	3034
F-350 Super Duty Cab & Chassis	05-07	BP5	20267†	3065-S	22287†	3065-P	3065
F-350 Super Duty Cab & Chassis	08-15	BP3	20270†	3034-S	22290†	3034-P	3034
F-450 Super Duty	08-14	BP3	20270†	3034-S	22290†	3034-P	3034
F-450 Super Duty Cab & Chassis	99-04	BP3	20260†	3035-S	22280†	3035-P	3035
F-450 Super Duty Cab & Chassis	05-07	BP5	20267†	3065-S	22287†	3065-P	3065
F-450 Super Duty Cab & Chassis	08-15	BP3	20270†	3034-S	22290†	3034-P	3034
F-550 Super Duty Cab & Chassis	99-04	BP3	20260†	3035-S	22280†	3035-P	3035
F-550 Super Duty Cab & Chassis	05-07	BP5	20267†	3065-S	22287†	3065-P	3065
F-550 Super Duty Cab & Chassis	08-15	BP3	20270†	3034-S	22290†	3034-P	3034
Flex w/Factory Tow Package	09-11	BP2	20260†	3035-S	22280†	3035-P	3035
Flex w/Factory Tow Package	12-13	BP3	20272†	3036-S	22292†	3036-P	3036
Flex w/Factory Tow Package	14-15	BP5	20270†	3034-S	22290†	3034-P	3034
Windstar w/Factory Tow Package	95-03	BP3	20260†	3035-S	22280†	3035-P	3035

† = Available while supply lasts.

BRAKE CONTROL WIRING HARNESSES APPLICATION GUIDE



Model	Year	PMS	1-PLUG CLAMP Part No.	1-PLUG CLAMP Part No.	2-PLUG CLAMP Part No.	2-PLUG CLAMP Part No.	2-PLUG BULK Part No.
GM							
Acadia w/Factory 7-Way	07-15	BP1	20269†	3026-S	22289†	3026-P	3026
Pickup, Sierra 1500 HD	01-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Sierra 1500 HD	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Sierra 1500 HD (Classic)	07	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Sierra 1500 LD	99-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Sierra 1500 LD	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Sierra 1500 LD (Classic)	07	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Sierra 1500 LD 5.8 ft. Bed, 2 & 4 WD	14-15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Sierra 1500 LD 6.6 ft. Bed, 2 & 4 WD	14-15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Sierra 1500 LD 8 ft. Bed, 2 & 4 WD	14-15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Sierra 2500 HD	01-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Sierra 2500 HD	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Sierra 2500 HD (Classic)	07	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Sierra 2500 HD 6.6 ft. Bed, 2 & 4 WD	15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Sierra 2500 HD 8 ft. Bed, 2 & 4 WD	15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Sierra 2500 LD	99-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Sierra 2500 LD	03-04	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Sierra 3500 HD 6.6 ft. Bed, 2 & 4 WD	15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Sierra 3500 HD 8 ft. Bed, 2 & 4 WD	15	BP2	20275†	3016-S	22295†	3016-P	3016
Pickup, Sierra 3500 Series	01-02	BP1	20263†	3025-S	22283†	3025-P	3025
Pickup, Sierra 3500 Series	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Pickup, Sierra 3500 Series (Classic)	07	BP1	20264†	3015-S	22284†	3015-P	3015
Yukon	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Yukon w/Amber Turn Signals	00-02	BP1	20263†	3025-S	22283†	3025-P	3025
Yukon Denali	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Yukon Denali w/Amber Turn Signals	01-02	BP1	20263†	3025-S	22283†	3025-P	3025
Yukon XL 1500	00-02	BP1	20263†	3025-S	22283†	3025-P	3025
Yukon XL 1500	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Yukon XL 2500	00-02	BP1	20263†	3025-S	22283†	3025-P	3025
Yukon XL 2500	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
Yukon XL Denali	01-02	BP1	20263†	3025-S	22283†	3025-P	3025
Yukon XL Denali	03-06	BP1	20264†	3015-S	22284†	3015-P	3015
HONDA							
Pilot w/Factory Tow Package	09-15	BP1	20268†	3070-S	22288†	3070-P	3070
Ridgeline w/Factory Tow Package	06-14	BP1	20268†	3070-S	22288†	3070-P	3070
HUMMER							
H2	03-07	BP1	20264†	3015-S	22284†	3015-P	3015
H2 SUT	05-07	BP1	20264†	3015-S	22284†	3015-P	3015
INFINITI							
QX56	04-13	BP1	20266†	3050-S	22286†	3050-P	3050
JEEP							
Cherokee	14-15	BP1	20276†	3014-S		3014-P	3014
Grand Cherokee w/Factory Tow Package	11-13	BP2	20274†	3045-S	22294†	3045-P	3045
Grand Cherokee w/Factory Tow Package	14-15	BP2	20274†	3045-S	22294†	3045-P	3045
KIA							
Borrego	09-11	BP4	20271†		22291†	3032-P	3032
LAND ROVER							
LR3	05-09	BP3	20260†	3035-S	22280†	3035-P	3035
LR4	10-15	BP3	20260†	3035-S	22280†	3035-P	3035
Range Rover Inc. Sport	05-15	BP3	20260†	3035-S	22280†	3035-P	3035
Range Rover Evoque	12-15	BP2	20260†	3035-S	22280†	3035-P	3035

† = Available while supply lasts.



Model	Year	PDS	1-PLUG CLAM	1-PLUG CLAM	2-PLUG CLAM	2-PLUG CLAM	2-PLUG BULK
LEXUS							
GX 460	10-15	BP4	20265†	3040-S	22285†	3040-P	3040
GX 470	03-09	BP3	20265†	3040-S	22285†	3040-P	3040
LX 470	03-07	BP3	20265†	3040-S	22285†	3040-P	3040
LX 570	08-11	BP3	20265†	3040-S	22285†	3040-P	3040
LX 570	13-15	BP4	20265†	3040-S	22285†	3040-P	3040
LINCOLN							
Aviator w/Factory Tow Package	03-05	BP6	20260†	3035-S	22280†	3035-P	3035
Mark LT	06-08	BP3	20260†	3035-S	22280†	3035-P	3035
MKT w/Factory Tow Package	10-11	BP1	20260†	3035-S	22280†	3035-P	3035
MKT w/Factory Tow Package	12-15	BP1	20272†	3036-S	22292†	3036-P	3036
Navigator	98-12	BP3	20260†	3035-S	22280†	3035-P	3035
Navigator	13-15	BP3	20270†	3034-S	22290†	3034-P	3034
MERCUY							
Mountaineer w/Factory Tow Package	02-05	BP6	20260†	3035-S	22280†	3035-P	3035
Mountaineer w/Factory Tow Package	06-10	BP2	20260†	3035-S	22280†	3035-P	3035
NISSAN							
Armada (See Pathfinder Armada for 2004 Model Year)	05-15	BP1	20266†	3050-S	22286†	3050-P	3050
Frontier Pickup	05-15	BP3	20266†	3050-S	22286†	3050-P	3050
Pathfinder	05-15	BP3	20266†	3050-S	22286†	3050-P	3050
Pathfinder Armada LE (See Armada for 2005 & Newer Models)	04	BP1	20266†	3050-S	22286†	3050-P	3050
Pathfinder Armada SE (See Armada for 2005 & Newer Models)	04	BP1	20266†	3050-S	22286†	3050-P	3050
Titan Pickup	04-15	BP1	20266†	3050-S	22286†	3050-P	3050
Xterra w/Factory Tow Package	05-15	BP3	20266†	3050-S	22286†	3050-P	3050
RAM							
Pickup, 1500 All Models	11-12	BP1	20273†	3021-S	22293†	3021-P	3021
Pickup, 1500 All Models	13-14	BP8 BP3 BP9	20277†	3023-S		30234-P 3023-P 30235-P	3023 30235
Pickup, 2500 HD All Models	11-12	BP1	20273†	3021-S	22293†	3021-P	3021
Pickup, 2500 HD All Models	13-14	BP9 BP8 BP3	20277†	3023-S		30235-P 30234-P 3023-P	30235 3023
Pickup, 3500 HD All Models	11-12	BP1	20273†	3021-S	22293†	3021-P	3021
Pickup, 3500 HD All Models	13-14	BP3 BP8 BP9	20277†	3023-S		3023-P 30234-P 30235-P	3023 30235
Pickup, Dakota w/Factory Tow Package	11	BP2	20261†	3020-S	22281†	3020-P	3020
SATURN							
Outlook w/Factory 7-Way	07-09	BP1	20269†	3026-S	22289†	3026-P	3026
TOYOTA							
4Runner	03-15	BP4	20265†	3040-S	22285†	3040-P	3040
LandCruiser	03-11	BP3	20265†	3040-S	22285†	3040-P	3040
LandCruiser	13-15	BP3	20265†	3040-S	22285†	3040-P	3040
Sequoia	03-15	BP4	20265†	3040-S	22285†	3040-P	3040
Tacoma Pickup	07-15	BP4	20265†	3040-S	22285†	3040-P	3040
Tundra	03-14	BP4	20265†	3040-S	22285†	3040-P	3040
Tundra	15	BP7		3017-S		3017-P	3017

† = Available while supply lasts.

NOTES

[illegible]

† = Available while supply lasts.

What is **ROLA**?

IT MIGHT SOUND LIKE THE KIND OF QUESTION WORTH CLIMBING TO THE TOP OF A MOUNTAIN TO ASK SOME ALL-KNOWING SHAMAN, BUT THE ANSWER IS PRETTY SIMPLE...

ROLA IS ALL ABOUT THE EXPERIENCE. YOU SEE, IT'S A SIMPLE EQUATION — LOADING YOUR GEAR ON THE OUTSIDE OF YOUR RIDE MEANS MORE BUTTS IN THE SEATS. AND THE MORE YOU CAN CARRY, THE MORE YOU CAN DO. WHICH MEANS MORE GETTING OUT, MORE FUN, MORE LAUGHS, AND MORE MEMORIES.

DO MORE STUFF!



BIKE CARRIERS AND ACCESSORIES

THE WHEELIE™ & THE FRAME-UP™
THE NV2™
THE TX™
THE Q-SLOT™
THE SPORTWING™
TRANSLITE™
ECLIPSE™
DUETTE™
AXIS™ 3
BIKE CARRIER ACCESSORIES

CARGO CARRIERS AND ACCESSORIES

THE DART™
THE ADVENTURE SYSTEM®
THE VORTEX™
THE RAMBLER™
THE PACKER™ PRO
THE FLATHEAD™
THE MULE™
THE SOLO™
THE STRONGARM™
THE AXIS™
THE VORTEX™
THE BIG SKY™
THE BULLET BOX™
CARGO CARRIER ACCESSORIES

CARGO BAGS

WALLAROO™
AMIGO™
THE TUFFBAK™
PLATYPUS®
TURTLE™
GUARDIAN™
M.O.V.E.™ ORGANIZERS

TRUCK RACK SYSTEMS

HAUL-YOUR-MIGHT™ TRUCK RACK
HAUL-YOUR MIGHT™ VAN RACK
CONDUIT & TOP RAIL KITS
LOAD STOPS & TIE-DOWN & EYEBOLT KITS
TOOL RACK & TRIMMER RACK
J-RAC KAYAK CARRIER
HULL-HAULER™ KAYAK CARRIER
HULL-HUGGER™ GARAGE STORAGE UNIT

CROSSBARS

UNIVERSAL ROOF RACKS
CUSTOM ROOF RACKS
TRACK-MOUNT CROSSBAR SYSTEM
CROSSBAR DIRECT-MOUNT KITS

SECURING

AUTOMOTIVE RATCHET TIE DOWN
BUNGEE CORDS
TOW ROPES & STRAPS & TIE DOWNS
MARINE CAMBUCKLE & RATCHET TIE DOWNS
RATCHET TIE DOWNS
TAILGATE & TRUCK NETS
CARGO BARS & PET BARRIER

REPLACEMENT PARTS

ACCESSORIES & REPLACEMENT PARTS & SERVICE KITS

HITCHMATCH™ CARGO ACCESSORY MATCHING GUIDE

HITCH AND CARGO ACCESSORY MATCHING GUIDE

ROOF RACK APPLICATIONS

ROOF RACK APPLICATION GUIDE



Check out rolaproducts.com for latest products and info!

† = Available while supply lasts.

The Wheelie™

Wheel-Hold Bike Carrier

59601 Solo (1-1/4"), 59602 Solo (2"), 59603 Plus

Wheel-Hold
Design
never touches
the frame!

Don't forget
to mention the
aluminum
construction!

- * NO CONTACT TO THE BIKE FRAME. NADA. PERFECT FOR CARBON FIBERS, DISC-BRAKE BIKES, FULL SUSPENSIONS, AND EVERYTHING IN BETWEEN—EVEN FAT TIRES.
- * SMART SWING-ARM DESIGN MAKES LOADING AND UNLOADING ANY BIKE A COMPLETE BREEZE
- * EXPERTLY-ENGINEERED DESIGN: CREATE A CUSTOMIZABLE BIKE SYSTEM FROM 1-PLACE TO 4-PLACE BY ADDING "PLUS" UNITS TO YOUR WHEELIE SOLO
- * COMPLETELY MODULAR — MIX WHEELIES & FRAME-UPS
- * TILTS DOWN (EVEN WITH BIKES LOADED) FOR REAR OF VEHICLE ACCESS; FOLDS UP AND AWAY WHEN NOT IN USE

Add on with a "Plus" unit to create
a 2, 3, or 4-place Bike Carrier!

† = Available while supply lasts.

The Frame-Up™

Frame-Hold Bike Carrier

59604^{Solo (1-1/4")}, 59605^{Solo (2")}, 59606^{Plus}

Frame-Hold
Design
accommodates
just about
any bike!

This isn't your
grandpa's bike carrier...
unless of course your grandpa
has a bike with fenders, well then,
this just might be his bike carrier
after all!

- * ADJUSTABLE SHEPHERD'S HOOK DESIGN IS PERFECT FOR COMMUTER BIKES, BIKES WITH FENDERS — PRETTY MUCH ANYTHING WITH STRAIGHT TOP TUBES
- * SMART SWING-ARM DESIGN MAKES LOADING AND UNLOADING ANY BIKE A COMPLETE BREEZE
- * EXPERTLY-ENGINEERED DESIGN: CREATE A CUSTOMIZABLE BIKE SYSTEM FROM 1-PLACE TO 4-PLACE BY ADDING "PLUS" UNITS TO YOUR FRAME-UP SOLO
- * COMPLETELY MODULAR — MIX WHEELIES & FRAME-UPS (WHEEL HOLD & FRAME HOLD) TO CREATE WHAT YOU NEED
- * TILTS DOWN (EVEN WITH BIKES LOADED) FOR REAR OF VEHICLE ACCESS; FOLDS UP AND AWAY WHEN NOT IN USE

Mix & Match Wheelies &
Frame-Ups to make whatever
bike carrier you need!

Wheel-Hold

Frame-Hold

† = Available while supply lasts.

The Wheelie™

Wheel-Hold Bike Carrier

Alright,
here's the
deal... start
with a
"Solo" unit
(Hey, we all
gotta start
somewhere!)

*Next, add "Plus" units to



Oh, the
possibilities!



Mix It Up!



visit rolaproduct.com for all available part numbers

† = Available while supply lasts.

CEQUENT

The Frame-Up™

Frame-Hold Bike Carrier

create a 2, 3, or 4-Bike Carrier.

2
BIKE



3
BIKE



4
BIKE



Mix & Match Wheel-Hold & Frame-Hold Bike Carriers to create whatever you need!

Frame-Up "Solo" +
Wheelie "Plus" +
Frame-Up "Plus"



Wheelie "Solo" +
Frame-Up "Plus" +
Wheelie "Plus" +
Frame-Up "Plus"



*Create a 4-Bike Carrier only if you have a 2" receiver. Maximum 3-Bike for 1-1/4" receivers

† = Available while supply lasts.


The NV2™

59508



- * ADJUSTABLE DESIGN ACCOMMODATES BOTH ADULT AND CHILDREN'S BIKE SIZES
- * "GENIUSLY" ENGINEERED TO CARRY BIKES BY THE WHEELS AND NOT THE FRAME, ELIMINATING SCRATCHES
- * LIGHTWEIGHT, DURABLE ALUMINUM SUPPORT ARMS ADD PEACE OF MIND WITHOUT ADDING BULK
- * SUPPORT ARMS UTILIZE MULTIPLE PIVOT POINTS; STOWS UPRIGHT FOR TRAVEL, EXTENDS TO LOAD BIKES AND FOLDS FLAT FOR REAR OF VEHICLE ACCESS
- * PATENTED FLIP SHANK FITS 1-1/4" AND 2" RECEIVERS

*jack knife
design holds bikes
by the wheels – never
touches the frame...
like a true gentleman.*



*Foam pads
protect
your bike.*

† = Available while supply lasts.

The TX™

59400

2
BIKE

RV
APPROVED

3
BIKE

59403

4
BIKE

59401

- * STURDY, DUAL-ARM SUPPORT OFFERS EXTRA STABILITY
- * ANTI-SWAY ROLLERS REDUCE BIKE MOVEMENT DURING TRAVEL
- * TILTS DOWN (EVEN WITH BIKES LOADED) FOR REAR OF VEHICLE ACCESS;
ARMS FOLDS DOWN WHEN NOT IN USE
- * INTEGRATED, RETRACTABLE CABLE LOCK OFFERS IMPROVED BIKE SECURITY
- * PATENTED FLIP SHANK FITS 1-1/4" AND 2" RECEIVERS

Check out rolaproducts.com for latest products and info!

† = Available while supply lasts.

The Q-Slot™

63134


PRO
SERIES

**[2 or 4
BIKE]**



Versatility, Baby!

The 2-Bike version fits
1-1/4" or 2" receivers.
The 4-Bike fits 2"
receivers or you can use
it as a 2-Bike with
either a 1-1/4" or 2"!



*Rise shank -
extra ground
clearance for
low riding cars*

4-Place Version
63138



- * ADJUSTABLE DESIGN ACCOMMODATES BOTH ADULT AND CHILDREN'S BIKE SIZES
- * PADDED CONTACT POINTS SECURE BIKES SAFELY WITHOUT DAMAGE TO THE FRAME
- * VERTICAL STABILIZER BAR FOLDS FOR EASY STORAGE; TILTS FORWARD, ALLOWING REAR BIKE ACCESS
- * DURABLE POWDER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES AND RUST
- * VERSATILE DESIGN FITS BOTH 1-1/4" AND 2" RECEIVERS

† = Available while supply lasts.

The SportWing[®]


PRO[™]
SERIES

5801200

**[2 or 4
BIKE]**



- * ENGINEERED TO CARRY BIKES BY THE WHEELS AND NOT THE FRAME, ELIMINATING SCRATCHES
- * ADJUSTABLE DESIGN ACCOMMODATES BOTH ADULT AND CHILDREN'S BIKE SIZES
- * LIGHTWEIGHT, DURABLE ALUMINUM SUPPORT ARMS ADD PEACE OF MIND WITHOUT ADDING BULK: QUICK-RELEASE CRADLE AND WHEEL STRAPS REDUCE SWAY DURING TRAVEL
- * TOUGH-AS-NAILS, POWDER COATED STEEL SHANK AND ADAPTER



4-Place Version
1370400

† = Available while supply lasts.

Translite™

63144

PRO
SERIES



*Remove arms for
easy storage. Brilliant!*



*Swing arm design
folds down for
trunk/hatch access.*



- * NARROW ARMS ACCOMMODATE MORE BIKE STYLES AND SIZES
- * SMART, SWING-ARM DESIGN TILTS FORWARD ALLOWING REAR VEHICLE ACCESS WITHOUT UNLOADING BIKES; ARMS CAN BE REMOVED FOR COMPACT STORAGE
- * INTEGRATED DUAL REAR REFLECTORS FOR NIGHTTIME VISIBILITY
- * VERSATILE DESIGN FITS BOTH 1-1/4" AND 2" RECEIVERS

† = Available while supply lasts.

Eclipse™

63120

PRO™
SERIES



[3]
BIKE
63123



[2]
BIKE



[4]
BIKE
63124

[RV]
APPROVED

- * ACCOMMODATES MOST BIKE STYLES AND SIZES
- * SMART, SWING-ARM DESIGN TILTS FORWARD ALLOWING REAR VEHICLE ACCESS WITHOUT UNLOADING BIKES
- * PADDED CRADLES SECURE BIKES WITHOUT DAMAGE TO THE FRAME
- * SMART HOOK AND LOOP STRAP DESIGN OFFERS SUPERIOR SUPPORT AND PROMOTES QUICK AND EASY LOADING & UNLOADING
- * INTEGRATED REAR REFLECTOR FOR NIGHTTIME VISIBILITY
- * FITS 1-1/4" RECEIVERS (4-BIKE MODEL FITS 2" RECEIVERS)



† = Available while supply lasts.

Duette™

63139

PRO
SERIES

- * ADJUSTABLE HEIGHT & FIT SETTINGS ENSURE A PROPER AND SECURE FIT TO MOST MODELS — EVEN SPOILER CARS, SUVs, AND CROSSOVERS
- * PADDED ARMS AND CUSHIONED CRADLES PROTECT BOTH YOUR VEHICLE AND BIKES FROM SCRATCHES AND ABRASIONS
- * EXPERTLY ENGINEERING COMPRESSION KNOBS ELIMINATE SHIFTING DURING TRANSPORT
- * INTEGRATED REAR REFLECTOR FOR NIGHTTIME VISIBILITY



Axis™ 3

1370600

PRO
SERIES

- * ADJUSTABLE HEIGHT & FIT SETTINGS ENSURE A PROPER AND SECURE FIT TO MOST MODELS — EVEN SPOILER CARS, SUVs, AND CROSSOVERS
- * AXIS DESIGN HELPS ELIMINATE THE LOAD FROM THE VEHICLE'S TRUNK AND HATCH
- * SLIDING CRADLES FOR NEAR-EFFORTLESS LOADING AND UNLOADING
- * PADDED ARMS AND CUSHIONED CRADLES PROTECT BOTH YOUR VEHICLE AND BIKES FROM SCRATCHES AND ABRASIONS
- * INTEGRATED REAR REFLECTOR FOR NIGHTTIME VISIBILITY



† = Available while supply lasts.

By the way, we
know a thing
or two about
hitches!

Bike Accessories



Dart™ Clip
Fork Mounted
Bike Clip
59904

Works like a charm with
your Dart, Vortex, or
Rambler Hitch Basket

Fits all ROLA lockable
accessories.
Includes locking and
service keys!




Gotcha™
Core Locks

Set of 2: 59920-002
Set of 4: 59920-004
Set of 6: 59920-006
Set of 8: 59920-008



**Aluminum Shank
Adapter: 59916**

Installs to your seat
post and stem to make
any bike transportable!



Betty Bar™
Bike Adapter
6145



Fat Strap™
Wheelie & Frame-Up*
Fat Tire Strap Kit: 59927
*Frame-Up requires two 59927s



**Wheel Stabilizing
Strap: 59928**



PinHead™
Hitch Pin: 59515

† = Available while supply lasts.

THIS GUY IS PROOF THAT NOT EVERYTHING THAT WORKS LIKE A HORSE HAS TO LOOK LIKE A DOG. THE DART COMBINES PREMIUM STYLING WITH SERIOUS WEIGHT CAPACITY SO YOU CAN TAKE IT ALL WITH YOU, AND LOOK LIKE A PRO DOIN' IT.

The Dart™


59550



- * ROBUST 450 LBS. CAPACITY 54" X 23" X 5-1/4" PLATFORM: IDEAL FOR BIKES, GEAR, OR ANYTHING ELSE THAT CAN BE LOADED UP AND STRAPPED DOWN
- * SIGNATURE SKID AND SIDE PLATES ARE CONSTRUCTED OF RUGGED, HIGH-IMPACT ABS AND INCLUDE BUILT-IN LICENSE PLATE RELOCATION HOLES
- * RISE SHANK DESIGN ELEVATES CARGO FOR IMPROVED GROUND CLEARANCE



Instantly turn your Dart into a bike carrier with the Dart Bike Clip (see the Bike Accessories Page).



Basket flips up when not in use!

† = Available while supply lasts.

The Adventure System[®]

59108



*Fits 1-1/4" Receivers



59110
*Fits 2" Receivers

**Tilt
Version**



59109
*Fits 2" Receivers

**Swing-Away
Version**

- * SHOULDERS A ROBUST 250 LBS. LOAD CAPACITY (150 LBS. CAPACITY FOR 1-1/4" STATIONARY MODEL)
- * REMOVABLE CARGO POD FITS PERFECTLY INTO THE HITCH-MOUNTED CARRIER AND MEASURES 54" X 30" X 22.5"; INSTANTLY ADDS OVER 13 CUBIC FEET OF ADDED CARGO SPACE
- * CARRIER CAN BE USED WITHOUT THE CARGO POD; IDEAL FOR COOLERS, BAGS, GEAR, OR ANYTHING ELSE THAT CAN BE LOADED UP AND STRAPPED DOWN
- * TILT MODEL FOLDS UPRIGHT FOR EASY PARKING AND MANEUVERING WHEN NOT IN USE
- * SWING-ARM MODEL ALLOWS REAR OF VEHICLE ACCESS WITHOUT REMOVING THE CARRIER
- * KEYED LOCKS AND WEATHER RESISTANT CONSTRUCTION TO ENSURE GEAR ARRIVES DRY AND STAYS PUT DURING TRAVEL
- * CONVENIENT, FULLY-FUNCTIONING TAILLIGHTS BUILT IN TO THE CARRIER; WORK WITH OR WITHOUT CARGO POD IN PLACE

† = Available while supply lasts.

The Vortex™

59502 - 2" Receiver (600 lbs. Cap.)

59507 - 1-1/4" Receiver (300 lbs. Cap.)



*Serious toughness!
This thing is like a
combination of dirt
and grunting...whatever
that would be!*



*Instantly turn your vortex into a bike carrier with
the Dart Bike Clip (see the Bike Accessories page).*

- * ROBUST 600 LBS. CAPACITY (300 LBS. ON 1-1/4" RECEIVER MODEL) ON 56" X 23" PLATFORM: IDEAL FOR BIKES, GEAR, OR ANYTHING ELSE THAT CAN BE LOADED UP AND STRAPPED DOWN
- * 5-1/4" SIDERAILS KEEP YOUR GEAR IN PLACE UNTIL YOU SAY SO
- * RISE SHANK DESIGN ELEVATES CARGO FOR IMPROVED GROUND CLEARANCE
- * CONVENIENT ATTACHMENT POINTS FOR RELOCATING VEHICLE LICENSE PLATE
- * TOUGH-AS-NAILS ROUGH-COAT FINISH HOLDS UP TO SCRATCHES AND THE ELEMENTS, GIVING YOU A DEPENDABLE TRAVEL COMPANION FOR YEARS TO COME

† = Available while supply lasts.

The Rambler™

PRO™
SERIES

63152 - 1 pc. 2" Receiver (500 lbs. Cap.)

63153 - 2 pc. 2" Receiver (500 lbs. Cap.)

63154 - 1 pc. 1-1/4" Receiver (300 lbs. Cap.)

63155 - 2 pc. 1-1/4" Receiver (300 lbs. Cap.)

Keep your Options Open!
4 Choices Available...
Both the 1-1/4" and 2"
receiver models are
available as a 1-pc or
2-pc Construction!



Instantly turn your Rambler into a bike carrier with the Dart Bike Clip (see the Bike Accessories page).

- * SERIOUS 500 LBS. CAPACITY ON 60" X 24" PLATFORM: IDEAL FOR BIKES, GEAR, OR ANYTHING ELSE THAT CAN BE LOADED UP AND STRAPPED DOWN
- * 5.5" SIDE RAILS KEEP CARGO SECURE AND IN PLACE
- * SMART, RUGGED MESH FLOORS MAKE CLEAN-UP QUICK AND EASY
- * RISE SHANK DESIGN ELEVATES CARGO FOR IMPROVED GROUND CLEARANCE
- * DURABLE POWER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST
- * 1-1/4" AND 2" RECEIVER MODELS AVAILABLE

Check out rolaproducts.com for latest products and info!


† = Available while supply lasts.

The Packer Pro™

PRO™
SERIES

59530

A new take on our original Packer hitch basket, the PackerPro has been re-engineered for improved performance for years to come!



- * ROBUST 500 LBS. CAPACITY ON A 60" X 20" PLATFORM: IDEAL FOR CAMPING, TAILGATING, WEEKEND GETAWAYS, OR WHATEVER LIFE THROWS AT YOU
- * 3" SIDERAILS KEEP YOUR COOLERS, BAGS, AND OTHER CARGO SECURE AND IN PLACE: INCLUDES HOLES FOR ATTACHING BUNGEE CORDS OR CARGO NETS
- * SMART, RUGGED MESH FLOORS MAKE CLEAN-UP QUICK AND EASY
- * DURABLE POWDER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST

The FlatHead™

59500



- * CONSTRUCTED OF FEATHER-LIGHT, DURABLE POLYPROPYLENE AND WEIGHING A MERE 35 LBS., IT'S ONE OF THE LIGHTEST FULL-SIZE CARRIERS ON THE MARKET
- * ROBUST 400 LBS. CAPACITY ON A 53" X 19" PLATFORM: IDEAL FOR COOLERS, BAGS, OR WHATEVER ELSE THAT CAN BE LOADED UP AND STRAPPED DOWN
- * SWING-ARM MODEL ALLOWS THE CARRIER TO BE FOLDED UPRIGHT FOR EASY PARKING AND MANEUVERING WHEN NOT IN USE
- * RISE SHANK DESIGN ELEVATES CARGO FOR IMPROVED GROUND CLEARANCE
- * CONVENIENT 2-PIECE CONSTRUCTION BOLTS TOGETHER IN MINUTES
- * FITS 2" RECEIVERS

† = Available while supply lasts.

- * A 300 LBS. CAPACITY ON A 48" X 32" PLATFORM; DESIGNED TO ACCOMMODATE HEAVY WHEELED PRODUCTS, INCLUDING MOBILITY SCOOTERS, LAWN & SNOW EQUIPMENT, AND MORE
- * 7" SIDE RAILS KEEP YOUR CARGO SECURE AND IN PLACE UNTIL YOU SAY SO
- * DURABLE POWDER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST
- * QUICK & EASY ASSEMBLY; COMES READY-TO-ASSEMBLE

The MuleTM


Ready-to-Assemble Hitch Basket

PROTM
SERIES

5801600 Basket & Ramp Combo

5800200 Basket only

5800300 Ramp only




Ramp Swings Up!

Available with the ramp included or purchase the ramp separately if you only need the basket!

The SoloTM

PROTM
SERIES

1040100



Optional bi-fold ramp makes loading and unloading wheeled cargo a breeze!

1040200


- * SHOULDERS A 400 LBS. CAPACITY ON A 48" X 32" PLATFORM; IDEAL FOR COOLERS, BAGS, GENERATORS, LAWN EQUIPMENT, OR ANYTHING ELSE THAT CAN BE LOADED UP AND STRAPPED DOWN
- * 3" SIDE RAILS KEEP CARGO SECURE AND IN PLACE; INCLUDES HOLES FOR ATTACHING BUNGEE CORDS OR CARGO NETS
- * SMART, RUGGED MESH FLOORS MAKE CLEAN-UP QUICK AND EASY
- * DURABLE POWDER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST
- * ADDITIONAL ACCESSORIES AVAILABLE - VISIT US ONLINE FOR MORE DETAILS
- * FITS 2" SQUARE RECEIVERS

† = Available while supply lasts.

The StrongArm™

6502

PRO™
SERIES



- * ROBUST 500 LBS. CAPACITY ON A 48" X 20" PLATFORM: IDEAL FOR COOLERS, BAGS, OR ANYTHING ELSE THAT CAN BE LOADED UP AND STRAPPED DOWN
- * STRONG, SWING-ARM DESIGN ALLOWS THE CARRIER TO BE FOLDED UPRIGHT FOR EASY PARKING AND MANEUVERING WHEN NOT IN USE
- * 3" SIDE RAILS KEEP CARGO SECURE AND IN PLACE
- * TOUGH-AS-NAILS POWDER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST
- * FITS 2" RECEIVERS

The Axis™

TM

PRO™
SERIES

6500 - 1-1/4" Receiver (300 lbs. Cap.)

6501 - 2" Receiver (500 lbs. Cap.)

6955 - Optional Rail Kit



Optional Rail
Kit Available!
P/N: 6955



- * ROBUST 500 LBS. CAPACITY ON A 48" X 20" PLATFORM (60" X 20" FOR 2" RECEIVER MODEL): IDEAL FOR COOLERS, BAGS, OR ANYTHING ELSE THAT CAN BE LOADED UP AND STRAPPED DOWN
- * SMART "AXIS" DESIGN: ADJUSTABLE FORE AND AFT SHANK TO PROVIDE THE BEST VEHICLE FIT
- * 3" SIDE RAILS KEEP CARGO SECURE AND IN PLACE; INCLUDE HOLES FOR ATTACHING BUNGEE CORDS OR CARGO NETS
- * SMART, RUGGED MESH FLOORS MAKE CLEAN-UP QUICK AND EASY
- * RISE SHANK DESIGN ELEVATES CARGO FOR MAXIMUM GROUND CLEARANCE
- * TOUGH-AS-NAILS POWDER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST
- * 1-1/4" AND 2" RECEIVER MODELS AVAILABLE


† = Available while supply lasts.

The Vortex™

59504




- * MEASURES 48" X 37-1/2" X 5" (INSIDE DIMENSIONS)
- * RUGGED 2-PIECE CONSTRUCTION: ASSEMBLES IN MINUTES
- * CUSTOM-FIT FAIRING TO IMPROVE AERODYNAMICS AND REDUCE WIND NOISE
- * UNIVERSAL MOUNTING HARDWARE ACCOMMODATES ROUND, SQUARE, AND FACTORY ROOF RACKS
- * TOUGH-AS-NAILS POWDER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST
- * WEIGHS ONLY 38 LBS. (INCLUDING MOUNTING HARDWARE)



59505
18-3/4" Expander
maximizes your
rooftop cargo space!

Expandable
Design



† = Available while supply lasts.

The Big Sky™

63156

PRO™
SERIES



- * MEASURES 44" X 35" X 4-1/4" (INSIDE DIMENSIONS)
- * RUGGED 3-PIECE CONSTRUCTION WITH WATER RESISTANT JOINT COVERS FOR YEARS OF GEAR-UP-AND-GO
- * EQUIPPED WITH A CUSTOM-FIT FAIRING TO IMPROVE AERODYNAMICS AND REDUCE WIND NOISE
- * UNIVERSAL MOUNTING HARDWARE ACCOMMODATES ROUND, SQUARE, AND FACTORY ROOF RACKS
- * TOUGH-AS-NAILS POWDER COAT FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST

The Bullet Box™

63150

PRO™
SERIES

Instantly adds 13 cubic feet of storage to your vehicle (72" x 24" x 17"); holds up to 110 lbs. of gear



- * RUGGED PEBBLE FINISH RESISTS SCRATCHES AND WITHSTANDS EXTREME TEMPERATURES AND WEATHER CONDITIONS
- * KEYED LOCK AND WEATHER-TIGHT PROTECTION ENSURE YOUR GEAR ARRIVES DRY AND INTACT EVERY TIME
- * SUBSTANTIAL 16" OPENING WITH STAY-OPEN HINGES FOR EASY LOADING AND UNLOADING (OPENS FROM PASSENGER SIDE)
- * UNIVERSAL MOUNTING SYSTEM WORKS WITH MOST ROOF RACKS; FITS CROSSBAR SPACING FROM 26-3/4" TO 37-1/2"
- * SHIPS PRE-ASSEMBLED

† = Available while supply lasts.

Hitch Basket Accessories

By the way, we
know a thing
or two about
hitches!


Dart™ Clip
Fork Mounted
Bike Clip
59904



PinHead™
Hitch Pin: 59515



Flat Strap Cargo Net
59200



Cargo Net
7330

Don't get left in the dark!

Our light kits are the ultimate upgrade to your
ROLA or Pro Series hitch basket. Get enlightened!



LED Light Kit
59516

*Works with ROLA Dart, Vortex,
Adventure System®, and Rambler Hitch Baskets



**Incandescent
Light Kit**
20174

*Works with ROLA Dart, Vortex,
Adventure System®, and Rambler Hitch Baskets



**Incandescent
Light Kit**
With License Plate Holder
6504

*Works with ROLA RollCage, Packer Pro,
Axis, and StrongArm Hitch Baskets

† = Available while supply lasts.

WallarooTM

59102



- * EXPANDS FROM 9-1/2 TO 11-1/2 CUBIC FEET (48" X 19" X 18" TO 48" X 19" X 22"); PERFECT FOR LUGGAGE, CAMPING GEAR, OR ANYTHING ELSE YOU NEED TO BRING ALONG FOR THE TRIP
- * EXPERTLY ENGINEERED SIX-STRAP SYSTEM KEEPS THE BAG FIRMLY IN PLACE UNTIL YOU SAY SO
- * RUGGED WEATHER-RESISTANT CONSTRUCTION AND SONICALLY SEALED SEAMS ENSURE YOUR CARGO ARRIVES DRY AND INTACT EVERY TIME
- * TWO INTERIOR POCKETS FOR SMALLER ITEMS HELP KEEP YOU ORGANIZED
- * FITS HITCH-MOUNTED CARGO CARRIERS 60" X 24" AND UP (LOOKS ESPECIALLY NICE IN A ROLA CARRIER)
- * FOLDS UP FOR EASY STORAGE WHEN NOT IN USE



Check out rolaproducts.com for latest products and info!

† = Available while supply lasts.

- * INSTANTLY ADDS 15 CUBIC FEET (59" X 18.5" X 24") OF STORAGE SPACE SO YOU CAN TAKE IT ALL WITH YOU
- * RUGGED, WEATHER-RESISTANT CONSTRUCTION AND SIX INTEGRATED TIE-DOWN STRAPS ENSURE YOUR CARGO ARRIVES DRY AND INTACT EVERY TIME
- * FITS HITCH-MOUNTED CARGO CARRIERS 59" X 18.5" AND UP (LOOKS ESPECIALLY NICE IN A ROLA CARRIER)
- * FOLDS UP FOR EASY STORAGE WHEN NOT IN USE

Amigo™

63604

PRO™
SERIES



The TuffBak™

59119



- * INSTANTLY ADDS 20 CUBIC FEET (59" X 24" X 24") OF AWESOME, OUTSIDE-THE-VEHICLE STORAGE; PERFECT FOR LUGGAGE, CAMPING GEAR, OR ANYTHING ELSE YOU NEED TO BRING ALONG FOR THE TRIP
- * RUGGED WEATHER-RESISTANT CONSTRUCTION, CONCEALED ZIPPER, AND SONICALLY SEALED SEAMS KEEP YOUR STUFF PROTECTED FROM THE ELEMENTS AND PRYING EYES
- * EXPERTLY ENGINEERED SIX-STRAP SYSTEM KEEPS EVERYTHING IN PLACE UNTIL YOU SAY DIFFERENTLY
- * FITS HITCH-MOUNTED CARGO CARRIERS 60" X 24" AND UP (LOOKS ESPECIALLY NICE IN A ROLA CARRIER)
- * FOLDS UP FOR EASY STORAGE WHEN NOT IN USE

† = Available while supply lasts.

Platypus®

59100



- * INSTANTLY ADDS A MAXIMUM 15 CUBIC FEET OF CARGO SPACE UP TOP
- * EXPANDS FROM 39" X 33" X 14" TO 39" X 33" X 18"; FROM 10 TO 15 CUBIC FEET
- * RUGGED WEATHER-RESISTANT CONSTRUCTION ENSURES YOUR CARGO ARRIVES DRY AND INTACT TRIP AFTER TRIP
- * EXPERTLY ENGINEERED CINCHING SYSTEM AND 8-POINT STRAP DESIGN KEEP EVERYTHING IN PLACE UNTIL YOU SAY SO



† = Available while supply lasts.

TurtleTM

63605

PROTM
SERIES



- * INSTANTLY ADDS 15 CUBIC FEET (59" X 18.5" X 24") OF STORAGE SPACE SO YOU CAN TAKE IT ALL WITH YOU
- * RUGGED, WEATHER-RESISTANT CONSTRUCTION AND SIX INTEGRATED TIE-DOWN STRAPS ENSURE YOUR CARGO ARRIVES DRY AND INTACT EVERY TIME
- * FITS HITCH-MOUNTED CARGO CARRIERS 59" X 18.5" AND UP (LOOKS ESPECIALLY NICE IN A ROLA CARRIER)
- * FOLDS UP FOR EASY STORAGE WHEN NOT IN USE

GuardianTM

63606

PROTM
SERIES



- * INSTANTLY ADDS 12.5 CUBIC FEET (SIZE: 37" X 32.5" X 18") OF DRY STORAGE SO YOU CAN TAKE IT ALL WITH YOU
- * RUGGED, WEATHER-RESISTANT CONSTRUCTION AND EIGHT INTEGRATED TIE-DOWN STRAPS ENSURE YOUR CARGO ARRIVES DRY AND INTACT EVERY TIME
- * FITS MOST ROOFTOP CARGO BASKETS (LOOKS ESPECIALLY NICE IN A ROLA ROOFTOP BASKET)

† = Available while supply lasts.

M.O.V.E.™ Organizers



59000
25" x 15" x 7"



59001
38" x 15" x 7"

- * REMOVABLE TRUNK ORGANIZERS; IDEAL FOR GROCERIES, TRAVEL ACCESSORIES, SPORTS EQUIPMENT, AND MORE — BRINGS INSTANT ORGANIZATION TO ANY TRUNK OR CARGO SPACE
- * RIGID, NON-SLIP BASE PREVENTS SLIDING DURING SUDDEN STOPS OR FAST CORNERING
- * MOVEABLE INTERIOR DIVIDERS, STURDY HANDLES, AND EXTERIOR MESH POCKETS ADD CONVENIENCE AND LIMITLESS STORAGE OPTIONS
- * DIMENSIONS: 25" OR 38" X 15" X 7" / CONVENIENCE: IMMEASURABLE

*Folds flat & clips
closed in seconds for
easy storage*



† = Available while supply lasts.



Dakota's
first
hike!



IN OUR MIND, THERE ARE TWO KINDS OF PEOPLE —
THE SPECTATOR AND THE PLAYER.

THERE ARE THOSE WHO ARE CONTENT ON WATCHING MOVIES ABOUT
SURVIVAL CAMPING, ROAD TRIPS AND SPORTS; THEN THERE ARE THOSE
WHO MUST LIVE IT WITH EVERY FIBER OF THEIR BEING. SURE, THE EYES
WILL MARVEL OVER THE CLARITY OF AN HD FLAT-SCREEN EXPERIENCE,
BUT WHAT ABOUT THE OTHER FOUR SENSES? WHAT DOES THE TOP OF A
MOUNTAIN SOUND LIKE? OR IS THERE A WORD THAT DESCRIBES THE
GOOSEBUMPS THAT APPEAR WHEN THE FINISH LINE IS IN SIGHT?
OR WHAT IS IT ABOUT THE SMELL OF A CAMPFIRE THAT BRINGS
THOSE AROUND IT CLOSER?

SOME OF US WANT MORE.

MORE DISCOVERY. MORE EXPERIENCE.

IT'S THOSE — THOSE WHO LIVE FOR THE POST-RIDE MUSCLE ACHES, FOR
THE FADED POSTCARD ROAD TRIP MEMORIES, FOR THE HIGH-FIVES AND
HANDSHAKES, FOR THE MILE AFTER ASPHALT, DIRT, AND WHITEWATER
MILE OF SEEING AND DOING ALL THAT LIFE HAS TO OFFER.

THAT IS WHO ROLA IS.

SO LOAD UP YOUR GEAR AND MAKE "IT" HAPPEN.

WHAT'S "IT," YOU ASK?

WELL, WE'LL LEAVE THAT PART UP TO YOU.

† = Available while supply lasts.

Haul-Your-Might™ Truck Rack Systems

Haul Your Work. Haul Your Play.

Haul it all with

~~All~~ Your Might!
HAUL

SOME WORK HARD, SOME PLAY HARD. WITH A HAUL-YOUR-MIGHT™ RACK SYSTEM FROM ROLA YOU CAN DO BOTH, AND THEN SOME. WHETHER YOUR DESTINATION IS THE CAMPSITE OR THE JOBSITE, ROLA GETS YOU THERE.



Check out rolaproducts.com for latest products and info!

† = Available while supply lasts.

Haul-Your-Might™ Truck Rack 59742

Keep turning the
pages to see all
of the Work &
Play accessories
available!



*** Compatible with most standard truck beds**

- * KIT INCLUDES CROSS BARS W/63" MAXIMUM WIDTH, LOCKING END CAPS, 2 SETS OF UPRIGHT SUPPORTS AND INSTALLATION HARDWARE
- * QUICK & EASY NO-DRILL INSTALLATION
- * RUGGED, LIGHTWEIGHT ALUMINUM CONSTRUCTION: SERIOUS BRAWN WITHOUT ADDING BULK
- * POWDER COATED BLACK UPRIGHTS AND STAINLESS STEEL HARDWARE TO RESIST THE ELEMENTS, SCRATCHES, AND RUST
- * ADJUSTABLE FORE AND AFT; CUSTOMIZABLE PLACEMENT PERFECT FOR WHATEVER YOU NEED TO HAUL
- * RUBBER BUFFER STRIPS PROTECT LOAD FROM DAMAGE
- * ANTI-THEFT FEATURES FOR PEACE OF MIND; LOCKABLE COVERS AND ACCESSORY CHANNEL

† = Available while supply lasts.

Haul-Your-Might™ T3 Truck Rack 59779




Keep turning the
pages to see all
of the Work &
Play accessories
available!

* Designed specifically for the Nissan Titan, Toyota Tundra, and Toyota Tacoma bedrail systems

- * RUGGED, LIGHTWEIGHT ALUMINUM CONSTRUCTION: SERIOUS BRAWN WITHOUT ADDING BULK
- * POWDER COATED BLACK UPRIGHTS AND STAINLESS STEEL HARDWARE TO RESIST THE ELEMENTS, SCRATCHES, AND RUST
- * ADJUSTABLE FORE AND AFT; CUSTOMIZABLE PLACEMENT PERFECT FOR WHATEVER YOU NEED TO HAUL
- * RUBBER BUFFER STRIPS PROTECT LOAD FROM DAMAGE
- * ANTI-THEFT FEATURES FOR PEACE OF MIND; LOCKABLE COVERS AND ACCESSORY CHANNEL
- * KIT INCLUDES CROSS BARS W/63" MAXIMUM WIDTH, LOCKING END CAPS, 2 SETS OF UPRIGHT SUPPORTS AND INSTALLATION HARDWARE

† = Available while supply lasts.

Haul-Your-Might™ V2 & V3 Van Rack Systems




- * TOUGH-AS-NAILS HEAVY GAUGE STEEL CONSTRUCTION; PERFECT FOR HEAVY DUTY & COMMERCIAL USE
- * 2 AND 3-BAR MODEL OPTIONS (ADDITIONAL BARS AVAILABLE — P/N 59621)
- * FITS ALL VANS WITH RAIN GUTTERS; TELESCOPIC BARS ADJUST FROM 37" TO 62" TO CREATE THE PERFECT FIT
- * POWDER COATED, HAMMERED FINISH RESISTS THE ELEMENTS, SCRATCHES, AND RUST
- * ROBUST LOAD CAPACITY (300 LBS. FOR THE V2 & 450 LBS. FOR THE V3)

† = Available while supply lasts.

Conduit Kit 59797

- * UNIVERSAL DESIGN WORKS WITH MOST OTHER TRUCK RACKS (BUT LOOKS BEST ON ROLA HAUL-YOUR-MIGHT™ TRUCK RACK)
- * RUGGED, LIGHTWEIGHT POWDER COATED ALUMINUM DOOR AND END CAP—SERIOUS BRAWN WITHOUT THE BULK
- * STAINLESS STEEL U-BOLTS AND HARDWARE
- * FOR USE WITH 6" SCH 40 OR 80 PVC PIPE (NOT INCLUDED)
- * DOOR FEATURES SPRING-LOADED LATCH AND RUBBER GASKET FOR INCREASED WEATHER RESISTANCE
- * SIMPLE, INTUITIVE DESIGN FOR EASY, NO-DRILL ASSEMBLY AND INSTALLATION RIGHT OUT OF THE BOX



* Shown with a Haul-Your-Might™ Truck Rack - not included

Top Rail Kit 59798

- * UNIVERSAL DESIGN WORKS WITH MOST OTHER TRUCK RACKS (BUT LOOKS BEST ON ROLA HAUL-YOUR-MIGHT™ TRUCK RACK)
- * EXTENDS YOUR ROLA TRUCK RACK OVER YOUR TRUCK'S CAB FOR HAULING THE EXTRA-LONG STUFF WITHOUT DAMAGE TO YOUR ROOF
- * RUGGED, LIGHTWEIGHT ANODIZED ALUMINUM CONSTRUCTION—SERIOUS BRAWN WITHOUT THE BULK
- * POWDER COAT FINISH AND STAINLESS STEEL HARDWARE TO RESIST THE ELEMENTS AND SCRATCHES
- * SIMPLE, INTUITIVE DESIGN FOR EASY, NO-DRILL ASSEMBLY AND INSTALLATION RIGHT OUT OF THE BOX

† = Available while supply lasts.

**Work or Play.
Whatever you do...
GIVE IT YOUR HAUL!**

Load Stops 59794

- * CONSTRUCTED FROM RUGGED, LIGHTWEIGHT ANODIZED ALUMINUM—PERFECT FOR LUMBER, LADDERS, OR ANYTHING ELSE YOU NEED TO LOAD UP AND SECURE
- * POWDER COATED TO RESIST THE ELEMENTS
- * UNIVERSAL DESIGN: WORKS WITH MOST CROSSBARS EQUIPPED WITH ACCESSORY T-CHANNEL, INCLUDING ROLA TRUCK RACKS, ROOF RACKS, AND CROSSBARS
- * DURABLE LOCK-DOWN KNOBS AND STAINLESS STEEL HARDWARE INCLUDED

Tie-Down & Eyebolt Kits

- * BOTH KITS SOLD AS A SET OF 4
- * POWDER COATED TO RESIST THE ELEMENTS
- * UNIVERSAL DESIGN WORKS WITH ROLA TRUCK RACKS OR CROSSBARS AS WELL OR MOST OTHER CROSSBARS—JUST SLIDE 'EM ON AND LOCK 'EM DOWN
- * STAINLESS STEEL HARDWARE INCLUDED
- * SIMPLE, INTUITIVE DESIGN FOR EASY INSTALLATION RIGHT OUT OF THE BOX

59795

*Constructed from rugged,
lightweight aluminum—
perfect for lighter loads*


59796

*Constructed from tough-as-nails alloy steel
—perfect for tying down the heavy stuff!*

† = Available while supply lasts.

Tool Rack 59792

- * SAFELY HOLDS UP TO SIX STRAIGHT-HANDLE TOOLS; PERFECT FOR SHOVELS, RAKES, BROOMS, AND MORE
- * CONSTRUCTED FROM RUGGED, TOUGH-AS-NAILS STEEL— DESIGNED TO OUTLIVE THE VERY TOOLS IT HOLDS ONTO
- * POWDER COATED TO RESIST THE ELEMENTS
- * UNIVERSAL DESIGN MOUNTS DIRECTLY TO MOST TRUCK BEDS OR TRAILERS
- * WORKS WITH ROLA TOP RAIL KIT (PN: 59798)
- * RUBBER GROMMETS PROTECT AND HOLD TOOLS IN PLACE DURING TRANSPORT



Landscape Trailer-Ready!


† = Available while supply lasts.

Trimmer Rack 59793

- * SAFELY HOLDS UP TO TWO FULL-SIZE TRIMMERS; HEAVY-DUTY BAIL PIN CLOSURES ENSURE TRIMMERS STAY PUT DURING TRANSPORT
- * CONSTRUCTED FROM RUGGED, TOUGH-AS-NAILS STEEL— DESIGNED TO OUTLIVE THE VERY TOOLS IT HOLDS ONTO
- * POWDER COATED TO RESIST THE ELEMENTS
- * UNIVERSAL DESIGN MOUNTS DIRECTLY TO MOST TRUCK BEDS OR TRAILERS
- * WORKS WITH ROLA TOP RAIL KIT (PN: 59798)



Landscape Trailer-Ready!




YOU KNOW WHEN YOU DRIVE THROUGH A CONSTRUCTION ZONE AND YOU SEE A GROUP STANDING AROUND TALKING, WATCHING THE ONE GUY WORK? WELL, THAT ONE GUY IS THE ROLA GUY. FOR HIM, THE JOB'S NOT DONE UNTIL HE SAYS IT'S DONE AND THERE IS NOTHING IN THIS WORLD THAT'S MORE SATISFYING TO HIM THAN AN HONEST DAY'S WORK. HE TAKES PRIDE IN HIS CRAFT AND HIS HANDSHAKE IS A GOOD AS ANY BINDING CONTRACT. HE DOESN'T NEED EXTRAVAGANCE; HE JUST NEEDS DEPENDABILITY.

† = Available while supply lasts.

J-Rac

Kayak Carrier


59912

- 
- * ROBUST LOAD CAPACITY — PERFECT FOR SIT-ON-TOPS, SINGLES, TANDEMS OR WHATEVER YOUR “YAK” OF CHOICE
 - * HIGH STRENGTH POWDER COATED STEEL CONSTRUCTION FOR SUPERIOR BOAT SECURITY YEAR AFTER YEAR, SEASON AFTER SEASON
 - * FOAM PADS CRADLE AND PROTECT YOUR WATERCRAFT DURING TRANSPORT
 - * UNIVERSAL HARDWARE WORKS WITH ROLA AND MOST OTHER CROSSBARS
 - * PREMIUM HEAVY-DUTY STRAPS AND BOW/STERN TIE-DOWNS INCLUDED

Hull-Hauler™

Kayak Carrier

59913

- 
- * MULTI-PIVOT RUBBER SADDLE SYSTEM ADJUSTS AND CONFORMS TO ALMOST ANY KAYAK SHAPE AND SIZE FOR A CUSTOMIZED, SCRATCH-FREE, SECURE FIT EVERY TIME
 - * PIVOTING SADDLES MAKE LOADING AND UNLOADING WATERCRAFT A TOTAL BREEZE
 - * HIGH-STRENGTH CONSTRUCTION AND STAINLESS HARDWARE KEEP YOU “HULL HAULING” YEAR AFTER YEAR, SEASON AFTER SEASON
 - * UNIVERSAL HARDWARE WORKS WITH MOST CROSSBARS (LOOKS ESPECIALLY AWESOME ON ROLA CROSSBAR SYSTEMS)
 - * PREMIUM HEAVY-DUTY STRAPS AND BOW/STERN TIE-DOWNS INCLUDED

† = Available while supply lasts.

Hull-Hugger™

Garage Storage Unit


59914



- * SECURES DIRECTLY TO ANY WALL OF YOUR GARAGE OR SHED (MOUNTING HARDWARE INCLUDED)
- * SOFT FOAM COVERS GENTLY "CRADLE" AND PROTECT YOUR KAYAK DURING STORAGE
- * SMART, SWING-ARM DESIGN FOLDS UP AND AWAY WHEN NOT IN USE
- * ROBUST CAPACITY — PERFECT FOR SIT-ON-TOPS, SINGLES, TANDEM OR WHATEVER YOUR "YAK" OF CHOICE
- * POWDER COAT FINISH TO RESIST WATER, SCRATCHES, AND DUST; MOUNT INSIDE OR OUT
- * INTEGRATED STORAGE HOOKS KEEP PADDLES IN THEIR PLACE

*Folds up when
not in use!*

*Integrated
Paddle-Grabber*



Service & Strap Kit



Strap & Rope Tie-Down Kit: 59300

Also available:

J-Rac Service Kit: 59301

Hull-Hauler™ Service Kit: 59302

† = Available while supply lasts.

RBU

Crossbars...

The Strong, Silent Type!

Built from super rugged, lightweight aluminum and expertly engineered for optimal aerodynamics to cut down on drag and wind noise.



RBU Series Universal Roof Racks

- * ANODIZED ALUMINUM CROSSBARS, HIGH STRENGTH MOLDED NYLON AND STAINLESS STEEL HARDWARE ENSURE THESE CROSSBARS WILL BE YOUR TRAVEL COMPANION FOR YEARS TO COME
- * ANTI-THEFT LOCKING COVERS FOR PEACE OF MIND
- * LOCKABLE ACCESSORY CHANNEL FOR T-BOLT APPLICATIONS
- * QUICK AND EASY INSTALLATION AND REMOVAL
- * 5-YEAR LIMITED WARRANTY

Part No.	Crossbar Size	Side Rail Fit Range
59897	43-3/8"	33.5-41" / 850 - 1040MM
59898	47-1/4"	37.5-44.8" / 950 - 1140MM
59899	51-1/8"	41.3-48.8" / 1050 - 1240MM
59711	55-1/8"	45.3-52.8" / 1150 - 1340MM

† = Available while supply lasts.

Custom Roof Rack Systems

(Visit rolaproducts.com
for fitment information
& details)



GTX Series



REX Series



APE Series



RBXL Series



APX Series



RB Series



AP-GTX Series

† = Available while supply lasts.

Track-Mount Crossbar System



Perfect for truck cabs, hard tonneau covers, camper shells, and RVs!

- * TRACK-MOUNT SYSTEM WORKS WITH SHEET METAL OR FIBERGLASS SURFACES TO INSTANTLY TRANSFORM YOUR VEHICLE INTO A BIKE-HAULING, KAYAK-LUGGING, CARGO MACHINE
- * INCLUDES TWO BLACK ANODIZED ALUMINUM TRACKS, END CAPS, AND HARDWARE
- * WORKS WITH ROLA APE AND APX CROSSBAR SYSTEMS (SOLD SEPARATELY)

Be sure to visit
rolaproducts.com
for latest
fitment guides
and info!

59853: 42" Track Rail for Sheet Metal
59854: 54" Track Rail for Sheet Metal
59855: 60" Track Rail for Fiberglass

Direct-Mount Kits

- * DIRECT-MOUNT SYSTEM WORKS WITH SHEET METAL OR FIBERGLASS SURFACES TO INSTANTLY TRANSFORM YOUR VEHICLE INTO A BIKE-HAULING, KAYAK-LUGGING, CARGO MACHINE
- * INCLUDES MOUNTING ADAPTERS, HARDWARE, AND COVERS
- * WORKS WITH ROLA APE AND APX CROSSBAR SYSTEMS (SOLD SEPARATELY)

59753: Direct-Mount Kit - Fiberglass
59754: Direct-Mount Kit - Sheet Metal



† = Available while supply lasts.

Automotive Ratchet Tie Downs



1152101



1154000



1160400

Part No.	Description	Duty Rating	Load Capacity (lbs)	Break Strength (lbs)	Color	Packaging
1152101	RATCHET TIE DOWN W/PADDED HANDLE - 1" X 6'	STD	600	1800	ORANGE	OPEN (2-PACK)
1153500	RETRACTABLE RATCHET TIE DOWN - 1" X 6'	STD	400	1200	CAMO	OPEN (2-PACK)
1151801	RETRACTABLE RATCHET TIE DOWN - 1" X 6' (MOTORCYCLE)	STD	500	1500	BLACK	OPEN (2-PACK)
1154000	RETRACTABLE RATCHET TIE DOWN - 2" X 10', 1100 LBS.	HEAVY	1100	3300	BLACK	BULK (SINGLE)
1151601	RATCHET TIE DOWN W/HOOKS- 1-1/4" X 10'	HEAVY	1100	3300	YELLOW	OPEN (2-PACK)
1160400	RATCHET TIE DOWN W/REFLECTIVE WEBBING (ATV) - 1" X 12'	HEAVY	1100	3300	BLACK	OPEN (4-PACK)
1151701	RATCHET TIE DOWN W/HOOKS- 1-1/2" X 15'	SUPER	1830	5500	YELLOW	OPEN (SINGLE)
1152500	HD RATCHET TIE DOWN W/HOOKS - 2" X 25', 10,000 LBS. - BREAK STRENGTH	SUPER	3330	10000	YELLOW	OPEN (SINGLE)
1227000	RATCHET TIE DOWN - 1" X 10'	LIGHT	300	900	RED	OPEN (SINGLE)



9412000

9413000


9414500

Fat Strap™ Bungee Cords

- * WON'T DAMAGE OR DIG INTO YOUR CARGO
- * EXTRA WIDE, STRONG AND SECURE
- * COATED STEEL HOOKS ARE STRONGER THAN CONVENTIONAL HOOKS
- * ROTATING FAT STRAPS ROTATE 360 DEGREES FOR EASY ADJUSTMENT
- * REFLECTIVE FAT STRAPS INCREASE VISIBILITY FOR ALL DRIVERS

Part No.	Description
9412000	20" FAT STRAP™ BUNGEE
9413000	30" FAT STRAP™ BUNGEE
9414500	45" FAT STRAP™ BUNGEE
9414900	10" - 45" ADJUSTABLE FAT STRAP™ BUNGEE

† = Available while supply lasts.

**9417400****9431400****2902500****9008600**

Carabiner Bungee Cords

- * CARABINER CLIPS - 4 TIMES STRONGER THAN CONVENTIONAL HOOKS TO ENSURE A STRONGER, MORE RELIABLE HOLD
- * CLIP-STYLE CLOSURE WON'T DAMAGE OR DIG IN TO CARGO
- * CONSTRUCTED OF REFLECTIVE MATERIAL FOR IMPROVED NIGHTTIME VISIBILITY
- * AVAILABLE IN MULTIPLE COLORS/LENGTHS

Part No.	Description
9417400	CARABINER BUNGEE CORD - 18" BLUE
9417500	CARABINER BUNGEE CORD - 24" RED
9417600	CARABINER BUNGEE CORD - 32" GREEN
9417700	CARABINER BUNGEE CORD - 40" YELLOW
9431200	CARABINER FAT STRAP CORD - 15" BLUE
9431300	CARABINER FAT STRAP CORD - 20" RED
9431400	CARABINER FAT STRAP CORD - 30" GREEN
9431500	CARABINER FAT STRAP CORD - 45" YELLOW

Triple Strength Bungee Cords

- * COATED STEEL HOOKS ARE 3X STRONGER THAN CONVENTIONAL HOOKS
- * WON'T BEND, BREAK, SCRATCH OR MAR
- * COLOR CODED HOOKS FOR CONVENIENT SELECTION
- * ENGINEERED TO WITHSTAND EVEN THE HARSHTEST OUTDOOR ELEMENTS

Part No.	Description
2902000	12" TRIPLE STRENGTH - BLUE
2902100	18" TRIPLE STRENGTH - RED
2902200	24" TRIPLE STRENGTH - GREEN
2902300	32" TRIPLE STRENGTH - PURPLE
2902400	32" TRIPLE STRENGTH - BLACK
2902500	TRIPLE STRENGTH BUNGEE CORD ASSORTMENT (10 PIECE) (2) 12", (2) 18", (2) 24" & (4) 32"
2902600	TRIPLE STRENGTH BUNGEE CORD ASSORTMENT (5 PIECE) (1) 12", (1) 18", (1) 24" & (2) 32"

Bungee Cords

- * COATED STEEL HOOKS ARE 3X STRONGER THAN CONVENTIONAL HOOKS
- * WON'T BEND, BREAK, SCRATCH OR MAR
- * COLOR CODED HOOKS FOR CONVENIENT SELECTION
- * ENGINEERED TO WITHSTAND EVEN THE HARSHTEST OUTDOOR ELEMENTS

Part No.	Description
9008600	12 PC. HEAVY DUTY BUNGEE CORD ASSORTMENT: 3 MINI, 3 - 18" X 8MM, 2 - 24" X 8MM, 1 - 32" X 9MM, 1 - 40" X 10MM, 2 CANOPY TIES, JAR PACK
9008400	24 PC. HEAVY DUTY BUNGEE CORD ASSORTMENT: 6 MINI, 6 - 18" X 8MM, 2 - 24" X 8MM, 2 - 32" X 9MM, 2 - 40" X 10MM, 4 CANOPY TIES, JAR PACK

† = Available while supply lasts.



9133900

Tarp Straps

TARP STRAPS ARE ENGINEERED TO OUTPERFORM THE COMPETITION IN CUT, TEAR AND STRENGTH TESTS. UV-RESISTANT EDPM RUBBER MAINTAINS STRENGTH AND PERFORMANCE IN ALL WEATHER CONDITIONS.

Part No.	Description
9133900	6 PC. TARP STRAP ASSORTMENT: 2 - 15', 2 - 21', 2 - 31', JAR PACK



59204

Light Duty Lashing Strap

* LASHING STRAP DESIGN FOR LUGGAGE OR LIGHT DUTY CARRYING & SECURING NEEDS

Part No.	Description	Duty Rating	Load Capacity (lbs)	Break Strength (lbs)	Color	Packaging
59204	LASHING STRAP - 1" X 10'	LASHING	55	165	BLACK	CLAM SHELL (2-PACK)



1270700

1275500

Trailer Tie Downs

- * SAFELY SECURES MANY KINDS OF VEHICLES TO TRAILERS FOR TRANSPORTATION
- * CONSTRUCTED WITH HEAVY DUTY NON-SLIP RATCHETS AND WEATHER RESISTANT POWER WEB PLUS™ WEBBING
- * ENGINEERED FOR MAXIMUM TENSION AND EASY RELEASE
- * HEAVY DUTY AXLE STRAP WITH HIGH TENSILE STEEL RINGS ALLOWS EASY, SECURE TRAILERING OF VEHICLE, USING VEHICLE AXLE
- * OVER-THE-WHEEL TIE DOWN DESIGN, SECURES VEHICLES TO TRAILER

Part No.	Description
1270700	1-1/2" X 7' RATCHET TIE DOWN, 6,000 LBS. BREAK STRENGTH, 2,000 LBS. LOAD CAPACITY
1275500	25" TIRE WIDTH, 6,000 LBS. BREAK STRENGTH, 2,000 LBS. LOAD CAPACITY

Tow Ropes And Straps

- * HIGH QUALITY POLYPROPYLENE BRAIDED ROPE WITH CORROSION RESISTANT ZINC PLATED HOOKS
- * TOW ROPES ALSO INCLUDE A PROTECTIVE SLEEVE TO HELP PROTECT THE PRODUCTS FROM CUTS AND ABRASIONS
- * TOW STRAPS ARE MADE OF HEAVY DUTY, 10,000 LBS. CAPACITY POWER WEB™ WEBBING WITH ZINC PLATED FORGED HOOKS



1017800

1017600

Part No.	Description
1017600	2" X 20' TOW STRAP W/HOOKS, 10,000 LBS. BREAK STRENGTH
1017800	2" X 20' TOW STRAP W/LOOP ENDS, 17,000 LBS. BREAK STRENGTH

† = Available while supply lasts.

Titan Ratchet Tie Downs

- * RATCHET TIE DOWNS PROVIDE SUPER STRONG HOLDING POWER & PRECISE TENSION ADJUSTMENT
- * STYLISH CAST STEEL HANDLE WITH PADDED GRIP
- * EASY TO REACH RELEASE BUTTON



1157100



1157200



1157300

Part No.	Description	Duty Rating	Load Capacity (lbs)	Break Strength (lbs)	Color	Packaging
1157100	TITAN RATCHET TIE DOWN, 1' X 14'	STD	600	1800	BLACK	OPEN (SINGLE)
1157200	TITAN RATCHET TIE DOWN, 1' X 6'	STD	600	1800	BLACK	OPEN (2-PACK)
1157300	TITAN RATCHET TIE DOWN, 1' X 10'	STD	600	1800	BLACK	OPEN (4-PACK)

Titan Max Grip Ratchet Tie Downs

- * FULL OPEN GRIP HANDLE, FITS ANY SIZED HAND COMFORTABLY
- * CAST ALUMINUM HANDLED RATCHETS
- * CURVED RELEASE BUTTON FOR EASE OF USE



1158300



1158400



1158500

Part No.	Description	Duty Rating	Load Capacity (lbs)	Break Strength (lbs)	Color	Packaging
1158300†	TITAN MAX GRIP RATCHET TIE DOWN, 1' X 14'	HEAVY	1000	3000	BLACK	OPEN (SINGLE)
1158400	TITAN MAX GRIP RATCHET TIE DOWN, 1' X 14'	HEAVY	1000	3000	BLACK	OPEN (2-PACK)
1158500	TITAN MAX GRIP RATCHET TIE DOWN, 1' X 14'	HEAVY	1000	3000	BLACK	OPEN (4-PACK)

† = Available while supply lasts.

Marine Cambuckle Tie Downs



2060066

BOW CAMBUCKLES



- * VINYL COATED S-HOOKS PROTECT BOATS FINISH
- * PROVIDES SUPER STRONG HOLDING POWER
- * SOME MODELS AVAILABLE WITH STAINLESS STEEL HOUSING

TRANSOM CAMBUCKLES



- * LOCKS IN PLACE TO ELIMINATE SLIPPAGE
- * PROTECTIVE HOUSING PREVENTS SCRATCHES
- * SOME MODELS AVAILABLE WITH STAINLESS STEEL HOUSING

Part No.	Description	Duty Rating	Load Capacity (lbs)	Break Strength (lbs)	Color	Packaging
2060166	CAMBUCKLE TIE DOWN W/HOOKS - (BOW) 1" X 36", STAINLESS STEEL	LIGHT	300	900	BLACK	CLAM SHELL (2-PACK)
2060066	CAMBUCKLE TIE DOWN W/HOOKS - (BOW) 1" X 36", ZINC	STANDARD	400	1200	BLACK	CLAM SHELL (2-PACK)
2060566†	SURELOK CAMBUCKLE TIE DOWN - (TRANSOM) 2" X 24", STAINLESS STEEL	LIGHT	333	1000	BLACK	OPEN (2-PACK)
2060666†	SURELOK CAMBUCKLE TIE DOWN - (TRANSOM) 2" X 48", STAINLESS STEEL	LIGHT	333	1000	BLACK	OPEN (2-PACK)
2060466	SURELOK CAMBUCKLE TIE DOWN - (TRANSOM) 2" X 24", ZINC	HEAVY DUTY	833	2500	BLACK	OPEN (2-PACK)
2060766	SURELOK CAMBUCKLE TIE DOWN - (TRANSOM) 2" X 48", ZINC	HEAVY DUTY	833	2500	BLACK	POLY BAG (SINGLE)

Marine Ratchet Tie Downs



2060266



2061566

RETRACTABLE TRANSOM RATCHETS



- * STRAP RETRACTS FOR EASY STORAGE AND NO TANGLING
- * EASY BOLT ON FUNCTION (HARDWARE INCLUDED)
- * SOME MODELS AVAILABLE WITH STAINLESS STEEL HOUSING

GUNWALE RATCHETS



- * VINYL COATED J-HOOKS PROTECT BOATS FINISH
- * PROVIDES SUPER STRONG HOLDING POWER
- * SOME MODELS AVAILABLE WITH STAINLESS STEEL HOUSING

Part No.	Description	Duty Rating	Load Capacity (lbs)	Break Strength (lbs)	Color	Packaging
2060266	RETRACTABLE TIE DOWN - (TRANSOM) 2" X 43", STAINLESS STEEL	STANDARD	600	1800	BLACK	OPEN (2-PACK)
2061766	RETRACTABLE TIE DOWN - (TRANSOM) 2" X 43", ZINC	HEAVY DUTY	833	2500	BLACK	POLY BAG (SINGLE)
2060366	RETRACTABLE TIE DOWN - (TRANSOM) 2" X 43", ZINC	HEAVY DUTY	833	2500	BLACK	OPEN (2-PACK)
2060866	MAX GRIP RATCHET - (GUNWALE) 2" X 10', STAINLESS STEEL	LIGHT	333	1000	BLACK	OPEN (SINGLE)
2060966	MAX GRIP RATCHET - (GUNWALE) 2" X 13', STAINLESS STEEL	STANDARD	400	1200	BLACK	OPEN (SINGLE)
2061266	MAX GRIP RATCHET - (GUNWALE) 2" X 10', ZINC	HEAVY DUTY	833	2500	BLACK	OPEN (SINGLE)
2061366	MAX GRIP RATCHET - (GUNWALE) 2" X 13', ZINC	HEAVY DUTY	833	2500	BLACK	OPEN (SINGLE)
2061466	MAX GRIP RATCHET - (GUNWALE) 2" X 16', ZINC	HEAVY DUTY	833	2500	BLACK	OPEN (SINGLE)
2061566	MAX GRIP RATCHET - (GUNWALE) 2" X 20', ZINC	HEAVY DUTY	833	2500	BLACK	OPEN (SINGLE)

† = Available while supply lasts.



9500700†

9500800†

Tailgate Nets

- * WON'T FADE, CRACK OR SCRATCH
- * MORE REAR VISIBILITY
- * EASY TO INSTALL
- * 2 SIZES FOR MID-SIZE OR FULL-SIZE TRUCKS

Part No.	Description
9500700†	TAILGATE NET - FITS MINI/MID-SIZE PICKUPS - 52" X 16"
9500800†	TAILGATE NET - FITS FULL SIZE PICKUPS - 56" X 18 1/2"



9500600

Universal Heavy Duty Truck Net

- * SAFELY SECURES CARGO INSIDE BACK OF PICKUP TRUCK
- * EASY TO INSTALL, HOLDS UP UNDER EXTREME WEATHER CONDITIONS
- * ADJUSTABLE FOR ALL TRUCKS

Part No.	Description
9500600	ADJUSTABLE HEAVY DUTY TRUCK CARGO NET, UNIVERSAL



9500500

Truck Bed Cargo Nets

- * SAFELY SECURES CARGO INSIDE BACK OF PICKUP TRUCK
- * EASY TO INSTALL, HOLDS UP UNDER EXTREME WEATHER CONDITIONS
- * ADJUSTABLE FOR ALL TRUCKS

Part No.	Description
9500500	60" X 78" DELUXE BUNGEE TRUCK NET
9500100	36" X 48" NET FOR ROOFS AND CARGO RACKS



1970000†

Cargo Bars

- * STOP CARGO FROM SHIFTING IN ALL SUVS, TRUCKS AND VANS
- * EASY INSTALLATION AND UNIVERSAL FIT
- * UNIQUE RUBBER PADS HOLD SECURELY WITH NO RISK OF SCRATCHING YOUR VEHICLE
- * TWO STYLES TO CHOOSE FROM:
 - CARGO BAR INSTALLS EASILY AND ADJUSTS WITH A TWIST
 - THE RATCHETING STYLE CARGO BAR ALLOWS FOR THE PRECISE TENSIONING NEEDED TO SECURE HEAVY LOADS

Part No.	Description
1970000†	BAR, 40" - 74"
1970200†	RATCHETING CARGO BAR, 40" - 70"



2004500

Universal Pet Barrier

- * PET BARRIER GENTLY KEEPS YOUR PET IN THE CARGO AREA OF YOUR VEHICLE
- * SLEEK, MODERN STYLING DOES NOT LOOK "CAGEY"
- * MADE WITH HEAVY GAUGE TUBING, THE PET BARRIER FITS ALL MINI-VANS AND SUVS
- * INSTALLS IN MINUTES

Part No.	Description
2004500	UNIVERSAL PET BARRIER

† = Available while supply lasts.

Accessory / Replacement Parts

Part No.	Description
Light and Harness Kits	
20174	LIGHT KIT FOR CARGO CARRIERS, CONTAINS 6" OVAL TAIL LIGHTS, 4-FLAT WIRING HARNESS
59516	LED LIGHT KIT FOR CARGO CARRIERS, CONTAINS 6" OVAL TAIL LIGHTS, 4-FLAT WIRING HARNESS
6504	LIGHT KIT FOR CARGO CARRIER, COMBINATION LIGHTS, 4-FLAT WIRING HARNESS AND LICENSE PLATE BRACKET
20049-050	REPLACEMENT PART, LIGHT KIT HARNESS FOR RAILED CARGO CARRIER PART #40100, #40101, #59502, #15100, #15101, #63152, #63153
Shank Adapter	
1370300†	SHANK ADAPTER, PERMITS USE OF 1-1/4" ACCESSORIES IN 2" RECEIVERS
59513	ACCESSORY SHANK, 1-1/4" SQ. RECEIVER MOUNT W/4-1/4" RISE, INCLUDES PIN & CLIP FOR #59400, #59401, #59403, #59508, #63123

Bike Carrier Replacement Parts

Part No.	Description
Fold-Up™ Bike Carrier Replacement Parts	
59514	SERVICE KIT NV2, CRADLE ASSEMBLY/STRAPS (2RH, 2LH, 2ANTI-SWAY)
59512	REPLACEMENT PART, BIKE CARRIER ARM TUBE CAPS (2) FOR 59508
TX™ Bike Carrier Replacement Parts	
59405	REPLACEMENT PART, TX RUBBER STRAP FOR 59400, 59403 OR 59401
59406	REPLACEMENT PART, TX CRADLE FOR 59400, 59403 OR 59401
59407	REPLACEMENT PART, TX ANTI SWAY CRADLE FOR 59400, 59403 OR 59401
Q-Slot™ Bike Carrier Replacement Parts	
63135	REPLACEMENT PART, BIKE CARRIER HOOK & LOOP STRAPS FOR 63134 OR 63138
SportWing® Bike Carrier Replacement Parts	
58400	REPLACEMENT PART, BIKE CARRIER STRAP FOR 1370100, 1370400, 1370500, 5801200
58401	REPLACEMENT PART, BIKE CARRIER CRADLES W/STRAPS FOR 1370100, 1370400, 1370500, 5801200
Translite Bike Carrier Replacement Parts	
63444	REPLACEMENT PART, BIKE CARRIER CRADLE ARM ASSEMBLY W/BAIL PIN FOR #63444
Eclipse™ Bike Carrier Replacement Parts	
63148	REPLACEMENT PART, BIKE CARRIER CRADLE FOR 63120, 63123, 63124

† = Available while supply lasts.

Cargo Carrier Accessories / Replacement Parts

Part No.	Description
Adjustable Cargo Carrier Bike Rack Adapter	
6505†	BIKE RACK ADAPTER FOR 6500, 6501 CARGO CARRIER
Adjustable Cargo Carrier Replacement Parts	
6550	REPLACEMENT HARDWARE FOR 6500 OR 6501
Vortex™ Cargo Basket Replacement Parts	
59520	REPLACEMENT HARDWARE FOR 59502
Vortex™ Roof Mounted Cargo Basket Replacement Parts	
59506	REPLACEMENT HARDWARE FOR #59504
Railed Cargo Carrier Replacement Parts	
63160	REPLACEMENT HARDWARE FOR 63152, 63153, 63154, 63155
Folding Cargo Carrier Replacement Parts	
6555†	REPLACEMENT HARDWARE FOR 6502
RTA Carrier Replacement Parts	
58394	REPLACEMENT PART, HARDWARE FOR 5800200, 5801600 OR 5802100
58395†	REPLACEMENT PART, HARDWARE FOR 5800300 OR 5801600
5800600†	CARGO CARRIER ACCESSORY, ANTI-SKID TAPE 12"
5800700	REPLACEMENT PART, D-RINGS FOR CARGO CARRIER & RTA CARRIER (4 PACK)
5802100†	REPLACEMENT PART, CARGO CARRIER W/7" SIDE RAILS, 32" X 48" PLATFORM ONLY
59513	ACCESSORY SHANK, 1-1/4" SQ. RECEIVER MOUNT W/4-1/4" RISE, INCLUDES PIN & CLIP FOR #59400, #59401, #59403, #59508, #63123

Softgoods Replacement Parts

Part No.	Description
Wallaroo™ Expandable Cargo Bag Replacement Parts	
59560	REPLACEMENT PART, STRAP KIT (6)

Cargo Box Accessories / Replacement Parts

Part No.	Description
Adventure System® Replacement Parts	
59117	ADVENTURE SYSTEM® LICENSE PLATE LIGHT KIT
59510	ADVENTURE SYSTEM® REPLACEMENT LATCH KIT

† = Available while supply lasts.

Roof Racks Accessories / Replacement Parts / Service Kits

Part No.	Description
----------	-------------

Tie Down Attachments

59878†	WATER SKI / SNOW SKI / MAST CARRIER CLIP - FITS ONLY ROLA CROSS BARS
--------	--

59879	TIE DOWN ATTACHMENT - FITS ONLY ROLA CROSS BARS
-------	---

Lock & Keys Replacements / Service Kits

38374*	LOCKS & KEYS, FIT ROLA LOCKABLE ROOF RACKS AND OTHER ROLA ACCESSORIES. (* SPECIFY KEY/LOCK CORE NUMBER WHEN ORDERING)
--------	---

38373*	KEYS, FIT ROLA LOCKABLE ROOF RACKS AND OTHER ROLA ACCESSORIES (* SPECIFY KEY NUMBER WHEN ORDERING)
--------	--

59703	QUARTER TURN PLUGS (4 PER POLY BAG)
-------	-------------------------------------

Service Kits

38371	T-27 T-HANDLE TORX DRIVER (2 PER POLY BAG)
-------	--

59847	T-27 L-HANDLE TORX DRIVER (2 PER POLY BAG)
-------	--

59846	CROSS BAR BUFFER STRIPS (2 PER POLY BAG)
-------	--

59701	M6 X 30MM BOLTS (4 PER POLY BAG)
-------	----------------------------------

59702	M6 X 50MM BOLTS (4 PER POLY BAG)
-------	----------------------------------

59710	M6-1 CAGE NUTS (4 PER POLY BAG)
-------	---------------------------------

GTM Series Replacements / Service Kits

59887	SUPPORT COVER KIT (INCLUDES: (1) LEFT HAND COVER, (1) RIGHT HAND COVER, (2) HINGES & (2) DUMMY LOCKS)
-------	---

38429	SELF-ADHESIVE RUBBER MOUNTING PADS (4 PER POLY BAG)
-------	---

38422	MOUNTING PADS FOR #59842 ROOF RACKS (4 PER BOX)
-------	---

38423	MOUNTING PADS FOR ROOF RACKS (4 PER BOX)
-------	--

38424	MOUNTING PADS FOR ROOF RACK (4 PER BOX)
-------	---

38425	MOUNTING PADS FOR #59800 ROOF RACK (4 PER BOX)
-------	--

38426	MOUNTING PADS FOR #59867 ROOF RACK (4 PER BOX)
-------	--

REM Series Replacements / Service Kits

59750	CROSS BAR T-HANDLE 5MM HEX DRIVER
-------	-----------------------------------

59745	CROSS BAR END CAP
-------	-------------------

APE Series Replacements / Service Kits

59746	APE-RE SERIES CROSS BAR UNDERCOVER (2 PER POLY BAG)
-------	---

RBML Series Replacements / Service Kits

59886	SUPPORT LOCKING COVERS (2 PER POLY BAG)
-------	---

38428	SELF-ADHESIVE RUBBER MOUNTING PADS (4 PER BOX)
-------	--

RB Series Replacements / Service Kits

38427	SELF-ADHESIVE RUBBER MOUNTING PADS(4 PER BOX)
-------	---

RBV Series Replacements / Service Kits

59749	CROSS BAR BUFFER STRIPS (2 PER POLY BAG)
-------	--

59748	CROSS BAR END SUPPORT
-------	-----------------------

59747	CROSS BAR UNDERCOVER (2 PER POLY BAG)
-------	---------------------------------------

59745	CROSS BAR END CAP
-------	-------------------

† = Available while supply lasts.



Check out rolaproducts.com for latest products and info!

† = Available while supply lasts.



Scan this barcode
with your mobile
phone for quick
access to
HitchMatch.net

Hitch Match™

CARGO ACCESSORY MATCHING GUIDE

What kind of cargo accessory can I use on my hitch?
How much can I safely carry?

Know the answers with HitchMatch™, a revolutionary
new hitch and accessory matching system.

See inside back cover for program details.

Part #	Description	Accy. Rating	A	B	C	D	E	RV Approved
BIKE CARRIERS								
59400	TX-102 BIKE CARRIER 2 PLACE	80 lbs (36 kg)	80 lbs (36 kg)	80 lbs (36 kg)	80 lbs (36 kg)	80 lbs (36 kg)	80 lbs (36 kg)	Yes
59401	TX-104 BIKE CARRIER 4 PLACE	100 lbs (45 kg)	-	-	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	No
59403	TX-103 BIKE CARRIER 3 PLACE	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	No
59508	ROLA NV2 BIKE CARRIER	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	Yes
63120	ECLIPSE BIKE CARRIER 2 PLACE	65 lbs (30 kg)	65 lbs (30 kg)	65 lbs (30 kg)	-	-	-	No
63123	ECLIPSE BIKE CARRIER 3 PLACE	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	No
63124	ECLIPSE BIKE CARRIER 4 PLACE	120 lbs (54 kg)	-	-	120 lbs (54 kg)	120 lbs (54 kg)	120 lbs (54 kg)	Yes
63125†	ECLIPSE BIKE CARRIER 4 PLACE TOWING	100 lbs (45 kg)	-	-	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	Yes
63134	BIKE CARRIER Q-SLOT 2	90 lbs (41 kg)	90 lbs (41 kg)	90 lbs (41 kg)	90 lbs (41 kg)	90 lbs (41 kg)	90 lbs (41 kg)	Yes
63138	BIKE CARRIER Q-SLOT 4	140 lbs (64 kg)	-	-	140 lbs (64 kg)	140 lbs (64 kg)	140 lbs (64 kg)	Yes
63144	TRANSLITE BIKE CARRIER	120 lbs (54 kg)	120 lbs (54 kg)	120 lbs (54 kg)	120 lbs (54 kg)	120 lbs (54 kg)	120 lbs (54 kg)	Yes
1370400	SPORTWING 4 BIKE CARRIER	160 lbs (73 kg)	-	-	160 lbs (73 kg)	160 lbs (73 kg)	160 lbs (73 kg)	Yes
5801200	SPORTWING 2 BIKE CARRIER	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	100 lbs (45 kg)	Yes

† = Available while supply lasts.

Hitch Match™

Part #	Description	Accy. Rating	A	B	C	D	E	RV Approved
CARGO CARRIERS								
59108	ADVENTURE SYSTEM TRAY/POD 1.25"	150 lbs (68 kg)	70 lbs (32 kg)	150 lbs (68 kg)	-	-	-	
59110	ADVENTURE SYSTEM TRAY/POD W/TILT	250 lbs (114 kg)	-	-	250 lbs (114 kg)	250 lbs (114 kg)	250 lbs (114 kg)	
59109	ADVENTURE SYSTEM TRAY/POD/SWING	250 lbs (114 kg)	-	-	250 lbs (114 kg)	250 lbs (114 kg)	250 lbs (114 kg)	
59550	DART CARGO BASKET	450 lbs (204 kg)	-	-	300 lbs (136 kg)	435 lbs (197 kg)	450 lbs (204 kg)	
1040300	PACKER 2 CARGO BASKET	500 lbs (227 kg)	125 lbs (57 kg)	275 lbs (125 kg)	450 lbs (204 kg)	500 lbs (227 kg)	500 lbs (227 kg)	
1040100	SOLO CARGO BASKET	400 lbs (182 kg)	-	-	250 lbs (114 kg)	350 lbs (159 kg)	400 lbs (182 kg)	
1040000†	PACKER CARGO BASKET	500 lbs (227 kg)	-	-	450 lbs (204 kg)	500 lbs (227 kg)	500 lbs (227 kg)	
59530	PACKER PRO CARGO BASKET	500 lbs (227 kg)	-	-	450 lbs (204 kg)	500 lbs (227 kg)	500 lbs (227 kg)	
59502	VORTEX CARGO BASKET 2"	600 lbs (272 kg)	-	-	315 lbs (143 kg)	445 lbs (202 kg)	600 lbs (272 kg)	
63152	RAILED CARGO CARRIER 2" - 1 pc	500 lbs (227 kg)	-	-	275 lbs (125 kg)	400 lbs (182 kg)	500 lbs (227 kg)	
59507	VORTEX CARGO BASKET 1-1/4"	300 lbs (136 kg)	100 lbs (45 kg)	300 lbs (136 kg)	-	-	-	
63154	RAILED CARGO CARRIER 1-1/4" - 1 pc	300 lbs (136 kg)	135 lbs (61 kg)	300 lbs (136 kg)	-	-	-	
63155	RAILED CARGO CARRIER 1-1/4" - 2 pc	300 lbs (136 kg)	120 lbs (54 kg)	300 lbs (136 kg)	-	-	-	
6500	ADJUSTABLE CARGO CARRIER 1-1/4"	300 lbs (136 kg)	135 lbs (61 kg)	300 lbs (136 kg)	-	-	-	
6501	ADJUSTABLE CARGO CARRIER 2"	500 lbs (227 kg)	-	-	325 lbs (148 kg)	475 lbs (216 kg)	500 lbs (227 kg)	
6502	FOLDING CARGO CARRIER 2'	500 lbs (227 kg)	-	-	325 lbs (148 kg)	450 lbs (204 kg)	500 lbs (227 kg)	
63153	RAILED CARGO CARRIER 2" - 2 pc	500 lbs (227 kg)	-	-	275 lbs (125 kg)	400 lbs (182 kg)	500 lbs (227 kg)	
13600†	COMPOSITE CARGO CARRIER 2"	400 lbs (182 kg)	-	-	350 lbs (159 kg)	400 lbs (182 kg)	400 lbs (182 kg)	
59500	COMPOSITE CARGO CARRIER 2"	400 lbs (182 kg)	-	-	350 lbs (159 kg)	400 lbs (182 kg)	400 lbs (182 kg)	
7507†	COMPOSITE FOLDING CARGO CARRIER	500 lbs (227 kg)	-	-	350 lbs (159 kg)	475 lbs (216 kg)	500 lbs (227 kg)	
5800200	HITCH BASKET	300 lbs (136 kg)	-	-	300 lbs (136 kg)	300 lbs (136 kg)	300 lbs (136 kg)	
5801600	HITCH BASKET WITH RAMP	300 lbs (136 kg)	-	-	300 lbs (136 kg)	300 lbs (136 kg)	300 lbs (136 kg)	

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Acura	MDX	w/Factory Roof Rails	07-13	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Acura	RDX	w/Factory Roof Rails	11-15	50499	Ø	15	Sports	RBU	2	165 lbs.
Acura	TSX Sport Wagon	w/Factory Roof Rails	11-14	50499	Ø	15	Sports	RBU	2	165 lbs.
Audi	A4 Avant	Wagon w/Factory Roof Rails	98-01	50499	Ø	15	Sports	RBU	2	165 lbs.
Audi	A4 Avant	Wagon w/Factory Roof Rails	02-04	50497	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø,LA	15	Sports	RBU	2	165 lbs.
Audi	A4 Avant	Wagon w/Factory Roof Rails	05-08	50499	Ø	15	Sports	RBU	2	165 lbs.
BMW	318i	2 Dr. Coupe	1999	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	318i	4 Dr. Sedan	1999	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	318is	2 Dr. Coupe	1999	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	318is	4 Dr. Sedan	1999	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	320i	2 Dr. Coupe	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	320i	4 Dr. Sedan	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	323Ci	2 Dr. Coupe	2000	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	323i	2 Dr. Coupe	99-00	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	323i	4 Dr. Sedan	99-00	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	323i	Sports Wagon w/Factory Roof Rails	2000	50499	Ø	15	Sports	RBU	2	165 lbs.
BMW	323i	2 Dr. Coupe	06-11	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	323i	4 Dr. Sedan	06-11	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	323is	2 Dr. Coupe	1999	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	325Ci	2 Dr. Coupe	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	325Ci	2 Dr. Coupe	2006	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	325i	2 Dr. Coupe	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	325i	4 Dr. Sedan	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	325i	Sports Wagon w/Factory Roof Rails	01-05	50499	Ø	15	Sports	RBU	2	165 lbs.
BMW	325i	2 Dr. Coupe	2006	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAG QTY	WEIGHT CAPACITY
BMW	325i	4 Dr. Sedan	2006	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	325xi	4 Dr. Sedan	01-05	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	325xi	Sports Wagon w/Factory Roof Rails	01-05	59761	Ø	15	Sports	RBU	2	165 lbs.
BMW	325xi	4 Dr. Sedan	2006	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328Ci	2 Dr. Coupe	2000	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i	2 Dr. Coupe	99-00	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i	4 Dr. Sedan	99-00	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i	4 Dr. Sedan	07-11	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i	2 Dr. Coupe	07-12	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i	Sports Wagon w/Factory Roof Rails	07-12	59761	Ø	15	Sports	RBU	2	165 lbs.
BMW	328i	4 Dr. Sedan	12-13	59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
				59761	Ø	5	Sports	APE	2	110 lbs.
BMW	328i	4 Dr. Sedan	12-15	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i	2 Dr. Coupe	2013	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i	2 Dr. Coupe	13-15	59761	Ø	5	Sports	APE	2	110 lbs.
BMW	328i xDrive	4 Dr. Sedan	09-11	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i xDrive	2 Dr. Coupe	09-12	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i xDrive	4 Dr. Sedan	12-13	59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
				59761	Ø	5	Sports	APE	2	110 lbs.
BMW	328i xDrive	4 Dr. Sedan	12-15	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i xDrive	2 Dr. Coupe	2013	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328i xDrive	2 Dr. Coupe	13-15	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328is	2 Dr. Coupe	1999	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328is	4 Dr. Sedan	1999	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328xi	2 Dr. Coupe	07-08	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	328xi	4 Dr. Sedan	07-08	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAI QTY	WEIGHT CAPACITY
BMW	328xi	Sports Wagon w/Factory Roof Rails	07-12	50760	Ø	15	Sports	RBU	2	165 lbs.
BMW	330Ci	2 Dr. Coupe	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	330Ci	2 Dr. Coupe	2006	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	330i	2 Dr. Coupe	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	330i	4 Dr. Sedan	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	330i	2 Dr. Coupe	2006	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	330i	4 Dr. Sedan	2006	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	330xi	4 Dr. Sedan	01-05	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	330xi	2 Dr. Coupe	2006	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	330xi	4 Dr. Sedan	2006	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335d	4 Dr. Sedan	09-11	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335i	4 Dr. Sedan	07-11	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335i	2 Dr. Coupe	07-12	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335i	4 Dr. Sedan	12-13	50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335i	4 Dr. Sedan	12-14	50761	Ø	5	Sports	APE	2	110 lbs.
BMW	335i	2 Dr. Coupe	2013	50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335i	2 Dr. Coupe	13-14	50761	Ø	5	Sports	APE	2	110 lbs.
BMW	335i xDrive	4 Dr. Sedan	09-11	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335i xDrive	2 Dr. Coupe	09-12	50761	Ø	5	Sports	APE	2	110 lbs.
				50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335i xDrive	4 Dr. Sedan	12-13	50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335i xDrive	4 Dr. Sedan	12-14	50761	Ø	5	Sports	APE	2	110 lbs.
BMW	335i xDrive	2 Dr. Coupe	2013	50762	Ø,LA	5	Sports	APE	2	110 lbs.
				50763	Ø,LB	5	Sports	APE	2	110 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FM	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAIT QTY	WEIGHT CAPACITY
BMW	335i xDrive	2 Dr. Coupe	13-14	59761	Ø	5	Sports	APE	2	110 lbs.
BMW	335is	2 Dr. Coupe	11-12	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335is	2 Dr. Coupe	2013	59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335is	2 Dr. Coupe	13-14	59761	Ø	5	Sports	APE	2	110 lbs.
BMW	335xi	2 Dr. Coupe	07-08	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	335xi	4 Dr. Sedan	07-08	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	525i	4 Dr. Sedan	01-03	59762	Ø	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	525i	Sports Wagon w/Factory Roof Rails	01-03	59798	Ø	15	Sports	RBU	2	165 lbs.
BMW	528i	4 Dr. Sedan	97-00	59762	Ø	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	528i	Sports Wagon w/Factory Roof Rails	2000	59798	Ø	15	Sports	RBU	2	165 lbs.
BMW	528it	Sports Wagon w/Factory Roof Rails	1999	59798	Ø	15	Sports	RBU	2	165 lbs.
BMW	528it	4 Dr. Sedan	99-00	59762	Ø	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	530i	4 Dr. Sedan	01-03	59762	Ø	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	530xi	Sports Wagon w/Factory Roof Rails	06-07	59798	Ø	15	Sports	RBU	2	165 lbs.
BMW	535xi	Sports Wagon w/Factory Roof Rails	08-10	59798	Ø	15	Sports	RBU	2	165 lbs.
BMW	540i	4 Dr. Sedan	97-03	59762	Ø	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	540i	Sports Wagon w/Factory Roof Rails	99-03	59798	Ø	15	Sports	RBU	2	165 lbs.
				59798	Ø	15	Sports	RBU	2	165 lbs.
BMW	540it	4 Dr. Sedan	99-00	59762	Ø	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	M3	2 Dr. Coupe	01-06	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
BMW	M3	2 Dr. Coupe	08-14	59761	Ø	5	Sports	APE	2	110 lbs.
				59762	Ø,LA	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	M5	4 Dr. Sedan	00-03	59762	Ø	5	Sports	APE	2	110 lbs.
				59763	Ø,LB	5	Sports	APE	2	110 lbs.
BMW	X3	w/Factory Roof Rails	04-10	59717	Ø,†	10	Sports	RBXL	2	165 lbs.
				59727	Ø	15	Sports	RB	2	110 lbs.
				59799	Ø	15	Sports	RBU	2	165 lbs.
BMW	X5	w/Factory Roof Rails	00-06	59728	Ø	15	Sports	RB	2	110 lbs.
				59799	Ø	15	Sports	RBU	2	165 lbs.
BMW	X5	w/Factory Roof Rails	07-10	59718	Ø,†	10	Sports	RBXL	2	165 lbs.
				59729	Ø	15	Sports	RB	2	110 lbs.
				59799	Ø	15	Sports	RBU	2	165 lbs.
				59799	Ø	15	Sports	RBU	2	165 lbs.
Buick	Rainier	w/Factory Roof Rails	06-07	59798	Ø	15	Sports	RBU	2	165 lbs.
Cadillac	SRX	w/Factory Roof Rails	04-09	59798	Ø	15	Sports	RBU	2	165 lbs.
				59799	Ø,LB	15	Sports	RBU	2	165 lbs.
Cadillac	SRX	w/Factory Roof Rails	10-13	59799	Ø,LB	15	Sports	RBU	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Cadillac	SRX	w/Factory Roof Rails	10-15	50493	Ø	5	Sports	RBXL	2	165 lbs.
				50498	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Avalanche	w/Factory Roof Rails	07-14	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Blazer	Downsize, All Models w/Factory Roof Rails	95-97	50498	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	C1500 Suburban	w/Factory Roof Rails	92-99	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	C2500 Suburban	w/Factory Roof Rails	92-99	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Equinox	w/Factory Roof Rails	10-14	50786	Ø	15	Sports	REX	2	110 lbs.
Chevrolet	Express 1500	Full Size	96-15	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Express 2500	Full Size	96-15	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Express 3500	Full Size	96-15	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	G10	Full Size	75-96	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	G10 Van	Full Size	71-74	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	G20	Full Size	75-96	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	G20 Van	Full Size	71-74	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	G30	Full Size	75-96	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	G30 Van	Full Size	71-74	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50854	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	HHR	w/Factory Roof Rails	06-11	50497	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	HHR SS	w/Factory Roof Rails	08-10	50497	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	K1500 Suburban	w/Factory Roof Rails	92-99	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	K2500 Suburban	w/Factory Roof Rails	92-99	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Pickup, Colorado	All Models	04-14	50742	Ø,UI	40	Sports	TBR	2	400 lbs.
				50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Colorado	All Models w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	04-14	50753	UH,UJ	30	Sports	DMS	2	165 lbs.
				50455	UH,UJ	40	Sports	TRS	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FM	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Chevrolet	Pickup, S-10	Short/Long Bed	94-04	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, S-10	Short/Long Bed w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	94-04	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	2500 LD	99-04	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	2500 LD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	99-04	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	1500 LD (Classic)	99-07	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	1500 LD (Classic) w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	99-07	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	1500 HD (Classic)	01-07	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	1500 HD (Classic) w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	01-07	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	2500 HD (Classic)	01-07	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	2500 HD (Classic) w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	01-07	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	3500 Series (Classic)	01-07	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	3500 Series (Classic) w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	01-07	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	1500 LD	07-15	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	1500 LD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	07-15	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	2500 HD	07-15	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	2500 HD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	07-15	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Chevrolet	Pickup, Silverado	3500 HD	07-15	50742	Ø,UI	40	Sports	TBR	2	400 lbs.
				50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
Chevrolet	Pickup, Silverado	3500 HD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	07-15	50753	UH,UJ	30	Sports	DMS	2	165 lbs.
				50455	UH,UJ	40	Sports	TRS	2	165 lbs.
Chevrolet	S-10 Blazer	Downsize, All Models w/Factory Roof Rails	03-04	50498	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Spark	w/Factory Roof Rails	13-14	50497	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Suburban 1500	w/Factory Roof Rails	00-14	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Tahoe	w/Factory Roof Rails	95-00	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Tahoe	w/Factory Roof Rails	00-14	50711	Ø,LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Tracker	w/Factory Roof Rails	98-04	50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	TrailBlazer	w/Factory Roof Rails	99-01	50498	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Uplander	w/Factory Roof Rails	05-08	50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Uplander	w/Factory Roof Rails (Canada Only)	2009	50499	Ø	15	Sports	RBU	2	165 lbs.
Chevrolet	Venture	w/Factory Roof Rails	97-05	50498	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø,LB	15	Sports	RBU	2	165 lbs.
Chrysler	Aspen	w/Factory Roof Rails	07-09	50498	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø,LB	15	Sports	RBU	2	165 lbs.
Dodge	Durango	w/Factory Roof Rails	04-09	50498	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø,LB	15	Sports	RBU	2	165 lbs.
Dodge	Journey	w/Factory Raised Roof Rails	09-15	50498	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø,LB	15	Sports	RBU	2	165 lbs.
Dodge	Pickup, Dakota	(See RAM for 2011 Models)	97-10	50742	Ø,UI	40	Sports	TBR	2	400 lbs.
Dodge	Pickup, Dakota	All Models (See RAM for 2011 Models)	97-10	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
Dodge	Pickup, Dakota	All Models w/Aftermarket Fiberglass Flat Roof Cap or Tonneau (See RAM for 2011 Models)	97-10	50753	UH,UJ	30	Sports	DMS	2	165 lbs.
				50455	UH,UJ	40	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	1500	94-01	50742	Ø,UI	40	Sports	TBR	2	400 lbs.
				50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	1500 w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	94-01	50753	UH,UJ	30	Sports	DMS	2	165 lbs.
				50455	UH,UJ	40	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	2500	94-02	50742	Ø,UI	40	Sports	TBR	2	400 lbs.
				50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	2500 w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	94-02	50753	UH,UJ	30	Sports	DMS	2	165 lbs.
				50455	UH,UJ	40	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	3500	94-02	50742	Ø,UI	40	Sports	TBR	2	400 lbs.
				50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Dodge	Pickup, Ram, Full Size	3500 w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	94-02	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
				59742	Ø,UI	40	Sports	TBR	2	400 lbs.
Dodge	Pickup, Ram, Full Size	1500	02-08	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59753	UH,UJ	30	Sports	DMS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	1500 w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	02-08	59455	UH,UJ	40	Sports	TRS	2	165 lbs.
				59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	2500 HD	03-09	59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	2500 HD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	03-09	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
				59742	Ø,UI	40	Sports	TBR	2	400 lbs.
Dodge	Pickup, Ram, Full Size	3500 HD	03-09	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59753	UH,UJ	30	Sports	DMS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	3500 HD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	03-09	59455	UH,UJ	40	Sports	TRS	2	165 lbs.
				59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	1500	09-10	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	1500 w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	09-10	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
				59742	Ø,UI	40	Sports	TBR	2	400 lbs.
Dodge	Pickup, Ram, Full Size	2500 HD	2010	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59753	UH,UJ	30	Sports	DMS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	2500 HD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	2010	59455	UH,UJ	40	Sports	TRS	2	165 lbs.
				59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	3500 HD	2010	59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Dodge	Pickup, Ram, Full Size	3500 HD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	2010	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
Ford	E-100 Econoline Van	Full Size, All Models	75-83	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
Ford	E-150 Econoline Van	Full Size, All Models	75-14	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Ford	E-250 Econoline Van	Full Size, All Models	75-14	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50054	UG,UJ	60	Sports	TRS	2	165 lbs.
Ford	E-350 Econoline Van	Full Size, All Models	75-14	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50054	UG,UJ	60	Sports	TRS	2	165 lbs.
Ford	Edge	w/Factory Roof Rails	07-14	50499	Ø	15	Sports	RBU	2	165 lbs.
Ford	Edge	w/o Factory Roof Rails	07-14	50770	Ø	5	Sports	GTX	2	110 lbs.
Ford	Escape	w/Factory Roof Rails	08-12	50497	Ø	15	Sports	RBU	2	165 lbs.
				50498	Ø,LA	15	Sports	RBU	2	165 lbs.
Ford	Escape	w/Factory Roof Rails	13-15	50498	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø,LB	15	Sports	RBU	2	165 lbs.
Ford	Explorer	2 Dr. Sport w/Factory Roof Rails	01-03	50499	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Ford	Explorer	4 Dr. w/Factory Roof Rails	02-05	50497	Ø	15	Sports	RBU	2	165 lbs.
				50498	Ø,LA	15	Sports	RBU	2	165 lbs.
Ford	Explorer	w/Factory Roof Rails	11-15	50711	Ø	15	Sports	RBU	2	165 lbs.
Ford	Explorer Sport Trac	w/Factory Roof Rails	01-05	50499	Ø	15	Sports	RBU	2	165 lbs.
Ford	F-150		04-14	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
Ford	F-150	Except Flareside	04-14	50742	Ø,UI	40	Sports	TBR	2	400 lbs.
Ford	F-150	w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	04-14	50753	UH,UJ	30	Sports	DMS	2	165 lbs.
				50455	UH,UJ	40	Sports	TRS	2	165 lbs.
Ford	Fiesta	4 Dr. Sedan	11-15	50769	Ø	5	Sports	GTX	2	110 lbs.
Ford	Fiesta	5 Dr. Hatchback	11-15	50768	Ø	5	Sports	GTX	2	110 lbs.
Ford	Freestar	w/Factory Roof Rails	04-07	50497	Ø	15	Sports	RBU	2	165 lbs.
				50498	Ø,LA	15	Sports	RBU	2	165 lbs.
Ford	Freestyle	w/Factory Roof Rails	05-07	50499	Ø	15	Sports	RBU	2	165 lbs.
Ford	Ranger Pickup		01-11	50742	Ø,UI	40	Sports	TBR	2	400 lbs.
				50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
Ford	Ranger Pickup	w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	01-11	50753	UH,UJ	30	Sports	DMS	2	165 lbs.
				50455	UH,UJ	40	Sports	TRS	2	165 lbs.
Ford	Transit Connect		10-14	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50054	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Acadia	All Models w/Factory Roof Rails	10-15	50480		15	Sports	REX	2	165 lbs.
GMC	Envoy	w/Factory Roof Rails	98-01	50498	Ø	15	Sports	RBU	2	165 lbs.
GMC	G15	Full Size	71-96	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50054	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	G15/G1500 Van	Full Size	71-96	50754	UG,UJ	45	Sports	DMS	2	165 lbs.
				50453	UG,UJ	60	Sports	TRS	2	165 lbs.
				50054	UG,UJ	60	Sports	TRS	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FIN	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAIT QTY	WEIGHT CAPACITY
GMC	G1500	Full Size	71-96	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	G25	Full Size	71-96	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	G25/G2500 Van	Full Size	71-96	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	G2500	Full Size	71-96	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	G35	Full Size	71-96	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	G35/G3500 Van	Full Size	71-96	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	G3500	Full Size	71-96	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Jimmy	Downsize, All Models w/Factory Roof Rails	2002	59498	Ø	15	Sports	RBU	2	165 lbs.
GMC	Pickup, Canyon	All Models	04-14	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Canyon	All Models w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	04-14	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	2500 LD	99-04	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	2500 LD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	99-04	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	1500 LD (Classic)	99-07	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	1500 LD (Classic) w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	99-07	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	1500 HD (Classic)	01-07	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	1500 HD (Classic) w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	01-07	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	2500 HD (Classic)	01-07	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
GMC	Pickup, Sierra	2500 HD (Classic) w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	01-07	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	3500 Series (Classic)	01-07	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	3500 Series (Classic) w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	01-07	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	1500 LD	07-14	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	1500 LD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	07-14	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	2500 HD	07-15	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	2500 HD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	07-15	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	3500 HD	07-15	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Sierra	3500 HD w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	07-15	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Pickup, Sonoma	Short/Long Bed	94-04	59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59742	Ø,UI	40	Sports	TBR	2	400 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Pickup, Sonoma	Short/Long Bed w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	94-04	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
GMC	Savana 1500	Full Size	96-15	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Savana 2500	Full Size	96-15	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Savana 3500	Full Size	96-15	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
				59854	UG,UJ	60	Sports	TRS	2	165 lbs.
GMC	Terrain	w/Factory Roof Rails	10-14	59786	Ø	15	Sports	REX	2	110 lbs.
GMC	Yukon	w/Factory Roof Rails	92-00	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FM	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
GMC	Yukon	w/Amber Turn Signals	00-14	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
GMC	Yukon XL 1500	w/Factory Roof Rails	00-14	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
GMC	Yukon XL 2500	w/Factory Roof Rails	00-14	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Honda	Accord	4 Dr. Sedan	03-07	59402	Ø,†	15	Sports	RM	2	88 lbs.
Honda	Accord	4 Dr. Sedan	08-12	59757	Ø	5	Sports	GTX	2	110 lbs.
Honda	Civic	4 Dr. Sedan, Inc. Hybrid & Si Models	06-11	59759	Ø	5	Sports	GTX	2	110 lbs.
Honda	Civic	4 Dr. Sedan, Inc. Hybrid & Si Models	12-14	59758	Ø	5	Sports	GTX	2	110 lbs.
Honda	Fit		07-08	59755	Ø	5	Sports	GTX	2	110 lbs.
Honda	Fit		09-13	59756	Ø	5	Sports	GTX	2	110 lbs.
Honda	Odyssey	w/Factory Roof Rails	99-13	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Honda	Passport	w/Factory Roof Rails	98-02	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Honda	Pilot	w/Factory Roof Rails	03-08	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Honda	Pilot	w/Factory Roof Rails	09-13	59499	Ø	15	Sports	RBU	2	165 lbs.
Honda	Pilot	w/Factory Roof Rails	09-14	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
Honda	Pilot	w/o Factory Roof Rails	09-14	59760	Ø	15	Sports	GTX	2	110 lbs.
Hyundai	Accent	4 Dr. Sedan, w/o Factory Roof Rails	12-14	59884	Ø	15	Sports	GTX	2	110 lbs.
Hyundai	Accent	5 Dr. Hatchback, w/o Factory Roof Rails	12-14	59707	Ø	5	Sports	APX	2	100 lbs.
				59713	Ø	5	Sports	APE	2	110 lbs.
				59714	Ø,LA	5	Sports	APE	2	110 lbs.
				59715	Ø,LB	5	Sports	APE	2	110 lbs.
Hyundai	Elantra	4 Dr. Sedan	07-10	59403	Ø,†	15	Sports	RM	2	110 lbs.
Hyundai	Elantra	Touring 5 Dr., w/Factory Roof Rails	09-12	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Hyundai	Elantra	Touring 5 Dr., w/o Factory Roof Rails	09-12	59400	Ø,†	15	Sports	GTX	2	110 lbs.
Hyundai	Elantra	4 Dr. Sedan, w/o Factory Roof Rails	11-14	59467	Ø	15	Sports	GTX	2	110 lbs.
Hyundai	Elantra	2 Dr. Coupe, w/o Factory Roof Rails	13-14	59741	Ø	5	Sports	GTX	2	110 lbs.
Hyundai	Elantra GT	w/o Factory Roof Rails	13-14	59740	Ø,LE	5	Sports	GTX	2	110 lbs.
Hyundai	Elantra Wagon	w/Factory Roof Rails	96-00	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Hyundai	Santa Fe	w/Factory Roof Rails	01-06	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Hyundai	Santa Fe	Sport w/Factory Roof Rails, Inc. Panoramic Roof (5 Passenger Models)	13-14	59766	Ø	5	Sports	REX	2	110 lbs.
Hyundai	Santa Fe	Sport w/o Factory Roof Rails, Inc. Panoramic Roof (5 Passenger Models)	13-14	59779	Ø	15	Sports	GTX	2	110 lbs.
Hyundai	Santa Fe	w/Factory Roof Rails, Inc. Panoramic Roof (6/7 Passenger Models)	13-14	59766	Ø	5	Sports	REX	2	110 lbs.
Hyundai	Santa Fe	w/o Factory Roof Rails, Inc. Panoramic Roof (6/7 Passenger Models)	13-14	59779	Ø	15	Sports	GTX	2	110 lbs.
Hyundai	Sonata	w/o Factory Roof Rails	11-14	59466	Ø	15	Sports	GTX	2	110 lbs.
Hyundai	Tucson	w/Factory Roof Rails	05-09	59436	Ø,†	15	Sports	RB	2	110 lbs.
				59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Hyundai	Tucson	GL Only (US Only)	10-14	59730	Ø	5	Sports	GTX	2	110 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Hyundai	Tucson	w/Factory Roof Rails	10-14	50470	Ø	15	Sports	RBXL	2	165 lbs.
				50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Hyundai	Veloster	All Models w/o Factory Roof Rails	12-14	50726	Ø, LE	5	Sports	GTX	2	110 lbs.
Hyundai	Veracruz	w/Factory Roof Rails	07-12	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Infiniti	EX35	w/Factory Roof Rails	08-14	50497	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	FX35	w/Factory Roof Rails	03-08	50490	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	FX35	w/Factory Roof Rails	09-13	50490	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	FX45	w/Factory Roof Rails	03-08	50490	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	FX50	w/Factory Roof Rails	09-13	50490	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	QX50	w/Factory Roof Rails	2014	50490	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	QX56	w/Factory Roof Rails	11-13	50711	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	QX60	w/Factory Roof Rails	2014	50490	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	QX70	w/Factory Roof Rails	2014	50490	Ø	15	Sports	RBU	2	165 lbs.
Infiniti	QX80	w/Factory Roof Rails	2014	50711	Ø	15	Sports	RBU	2	165 lbs.
Isuzu	Rodeo	w/Factory Roof Rails	98-04	50711	Ø, LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Jeep	Cherokee	w/Factory Roof Rails	2014	50402		20	Sports	REX	2	lbs.
Jeep	Grand Cherokee	w/Factory Roof Rails	99-04	50490	Ø	15	Sports	RBU	2	165 lbs.
Jeep	Grand Cherokee	w/Factory Roof Rails	05-10	50499	Ø	15	Sports	RBU	2	165 lbs.
Jeep	Liberty	w/Factory Roof Rails	02-07	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Jeep	Liberty	w/Factory Roof Rails	08-12	50711	Ø, LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
Jeep	Patriot	w/Factory Roof Rails	08-15	50711	Ø, LC	15	Sports	RBU	2	165 lbs.
				50499	Ø	15	Sports	RBU	2	165 lbs.
KIA	Borrego	w/Factory Roof Rails	09-11	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
KIA	Forte	4 Dr. Sedan, w/o Factory Roof Rails	10-13	50439	Ø	15	Sports	GTX	2	110 lbs.
KIA	Forte	5 Dr. Hatchback, w/o Factory Roof Rails	11-13	50700	Ø	15	Sports	GTX	2	110 lbs.
KIA	Forte	4 Dr. Sedan, w/o Factory Roof Rails	14-15	50721	Ø	15	Sports	GTX	2	110 lbs.
KIA	Forte	5 Dr. Hatchback, w/o Factory Roof Rails	14-15	50700	Ø	15	Sports	GTX	2	110 lbs.
KIA	Optima	w/o Factory Roof Rails	11-14	50496	Ø	15	Sports	GTX	2	110 lbs.
KIA	Rio	4 Dr. Sedan	06-11	50401	Ø, †	15	Sports	RM	2	110 lbs.
KIA	Rio	4 Dr. Sedan	12-14	50735	Ø	5	Sports	GTX	2	110 lbs.
KIA	Rio5	5 Dr. Hatchback Only	06-11	50401	Ø, †	15	Sports	RM	2	110 lbs.
KIA	Rio5	5 Dr. Hatchback Only, w/o Factory Roof Rails	12-14	50712	Ø	5	Sports	GTX	2	110 lbs.
KIA	Sedona	w/Factory Roof Rails	06-09	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
KIA	Sedona	w/Factory Roof Rails	10-12	50419	Ø, †	15	Sports	RB	2	110 lbs.
				50471	Ø	15	Sports	RB	2	165 lbs.
				50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
KIA	Sedona	w/Factory Roof Rails	2014	50471	Ø	15	Sports	RB	2	165 lbs.
				50490	Ø	15	Sports	RBU	2	165 lbs.
KIA	Sorento	w/Factory Roof Rails	03-09	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FM	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
KIA	Sorento	w/Factory Roof Rails	11-13	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø, LB	15	Sports	RBU	2	165 lbs.
				59469	Ø	15	Sports	RBXL	2	165 lbs.
KIA	Sorento	w/Factory Roof Rails & Panoramic Sunroof	11-13	59469	Ø	15	Sports	RBXL	2	165 lbs.
KIA	Sorento	w/Factory Roof Rails & No Panoramic Sunroof	11-15	59469	Ø	15	Sports	RBXL	2	165 lbs.
KIA	Sorento	w/Factory Roof Rails & Panoramic Sunroof	14-15	59784	Ø, LE	5	Sports	REX	2	110 lbs.
KIA	Soul	w/Factory Roof Rails	10-13	59418	Ø, †	15	Sports	RB	2	110 lbs.
KIA	Soul	w/o Factory Roof Rails	10-13	59442	Ø	15	Sports	GTX	2	110 lbs.
KIA	Soul	w/Anchor Points & w/o Factory Roof Rails	14-15	59789	Ø	15	Sports	AP-GTX	2	165 lbs.
KIA	Soul	w/Factory Roof Rails (Canada Only)	14-15	59790	Ø	15	Sports	REX	2	110 lbs.
KIA	Sportage	w/Factory Roof Rails	05-10	59408	Ø, †	15	Sports	RB	2	110 lbs.
				59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø, LB	15	Sports	RBU	2	165 lbs.
KIA	Sportage	w/Factory Roof Rails	11-15	59449	Ø	5	Sports	REX	2	110 lbs.
Lexus	GX 470	w/Factory Roof Rails	03-09	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø, LB	15	Sports	RBU	2	165 lbs.
Lexus	RX 330	w/Factory Roof Rails	04-06	59498	Ø	15	Sports	RBU	2	165 lbs.
Lexus	RX 350	w/Factory Roof Rails	07-09	59498	Ø	15	Sports	RBU	2	165 lbs.
Lexus	RX 350	w/Factory Roof Rails	10-15	59417	Ø	5	Sports	RBXL	2	165 lbs.
				59498	Ø	15	Sports	RBU	2	165 lbs.
Lexus	RX 400h	Hybrid w/Factory Roof Rails	06-09	59498	Ø	15	Sports	RBU	2	165 lbs.
Lexus	RX 450h	Hybrid w/Factory Roof Rails	10-12	59498	Ø	15	Sports	RBU	2	165 lbs.
Lincoln	Aviator	w/Factory Roof Rails	03-05	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø, LA	15	Sports	RBU	2	165 lbs.
Lincoln	MKX	w/Factory Roof Rails	07-15	59499	Ø	15	Sports	RBU	2	165 lbs.
Lincoln	MKX	w/o Factory Roof Rails	07-15	59770	Ø	5	Sports	GTX	2	110 lbs.
Lincoln	Navigator	w/Factory Roof Rails	98-06	59498	Ø	15	Sports	RBU	2	165 lbs.
Mazda	2		11-14	59713	Ø	5	Sports	APE	2	110 lbs.
				59714	Ø, LA	5	Sports	APE	2	110 lbs.
				59430	Ø	5	Sports	APX	2	100 lbs.
Mazda	3	4 Dr. Sedan	04-09	59714	Ø	5	Sports	APE	2	110 lbs.
				59715	Ø, LB	5	Sports	APE	2	110 lbs.
				59814	Ø, †	15	Sports	AP-RM	2	132 lbs.
Mazda	3	5 Dr. Hatchback	04-09	59714	Ø	5	Sports	APE	2	110 lbs.
				59715	Ø, LB	5	Sports	APE	2	110 lbs.
				59431	Ø, †	15	Sports	AP-RM	2	132 lbs.
Mazda	3	4 Dr. Sedan	10-13	59714	Ø	5	Sports	APE	2	110 lbs.
				59715	Ø, LB	5	Sports	APE	2	110 lbs.
				59432	Ø	10	Sports	AP-GTX	2	110 lbs.
Mazda	3	5 Dr. Hatchback	10-13	59714	Ø	5	Sports	APE	2	110 lbs.
				59715	Ø, LB	5	Sports	APE	2	110 lbs.
				59433	Ø	10	Sports	AP-GTX	2	110 lbs.
Mazda	5	All Models	06-10	59834	Ø	10	Sports	APE	2	110 lbs.
Mazda	5	All Models	12-15	59834	Ø	10	Sports	APE	2	110 lbs.
Mazda	6	Sport Wagon w/Factory Roof Rails	04-07	59711	Ø, LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Mazda	6	4 Dr. Sedan w/o Factory Roof Rails	09-13	59709	Ø	10	Sports	GTX	2	110 lbs.
Mazda	CX-5	w/o Factory Roof Rails	13-15	59767	Ø	5	Sports	GTX	2	110 lbs.
Mazda	CX-7	w/o Factory Roof Rails	07-12	59714	Ø	5	Sports	APE	2	110 lbs.
				59715	Ø, LB	5	Sports	APE	2	110 lbs.
				59921	Ø	15	Sports	APX	2	100 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Mazda	CX-9	w/o Factory Roof Rails	07-09	50715	0	5	Sports	APE	2	110 lbs.
				50422	0,†	15	Sports	APE	2	132 lbs.
Mazda	CX-9	w/Factory Roof Rails	10-13	50711	0,LC	15	Sports	RBU	2	165 lbs.
				50499	0	15	Sports	RBU	2	165 lbs.
Mazda	CX-9	w/o Factory Roof Rails	10-13	50715	0	5	Sports	APE	2	110 lbs.
				50422	0,†	15	Sports	APE	2	132 lbs.
Mazda	MPV Van	w/Factory Roof Rails	00-06	50497	0	15	Sports	RBU	2	165 lbs.
Mazda	Tribute	w/Factory Roof Rails	08-11	50711	0,LC	15	Sports	RBU	2	165 lbs.
				50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	C240	Wagon w/Factory Roof Rails	03-05	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	C320	Wagon w/Factory Roof Rails	02-04	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	E280	4 Dr. Sedan	2007	50762	0	5	Sports	APE	2	110 lbs.
				50763	0,LB	5	Sports	APE	2	110 lbs.
Mercedes-Benz	E300	4 Dr. Sedan	08-09	50762	0	5	Sports	APE	2	110 lbs.
				50763	0,LB	5	Sports	APE	2	110 lbs.
Mercedes-Benz	E320	Wagon w/Factory Roof Rails	98-05	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	E320	4 Dr. Sedan	03-09	50762	0	5	Sports	APE	2	110 lbs.
				50763	0,LB	5	Sports	APE	2	110 lbs.
Mercedes-Benz	E350	Wagon w/Factory Roof Rails	06-08	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	E350	4 Dr. Sedan	06-09	50762	0	5	Sports	APE	2	110 lbs.
				50763	0,LB	5	Sports	APE	2	110 lbs.
Mercedes-Benz	E350	Wagon w/Factory Roof Rails	2011	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	E500	4 Dr. Sedan	03-06	50762	0	5	Sports	APE	2	110 lbs.
				50763	0,LB	5	Sports	APE	2	110 lbs.
Mercedes-Benz	E500	Wagon w/Factory Roof Rails	04-06	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	E55 AMG	4 Dr. Sedan	03-06	50762	0	5	Sports	APE	2	110 lbs.
				50763	0,LB	5	Sports	APE	2	110 lbs.
Mercedes-Benz	E55 AMG	Wagon w/Factory Roof Rails	2006	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	E550	4 Dr. Sedan	07-09	50762	0	5	Sports	APE	2	110 lbs.
				50763	0,LB	5	Sports	APE	2	110 lbs.
Mercedes-Benz	E63 AMG	Wagon w/Factory Roof Rails	07-08	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	E63 AMG	4 Dr. Sedan	07-09	50762	0	5	Sports	APE	2	110 lbs.
				50763	0,LB	5	Sports	APE	2	110 lbs.
Mercedes-Benz	GL320 BlueTEC	w/Factory Roof Rails	2009	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	GL320 CDI	w/Factory Roof Rails	07-08	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	GL350 BlueTEC	w/Factory Roof Rails	10-14	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	GL450	w/Factory Roof Rails	07-15	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	GL550	w/Factory Roof Rails	08-15	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	GLK350	w/Factory Roof Rails	10-15	50498	0	15	Sports	RBU	2	165 lbs.
				50499	0,LB	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML320	w/Factory Roof Rails	98-02	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML320 BlueTEC	w/Factory Roof Rails	2009	50412	0	5	Sports	RBXL	2	165 lbs.
				50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML320 CDI	w/Factory Roof Rails	07-08	50412	0	5	Sports	RBXL	2	165 lbs.
				50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML350	w/Factory Roof Rails	03-05	50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML350	w/Factory Roof Rails	06-11	50412	0	5	Sports	RBXL	2	165 lbs.
				50499	0	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML350	w/Factory Roof Rails	12-15	50499	0	15	Sports	RBU	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FM	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAIT QTY	WEIGHT CAPACITY
Mercedes-Benz	ML350 BlueTEC	w/Factory Roof Rails	10-11	59412	Ø	5	Sports	RBXL	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML350 BlueTEC	w/Factory Roof Rails	12-14	59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML430	w/Factory Roof Rails	99-01	59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML450 Hybrid	w/Factory Roof Rails	10-11	59412	Ø	5	Sports	RBXL	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML500	w/Factory Roof Rails	02-05	59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML500	w/Factory Roof Rails	06-07	59412	Ø	5	Sports	RBXL	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML550	w/Factory Roof Rails	08-11	59412	Ø	5	Sports	RBXL	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML550	w/Factory Roof Rails	12-14	59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML63 AMG	w/Factory Roof Rails	07-11	59412	Ø	5	Sports	RBXL	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Mercedes-Benz	ML63 AMG	w/Factory Roof Rails	12-14	59499	Ø	15	Sports	RBU	2	165 lbs.
Mercury	Mariner	w/Factory Roof Rails	08-11	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Mercury	Monterey Van	w/Factory Roof Rails	04-07	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
MINI	Cooper	Clubman w/Factory Roof Rails	08-10	59497	Ø	15	Sports	RBU	2	165 lbs.
Mitsubishi	Lancer Sportback	5 Dr. Hatchback w/o Factory Roof Rails	10-14	59834	Ø	10	Sports	APE	2	110 lbs.
Mitsubishi	Outlander	w/Factory Roof Rails (All, Except Outlander Sport)	07-15	59499	Ø	15	Sports	RBU	2	165 lbs.
Mitsubishi	Outlander	w/o Factory Roof Rails	07-15	59834	Ø	10	Sports	APE	2	110 lbs.
Mitsubishi	Outlander Sport	w/o Factory Roof Rails	11-14	59834	Ø	10	Sports	APE	2	110 lbs.
Nissan	Frontier Pickup	w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	05-13	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Nissan	Murano	w/Factory Roof Rails	03-07	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Nissan	Murano	w/Factory Roof Rails	09-14	59423	Ø	5	Sports	RBXL	2	165 lbs.
				59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Nissan	Pathfinder	w/Factory Roof Rails	13-15	59499	Ø	15	Sports	RBU	2	165 lbs.
Nissan	Quest Mini Van	w/Factory Roof Rails	04-09	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Nissan	Quest Mini Van	w/Factory Roof Rails	11-14	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Nissan	Rogue	w/Factory Roof Rails	08-13	59498	Ø	15	Sports	RBU	2	165 lbs.
Nissan	Rogue	w/Factory Roof Rails	08-15	59824	Ø	5	Sports	RBXL	2	165 lbs.
Nissan	Titan Pickup		04-14	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Nissan	Titan Pickup	w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	04-14	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Oldsmobile	Silhouette	w/Factory Roof Rails	97-04	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Pontiac	Montana	w/Factory Roof Rails	99-05	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Pontiac	Montana SV6	w/Factory Roof Rails	05-06	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Pontiac	Montana SV6	w/Factory Roof Rails (Canada Only)	07-09	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Pontiac	Trans Sport Van	w/Factory Roof Rails	97-98	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Pontiac	Vibe	w/Factory Roof Rails	03-10	50497	Ø	15	Sports	RBU	2	165 lbs.
				50498	Ø, LA	15	Sports	RBU	2	165 lbs.
Pontiac	Vibe	w/o Factory Roof Rails	03-10	50721	Ø	5	Sports	APX	2	110 lbs.
				50722	Ø	5	Sports	APE	2	110 lbs.
Porsche	Cayenne	w/Factory Roof Rails	03-14	50490	Ø	15	Sports	RBU	2	165 lbs.
RAM	Pickup, 1500	All Models	11-14	50754	UG, UJ	45	Sports	DMS	2	165 lbs.
				50453	UG, UJ	60	Sports	TRS	2	165 lbs.
RAM	Pickup, 1500	All Models w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	11-14	50753	UH, UJ	30	Sports	DMS	2	165 lbs.
				50455	UH, UJ	40	Sports	TRS	2	165 lbs.
RAM	Pickup, 1500	Except Models w/RamBox Cargo Management System	11-14	50742	Ø, UI	40	Sports	TBR	2	400 lbs.
				50754	UG, UJ	45	Sports	DMS	2	165 lbs.
RAM	Pickup, 2500 HD	All Models	11-14	50453	UG, UJ	60	Sports	TRS	2	165 lbs.
				50753	UH, UJ	30	Sports	DMS	2	165 lbs.
RAM	Pickup, 2500 HD	All Models w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	11-14	50455	UH, UJ	40	Sports	TRS	2	165 lbs.
				50742	Ø, UI	40	Sports	TBR	2	400 lbs.
RAM	Pickup, 2500 HD	Except Models w/RamBox Cargo Management System	11-14	50754	UG, UJ	45	Sports	DMS	2	165 lbs.
				50453	UG, UJ	60	Sports	TRS	2	165 lbs.
RAM	Pickup, 3500 HD	All Models w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	11-14	50753	UH, UJ	30	Sports	DMS	2	165 lbs.
				50455	UH, UJ	40	Sports	TRS	2	165 lbs.
RAM	Pickup, 3500 HD	Except Models w/RamBox Cargo Management System	11-14	50742	Ø, UI	40	Sports	TBR	2	400 lbs.
				50754	UG, UJ	45	Sports	DMS	2	165 lbs.
RAM	Pickup, 3500 HD	All Models w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	11-14	50453	UG, UJ	60	Sports	TRS	2	165 lbs.
				50753	UH, UJ	30	Sports	DMS	2	165 lbs.
RAM	Pickup, 3500 HD	Except Models w/RamBox Cargo Management System	11-14	50455	UH, UJ	40	Sports	TRS	2	165 lbs.
				50742	Ø, UI	40	Sports	TBR	2	400 lbs.
RAM	Pickup, Dakota	All Models	2011	50742	Ø, UI	40	Sports	TBR	2	400 lbs.
				50754	UG, UJ	45	Sports	DMS	2	165 lbs.
RAM	Pickup, Dakota	All Models w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	2011	50453	UG, UJ	60	Sports	TRS	2	165 lbs.
				50753	UH, UJ	30	Sports	DMS	2	165 lbs.
Saab	9-5	Wagon w/Factory Roof Rails	99-09	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Saab	9-7X	w/Factory Roof Rails	05-09	50490	Ø	15	Sports	RBU	2	165 lbs.
Saturn	Astra	3 Dr. Hatchback w/Anchor Points	08-09	50761	Ø	5	Sports	APE	2	110 lbs.
Saturn	Astra	5 Dr. Hatchback w/Anchor Points	08-09	50761	Ø	5	Sports	APE	2	110 lbs.
Saturn	L Series	Wagon w/Factory Roof Rails	00-04	50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Saturn	Vue	w/Factory Roof Rails	08-09	50490	Ø	15	Sports	RBU	2	165 lbs.
Subaru	Forester	w/Factory Roof Rails	09-13	50476	Ø, †	15	Sports	RE	2	132 lbs.
				50490	Ø	15	Sports	RBU	2	165 lbs.
				50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Subaru	Legacy Wagon	All, Inc. Outback w/Factory Roof Rails	95-99	50497	Ø	15	Sports	RBU	2	165 lbs.
Subaru	Outback Wagon	All w/Factory Roof Rails, Except Sport	00-09	50497	Ø	15	Sports	RBU	2	165 lbs.
Subaru	Tribeca	w/Factory Roof Rails	08-14	50499	Ø	15	Sports	RBU	2	165 lbs.
Subaru	XV Crosstrek	w/Factory Roof Rails	2013	50499	Ø, LB	15	Sports	RBU	2	165 lbs.
Subaru	XV Crosstrek	w/Factory Roof Rails	13-14	50490	Ø	15	Sports	RBU	2	165 lbs.
Suzuki	Esteem	Wagon w/Factory Roof Rails	98-02	50497	Ø	15	Sports	RBU	2	165 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FM	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Suzuki	Forenza	Wagon w/Factory Roof Rails	05-08	59497	Ø	15	Sports	RBU	2	165 lbs.
Suzuki	Grand Vitara	w/Factory Roof Rails	99-05	59497	Ø	15	Sports	RBU	2	165 lbs.
Suzuki	SX4	Crossover w/Factory Roof Rails	07-14	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Suzuki	Vitara	4 Dr. w/Factory Roof Rails	99-05	59497	Ø	15	Sports	RBU	2	165 lbs.
Suzuki	XL-7	w/Factory Roof Rails	02-06	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Toyota	4Runner	w/Factory Roof Rails	03-15	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Toyota	Camry	4 Dr. Sedan	07-11	59733	Ø	5	Sports	GTX	2	110 lbs.
				59804	Ø,†	15	Sports	RM	2	110 lbs.
Toyota	Corolla	4 Dr. Sedan, All Models	09-13	59734	Ø	5	Sports	GTX	2	110 lbs.
Toyota	FJ Cruiser	w/Factory Roof Rails	07-14	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Toyota	FJ Cruiser	w/o Factory Roof Rails	07-14	59724	Ø	5	Sports	APE	2	110 lbs.
Toyota	Highlander	w/Factory Roof Rails	01-13	59499	Ø	15	Sports	RBU	2	165 lbs.
Toyota	Highlander	w/o Factory Roof Rails	01-13	59723	Ø	5	Sports	APE	2	110 lbs.
				59724	Ø,LC	5	Sports	APE	2	110 lbs.
Toyota	Matrix	w/Factory Roof Rails	03-10	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Toyota	Matrix	w/o Factory Roof Rails	03-10	59721	Ø	5	Sports	APX	2	110 lbs.
				59722	Ø	5	Sports	APE	2	110 lbs.
Toyota	Prius		04-09	59728	Ø	5	Sports	GTX	2	110 lbs.
				59406	Ø,†	15	Sports	RM	2	88 lbs.
Toyota	Prius	4 Dr. Sedan, Except Models w/Solar Roof Package	10-14	59725	Ø	5	Sports	GTX	2	110 lbs.
Toyota	Prius V		12-14	59729	Ø	5	Sports	GTX	2	110 lbs.
Toyota	RAV4	w/Factory Roof Rails	01-05	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Toyota	RAV4	w/o Factory Roof Rails	01-05	59723	Ø	5	Sports	APE	2	110 lbs.
				59724	Ø,LC	5	Sports	APE	2	110 lbs.
Toyota	RAV4	w/Factory Roof Rails	06-12	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Toyota	RAV4	w/o Factory Roof Rails	06-12	59723	Ø	5	Sports	APE	2	110 lbs.
				59724	Ø,LC	5	Sports	APE	2	110 lbs.
Toyota	Sequoia	w/Factory Roof Rails	08-13	59711	Ø	15	Sports	RBU	2	165 lbs.
Toyota	Sienna Van	w/Factory Roof Rails	04-10	59711	Ø,LC	15	Sports	RBU	2	165 lbs.
				59499	Ø	15	Sports	RBU	2	165 lbs.
Toyota	Sienna Van	w/Factory Roof Rails	11-15	59498	Ø	15	Sports	RBU	2	165 lbs.
				59499	Ø,LB	15	Sports	RBU	2	165 lbs.
Toyota	Tacoma Pickup		96-15	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Toyota	Tacoma Pickup	w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	96-15	59753	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Toyota	Tacoma Pickup	4 Dr. Access Cab w/o Factory Roof Rails	05-15	59752	Ø	5	Sports	GTX	2	110 lbs.
Toyota	Tacoma Pickup	4 Dr. Double Cab w/o Factory Roof Rails	05-15	59752	Ø	5	Sports	GTX	2	110 lbs.
Toyota	Tundra		00-15	59754	UG,UJ	45	Sports	DMS	2	165 lbs.
				59453	UG,UJ	60	Sports	TRS	2	165 lbs.
Toyota	Tundra	Models w/o Integrated Deck Rail Systems Only	00-15	59742	Ø,UI	40	Sports	TBR	2	400 lbs.

† = Available while supply lasts.

MAKE	MODEL	STYLE	YEAR	PART NO.	FW	INSTALL TIME	RACK DESIGN	MOUNTING SYSTEM	BAR QTY	WEIGHT CAPACITY
Toyota	Tundra	w/Aftermarket Fiberglass Flat Roof Cap or Tonneau	00-15	59733	UH,UJ	30	Sports	DMS	2	165 lbs.
				59455	UH,UJ	40	Sports	TRS	2	165 lbs.
Toyota	Venza	w/o Factory Roof Rails	09-15	59731	Ø,LE	5	Sports	GTX	2	110 lbs.
Volkswagen	CC	All Models	09-14	59737	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf	2 Dr. Hatchback, Inc. TDI	10-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf	3 Dr. Hatchback, Inc. TDI (Canada Only)	10-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf	4 Dr. Hatchback, Inc. TDI	10-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf	5 Dr. Hatchback, Inc. TDI (Canada Only)	10-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf GTI	3 Dr. Hatchback (Canada Only)	10-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf GTI	5 Dr. Hatchback (Canada Only)	10-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf R	2 Dr. Hatchback	12-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf R	4 Dr. Hatchback	12-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf R	5 Dr. Hatchback (Canada Only)	12-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Golf Wagon	Canada Only w/Factory Roof Rails	10-14	59420	Ø	5	Sports	RBXL	2	165 lbs.
				59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Volkswagen	GTI	2 Dr. Hatchback	10-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	GTI	4 Dr. Hatchback	10-14	59736	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Jetta	4 Dr. Sedan	05-10	59407	Ø,†	15	Sports	RM	2	88 lbs.
Volkswagen	Jetta	SportWagen w/Factory Roof Rails	09-13	59420	Ø	5	Sports	RBXL	2	165 lbs.
				59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Volkswagen	Jetta	4 Dr. Sedan	11-14	59739	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Jetta Wagon	w/Factory Roof Rails	01-06	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Volkswagen	Jetta Wagon	Canada Only w/Factory Roof Rails	2009	59420	Ø	5	Sports	RBXL	2	165 lbs.
				59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.
Volkswagen	Passat	4 Dr. Sedan	12-15	59738	Ø	5	Sports	GTX	2	110 lbs.
Volkswagen	Passat Wagon	w/Factory Roof Rails	90-97	59497	Ø	15	Sports	RBU	2	165 lbs.
Volkswagen	Passat Wagon	w/Factory Roof Rails	1998	59497	Ø	15	Sports	RBU	2	165 lbs.
Volkswagen	Passat Wagon	w/Factory Roof Rails	99-05	59497	Ø	15	Sports	RBU	2	165 lbs.
Volkswagen	Passat Wagon	w/Factory Roof Rails	07-10	59719	Ø,†	10	Sports	RBXL	2	165 lbs.
				59497	Ø	15	Sports	RBU	2	165 lbs.
Volkswagen	Rabbit	4 Dr. Only	07-09	59411	Ø,†	15	Sports	RM	2	88 lbs.
Volkswagen	Tiguan	w/Factory Roof Rails	09-15	59498	Ø	15	Sports	RBU	2	165 lbs.
Volkswagen	Touareg	w/Factory Roof Rails	04-10	59498	Ø	15	Sports	RBU	2	165 lbs.
Volkswagen	Touareg	w/Factory Roof Rails	11-14	59498	Ø	15	Sports	RBU	2	165 lbs.
Volvo	V50 Wagon	w/Factory Roof Rails	05-11	59498	Ø	15	Sports	RBU	2	165 lbs.
Volvo	V70 Wagon	All, Inc. AWD & XC w/Factory Roof Rails	01-02	59498	Ø	15	Sports	RBU	2	165 lbs.
Volvo	V70 Wagon	All, Inc. AWD w/Factory Roof Rails	03-10	59498	Ø	15	Sports	RBU	2	165 lbs.
Volvo	XC70 Wagon	AWD w/Factory Roof Rails	03-14	59498	Ø	15	Sports	RBU	2	165 lbs.
Volvo	XC90	w/Factory Roof Rails	03-14	59497	Ø	15	Sports	RBU	2	165 lbs.
				59498	Ø,LA	15	Sports	RBU	2	165 lbs.

† = Available while supply lasts.

LA = Optional Wider 47-1/4" (1200mm) Length Cross Bar.

LB = Optional Wider 51-1/8" (1300mm) Length Cross Bar.

LC = Optional Wider 55-1/8" (1400mm) Length Cross Bar.

LE = Vehicles sunroof is not operable on models with optional glass roof when roof rack is installed.

UF = Uses all existing holes. No drilling required.

UG = Some track systems may require cutting shorter to fit due to various roof lengths.

UH = Some track systems may require cutting shorter to fit due to various truck bed lengths.

UI = This rack system requires access under the bed side rails to attach. Some bed sides especially those with integrated bed side rails may not work with this rack system.

UJ = Direct and Track mount systems require the use of 59772 (51-1/4" / 1300mm), 59773 (55-1/8" / 1400mm) or 59774 (63" / 1600mm) cross bars.

† = Available while supply lasts.

[illegible]

† = Available while supply lasts.

Get More Features Without Paying a Luxury Price

UPGRADE FROM THE ORDINARY

With a **FULTON** XLT™ Jack



- Patent pending TruTurn 360 system delivers best in class castering performance
- Raises & lowers 35% faster than the competition
- Patented inner and outer tube bushings provide a tight fit and lessen tube drag



- Premium Sharkskin™ finish for optimum corrosion resistance
- 20% more screw travel than conventional jacks
- Stylized handles with soft touch grips
- Grease fittings in key locations for easy lubrication
- 1500 lbs. Lift Capacity Trailer Jack



Display Box, Bolt-on, #141133 | Bulk, Weld-on, #141132



JACKS

A-Frame Jacks with Powered Drive

Round Jacks

Square Jacks

Twin Cam Drop Leg Jack

Powered Drive Kit

2-Speed Tandem Landing Gear

Fifth Wheel Landing Gear System

Rack / Gear Jacks

Jack Replacement Parts

F2® Marine / Recreational Jacks

F2® A-Frame Jack and Coupler Combination

Marine and Recreational Jacks

Multi-Jack

Stabilizers

COUPLERS

Heavy Duty Collar-Lok™ Couplers

Heavy Duty Cast Couplers

BX1® Gooseneck Couplers

Gooseneck Couplers

SAE International J2638 Standard

Stamped Couplers

Fold-Away™ Hinge Kits

WINCHES

How to Select a Hand Winch

F2® Single and Two Speed Trailer Winches

Single Speed Trailer Winches

Two Speed Trailer Winches

Brake Winches

Worm Gear Winches

Winch - Accessories, Repair/Service Kits





A-FRAME JACK WITH POWERED DRIVE

Tough & Trusted BULLDOG presents a Powered Jack with all the capacity and features you want.

- Positions quickly with 22" of total travel
- 3500 lbs. lift capacity
- Integrated gearbox and motor
- Drop leg
- Deploys and hooks up easily at night with onboard LED courtesy light, angled to illuminate coupler
- Works in case of power loss with emergency manual override capability, easily accessible from the top, crank included
- Lasts for years with industry-leading BULLDOG performance, known worldwide for unmatched strength, durability, and side load capacity
- Retains like-new appearance with corrosion-resistant surfaces
- Limited 5 year warranty



Emergency Manual Override



LED Courtesy Light

A-FRAME JACK WITH POWERED DRIVE

Part No.	Lift Cap. (lbs.)	Travel	Measurements		Clearance	Description	Packaging	Lbs.
			Retracted	Extended				
500187	3,500	14"	9.75"	31.50"	20.50"	Black Cover, includes Drop Leg and Manual Override Crank	Ind. Pack	20
500188	3,500	14"	9.75"	31.50"	20.50"	White Cover, includes Drop Leg and Manual Override Crank	Ind. Pack	20

Replacement Parts

Part No.	Description	Packaging
500190	Drop leg and pin kit.	Ind. Pack
500201	Kit-Manual Override Cover	Polybag
500202	Kit-LED Light Assembly Replacement	Polybag
500203	Kit-Manual Override Crank	Boxed
500305	Kit-Replacement Cover Black	Boxed
500306	Kit-Replacement Cover White	Boxed

† = Available while supply lasts.



500185

500186



Built-In Level

Emergency Manual Override

A-FRAME JACK WITH POWERED DRIVE

Tough & Trusted BULLDOG presents a Powered Jack with all the capacity and features you want.

- Positions quickly with 25" of total travel - 17" screw travel and 8" drop leg travel
- Heavy duty 4000 lbs. lift capacity
- Makes setting up easier with a handy built-in level right where you need it most
- Deploys and hooks up easily at night with onboard LED courtesy light
- Works in case of power loss with emergency manual override capability, easily accessible from the top
- Conserves battery power
- Lasts for years with industry-leading BULLDOG performance, known worldwide for unmatched strength, durability, and side load capacity
- Retains like-new appearance with corrosion-resistant surfaces
- Limited 5 year warranty



A-FRAME JACK WITH POWERED DRIVE

Part No.	Lift Cap. (lbs.)	Travel	Measurements			Description	Pkg.	Lbs.
			Retracted	Extended	Clearance			
500185	4,000	17"	9.75"	34.50"	24.00"	White Cover, includes Drop Leg	Ind. Pack	23
500186	4,000	17"	9.75"	34.50"	24.00"	Black Cover, includes Drop Leg	Ind. Pack	23

Replacement Parts

Part No.	Description	Packaging
500190	Drop leg and pin kit.	Ind. Pack
500191	Manual override crank bolt kit.	Polybag
500192	Bottom cover and screws.	Polybag
500193	Level assembly and screws.	Polybag
500194	Manual override cover kit.	Polybag
500196	LED light assembly and bulbs.	Polybag



500198

A-FRAME JACK WITH POWERED DRIVE

- 18" travel
- Integrated circuit breaker
- Works in case of power loss with supplied manual override crank handle
- Gloss black painted outer tube and motor assembly, clear zinc inner tube
- Limited 1 year warranty



A-FRAME JACK WITH POWERED DRIVE

Part No.	Lift Cap. (lbs.)	Travel	Measurements			Description	Pkg.	Lbs.
			Retracted	Extended	Clearance			
500198	2,500	18"	8.50"	26.50"	N/A	Powered A-Frame Jack without Footplate, Manual Override Crank Included	Ind. Pack	20

Replacement Parts

Part No.	Description	Packaging
500204	Drive Pin & Coupling	Polybag

† = Available while supply lasts.



ROUND JACKS

BULLDOG round jacks are recognized as the industry standard by leading agricultural, commercial, horse, livestock, and other trailer manufacturers. For more than three quarters of a century, BULLDOG jacks have been demonstrated to be the most reliable, field-proven jacks on the market.

- Smooth, comfortable, ergonomic design
- Dependable vertical and side load capacity
- Proven reliability for long term use at rated loads
- Precision fitted parts for extra stability
- A-Frame models listed have grey painted outer and inner tubes - All other models have grey painted outer and clear zinc inner tubes
- Custom finishes are available upon request




155022

151401



178201

151443



Travel and Clearance Diagram

A= Retracted B= Extended C= Clearance Height



THE CHOICE WHEN
APPLICATION REQUIRES
COMPLIANCE WITH
ASABE S485 STANDARDS

STANDARD ROUND JACKS - TUBULAR SWIVEL - ROUND

Part No.	Model No.	Lift Cap. (lbs.)	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
158451 ♦	TWS 158 DTSF w/P&C	2,000	Topwind	10"	11.00"	21.00"	4.00"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included.	13.5
1584510117	TWS 158 DTSF w/P&C	2,000	Topwind	10"	11.00"	21.00"	4.00"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included. Display Box.	13.5
158452 ♦	TWL 158 DTSF w/P&C	2,000	Topwind	15"	14.50"	29.50"	10.00"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included.	16.0
1584520117	TWL 158 DTSF w/P&C	2,000	Topwind	15"	14.50"	29.50"	10.00"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included. Display Box.	16.0
150441	TWS 150 DTSFX w/P&C	2,000	Topwind	10"	11.00"	21.00"	4.00"	Weld-on tubular mount, with 9/16" pin and foot plate. Clear zinc finish. Mating mount sold separately.	10.0
158488	TWL 150 DTSF w/P&C	2,000	Topwind	15"	16.00"	31.00"	4.00"	Weld-on tubular mount with 9/16" pin and foot plate. Clear zinc finish. Male mating mount included.	14.2
158109	SWS 158 DTSF w/P&C	2,000	Sidewind	10"	10.80"	20.80"	6.40"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included.	14.0
1581090117	SWS 158 DTSF w/P&C	2,000	Sidewind	10"	10.80"	20.80"	6.40"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included. Display Box.	14.0

† = Available while supply lasts.



STANDARD ROUND JACKS - TUBULAR SWIVEL - ROUND (CONTINUED)

Part No.	Model No.	Lift Cap. (lbs.)	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
158151 ♦	SWL 158 DTSF w/P&C	2,000	Sidewind	15"	14.50"	29.50"	12.20"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included.	16.0
1581510117	SWL 158 DTSF w/P&C	2,000	Sidewind	15"	14.50"	29.50"	12.20"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included. Display Box.	16.0
178101 ♦	TWS 178 DTSF w/P&C	5,000	Topwind	10"	11.25"	21.25"	4.00"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included.	14.5
1781010117	TWS 178 DTSF w/P&C	5,000	Topwind	10"	11.25"	21.25"	4.00"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included. Display Box.	14.5
178151	TWL 178 DTSF w/P&C	5,000	Topwind	15"	14.70"	29.70"	10.00"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included.	18.0
1781510117	TWL 178 DTSF w/P&C	5,000	Topwind	15"	14.70"	29.70"	10.00"	Weld-on tubular mount with 9/16" pin and foot plate. Male mating mount included. Display Box.	18.0
178201 ♦	SWS 178 DTSF w/P&C	5,000	Sidewind	10"	10.40"	20.40"	6.40"	Weld-on tubular mount with 5/8" pin and foot plate. Male mating mount included.	15.0
1782010117	SWS 178 DTSF w/P&C	5,000	Sidewind	10"	10.40"	20.40"	6.40"	Weld-on tubular mount with 5/8" pin and foot plate. Male mating mount included. Display Box.	15.0
178203	SWL 178 DTSF w/P&C	5,000	Sidewind	15"	15.40"	30.40"	6.40"	Weld-on tubular mount with 5/8" pin and foot plate. Male mating mount included.	18.0
198100	TWS 198 DTSM w/P&C	7,000	Topwind	10"	10.80"	20.80"	4.50"	Weld-on tubular mount with 5/8" pin and foot plate. Female mating mount included.	17.0
198200	TWL 198 DTSM w/P&C	7,000	Topwind	15"	15.80"	30.80"	4.25"	Weld-on tubular mount with 5/8" pin and foot plate. Female mating mount included.	20.0
198150 ♦	SWS 198 DTSM w/P&C	7,000	Sidewind	10"	11.00"	21.00"	6.40"	Weld-on tubular mount with 5/8" pin and foot plate. Female mating mount included.	19.0
198250	SWL 198 DTSM w/P&C	7,000	Sidewind	15"	16.00"	31.00"	6.40"	Weld-on tubular mount with 5/8" pin and foot plate. Female mating mount included.	21.0

STANDARD ROUND JACKS - A-FRAME

Part No.	Model No.	Lift Cap. (lbs.)	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
155022 ♦	TWL 155	2,000	Topwind	15"	8.80"	23.80"	12.20"	Weld-on/bolt-on bracket. Less wheel or base.	12.5
1550220117	TWL 155	2,000	Topwind	15"	8.80"	23.80"	12.20"	Weld-on/bolt-on bracket. Less wheel or base. Display Box.	12.5
155028	TWL 155	2,000	Topwind	15"	8.40"	23.40"	13.00"	Weld-on/bolt-on bracket. Less wheel or base. Clear zinc finish.	12.5
155033	TWL 155X	2,000	Topwind	15"	5.40"	20.40"	16.00"	Weld-on/bolt-on bracket. Less wheel or base.	12.5
155157 ♦	SWL 155X (RV)	2,000	Sidewind	13"	8.60"	21.50"	13.00"	External gear box. Handle to front. Weld-on/bolt-on bracket. Less wheel or base.	14.0
1551570117	SWL 155X (RV)	2,000	Sidewind	13"	8.60"	21.50"	13.00"	External gear box. Handle to front. Weld-on/bolt-on bracket. Less wheel or base. Display Box.	14.0
1550100117	SWL 155 X	3,000	Sidewind	13"	7.00"	20.00"	14.50"	External gear box. Weld-on/bolt-on bracket. Less wheel or base. Display Box.	14.0
1550100317	SWL 155 X	3,000	Sidewind	13"	7.00"	20.00"	14.50"	External gear box. Weld-on/bolt-on bracket. Less wheel or base.	14.0
1550101344	SWL 155 X	3,000	Sidewind	13"	7.00"	20.00"	14.50"	External gear box. Weld-on/bolt-on bracket. Less wheel or base. Clear zinc finish.	14.0
155032 ♦	TWL 155 HD	5,000	Topwind	15"	10.30"	25.30"	10.20"	Weld-on/bolt-on bracket. Less wheel or base. (5000 lbs. vertical load capacity)	13.3
1550320117	TWL 155 HD	5,000	Topwind	15"	10.30"	25.30"	10.20"	Weld-on/bolt-on bracket. Less wheel or base. (5000 lbs. vertical load capacity) Display Box.	13.3
1750290317 ♦	TWL 175	5,000	Topwind	15"	10.82"	25.82"	10.70"	Weld-on/bolt-on bracket. Less wheel or base.	13.3
1750290301	TWL 175	5,000	Topwind	15"	10.82"	25.82"	10.70"	Weld-on/bolt-on bracket. Less wheel or base. Clear zinc finish.	13.3

(CONTINUED ON NEXT PAGE)

NOTE: Review price list or contact customer service for package quantities and full part number. Other custom-made designs are available upon request.

♦ DENOTES MOST POPULAR

† = Available while supply lasts.



STANDARD ROUND JACKS - A-FRAME (CONTINUED)

Part No.	Model No.	Lift Cap. (lbs.)	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
1700100117	SWL 175	5,000	Sidewind	15"	8.60"	23.60"	12.75"	Handle to front. Weld-on/bolt-on bracket. Less wheel or base. Display Box.	15.5
1700100317	SWL 175	5,000	Sidewind	15"	8.60"	23.60"	12.75"	Handle to front. Weld-on/bolt-on bracket. Less wheel or base.	15.5
1700100301	SWL 175	5,000	Sidewind	15"	8.60"	23.60"	12.75"	Handle to front. Weld-on/bolt-on bracket. Less wheel or base. Clear zinc finish.	10.2

STANDARD ROUND JACKS - WELD-ON RETAINING RING SWIVEL

Part No.	Model No.	Lift Capacity	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
151401 ♦	TWS 151 DS	2,000	Topwind	10"	11.00"	21.00"	4.00"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate.	13.0
1514010117	TWS 151 DS	2,000	Topwind	10"	11.00"	21.00"	4.00"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate. Display Box.	13.0
151421	TWL 151 DS	2,000	Topwind	15"	14.50"	29.50"	10.00"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate.	16.0
1514210117	TWL 151 DS	2,000	Topwind	15"	14.50"	29.50"	10.00"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate. Display Box.	16.0
151460	TWS 151 DS	2,000	Topwind	10"	11.00"	21.00"	4.00"	3/8" diameter plunger pin. With footplate. Clear zinc finish. WELD-ON L-BEND SWIVEL BRACKET SOLD SEPARATELY.	11.4
151101 ♦	SWS 151 DS	2,000	Sidewind	10"	11.00"	21.00"	6.40"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate.	13.0
1511010117	SWS 151 DS	2,000	Sidewind	10"	11.00"	21.00"	6.40"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate. Display Box.	13.0
151159	SWL 151 DS	2,000	Sidewind	15"	14.50"	29.50"	12.20"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate.	17.0
171401	TWS 171 DS	5,000	Topwind	10"	11.25"	21.25"	4.00"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate.	14.0
171412	TWL 171 DS	5,000	Topwind	15"	14.50"	29.50"	10.00"	Weld-on L-bend swivel bracket assembled. 1/2" diameter plunger pin. With footplate.	17.0

STANDARD ROUND JACKS - BOLT-ON RETAINING RING SWIVEL

Part No.	Model No.	Lift Capacity	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
151443 ♦	TWS 159 SX	2,000	Topwind	10"	11.00"	21.00"	4.00"	Bolt-on swivel bracket assembled with mounting hardware. 1/2" diameter plunger pin. Without base. Fits tongue up to 3" x 4".	12.25

STANDARD ROUND JACKS - WITHOUT MOUNT

Part No.	Model No.	Lift Capacity	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
150152	SWL 150	2,000	Sidewind	15"	26.60"	41.60"	N/A	No foot, no mount, painted outer tube, zinc inner tube.	13.0
150000	TWL 150	2,000	Topwind	10"	15.00"	25.00"	N/A	No foot, no mount, painted outer tube, zinc inner tube.	7.2
1701480317	TWL 170	5,000	Topwind	15"	21.00"	36.00"	N/A	No foot, no mount, painted outer tube, zinc inner tube.	11.45
170205	SWL 170	5,000	Sidewind	15"	19.20"	34.20"	N/A	No foot, no mount, painted outer tube, zinc inner tube.	12.14

NOTE: Review price list or contact Customer Service for package quantities and full part number. Other custom-made designs are available upon request.

♦ DENOTES MOST POPULAR

† = Available while supply lasts.



0050240300



500239

ROUND JACK MOUNTING OPTIONS

Part No.	Description	Style
P9222-00	Weld-on retaining ring swivel mount	Weld-on
0050240300	Female tubular swivel mount, 5/8" hole	Weld-on
500239	Male tubular swivel mount, 9/16" hole	Weld-on
0031350300	A-frame bottom support plate	Weld-on



500256



500105 / 500171



500180



500148

ROUND JACK HANDLE OPTIONS

Part No.	Description
500256	Sidewind Crank Kit, Handle, 5-51/64" Radius Assembly & Gear 2,000 lbs. Jacks
500105	Sidewind Crank Assembly for 170's w/Black Knob
500180	Topwind Crank, 6-3/4" Radius w/Red Bulldog Knob For 750-5,000 lbs. Jacks
500148	Topwind Crank, 9" Radius w/Black "Tear Drop" Knob For 7,000 lbs. Jacks
500171	Sidewind Crank Assembly for 190's, Black



017125




CE555 0301



500244

ROUND JACK WHEEL / FOOT OPTIONS

Part No.	Description
017125	Removable steel caster. Reduces overall jack capacity to 1,000 lbs.
CE555 0101	Removable polyolefin caster. Reduces overall jack capacity to 1,200 lbs. (boxed)
CE555 0301	Removable polyolefin caster. Reduces overall jack capacity to 1,200 lbs. (bulk)
500244	Detachable base, 2.1" height
018098	Detachable base, 6.2" height
500245	Removable 6" caster with pin. Fits jacks with 2" inner tube



Tube Mount Diagram



0152790300

TUBE MOUNTS

Part No.	Style	Pin Diameter	A	Measurements			Fits
				B	C	D	
0050050300	Weld-on, male	9/16"	2.25"	1.50"	0.75"	2.00"	2.50"
0152790300	Weld-on, male	5/8"	2.25"	1.50"	0.75"	2.00"	2.50"
0050240300	Weld-on, female	5/8"	2.50"	1.62"	0.88"	3.00"	2.50"
0152730300	Weld-on, male	9/16"	1.88"	1.13"	0.75"	2.00"	2.50"
0152710300	Weld-on, female	9/16"	1.62"	0.88"	0.75"	2.50"	2.00"
0031550300	Weld-on, female	3/4"	3.00"	1.59"	1.41"	3.25"	2.50"
7011800300	Weld-on, male	7/8"	3.31"	1.90"	1.41"	2.50"	3.25"
005122	Weld-on, female	7/8"	2.80"	1.58"	1.22"	4.00"	3.25"
500315	Weld-on, female	5/8"	2.50"	1.50"	1.00"	3.00" sq.	2.50" sq.
PQM19-00	Weld-on, male	5/8"	2.13"	1.25"	0.88"	2.00" sq.	2.50" sq.

† = Available while supply lasts.



ROUND JACKS


- Designed for use with trailers with A-Frame couplers
- Weld-on or Bolt-on mounting option
- A-frame models have black painted outer and inner tubes, all other models have black painted outer and clear zinc inner tubes



EA2000



RV2000



Travel and Clearance
A = Retracted
B = Extended
C = Clearance Height

Actual product may vary slightly from image shown.

STANDARD ROUND JACKS - A-FRAME WITHOUT FOOTPLATE

Part No.	Lift Capacity	Handle Style	Travel	A Retracted	Measurements B Extended	C Clearance	Description	Lbs.
RV20000103	2,000	Sidewind	14"	9.00"	23.00"	13.00"	Front Facing Handle, Boxed	12.00
RV20000303	2,000	Sidewind	14"	9.00"	23.00"	13.00"	Front Facing Handle	12.00
EA20000103	2,000	Topwind	14"	8.00"	22.00"	11.00"	Boxed	11.00
EA20000303	2,000	Topwind	14"	8.00"	22.00"	11.00"		11.00
EA20000340	2,000	Topwind	14"	8.00"	22.00"	11.00"	Clear Zinc Inner & Outer Tubes	11.00
1401000303	2,000	Topwind	15"	5.50"	20.50"	16.00"		12.50
1400600303	5,000	Topwind	15"	10.80"	25.80"	14.55"		13.00

Unless otherwise noted, A-Frame Without Footplate Jacks: 1) Finish is black painted inner and outer tubes 2) Jacks are bulk packed



1400750340



1400700340

STANDARD ROUND JACKS - A-FRAME ACCESSORIES


Part No.	Capacity	Description	Lbs.
1400700340	5,000	Removable Footplate, 2.10" Tall, Fits 2" Inner Tube, Includes Pull Pin Assembly, Clear Zinc Finish	2.50
1400750340	1,200	Removable 6" Caster, Includes Pull Pin Assembly, Clear Zinc Finish	4.00

† = Available while supply lasts.



ROUND JACKS

- Designed for use with recreational and utility trailers
- Bolt-on versions include all necessary mounting hardware
- Weld-on versions include mating mount and retaining ring
- A-frame models have black painted outer and inner tubes, all other models have black painted outer and clear zinc inner tubes



Travel and Clearance
A = Retracted
B = Extended
C = Clearance Height

Actual product may vary slightly from image shown.

STANDARD ROUND JACKS - RETAINING RING SWIVEL, BOLT-ON, WITH FOOTPLATE

Part No.	Lift Capacity	Handle Style	Travel	Measurements			Description	Lbs.
				A Retracted	B Extended	C Clearance		
1400300303	2,000	Topwind	10"	11.00"	21.00"	4.00"	Mounting Hardware Included	14.25

STANDARD ROUND JACKS - RETAINING RING SWIVEL, WELD-ON, WITH FOOTPLATE

Part No.	Lift Capacity	Handle Style	Travel	Measurements			Description	Lbs.
				A Retracted	B Extended	C Clearance		
1401140303	2,000	Topwind	10"	11.00"	21.00"	4.00"	Mating Mount & Retaining Ring Included	11.00
1401040303	2,000	Topwind	15"	14.50"	29.50"	10.00"	Mating Mount & Retaining Ring Included	15.00
1401020303	2,000	Sidewind	10"	10.40"	20.40"	6.29"	Mating Mount & Retaining Ring Included	12.00
1401030303	2,000	Sidewind	15"	14.40"	29.40"	12.25"	Mating Mount & Retaining Ring Included	16.00

STANDARD ROUND JACKS - TUBULAR SWIVEL, WELD-ON, WITH FOOTPLATE

Part No.	Lift Capacity	Handle Style	Travel	Measurements			Description	Lbs.
				A Retracted	B Extended	C Clearance		
1401060303	2,000	Sidewind	10"	11.20"	21.20"	5.45"	Mating Mount & Pull Pin Included	11.50
1401080303	2,000	Sidewind	15"	14.40"	29.40"	12.25"	Mating Mount & Pull Pin Included	15.50
1400400303	2,000	Topwind	10"	11.00"	21.00"	4.00"	Mating Mount & Pull Pin Included	11.00
1401200303	2,000	Topwind	15"	14.50"	29.50"	10.00"	Mating Mount & Pull Pin Included	15.00
1401420303	5,000	Sidewind	10"	10.50"	20.50"	6.25"	Mating Mount & Pull Pin Included	12.00
1401440303	5,000	Sidewind	15"	15.50"	30.50"	6.25"	Mating Mount & Pull Pin Included	15.00
1401460303	5,000	Topwind	10"	11.20"	21.20"	4.00"	Mating Mount & Pull Pin Included	12.50
1401480303	5,000	Topwind	15"	14.70"	29.70"	10.00"	Mating Mount & Pull Pin Included	16.50

Unless otherwise noted, A-Frame Without Footplate Jacks: 1) Finish is black painted inner and outer tubes 2) Jacks are bulk packed

† = Available while supply lasts.



SQUARE JACKS

Square Up for Side Load Strength

Compared to round jacks of similar capacities, BULLDOG's 5,000 lbs. support capacity square jack dramatically improves side load strength while maintaining the economical benefits of lower capacity jacks. The extra side load capacity you need without the costs of increasing overall capacity.


- 12-gauge square tube is 70% stronger than 12-gauge round tube for more side load and support strength with the same lift capacity
- 4.62" outer tube overlap at full extension for additional side load strength
- Weather-resistant materials and coatings. Painted outer tubes, clear zinc inner tubes
- Proven, reliable mechanical elements provide dependable strength and long-lasting, durable performance
- Mounts included in this series of jacks



THE CHOICE WHEN
APPLICATION REQUIRES
COMPLIANCE WITH
ASABE S485 STANDARDS



195356



Travel and Clearance Diagram

A= Retracted B= Extended C= Clearance Height



195312



195321

† = Available while supply lasts.



SQUARE JACKS - TUBULAR SWIVEL MOUNT - ROUND

5,000 LBS. SUPPORT CAPACITY - 3,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
195306 ♦	TWL 195 DTSFQ	5,000	Topwind	15"	15.20"	30.20"	7.00"	Fixed leg with base. With tubular swivel mount (includes male mating mount, pin, and chain).	17.5
195356 ♦	SWL 195 DTSFQ w/P&C	5,000	Sidewind	15"	15.10"	30.10"	9.25"	Fixed leg with base. With tubular swivel mount (includes male mating mount, pin, and chain).	18.5

Patent Pending. NOTE: Contact Price List or Customer Service for package quantities and full part number. ♦ DENOTES MOST POPULAR

SQUARE JACKS - TUBULAR SWIVEL MOUNT - SQUARE

5,000 LBS. SUPPORT CAPACITY - 3,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
195312 ♦	TWL 195 DTSXFQ w/P&C	5,000	Topwind	15"	15.20"	30.20"	7.00"	Fixed leg with base. Square mount welded to outer tube (includes male mating mount, pin, and chain).	17.5
195362	SWL 195 DTSXFQ w/P&C	5,000	Sidewind	15"	15.10"	30.10"	9.25"	Fixed leg with base. Square mount welded to outer tube (includes male mating mount, pin, and chain).	18.4

Patent Pending. NOTE: Contact Price List or Customer Service for package quantities and full part number. ♦ DENOTES MOST POPULAR

SQUARE JACKS - A-FRAME

5,000 LBS. SUPPORT CAPACITY - 3,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
195318	TWL 195 DL-DFXQ	5,000	Topwind	15"	7.90"	36.50"	14.70"	Drop leg with base. Drop leg offers 13.50" additional adjustment.	19.3
195321 ♦	TWL 195 FL-FXQ	5,000	Topwind	15"	7.40"	22.40"	14.70"	Fixed leg less base.	13.8

Patent Pending. NOTE: Contact Price List or Customer Service for package quantities and full part number. ♦ DENOTES MOST POPULAR

SQUARE JACKS - DIRECT WELD

5,000 LBS. SUPPORT CAPACITY - 3,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	Measurements			Description	Lbs.
					A Retracted	B Extended	C Clearance		
195301 ♦	TWL 195 DQ	5,000	Topwind	15"	22.20"	37.20"	N/A	Fixed leg with base.	14.1
195304 ♦	TWL 195 DL-DXQ	5,000	Topwind	15"	22.60"	51.20"	N/A	Drop leg with base. Drop leg offers 13.50" additional adjustment.	18.2
195319	TWL 195 FL-BXQ	5,000	Topwind	15"	22.30"	37.30"	N/A	Fixed leg with caster base.	14.1
195320	TWL 195 FL-XQ	5,000	Topwind	15"	22.10"	37.10"	N/A	Fixed leg less base.	12.7
195351	SWL 195 DQ	5,000	Sidewind	10"	17.70"	27.70"	N/A	Fixed leg with base.	12.4
195352	SWL 195 DQ	5,000	Sidewind	15"	24.40"	39.40"	N/A	Fixed leg with base.	16.1
195354 ♦	SWL 195 DL-DXQ	5,000	Sidewind	15"	25.50"	54.10"	N/A	Drop leg with base. Drop leg offers 13.50" additional adjustment.	20.2
195368	SWL 195 FL-XQ	5,000	Sidewind	15"	24.40"	39.40"	N/A	Fixed leg with caster base.	16.1
195369	SWL 195 FL-XQ	5,000	Sidewind	15"	24.20"	39.20"	N/A	Fixed leg less base.	14.7

Patent Pending. NOTE: Contact Price List or Customer Service for package quantities and full part number. ♦ DENOTES MOST POPULAR

† = Available while supply lasts.




SQUARE JACKS

BULLDOG's 8,000 lbs. support capacity square jack serves the agricultural, industrial, construction, horse/livestock trailer, and utility/cargo trailer markets. The compact design of these jacks makes them ideal for tight-fitting applications where 3" and 4" square tube jacks are too big!

- Use the painted outer tube as the final finish or primer
- Zinc-plated inner tube and drop leg
- 4.7" Outer / inner tube overlap - results in optimal side load performance
- 5/8" screw stem - provides insurance against screw stem twisting off
- Patented screw nut stop - prevents screw and/or nut damage when jack is fully extended
- Topwind models - bushing in top cap, eagle claw grip
- Sidewind models - 1/4" cross pin connects gear train to screw stem - guards against shearing jack pin
- Sidewind models - 1:1.33 gear ratio



THE CHOICE WHEN
APPLICATION REQUIRES
COMPLIANCE WITH
ASABE S485 STANDARDS



SQUARE JACKS - TUBULAR SWIVEL MOUNT

8,000 LBS. SUPPORT CAPACITY - 5,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	A Retracted	B Extended	C Clearance	Description	Lbs.
190705 ♦	TWS 190 FL-B TSMQ w/P&C	8,000	Topwind	10"	11.41"	21.41"	4.25"	Fixed leg with heavy-duty base. With tubular swivel mount (includes mating mount, pin and chain).	18.0
190706	TWL 190 FL-B TSMQ w/P&C	8,000	Topwind	15"	12.16"	27.16"	10.25"	Fixed leg with heavy-duty base. With tubular swivel mount (includes mating mount, pin and chain).	22.5
190708	TWL 190 DL-B TSMQ w/P&C	8,000	Topwind	15"	12.66"	41.16"	10.25"	Drop leg with heavy-duty base. Drop leg offers 13.50" additional adjustment. With tubular swivel mount (includes mating mount, pin and chain).	27.0
190724	TWL 190 FL-DTS BQ	8,000	Topwind	15"	15.10"	30.10"	7.00"	Fixed leg with heavy-duty base. With tubular swivel mount (includes pin and chain, without mating mount, use 0031550300).	23.0
190756 ♦	SWL 190 FL-B TSMQ w/P&C	8,000	Sidewind	15"	12.16"	27.16"	12.40"	Fixed leg with heavy-duty base. With tubular swivel mount (includes mating mount, pin and chain).	24.0
190758	SWL 190 DL-B TSMQ w/P&C	8,000	Sidewind	15"	12.66"	41.16"	12.40"	Drop leg with heavy-duty base. Drop leg offers 13.50" additional adjustment. With tubular swivel mount (includes mating mount, pin and chain).	28.5
190789	SWL 190 FL-BQ	8,000	Sidewind	15"	15.10"	30.10"	9.40"	Fixed leg with heavy-duty base. With tubular swivel mount (includes pin and chain, without mating mount, use 0031550300).	25.0

SQUARE JACKS - DIRECT WELD

8,000 LBS. SUPPORT CAPACITY - 5,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	A Retracted	B Extended	C Clearance	Description	Lbs.
190704 ♦	TWL 190 DL-BQ	8,000	Topwind	15"	22.66"	51.41"	N/A	Drop leg with heavy-duty base. Drop leg offers 13.50" additional adjustment.	23.5
1907040176	TWL 190 DL-BQ	8,000	Topwind	15"	22.66"	51.41"	N/A	Drop leg with heavy-duty base. Drop leg offers 13.50" additional adjustment. Display Box.	23.5
190754 ♦	SWL 190 DL-BQ	8,000	Sidewind	15"	25.06"	53.56"	N/A	Drop leg with heavy-duty base. Drop leg offers 13.50" additional adjustment.	25.0
1907540176	SWL 190 DL-BQ	8,000	Sidewind	15"	25.06"	53.56"	N/A	Drop leg with heavy-duty base. Drop leg offers 13.50" additional adjustment. Display Box.	25.0

Patent Pending. NOTE: Other custom-made designs are available upon request. ♦ DENOTES MOST POPULAR


† = Available while supply lasts.



SQUARE JACKS

BULLDOG 10,000 lbs. support capacity square jacks "fills the gap" between 8,000 lbs. and 12,000 lbs. square jack product offerings. If the existing 8,000 lbs. support capacity square jacks are too small or the 12,000 lbs. support capacity square jacks are too big, look no further – your application and pricing requirements have been met! This is the highest quality and best performing jack available in the marketplace today, a total balance between capacity, speed, and effort.

- Heavy-gauge 3" square tubing allows for direct weld mounting wherever the application allows – no burn through
- Use the painted outer tube as the final finish or primer
- Zinc-plated inner tube and drop leg
- Heavy-duty base, with reinforcement ribs, zero water retention
- Precision manufactured for long term reliability and smooth, easy cranking
- Grease zerk for easy lubrication as needed
- Oil-impregnated bushing for improved bearing and gear life
- Direct weld to outer tube is standard
- Sidewind models - 1:1.86 gear ratio



Travel and Clearance Diagram
A= Retracted B= Extended

SQUARE JACKS - DIRECT WELD

10,000 LBS. SUPPORT CAPACITY - 7,200 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	Measurements		Description	Lbs.
					A Retracted	B Extended		
180304 ♦	TWS 180 DL-BQ	10,000	Topwind	10"	18.18"	38.31"	Drop leg with heavy-duty base. Drop leg offers 10.12" additional adjustment.	24.5
180354	TWL 180 DL-BQ	10,000	Topwind	15"	22.93"	51.43"	Drop leg with heavy-duty base. Drop leg offers 13.50" additional adjustment.	30.0
180405	SWS 180 DL-BQ	10,000	Sidewind	10"	19.93"	40.05"	Drop leg with heavy-duty base. Drop leg offers 10.12" additional adjustment.	26.2
180455 ♦	SWL 180 DL-BQ	10,000	Sidewind	15"	25.67"	54.17"	Drop leg with heavy-duty base. Drop leg offers 13.50" additional adjustment.	32.5


Patent Pending. NOTE: Contact Price List or Customer Service for package quantities and full part number. Other custom-made designs are available upon request. ♦ DENOTES MOST POPULAR

† = Available while supply lasts.


HEAVY DUTY SQUARE JACKS

Strong, durable, and sturdy, the BULLDOG 12,000 lbs. support capacity square jack is the BIG reason why BULLDOG has carried the load in agricultural, construction, heavy-duty utility, and horse/livestock trailer industries since 1923. All BULLDOG 4" square jacks are rated for 12,000 lbs. support capacity and 10,000 lbs. lift capacity. The strength of the product, plus the wide variety of styles, makes this jack the best choice in its product class.

- 4" square tubing, 7-gauge superior alloy steel
- Painted outer tube, inner tube, and drop leg
- Drop leg option with 5 positioning holes
- Easy-access gear box with grease fitting for routine maintenance
- Spring return drop leg or non-spring return drop leg
- 12.5" screw travel, 13.5" of additional adjustment with drop leg
- Front facing drop leg plunger pin or side facing drop leg plunger pin
- Painted (with or without labels) or powder paint optional
- Sidewind models - 1:1.5 gear ratio



Pin to front tandem application




Travel and Clearance Diagram

A= Retracted

B= Extended

C= Clearance Height



SQUARE JACKS - DIRECT WELD - NON-SPRING RETURN

12,000 LBS. SUPPORT CAPACITY - 10,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	A Retracted	B Extended	C Clearance	Description	Lbs.
182300	TWQ 180 DL-B	12,000	Topwind	12.5"	23.4"	49.4"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Crank sold separately.	50.0
182304 ♦	TWQ 180 DL-BC	12,000	Topwind	12.5"	23.4"	49.4"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Crank included.	53.0
182400 ♦	SWQ 180 DL-B	12,000	Sidewind	12.5"	27.4"	53.3"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Drop leg pull pin to the SIDE. Crank sold separately.	58.0
182404	SWQ 180 DL-BC	12,000	Sidewind	12.5"	27.4"	53.3"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Drop leg pull pin to the SIDE. Crank included.	61.5
182411	SWQ 180 DL-B	12,000	Sidewind	12.5"	27.4"	53.5"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Drop leg pull pin to the SIDE. Crank sold separately. Companion jack to 182400 and 182404.	58.0
182415 ♦	SWQ 180 DL-BX	12,000	Sidewind	12.5"	28.6"	54.6"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Drop leg pull pin to the FRONT. Crank sold separately.	58.0
182500	SWQ 180 FL-B	12,000	Sidewind	12.5"	27.0"	39.5"	N/A	Fixed leg jack with standard disc foot. Crank sold separately.	47.0

Patent Pending. NOTE: Contact Price List or Customer Service for package quantities and full part number. Other custom-made designs are available upon request. ♦ DENOTES MOST POPULAR

† = Available while supply lasts.



SQUARE JACKS - DIRECT WELD - SPRING RETURN

12,000 LBS. SUPPORT CAPACITY - 10,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	A Retracted	B Extended	C Clearance	Description	Lbs.
182800 ♦	SWQ 180 DL-B-SR	12,000	Sidewind	12.5"	27.4"	53.6"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Drop leg pull pin to the SIDE. Crank sold separately.	57.4
182804	SWQ 180 DL-BC-SR	12,000	Sidewind	12.5"	27.4"	53.6"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Drop leg pull pin to the SIDE. Includes crank.	60.9
182805	SWQ 180 DL-BX RH	12,000	Sidewind	12.5"	27.4"	53.5"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Drop leg pull pin to the SIDE. Crank sold separately. Companion jack to 182800, 182802, and 182804	57.4
182815 ♦	SWQ 180 DL-BX	12,000	Sidewind	12.5"	28.6"	54.6"	N/A	Drop leg jack with standard disc foot. 13.5" of additional drop leg extension. Drop leg pull pin to the FRONT. Crank sold separately.	58.0

Patent Pending. NOTE: Contact Price List or Customer Service for package quantities and full part number. Other custom-made designs are available upon request. ♦ DENOTES MOST POPULAR

SQUARE JACKS - TUBULAR SWIVEL - NON-SPRING RETURN

12,000 LBS. SUPPORT CAPACITY - 10,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Handle Style	Travel	A Retracted	B Extended	C Clearance	Description	Lbs.
182524	SWQ 180 TS-FL-BCX	12,000	Sidewind	12.5"	17.0"	29.6"	10.1"	Fixed leg jack with standard disc foot. Includes crank. Includes 3.25" diameter tube mount with pin and chain. Does not include mating mount (005122).	52.0

Patent Pending. NOTE: Contact Price List or Customer Service for package quantities and full part number. Other custom-made designs are available upon request. ♦ DENOTES MOST POPULAR



005122
Female Mating Mount
(Purchased separately)



701466

REMOVABLE CRANKS

Part No. 701466

- Non-slotted design for better weather resistance and 2-speed performance
- Remains firmly attached for convenience or may be removed easily for theft deterrence
- Fits 1" schedule 40 steel pipe for remote mounting

ACCESSORIES - 12,000 LBS. SUPPORT CAPACITY JACKS

Part No.	Description	Lbs.
005122	Weld-on female mount for 7/8" pull pin. 4.00" O.D., 3.375" I.D., 2.75" long.	3.0
015181	Sidewind crank assembly with 13.50" radius. Vertical clevis. Mounting hardware included. Extends 17.50" from the jack. Black primed finish.	3.5
800102	Sidewind crank assembly with 13.50" radius. Horizontal clevis. Mounting hardware included. Extends 17.50" from the jack. Black primed finish.	3.5
800075	Topwind crank assembly with 9.50" radius. Vertical clevis. Mounting hardware included. Extends 15.50" from the top of the jack. Black primed finish.	3.0
800090	Sidewind crank assembly with 13.50" radius. Horizontal clevis. Mounting hardware included. Extends 17.50" from the jack. Black primed finish.	4.5
701466	Removable sidewind crank with 13.5" offset radius. All zinc-plated crank. Dual handle grips for cranking and shifting. For use with OEM supplied out-board bushing or may be attached directly on jack gearbox. Needs 012378 adapter with traditional gearbox.	4.0
CS730300	Cross shaft extension tube 72.75" to connect jacks in tandem application	10.0
500312	Handle clip.	0.15

† = Available while supply lasts.

TWIN CAM DROP LEG JACK

The Industry's Strongest Drop Leg Jack.

The BULLDOG® Twin Cam™ features a convenient, enclosed pin mechanism with “twin cam” action that will quickly make this heavy duty, drop leg jack the industry standard.

Twin Cam Drop Leg Mechanism

- The BULLDOG® Twin Cam Drop Leg mechanism allows an increase in the vertical static capacity by using two ¾” pins to transfer forces between the drop leg and inner tube of the jack.
- The unique Twin Cam drop leg mechanism actuates the drop leg pins in both directions, giving the operator full control over engagement and disengagement of the drop leg pins. The design does not rely on spring pressure alone to keep the pins in the locked position. Patent pending.
- The enclosed Twin Cam drop leg mechanism keeps dirt and debris from interfering with the engagement of the drop leg pins.
- The Twin Cam drop leg mechanism maintains tighter alignment between the drop leg tube and inner tube by having engagement on both sides of the drop leg tube.

Two-Speed Model (also includes)


- Convenient cranking ratios allow for fast operation under a wide range of loading conditions. Drop leg provides quick adjustment.
 - » High speed cranking ratio of 9 turns per inch is convenient for loads up to 12,500 lbs.
 - » Low speed ratio of 29.5 turns per inch allows lifting loads up to 25,000 lbs.

Features

- Easy access grease fittings allow for lubrication of internal jack gears and jack screw/nut.
- Patented screw stop prevents screw and/or nut damage when the jack is fully extended, keeping the screw in good condition for maximum screw/nut cycle life.
- Patented assembly design makes the gears, jack screw/nut, and other internal components easily serviceable. 12.5” of screw travel.
- Drop Leg features 5 positions with 13.5” of adjustment.
- 10” X 10” heavy gauge steel foot plate.
- Heavy duty 1” diameter steel input shaft.
- Spring return and non-spring return drop legs available.

Optional Accessory

- Compatible with BULLDOG® Powered Drive electric motor system (reduces lift capacity to 7,500 lbs).



TWIN CAM™

DROP LEG JACK



TWIN CAM DROP LEG JACK

Part No.	Capacity	Travel	A Retracted	B Extended	Description	Weight
182700	Sidewind	12.5"	27.5"	53.5"	Twin Cam Drop Leg – non spring return, 13.5" of drop leg extension. Crank sold separately.	62
182701	Sidewind	12.5"	28.5"	54.5"	Twin Cam Drop Leg – spring return, 13.5" of drop leg extension. Crank sold separately.	63.5
183749	Sidewind Two-speed	12.5"	28.5"	54.5"	Twin Cam Drop Leg – non spring return, 13.5" of drop leg extension. Crank sold separately.	76
183750	Sidewind Two-speed	12.5"	29.5"	55.5"	Twin Cam Drop Leg – spring return, 13.5" of drop leg extension. Crank sold separately.	77.5

Twin Cam Drop Leg Capacity

Configurations	Part Number	Static Capacity	Lift Capacity
1 Single-Speed Jack	182700 or 182701	25,000 lbs.	12,500 lbs.
Pair of Single-Speed Jacks in Tandem	(2) 182700 or (2) 182701	50,000 lbs.	12,500 lbs.
1 Two-Speed Jack	183749 or 183750	25,000 lbs.	25,000 lbs.
Two-Speed and Single-Speed Jack in Tandem	182700 & 183749 or 182701 & 183750	50,000 lbs.	45,000 lbs.


† = Available while supply lasts.

2-SPEED SQUARE JACKS

The First 2-Speed Gearbox Designed with a Drop Leg Jack in Mind.

BULLDOG's 2-speed 12,000 lbs. support capacity square jack makes cranking easier when fully loaded and faster when unloaded. In low gear, the ratio delivers full lifting power at a super-smooth, easy-lifting 27 turns per 1" (planetary) and 29 turns per 1" (traditional) of travel. In high gear, the cranking ratio is a speedy 9 turns per 1" of travel, the fastest in its weight class.

- State of the art 2 speed gearbox with power and speed for the most effective and efficient jack at all loads
- Designed for today's standard agricultural, construction and industrial trailer applications.
- User friendly design makes operation smooth and easy
- Engineered alloys for enhanced strength, stability and sideload capability
- Planetary gearbox fits within the width profile of the jack's outer tube, eliminating the need for spacers



2-SPEED SQUARE JACKS - DIRECT WELD

12,000 LBS. SUPPORT CAPACITY - 10,000 LBS. LIFT CAPACITY

Part No.	Model No.	Support Capacity	Gearbox Style	Travel	Measurements		Description	Companion	Lbs.
NON-SPRING RETURN									
183401	SWQ 183 DL-BX	12,000	Planetary	12.5"	28.5"	54.6"	2-Speed, drop leg with standard disc foot. 13.50" additional drop leg extension. Drop leg pull pin to the SIDE. Painted outer tube, inner tube, and drop leg. Crank sold separately.	182411	67.0
183416	SWQ 183 DL-BX	12,000	Planetary	12.5"	29.5"	55.6"	2-Speed, drop leg with standard disc foot. 13.50" additional drop leg extension. Drop leg pull pin to the FRONT. Painted outer tube, inner tube, and drop leg. Crank sold separately.	182415	67.0
183900	SWQ 180 DL-B	12,000	Traditional	12.5"	28.5"	54.6"	2-Speed, drop leg with standard disc foot. 13.50" additional drop leg extension. Drop leg pull pin to the SIDE. Painted outer tube, inner tube, and drop leg. Crank sold separately.	182411	77.0
183901	SWQ 180 DL-BX T	12,000	Traditional	12.5"	29.5"	55.6"	2-Speed, drop leg with standard disc foot. 13.50" additional drop leg extension. Drop leg pull pin to the FRONT. Painted outer tube, inner tube, and drop leg. Crank sold separately.	182415	77.0
SPRING RETURN									
183816	SWQ 183 DL-BX w/SR	12,000	Planetary	12.5"	29.5"	55.6"	2-Speed, drop leg with standard disc foot. 13.50" additional drop leg extension. Drop leg pull pin to the FRONT. Painted outer tube, inner tube, and drop leg. Crank sold separately.	182815	65.0
183902	SWQ 180 DL-B w/SR T	12,000	Traditional	12.5"	28.5"	54.6"	2-Speed, drop leg with standard disc foot. 13.50" additional drop leg extension. Drop leg pull pin to the SIDE. Painted outer tube, inner tube, and drop leg. Crank sold separately.	182805	77.0
183903	SWQ 180 DL-BX w/ SR T	12,000	Traditional	12.5"	29.5"	55.6"	2-Speed, drop leg with standard disc foot. 13.50" additional drop leg extension. Drop leg pull pin to the FRONT. Painted outer tube, inner tube, and drop leg. Crank sold separately.	182815	77.0
REPLACEMENT PART									
500285	-	-	-	-	-	-	Planetary 2-speed sun gear kit.	-	-
500295	-	-	-	-	-	-	Traditional 2-speed gear kit.	-	-
500330	-	-	-	-	-	-	Planetary gearbox kit.	-	-

NOTE: Contact Price List or Customer Service for package quantities and full part number.

† = Available while supply lasts.



POWERED DRIVE KIT

DESIGNED SPECIFICALLY FOR USE WITH BULLDOG 12,000 LB. JACKS

7500 LB. LIFT CAPACITY

LIFTS **50%** MORE THAN COMPETITION

- Lifts 3" per minute at typical working loads
- Can be manually cranked in the event of power loss
- **State of the art 12VDC electric motor**
 - Quiet operation – 50% quieter than competitive units
 - Efficient use of electrical power - 60% more efficient than competitive units
 - Permanently lubricated to provide years of maintenance free use
- **Custom designed wiring harness & rocker switch enclosed in a weather proof box**
 - Utilizes a 25 amp circuit breaker with push button reset feature
- **Can be used in both single & tandem jack applications**
- **Kit includes all necessary components for ease of installation**
 - Powered drive assembly
 - Torque stop tube with energy absorption device
 - Replacement bevel gear & dowel pin
 - Terminal box
 - Wiring harness & switch box
 - Hex coupling (not shown, required when using in a tandem jack application)
 - Weather resistant cover (not shown)

- **COMPACT DESIGN**
- **LIGHTWEIGHT ALUMINUM GEARBOX**



- **WELD-ON TORQUE STOP TUBE**

Part Number 1824200100
Aftermarket Single Speed Jack Applications

Part Number 1824210100
OEM Single Speed Jack Applications

Part Number 1824180100
OEM 2 Speed Planetary Jack Applications



IDEAL FOR HORSE, LIVESTOCK, AND HEAVY DUTY TRAILERS



NOTE: Designed for use with BULLDOG 12,000 lbs. and Twin Cam jacks only.


† = Available while supply lasts.



SQUARE JACKS

Square Up for Side Load Strength

- Square jack dramatically improves side load strength
- Drop leg and fixed leg models available
- Tubular swivel models include mating mount and pull pin



Travel and Clearance

A = Retracted B = Extended C = Clearance Height

Actual product may vary slightly from image shown.

SQUARE JACKS - WELD-ON - TUBULAR SWIVEL

Part No.	Support Capacity	Handle Style	Travel	A Retracted	B Extended	C Clearance	Description	Lbs.
1401520383	5,000	Topwind	10"	17.20"	27.20"	5.00"	Finish is black painted outer tube, clear zinc inner tube. Fixed leg.	17.00
1401610383	5,000	Sidewind	10"	17.40"	27.40"	8.00"	Finish is black painted outer tube, clear zinc inner tube. Fixed leg.	18.00
1400830383	8,000	Topwind	10"	17.20"	27.20"	5.00"	Finish is black painted outer tube, clear zinc inner tube. Fixed leg.	17.00
1400860383	8,000	Sidewind	10"	17.10"	27.10"	7.30"	Finish is black painted outer tube, clear zinc inner tube. Fixed leg.	18.00

SQUARE JACKS - DIRECT WELD

Part No.	Support Capacity	Handle Style	Travel	A Retracted	B Extended	C Clearance	Description	Lbs.
1401500383	5,000	Topwind	15"	22.60"	51.20"	n/a	Finish is black painted outer tube, clear zinc inner tube and 28" travel with drop leg.	20.00
1401600383	5,000	Sidewind	15"	25.80"	54.40"	n/a	Finish is black painted outer tube, clear zinc inner tube and 28" travel with drop leg.	21.00
1400800383	8,000	Topwind	15"	22.90"	51.50"	n/a	Finish is black painted outer and inner tube and 28" travel with drop leg.	20.00
1400850383	8,000	Sidewind	15"	25.20"	53.80"	n/a	Finish is black painted outer and inner tube and 28" travel with drop leg.	21.00
140094	12,000	Sidewind	12.5"	27.25"	53.25"	n/a	Spring return drop leg, 26" travel with drop leg, pin to side, crank included. Finish is black painted outer tube, inner tube, and drop leg.	62.00
1400950376	12,000	Sidewind	12.5"	28.25"	54.25"	n/a	Spring return drop leg, 26" travel with drop leg, pin to front, crank included. Finish is black painted outer tube, inner tube, and drop leg.	62.00
1400960376	12,000	Sidewind	12.5"	28.25"	54.25"	n/a	Spring return drop leg, 26" travel with drop leg, pin to front. Finish is black painted outer tube, inner tube, and drop leg.	59.00
1400980376	12,000	Sidewind	12.5"	28.25"	54.25"	n/a	Non spring return drop leg, 26" travel with drop leg, pin to front, crank included. Finish is black painted outer tube, inner tube, and drop leg.	61.00
1400990376	12,000	Sidewind	12.5"	28.25"	54.25"	n/a	Non spring return drop leg, 26" travel with drop leg, pin to front. Finish is black painted outer tube, inner tube, and drop leg.	58.00
1401010376	12,000	Sidewind	12.5"	28.25"	54.25"	n/a	Non spring return drop leg, 26" travel with drop leg, pin to side, crank included. Finish is black painted outer tube, inner tube, and drop leg.	61.00

Accessory Part

Part No.	Description	Lbs.
1400920383	12K Crank, Mounting Hardware & Clip, Black Painted Finish	3.00

† = Available while supply lasts.


HEAVY DUTY 2-SPEED TANDEM LANDING GEAR

HEAVY DUTY 2-SPEED TANDEM LANDING GEAR

- AAR & TTMA rated (all values per pair):
45,000 lbs. lifting capacity
(@ 100 ft. lbs. input torque)
90,000 lbs. static capacity
- Competitive Cranking ratios:
Low speed gear 27.3 turns per inch
High speed gear 4.5 turns per inch
- 17" of Travel
- High efficiency, double lead screw
- Heavy duty, self-leveling sand shoe
- Crank included – cross shaft sold separately
- Black painted finish
- Industry leading limited 5 year warranty



Shown with standard
TTMA mount, mounted
to outside of frame



Easy-access grease fittings



Shown with standard
TTMA mount, mounted
to inside of frame



Heavy duty leg band for
added strength. Sand shoe
designed to maximize
connection strength.



Ideal for horse,
livestock and
heavy duty trailers



HEAVY DUTY 2-SPEED TANDEM LANDING GEAR

90,000 LBS. SUPPORT CAPACITY - 45,000 LBS. LIFT CAPACITY

Part No.	Support Capacity	Description	Measurements		
			Travel	A Retracted	B Extended
500153	90,000	Tandem Non Drop Leg Landing Gear - Set includes Direct Weld 2-Speed & Single Speed Jacks & Crank. Cross Shaft not included.	17"	31.7"	48.7"
500154	90,000	Tandem Non Drop Leg Landing Gear - Set includes TTMA Bolt-On Mount 2-Speed & Single Speed Jacks & Crank. Cross Shaft not included.	17"	31.7"	48.7"
1839050383		2-Speed Jack, Direct Weld. Crank sold separately.	17"	31.7"	48.7"
1839060383		2-Speed Jack, TTMA Bolt-On Mount. Crank sold separately.	17"	31.7"	48.7"
1823050383		Single Speed Jack, Direct Weld. Crank sold separately.	17"	31.7"	48.7"
1823060383		Single Speed Jack, TTMA Bolt-On Mount. Crank sold separately.	17"	31.7"	48.7"
ACCESSORY PARTS					
8001090283		Crank, Mounting hardware included.			
CS730300		72.75" Cross Shaft, Slotted Ends, Hardware Included			
ACCESSORY PARTS					
500293		Tandem Landing Gear Jack 90K Screw & Nut Assembly (1), Retaining Pins (2), Washer (1), Bearing Bushing (1) & Thrust Bearing (1)			
500294		Tandem Landing Gear Jack 90K Gear Assembly Includes: Grooved Pin (1), Spring (1), Chrome Steel Ball (1), Spur Gear 32T, Intermediate Spur Gear 32T/13T (1), Input Spur Gear 32T/13T (1), Woodruff Key (1) & 2-Speed Gearbox Gasket (1)			

† = Available while supply lasts.

FIFTH WHEEL LANDING GEAR SYSTEM

- Traditional Single Drive System
- Heavy gauge 6" x 8" self-leveling footplates with drain holes to prevent corrosion
- Spring loaded drop leg pin on 8000 lbs. support capacity model
- Includes secondary gearbox
- 36" total travel
- Includes adjustable cross shaft
- Includes 4 mounting brackets and 4 sets of mounting hardware
- Motor, switch and harness must be obtained separately
- Industry leading limited 5 year warranty



FIFTH WHEEL LANDING GEAR SYSTEM

Part No.	Support Capacity	Lift Capacity	Description	Measurements	
				Total Lift	Screw Travel
500158	6,500	4,000	RV Landing Gear Assembly (Motor, Switch and Harness Must Be Obtained Separately)	36"	18"
500162	8,000	4,000	RV Landing Gear Assembly (Motor, Switch and Harness Must Be Obtained Separately)	36"	18"

DUAL OUTPUT POWERED DRIVE FIFTH WHEEL LANDING GEAR SYSTEM

- Dual Output Powered Drives
- High speed position installation results in lifting speeds of 9"/minute
- Heavy duty integrated die-cast gearbox eliminates the need for an intermediate plastic gear box
- Spring loaded drop leg pin
- Independent leg control for leveling
- Heavy gauge 6" x 8" self-leveling footplates
- 36" total travel
- Includes motors preassembled to jacks
- Includes dual switch panel and wiring harness
- Includes 4 mounting brackets and 4 sets of mounting hardware
- Industry leading limited 5 year warranty



#500161 only – shown with motor assembled in alternate position

DUAL OUTPUT POWERED DRIVE FIFTH WHEEL LANDING GEAR SYSTEM

10,000 LBS. SUPPORT CAPACITY

Part No.	Support Capacity	Lift Capacity	Description	Motor & Switches	Measurements	
					Total Lift	Screw Travel
500170	10,000	7,000	RV Landing Gear Assembly	2	36"	18"
500161	10,000	10,000	RV Landing Gear Assembly	2	36"	18"

Replacement Part

Part No.	Description
500359	Dual Output Motor for 500161 & 500170 NEW!

† = Available while supply lasts.

RACK / GEAR JACKS

750 lbs. A-Frame & BOLT-ON

BULLDOG experience and engineering know-how have produced a line of rack and gear jacks that are tough and trusted, the most preferred jacks used by trailer manufacturers in a variety of industries.


- Smooth-cranking 4 turns per inch of travel
- Strong, durable design
- All-welded steel gear box
- Proven reliability for long term use at rated loads
- Weather-resistant clear zinc-plated rack post
- Gray primer-painted steel wheel and gear box
- Custom designs available



1,200 lbs. Heavy-Duty

These heavy-duty rack jacks exemplify BULLDOG's reputation for strength, providing additional lift capacity to a full 1,200 pounds. Specially designed and manufactured to BULLDOG's unparalleled standards, they are ideal for heavier trailers and greater tongue weights.

- Smooth-cranking 4 turns per inch of travel
- Powerful heavy-duty gear box
- Special steel alloy helical gear for extra lift capacity
- Extra heavy-duty gauge post for maximum side load strength
- Specially designed gusseted caster bracket for increased stability
- Superior extension capabilities (up to 26.5" on the HD165WX model, the highest in the industry and ideal for use with big 4x4 trucks)
- Weather-resistant yellow zinc-plated rack post
- Red oxide primer-painted steel wheel and gear box
- Custom designs available



Travel and Clearance Diagram

A= Retracted B= Extended C= Clearance Height

MOUNTING OPTIONS

L-BEND BRACKET WELD-ON



Welds to side and bottom of tongue

161 Series


L-BEND BRACKET BOLT-ON



Fits up to 4" square tongue

162 Series

A-FRAME



Welds or bolts to top of A-frame coupler

165 Series

BOLT-ON



Fits up to 3" x 5" rectangular tongue

169 Series

WHEEL / FOOT OPTIONS

CASTER WHEELS

Polyolefin Wheel
750 lbs. capacity

"R" Models



Steel Wheel
750 lbs. capacity
1,200 lbs. capacity - heavy-duty

"W" Models



DISC FOOT

Welded to Jack Post
750 lbs. capacity

"D" Models



† = Available while supply lasts.


STANDARD RACK / GEAR JACKS - L-BEND WELD-ON – 161 SERIES

Part No.	Model No.	Lift Capacity	Includes		Travel	A Retracted	Measurements		Description	Lbs.
			*Gear Box	*Rack Post			B Extended	C Clearance		
161300 ♦	161 W	750	0181610317	0180060301	16"	6.5"	22.5"	21.2"	Weld-on L-bend bracket, with steel wheel.	13.7

STANDARD RACK / GEAR JACKS - L-BEND BOLT-ON – 162 SERIES

Part No.	Model No.	Lift Capacity	Includes		Travel	A Retracted	Measurements		Description	Lbs.
			*Gear Box	*Rack Post			B Extended	C Clearance		
162300 ♦	162 W	750	019032	0180060301	16"	6.0"	22.0"	21.8"	Bolt-on L-bend bracket, with steel wheel.	16.7

STANDARD RACK / GEAR JACKS - A-FRAME – 165 SERIES

Part No.	Model No.	Lift Capacity	Includes		Travel	A Retracted	Measurements		Description	Lbs.
			*Gear Box	*Rack Post			B Extended	C Clearance		
165111 ♦	165 D	750	0181550317	0185200301	16"	3.5"	19.5"	20.2"	A-frame weld-on/bolt-on bracket, with disc foot.	11.1
165211	165 R	750	0181550317	0180070301	16"	7.5"	23.5"	20.3"	A-frame weld-on/bolt-on bracket, with polyolefin wheel.	12.3
165311 ♦	165 W	750	0181550317	0180060301	16"	7.5"	23.5"	20.3"	A-frame weld-on/bolt-on bracket, with steel wheel.	13.4
165411 ♦	HD 165 W	1,200	0191410310	0190600324	16"	7.5"	23.5"	20.3"	Heavy-duty A-frame weld-on/bolt-on bracket, with heavy-duty 21" long 1,200 pound rack and post, with steel wheel.	14.4
165412	HD 165 WX	1,200	0191410310	0190800324	19"	7.5"	26.5"	23.3"	Heavy-duty A-frame weld-on/bolt-on bracket, with heavy-duty 24" long 1,200 pound rack and post, with steel wheel.	15.1

STANDARD RACK / GEAR JACKS - RECTANGULAR BOLT-ON – 169 SERIES

Part No.	Model No.	Lift Capacity	Includes		Travel	A Retracted	Measurements		Description	Lbs.
			*Gear Box	*Rack Post			B Extended	C Clearance		
169201 ♦	169 RB	750	0181910378	0183080301	16"	7.5"	23.5"	20.3"	Bolt-on mount, fits up to 3" x 5" tongue, with mounting kit and polyolefin wheel, black finish.	14.9

*Gear boxes and rack post also sold separately. ♦ DENOTES MOST POPULAR

NOTE: Contact Price List or Customer Service for package quantities and full part number. Other custom-made designs are available upon request.

† = Available while supply lasts.



0917501S00

CE555 0101




CP555 0301

500245



017125

018507



CA5550301



500326



0031350300

WHEELS

Part No.	Description	Pkg.
POLY WHEELS		
0917501S00	6" poly wheel only – 750 - 1,200 lbs. rated	Bulk
CE555 0101	6" caster with 2" inside diameter fitting for 2" jack tube – 1,200 lbs. rated	Boxed
CE555 0301	6" caster with 2" inside diameter fitting for 2" jack tube – 1,200 lbs. rated	Bulk
500245	6" caster with pin 2" inside diameter fitting for 2" jack tube - 1,200 lbs. rated	Clam
HEAVY-DUTY PHENOLIC WHEELS		
CP555 0301	6" caster with 2" inside diameter fitting for 2" jack tube – 1,500 lbs. rated	Bulk
STEEL WHEELS (REDUCES RATED CAPACITIES OF ANY JACK)		
017125	Caster assembly w/6" steel wheel, fits 2" inner tube – 750 - 1,000 lbs. rated	Bulk
018507	Caster assembly w/6" steel wheel for 155159 and 155300 – 1,000 lbs. rated	Poly Bag

CASTER ADAPTER PLATES

Part No.	Description	Pkg.
CASTER ADAPTER PLATES		
CA5550301	Caster adapter plate	Bulk

JACK CAP

Part No.	Description	Pkg.
JACK CAP		
500326	2K sidewind jack cap	Bulk

BOTTOM SUPPORT PLATES

Part No.	Description	Pkg.
BOTTOM SUPPORT PLATES		
0031350300	A-frame support plate, forged coupler.	Bulk
SPB50 0300	Bottom support plate with 2.29" diameter hole, cast and stamped couplers.	Bulk
SPBQ500300	Bottom support plate with 2.3" square hole	Bulk

† = Available while supply lasts.



FP20000201



500244

REMOVABLE FOOTPLATES

Part No.	Description	Pkg.
REMOVABLE FOOTPLATES		
0185640301	Removable footplate w/pin. 2.1" tall, fits 2" inner tube, 2,000-5,000 lbs. rated	Bulk
0181730324	Removable footplate 6.2"	Bulk
018098	Removable footplate w/pin. 6.2" tall, fits 2" inner tube, 2,000-5,000 lbs. rated	Bulk
FP20000201	Foot with hardware (bolt goes through 2" jack tube holes) – 2,000 lbs. rated	Poly Bag
500244	Removable footplate with pin. Fits Jacks with 2" inner tube. (2.1" tall)	Clam
F3500 0324	Removable footplate with pin. Fits Jacks with 2" SQUARE inner tube. (4.0" tall)	Bulk

DROP LEGS

Part No.	Description	Pkg.
DROP LEGS		
DF35000324	For square jack, 1.71" square tube, pin included – 3,000 - 5,000 lbs. rated	Bulk
500270	For square jack, 2.0" square tube, pin included – 8,000 lbs. rated	Bulk
500190	For most 2,000 lbs. BULLDOG round jacks & BULLDOG powered A-Frame jacks. Pin included, 5,000 lbs. rated. Will not work with Pro Series round jacks & BULLDOG round jacks with heavy wall inner tubes.	Ind. Box
500340	Replacement Part, Drop Leg Pull Pin Assembly, 7/8" x 2.25"	Bulk



DF35000324



500190

PINS

Part No.	Description	Pkg.
PINS		
500103	3/8" plunger pin assembly. (Bulldog only)	Poly Bag
500310	3/4" pull pin (4.75" long) with chain without drive screw – 7,000 lbs.	Bulk
500341	Replacement Part, 7/8" Pin & Chain w/o Drive Screw	Boxed



500103




500177




500178



500243



500232



500231

PIN KITS

500177	3/4" drop-leg plunger pin kit SERIES: 180	
500178	1/2" plunger pin assembly kit. SERIES: 150, 160, 170	Clam
500231	5/8" pull pin 3.5" long, with chain, and drive screw. (5,000 lbs. - Sidewind only) SERIES: Sidewind-170, Crown 2,000/3,000/5,000 lbs.	Clam
500232	5/8" pull pin, 4.25" long, with chain, and cotter pin. SERIES: 190, Crown 7,000 lbs.	Clam
500243	9/16" pull pin 3.5" long with chain and drive screw. (5,000 lbs. - Topwind only) SERIES: 150, Topwind-170	Clam

DROP LEG PINS

500337	Replacement Part, Drop Leg Pull Pin Assembly, 3/4" x 3"	Poly Bag
500338	Replacement Part, Drop Leg Pull Pin Assembly, 9/16" x 2.75"	Poly Bag
500340	Replacement Part, Drop Leg Pull Pin Assembly, 7/8" x 2.25"	Bulk
0252010201	5/16" snapper pin, with chain	Bulk

LYNCH PIN KIT

500219	Lynch pin kit, 0.563" diameter	Poly Bag
---------------	--------------------------------	----------

† = Available while supply lasts.



500239




500238

500240



500242

500315



500148

800075

500180



500256



500105

500171



800148

701466

MOUNTS

Part No.	Description	Pkg.
MOUNTS		
500239	Trailer mount, male, weld-on, for 9/16" pin. (5,000 lbs. - Topwind only) SERIES: 150, Topwind-170	Clam
500238	Trailer mount, female, weld-on, for 5/8" pin, 3" O.D.	Clam
500240	Trailer mount, male, weld-on, for 5/8" pin, 2" O.D.	Clam
RETAINING RING MOUNTING BRACKETS		
P20520-00	Weld-on flat, retaining ring swivel plate for 3/8" diameter plunger pin.	Bulk
P9222-00	Weld-on, swivel bracket, 1/2" pin - 2,000 - 5,000 lbs. rated	Bulk
500242	Weld-on, swivel bracket, 1/2" pin - 2,000 - 5,000 lbs. rated	Clam
SWIVEL TRAILER MOUNT		
500315	Swivel trailer mount, tubular male weld-on for 5/8" pull pin. SERIES: 150, 170, 190.	Bulk
500339	Jack Accessory, Swivel Trailer Mount, Round Tube Male Weld-On U-Bracket for 5/8" Pull Pin	Poly Bag

TOPWIND CRANKS

Part No.	Description	Pkg.
TOPWIND CRANKS		
500180	Topwind crank (6.75" radius) assembly with red knob. SERIES: Topwind-150, 160, 170. 2,000 - 5,000 lbs.	Clam
500148	Topwind crank (9.00" radius) assembly with black knob. SERIES: Topwind-190 7,000 lbs. 7,000 / 8,000 lbs.	Clam
500344	Replacement Part, 12" Topwind Handle for 10K Square Jack	Ind. Box
800075	Topwind crank 1" tubing (9.50" radius) - 12,000 lbs. square	Bulk

SIDEWIND CRANKS

Part No.	Description	Pkg.
SIDEWIND CRANKS		
500256	Sidewind crank (5.80" radius) assembly and gear kit. SERIES: 150 with plastic cap. 2000 lbs.	Clam
500105	Sidewind crank (6.50" radius) assembly with black knob. SERIES: 139, 159, 170, Crown 2,000/3,000/5,000 lbs.	Clam
500171	Sidewind crank (8.50" radius) assembly with black knob. SERIES: 190 square jacks, Crown 7,000 lbs. 7,000 / 8,000 lbs.	Clam
015181	Sidewind crank, vertical clevis (13.50" radius), black primed finish, hardware included	Bulk
800102	Sidewind crank assembly with 13.50" radius. Mounting hardware not included. Extends 17.50" from the jack. Black primed finish. Horizontal clevis, Sidewind handle.	Bulk
701466	Removable sidewind crank with 13.5" offset radius. All zinc-plated crank. Dual handle grips for cranking and shifting. For use with OEM supplied outboard bushing or may be attached directly on jack gearbox.	Bulk
800090	Sidewind crank, horizontal clevis (13.50" radius), black primed finish, hardware include.	Bulk
8001090283	Sidewind crank assembly with 13.50" radius, mounting hardware included, extends 20" from the jack, black prime finish, vertical clevis.	Bulk
500312	Handle clip.	Bulk
800148	Sidewind crank, 16.5" radius w/soft touch handle grip for 12,000 lbs. jacks. w/ 13/16" hex socket.	Bulk
HDDS 0201	Shaft handle, hex drive - zinc for 800148	Bulk


† = Available while supply lasts.



500106



500156



500212



500251



500248



500246

ASSEMBLY KITS

Part No.	Description	Pkg.
BEARING KITS		
500251	Bearing kit. For 2,000 lbs. capacity models. SERIES: 150	Clam
500223	Thrust bearing. For 5,000 lbs. capacity models. SERIES: 170, Crown 5,000 lbs.	Clam
500224	Thrust bearing. For 8,000 lbs. capacity models. SERIES: 190, Crown 7,000 lbs.	Clam
GEAR KITS		
500106	Sidewind gear kit. For up to and including 5,000 lbs. capacity models. SERIES: 139, 159, 170 Crown 2,000/3,000/5,000 lbs.	Clam
500156	Sidewind gear kit. For 8,000 lbs. capacity models. SERIES: 190, Crown 7,000 lbs. with 1/2" inside bottom gear	Clam
5002581360	Sidewind gear kit. SERIES: 190 Crown 7,000 lbs. with 5/8" I.D. bottom gear	Poly Bag
800144	Service kit containing the sidewind crank (10.50"), bearing, gears, pins and bushings for 10,000 lbs. capacity 180 SERIES sidewind jacks	Poly Bag
500285	Sun gear and stub shaft assembly and bushings for 12,000 lbs. capacity two speed planetary gear box	Poly Bag
500212	Gear kit including, pins and bushing – 12,000 lbs.	Poly Bag
RETAINING RING KITS		
500241	Swivel retaining ring. Fits most jack capacities. SERIES: 150, 160, 170	Clam
P9086-00	Swivel retaining ring. Fits most jack capacities. SERIES: 150, 160, 170	Bulk
ASSEMBLY KIT		
500217	Screw and nut assembly, bearing, support washer and retaining pins for 12,000 lbs. capacity BULLDOG® sidewind jacks	Poly Bag
500250	Screw and nut assembly, bearing, support washer and retaining pins for 12,000 lbs. capacity BULLDOG® topwind jacks	Poly Bag
GEAR BOX COVER		
500205	Gear box cover for 3,000 - 8,000 lbs. capacity sidewind jacks, includes hardware	Poly Bag



500223



500224



500241

KNOBS

Part No.	Description	Pkg.
KNOBS		
500248	Black knob, teardrop. SERIES: 139, 159, Sidewind-170, 90, Crown. 2,000 - 5,000 lbs.	Clam
500246	Red knob, BULLDOG. SERIES: 150, 160, Topwind-170. 2,000 - 5,000 lbs.	Clam

† = Available while supply lasts.



F2® MARINE AND RECREATIONAL JACKS **FULTON**

Fulton, the industry leader for high performance marine jacks, is proud to introduce a revolution in trailer jack engineering. The F2®, designed for use with marine, recreational and utility trailers, continues the Fulton heritage of innovation rethinking every feature and challenging industry conventions. The result is a reengineered high quality product that will transform the industry. It's so strong and reliable that Fulton is backing it with an unprecedented LIMITED LIFETIME WARRANTY.

- Maintenance free - designed to eliminate the need for lubrication and maintenance
- Corrosion resistant coatings cover internal and external components - will hold up in harsh environments
- Ergonomic design - crank, release pin and integrated wheel wedge are made of strong, engineered plastic for a comfortable touch
- Stylish design - compliment your boat and customize your trailer's styling
- Sealed and lubricated one-piece gearbox
- Twin track and wide track versions available
- Available in bolt-on and weld-on versions for up to 5" tongues
- Handle Hold-Up secures handle to jack tube when in stowed position
- Limited Lifetime Warranty

F2® MARINE AND RECREATIONAL JACKS - TWIN TRACK MODELS

Part No.	Lift Cap. (lbs.)	Handle Style	Screw Travel	Mount Travel	Pull Pin Diameter	Description	Packaging
1413020134	1,600	Sidewind	10"	8"	9/16"	Individually Boxed. Includes Handle Hold-Up & Wheel Wedge Features, & Bolt-On Mounting Hardware for 3"x3" & 3"x4" Frames.	Ind. Box
1413060334	1,600	Sidewind	10"	8"	9/16"	3"x4" Pivot Housing. Includes Handle Hold-Up Feature & Weld-On Mounting Bracket & Hardware.	Bulk
1413080334	1,600	Sidewind	10"	8"	9/16"	Includes Handle Hold-Up Feature & Bolt-On Mounting Hardware for 3"x4" Frame.	Bulk
1413120334	1,600	Sidewind	10"	8"	9/16"	4"x5" Pivot Housing. Includes Handle Hold-Up Feature & Weld-On Mounting Bracket & Hardware.	Bulk
1413130334	1,600	Sidewind	10"	8"	9/16"	4"x5" Pivot Housing. Includes Handle Hold-Up Feature & Bolt-On Mounting Hardware for 3"x5" Frame.	Bulk

F2® MARINE AND RECREATIONAL JACKS - WIDE TRACK MODELS

Part No.	Lift Cap. (lbs.)	Handle Style	Screw Travel	Mount Travel	Pull Pin Diameter	Description	Packaging
1413040134	1,600	Sidewind	10"	8"	9/16"	Individually Boxed. Includes Handle Hold-Up & Wheel Wedge Features, & Bolt-On Mounting Hardware for 3"x3" & 3"x4" Frames.	Ind. Box
1413050334	1,600	Sidewind	10"	8"	9/16"	3"x4" Pivot Housing. Includes Handle Hold-Up Feature & Weld-On Mounting Bracket & Hardware.	Bulk
1413110334	1,600	Sidewind	10"	8"	9/16"	4"x5" Pivot Housing. Includes Handle Hold-Up Feature & Weld-On Mounting Bracket & Hardware.	Bulk
1413140334	1,600	Sidewind	10"	8"	9/16"	4"x5" Pivot Housing. Includes Handle Hold-Up Feature & Bolt-On Mounting Hardware for 3"x5" Frame.	Bulk

NOTE: Contact Cequent Customer Service for package quantities.

Twin Wheel US Patent D568,575 and Wide Wheel US Patent D570,072 and Handle US Patent D577,175

† = Available while supply lasts.


5" Frame Model
1413230134

F2® MARINE AND RECREATIONAL JACKS



Fulton, the industry leader for high performance jacks, is proud to introduce another addition to the F2® family of trailer jacks. Our 2,000 lbs. lift capacity adjustable swivel with footplate jacks pack all of the features of the award winning Twin Track & Wide Track models, along with the unprecedented LIMITED LIFETIME WARRANTY. The 2,000 lbs. capacity jacks possess the following unique features.

- Heavy duty articulating footplate - 7" diameter cast footplate provides superior stability. Unique ball and socket connection between jack and footplate allows for whatever articulation is required to accommodate uneven surfaces
- 13" of swivel mount height adjustment
- Available in bolt-on versions for 4" and 5" frames and weld-on versions for up to 5" frames
- Handle Hold-Up secures handle to jack tube when in stowed position
- Limited Lifetime Warranty

F2® MARINE AND RECREATIONAL JACKS - ADJUSTABLE SWIVEL WITH FOOTPLATE

Part No.	Lift Cap. (lbs.)	Handle Style	Screw Travel	Mount Travel	Pull Pin Diameter	Description	Packaging
1413200334	2,000	Sidewind	10"	13"	9/16"	Includes Handle Hold-Up Feature & Weld-On Mounting Bracket & Hardware for up to 5" Frames.	Bulk
1413210334	2,000	Sidewind	10"	13"	9/16"	Includes Handle Hold-Up Feature & Bolt-On Mounting Hardware for 3"x4" Frame.	Bulk
1413220334	2,000	Sidewind	10"	13"	9/16"	Includes Handle Hold-Up Feature & Bolt-On Mounting Hardware for 3"x5" Frame.	Bulk
1413230134	2,000	Sidewind	10"	13"	9/16"	Includes Handle Hold-Up Feature & Bolt-On Mounting Hardware for 3"x4" and 3"x5" Frames.	Ind. Box

F2® Marine and Recreational Jack Accessories / Replacement Parts

Part No.	Description	Packaging
ACCESSORIES / REPLACEMENT PARTS		
500134	Handle/Crank Kit, Includes Handle Grip, Groove Pin & Mounting Hardware	Bagged
500129	Handle Holdup	Bagged
500135	Gearbox Cover Replacement Kit, Includes (4) Mounting Screws	Bagged
500136	Pull Pin Replacement Kit, Includes Spring & Retaining Ring	Bagged
500137	Bearing Replacement Kit, Includes (2) Washers	Bagged
500276	Replacement Part, F2 4" x 5" Mount w/Hardware NEW!	Bagged
500277	Weld-On Mounting Bracket & Hardware for 3"x4" Pivot Housing	Bagged
500314	Gear Kit, Includes Shim Washer 5/16" (1), Straight Pin 7/32" x 3/4" (1), Groove Pin 3/16" x 1-1/4" (1) & Washer 1/2" ID x 1-1/4" OD (1)	Bagged
500320	Jack Accessory, XP to F2 Adapter Kit, For F2 Swivel Mount w/4" Frame	Ind. Box
TWIN TRACK REPLACEMENT PARTS		
500130	Twin Track Wheel Replacement Kit, Includes (2) Wheels & Mounting Hardware	Bagged
500138	Twin Track Wheel Only (1)	Bagged
500132	Twin Track Wheel Wedge Kit, Includes Mounting Hardware	Bagged
WIDE TRACK REPLACEMENT PARTS		
500131	Wide Track Wheel Replacement Kit, Includes Wheel & Mounting Hardware	Bagged
500133	Wide Track Wheel Wedge Kit, Includes Mounting Hardware	Bagged

† = Available while supply lasts.

F2® A-FRAME JACK AND COUPLER COMBINATION

Fulton expands the F2® family of trailer jacks with the adjustable height A-Frame jack and coupler combination. In addition to all the features of the award winning F2® jacks these models include the following unique features.

- F2® Coupler, Class 4, with special cutout mounting area to accept jack
- Versatile handle orientation mounting options: front, driver side or passenger side facing
- 2,000 lbs. lift capacity
- Removable foot/wheel options (purchase separately):
7" round articulating footplate (2,000 lbs. lift capacity)
7" diameter twin track wheel (1,600 lbs. lift capacity)
8" diameter wide track wheel (1,600 lbs. lift capacity)
- Limited Lifetime Warranty



1413250334



44305F0317

F2® A-FRAME JACK AND COUPLER COMBINATION

Part No.	Lift Cap. (lbs.)	Handle Style	Screw Travel	Description	Packaging
1413250334	2,000	Sidewind	9"	Adjustable Height A-Frame Jack. NOTE: Requires F2 Coupler	Bulk
44305F0317	—	—	—	Coupler, Class 4, 2-5/16" Ball, 10,000 lbs. Capacity Coupler	Bulk
ACCESSORY PARTS - REMOVABLE FOOT / WHEEL OPTIONS					
500265	1,600			7" Twin Track Wheels, Includes Pull Pin Assembly	Bulk
500266	1,600			8" Wide Track Wheel, Includes Pull Pin Assembly	Bulk
500267	2,000			7" Round Articulating Footplate, Includes Pull Pin Assembly	Bulk
REPLACEMENT PARTS					
500268				Mounting Hardware, Includes: Hex Head Bolt 3/8" - 16 UNC (3) & Lock Washer 3/8" (3)	Poly Bag

Twin Wheel US Patent D568,575 and Wide Wheel US Patent D570,072 and Handle US Patent D577,175



500265



500266



500267

† = Available while supply lasts.




XLT™ JACKS

- Patent pending TruTurn 360 system delivers best in class castering performance.
- Raises & lowers 35% faster than the competition.
- Patented inner and outer tube bushings provide a tight fit and lessen tube drag.
- Premium Sharkskin™ finish for optimum corrosion resistance.
- 20% more screw travel than conventional jacks.
- Stylized handles with soft touch grips.
- Grease fittings in key locations for easy lubrication.



PREMIUM FINISH

- Environmentally friendly
- Self-healing
- Maximum corrosion resistance
- Used in salt water environments and other demanding climate applications
- 1200 hour salt spray rating per ASTM B117



Travel and Clearance

A = Retracted

B = Extended

C = Clearance Height


MARINE AND RECREATIONAL JACKS - PATENTED BOLT-THRU SWIVEL

Part No.	Lift Capacity (lbs.)	Handle Style	Travel	Measurements			Description	Lbs.	Pkg.
				A Retracted	B Extended	C Clearance			
141132	1,500	Sidewind	12"	14.5"	26.6"	15.9"	Swing Away, Weld-On, Patent Pending TruTurn 360 Castering System (P9012-00 Weld-On Mount & Hardware Sold Separately)	19.0	Bulk
141133	1,500	Sidewind	12"	10.5"	22.6"	15.9"	Swing Away, Bolt-On (Mounting Hardware Incl.), Patent Pending TruTurn 360 Castering System	20.5	Ind. Box



MARINE AND RECREATIONAL JACKS

- Designed for use with marine and utility trailers
- Includes all necessary mounting hardware



Travel and Clearance

A = Retracted

B = Extended

C = Clearance Height

MARINE AND RECREATIONAL JACKS - RETAINING RING SWIVEL

Part No.	Lift Capacity (lbs.)	Handle Style	Travel	Measurements			Description	Lbs.	Pkg.
				A Retracted	B Extended	C Clearance			
EJ10000101	1,000	Sidewind	10"	13.0"	23.0"	11.0"	6" Wheel, Clear Zinc Finish, Bolt-on, Fits up to 3"x5" Trailer Frame	15.0	Ind. Box
EJ10000301	1,000	Sidewind	10"	13.0"	23.0"	11.0"	6" Wheel, Clear Zinc Finish, Bolt-on, Fits up to 3"x5" Trailer Frame	15.0	Bulk


† = Available while supply lasts.



MARINE AND RECREATIONAL JACKS

Designed for use with marine and utility trailers, Fulton brand tongue jacks are time-tested and application-proven. Our bolt-on versions include all necessary mounting hardware. For weld-on applications, we offer two styles of mounts for both 1/2" and 3/8" pull pin models. The Fulton brand bolt-thru swivel mounts (U.S. PAT. 6,302,381) use 3-D formed heavy-gauge steel stampings and a proprietary bushing material for a mount with minimal deflection and maximum support. All mounts fit up to a 3" x 5" trailer frame.

- Extensive choice of popular models, Sidewind Crank with Round or Square Tubes
- Strong proprietary bushing materials
- Stable formed heavy-gauge steel construction
- Dependable design
- Lift capacity from 400 lbs. to 5,000 lbs.



Travel and Clearance Diagram

A= Retracted

B= Extended

C= Clearance Height



- 600 hour salt spray rating per ASTM B117



TJ1200



HD5000



HD2500

† = Available while supply lasts.

MARINE AND RECREATIONAL JACKS - PATENTED BOLT-THRU SWIVEL

Part No.	Lift Capacity (lbs.)	Handle Style	Measurements				Description	Finish	Pull Pin Dia.	Pkg.
			Travel	A Retracted	B Extended	C Clearance				
XP10 0101	1,200	Sidewind	10"	12.5"	22.5"	10.5"	6" Diameter Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included, Handle & Wheel Unassembled	Z-Max 600 Clear Zinc	1/2"	Ind. Box
XP10 0301	1,200	Sidewind	10"	12.5"	22.5"	10.5"	6" Diameter Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included	Z-Max 600 Clear Zinc	1/2"	Bulk
XP10W 0301	1,200	Sidewind	10"	12.5"	22.5"	10.5"	6" Diameter Wheel, Weld-On , P9012-00 Weld-On Mount & Hardware SOLD SEPARATELY	Z-Max 600 Clear Zinc	1/2"	Bulk
XP100W0301	1,200	Sidewind	10"	14.8"	24.8"	10.5"	8" Diameter Spoked Wheel, Weld-On , P9012-00 Weld-On Mount & Hardware SOLD SEPARATELY	Z-Max 600 Clear Zinc	1/2"	Bulk
XP10WC0301	1,200	Sidewind	10"	12.9"	22.9"	10.5"	Improved Castering Performance - Yoke/Wheel Swivel Independent of Inner Tube, 6" Diameter Wheel, Weld-On , P9012-00 Weld-On Mount & Hardware SOLD SEPARATELY	Z-Max 600 Clear Zinc	1/2"	Bulk
XP15 0101	1,500	Sidewind	10"	13.0"	23.0"	12.4"	8" Diameter Spoked Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included, Handle & Wheel Unassembled	Z-Max 600 Clear Zinc	1/2"	Ind. Box
XP15 0301	1,500	Sidewind	10"	13.0"	23.0"	12.4"	8" Diameter Spoked Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included	Z-Max 600 Clear Zinc	1/2"	Bulk
XP15W 0301	1,500	Sidewind	10"	13.0"	23.0"	12.4"	8" Diameter Spoked Wheel, Weld-On , P9012-00 Weld-On Mount & Hardware SOLD SEPARATELY	Z-Max 600 Clear Zinc	1/2"	Bulk
XP15WC0301	1,500	Sidewind	10"	13.6"	23.6"	12.4"	Improved Castering Performance - Yoke/Wheel Swivel Independent of Inner Tube, 8" Diameter Spoked Wheel, Weld-On , P9012-00 Weld-On Mount & Hardware SOLD SEPARATELY	Z-Max 600 Clear Zinc	1/2"	Bulk
1411300301	1,500	Sidewind	10"	15.6"	25.6"	10.4"	Ideal for Torsion Axle Trailers - Mount 2" Higher, Improved Castering Performance - Yoke/Wheel Swivel Independent of Inner Tube, 8" Diameter Spoked Wheel, Weld-On , P9012-00 Weld-On Mount & Hardware SOLD SEPARATELY	Z-Max 600 Clear Zinc	1/2"	Bulk
XP15L 0101	1,500	Sidewind	12"	13.0"	25.0"	14.4"	Additional 2" of Travel, 8" Diameter Spoked Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included, Handle & Wheel Unassembled	Z-Max 600 Clear Zinc	1/2"	Ind. Box
XP15L 0301	1,500	Sidewind	12"	13.0"	25.0"	14.4"	Additional 2" of Travel, 8" Diameter Spoked Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included	Z-Max 600 Clear Zinc	1/2"	Bulk
XPD15L0101	1,500	Sidewind	12"	13.1"	25.1"	12.4"	Dual Wheel, Additional 2" of Travel, 6" Diameter Wheels, Bolt-On , Mounting Hardware for up to 5" Frame Included, Handle & Wheel Unassembled	Z-Max 600 Clear Zinc	1/2"	Ind. Box
XPD15L0301	1,500	Sidewind	12"	13.1"	25.1"	12.4"	Dual Wheel, Additional 2" of Travel, 6" Diameter Wheels, Bolt-On , Mounting Hardware for up to 5" Frame Included	Z-Max 600 Clear Zinc	1/2"	Bulk

MARINE AND RECREATIONAL JACKS - RETAINING RING SWIVEL

Part No.	Lift Capacity (lbs.)	Handle Style	Measurements				Description	Finish	Pull Pin Dia.	Pkg.
			Travel	A Retracted	B Extended	C Clearance				
1410050149	400	N/A	N/A	14.5"	N/A	4.5"	Swiveling Trailer Stand, 6" Diameter Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included, Wheel Unassembled	Silver Powder Coat	3/8"	Ind. Box
TJ12000101	1,200	Sidewind	10"	12.7"	22.7"	11.4"	6" Diameter Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included, Handle & Wheel Unassembled	Z-Max 600 Clear Zinc	3/8"	Ind. Box
TJ120W0301	1,200	Sidewind	10"	12.7"	22.7"	11.4"	6" Diameter Wheel, Weld-On , Mount & Retaining Ring Included, Both Shipped Loose/Unassembled	Z-Max 600 Clear Zinc	3/8"	Bulk

† = Available while supply lasts.



MARINE AND RECREATIONAL JACKS - FIXED MOUNT

Part No.	Lift Capacity (lbs.)	Handle Style	Travel	Measurements			Description	Finish	Pkg.
				A	B	C			
TJ12220301	1,200	Sidewind	15"	9.3"	24.3"	19.5"	6" Diameter Wheel, Bolt-On , Mounting Hardware for up to 5" Frame Included	Z-Max 600 Clear Zinc	Bulk
HD25000101	2,500	Sidewind	28"	7.00"	35.5"	19.25"	Heavy Duty Square, Drop Leg Jack , 3.8" x 7.5" Footplate, Bolt-On , Mounting Hardware for up to 5" Frame Included, Handle Unassembled, Travel Includes Drop Leg	Z-Max 600 Clear Zinc	Ind. Box
35SM28FZ	2,500	Sidewind	28"	7.00"	35.5"	19.25"	Heavy Duty Square, Drop Leg Jack , 3.8" x 7.5" Footplate, Bolt-On , Mounting Hardware for up to 5" Frame Included, Travel Includes Drop Leg	Z-Max 600 Clear Zinc	Bulk
HD50000101	5,000	Sidewind	28"	6.5"	35.0"	18.5"	Heavy Duty Square, Drop Leg Jack , 6.0" x 8.0" Footplate, Bolt-On , Mounting Hardware for 4", 5", & 6" High Frames Included, Travel Includes Drop Leg	Z-Max 600 Clear Zinc	Ind. Box
HD50000301	5,000	Sidewind	28"	6.5"	35.0"	18.5"	Heavy Duty Square, Drop Leg Jack , 6.0" x 8.0" Footplate, Bolt-On , Mounting Hardware for 5" High Frame Included, Travel Includes Drop Leg	Z-Max 600 Clear Zinc	Bulk

ACCESSORIES - MARINE AND RECREATIONAL JACKS

MOUNTING KIT

Part No.	Description
P9012-00	Weld-On Mounting Kit, for XP Series Jacks
500286	Bolt-On Mounting Hardware Kit
500349	Bolt on Mounting Kit for XP Series Jacks NEW!
0933325S00	Mounting Hardware & Bushing for XP Bolt-Thru Swivel Mount

ADAPTER KIT

Part No.	Description
500320	Jack Accessory, XP to F2 Adapter Kit, For F2 Swivel Mount w/4" Frame

PARTS - MARINE AND RECREATIONAL JACKS

HANDLE KIT

Part No.	Description / Application
0933301S00	Includes (1) Handle Assembly with Plastic Handle Roller, (1) Groove Pin, & (1) Flanged Bushing TJ503/C, TJU503, PMJ53, TJ507/C, PMJ75, CS750, GR700/TJ712 , XP10/L/W/WC, XP100
0933305S00	Includes (1) Handle Assembly with Plastic Handle Roller, (1) Groove Pin, & (1) Flanged Bushing TJ1055, TJ1057, TJ1222, TJ255, TJD125, TJ122F , XP15/L/W/WC, XP15L, HD2500

BEVEL GEAR KIT

Part No.	Description / Application
0933302S00	Includes (2) Gears, (1) Groove Pin, (1) Pin, (1) Washer, & (1) Flanged Bushing TJ503 , XP10 (all 1,200 lbs. capacity)
0933306S00	Includes (2) Gears, (1) Groove Pin, (1) Pin, (1) Washer, (1) Spacer, & (2) Flanged Bushings TJ1055, TJ1057, TJ1222, TJ1255, TJD125, TJ122F , XP15/L/W/WC, XPF15L, HD2500

PLUNGER PIN KIT

Part No.	Description / Application
0933307S00	Includes (1) ½" Plunger Pin, (1) Plunger Pin Cap, (1) Washer, (1) Cotter Pin, & (1) Spring TJ1055, TJ1057, TJ1255, TJD125, TJ122F , XP15/L/W/WC, XPF15L XP10 (all 1,200 lbs. capacity)

WHEEL REPAIR KIT

Part No.	Application
6811S00	All 6" models including TJ600T (excluding TJD125, TJD103)

CAP

Part No.	Application
0917540-00	Cap, Dome - 2" Jack Tube w/1 Tab, 1 Zerk
500325	Cap - HD2500 Jack
500322	Cap - TJ1200 & EJ1000
500323	Cap - XP10
500324	Cap - XP15


NOTE: RED part numbers indicate discontinued items.

† = Available while supply lasts.

MULTI-JACK

A versatile tool for lifting, pulling, clamping, and spreading, the BULLDOG 48" Multi-Jack is always handy to have along on 4x4s and other off-road vehicles. You'll really appreciate its power when it makes backbreaking jobs like tearing out stumps and pulling up posts a breeze.

- ALL-STEEL CONSTRUCTION - Provides reliable strength
- RUGGED RATCHET DESIGN - Holds up to time and heavy use
- 36" STEEL HANDLE - Multiplies effort while keeping the operator clear
- LARGE 10" X 10" BASE - Increases ground contact surface area
- 35" OF TRAVEL - Lets you lift loads from 5" to 40" with ease
- SIMPLE DESIGN - Packs power into 30 lbs. of multipurpose equipment




148700

MULTI-JACK


Part No.	Capacity	Travel	Extended	Description	Pkg.	Unit Wt. Lbs.
148700	Tested to 7,000 lbs. (4,660 lbs. maximum rated load at 48")	35"	48"	Multipurpose Jack	Ind. Pack	30.0

STABILIZERS

Square tube stabilizers are fabricated from high strength, structural steel tubing, and are yellow zinc-plated for excellent corrosion-resistance. Common applications include cargo trailers, industrial implements, and equipment outriggers.



FULTON



STABILIZERS

Part No.	Static Capacity (lbs.)	Adjustment Range (A)	Overall Length Dimension	Description	Pkg.
STABILIZER - KIT					
SJL8 0300	2,000	8" - 27"	20" drop leg, 8" outer	Assembly drop leg and 1-1/2" outer tube (includes pin)	Bulk
STABILIZER - TUBE AND DROP LEGS					
SJ1 0300	3,000	N/A	13"	2" square outer tube, oil finish (pin not included)	Bulk
SJ2 0324	3,000	25" - 37"	28.75"	Square drop leg with adjustment holes (pin not included)	Bulk
SJ4 0324	3,000	18" - 28"	20"	Square drop leg with adjustment holes (pin not included)	Bulk
STABILIZER - DROP LEG					
SJW 0324	3,000	Up to 24"	30.5"	Square drop leg with adjustment holes, foot at 30 degree angle to tube. NOTE: Will not work with SJ1 0300 tube.	Bulk

† = Available while supply lasts.



028499



028655



028630




HEAVY DUTY COUPLERS


Designed for utility, horse/livestock, cargo, and construction trailer applications, BULLDOG Collar-Lok™ are the strongest in the industry. The BULLDOG design features the only automatic and continuously tight ball fit in the industry. A variety of coupler styles, tongue mounts, and latches allow configurations to match virtually any trailer. Adjustable couplers assure level operation for trailers when pulled by a variety of different vehicles.

- Easiest to use.
- Strong in both static and dynamic loading conditions.
- Hinged ball socket for easy hook up.
- Clear, visual indication of proper closure.
- In compliance with SAE standard J684

COLLAR-LOK™ COUPLERS - TONGUE MOUNTS

	No. 2 Tongue Mount 2-1/4" outside diameter x 1-3/4" inside diameter steel tubing.
	No. 4 Tongue Mount High-strength steel for 3" square or rectangular trailer tongue.
	No. 5 Tongue Mount High-strength steel for 3-1/2" OD round trailer tongue.
	No. 6 Channel Mount Fits inside 3" wide channel.
	No. 8 Tongue Mount High-strength steel for 50-degree trailer tongue (tapped mounting holes optional for A-frame style jacks).




028657



COLLAR-LOK™ COUPLERS - "B" STYLE COUPLERS

	2B Style 5,000 lbs. gross trailer weight for 2" ball.
	3B Style 7,000 lbs. gross trailer weight for 2" ball.
	4B Style 12,500 lbs. gross trailer weight for 2-5/16" ball.
	5B Style 15,000 lbs. gross trailer weight for 2-5/16" ball.

COLLAR-LOK™ COUPLERS - LATCHES

	L - Low Profile (No. 8 Tongue Mount only)
	H - High Profile
	M - Pin Only

† = Available while supply lasts.



HEAVY DUTY COUPLERS - COLLAR-LOK™ COUPLERS

Part No.	Model No.	Gross Trailer Weight	Overall Length	Latches	Ball Size	SAE Class	Coupler Style	Description	Unit Weight Lbs.
NO. 2 ROUND TUBULAR TONGUE MOUNT									
028381	2B2H	5,000	10-3/4"	High Profile	2"	III	2B Style	2-1/4" OD x 1-3/4" ID, steel tubing	8.0
028242	2B2M	5,000	10-3/4"	Pin Style	2"	III	2B Style	2-1/4" OD x 1-3/4" ID, steel tubing	8.0
028461	4B2H	12,500	12-3/4"	High Profile	2-5/16"	N/A	4B Style	2-1/4" OD x 1-3/4" ID, steel tubing	8.0
028442	4B2M	12,500	12-3/4"	Pin Style	2-5/16"	N/A	4B Style	2-1/4" OD x 1-3/4" ID, steel tubing	8.0
NO. 4 3" SQUARE/RECTANGULAR TONGUE MOUNT									
028382 ♦	2B4H	5,000	16-1/4"	High Profile	2"	III	2B Style	High-strength steel for 3" square or rectangular trailer tongue	10.5
028244	2B4M	5,000	16-1/4"	Pin Style	2"	III	2B Style	High-strength steel for 3" square or rectangular trailer tongue	10.5
028387 ♦	3B4H	7,000	16-1/4"	High Profile	2"	IV	3B Style	High-strength steel for 3" square or rectangular trailer tongue	11.5
028243	3B4M	7,000	16-1/4"	Pin Style	2"	IV	3B Style	High-strength steel for 3" square or rectangular trailer tongue	11.5
028462 ♦	4B4H	12,500	16-1/2"	High Profile	2-5/16"	N/A	4B Style	High-strength steel for 3" square or rectangular trailer tongue	12.0
028444	4B4M	12,500	16-1/2"	Pin Style	2-5/16"	N/A	4B Style	High-strength steel for 3" square or rectangular trailer tongue	12.0
NO. 5 3" ROUND STRAIGHT TONGUE MOUNT									
028383	2B5H	5,000	16-1/4"	High Profile	2"	III	2B Style	High-strength steel for 3-1/2" OD round trailer tongue	10.5
NO. 6 ADJUSTABLE CHANNEL MOUNT									
028390 ♦	3B6M	7,000	9.5"	Pin Style	2"	IV	3B Style	Fits inside 3" wide channel	10.0
028630 ♦	4B6M	12,500	10"	Pin Style	2-5/16"	N/A	4B Style	Fits inside 3" wide channel	11.5
028657	5B6M	15,000	10"	Pin Style	2-5/16"	N/A	5B Style	Fits inside 3" wide channel	11.7
NO. 8 A-FRAME TONGUE MOUNT									
028384	2B8H	5,000	16"	High Profile	2"	III	2B Style	High-strength steel for 50° trailer tongue	12.0
028288 ♦	2B8L	5,000	16"	Low Profile	2"	III	2B Style	High-strength steel for 50° trailer tongue	12.0
028386	3B8H	7,000	16"	High Profile	2"	IV	3B Style	High-strength steel for 50° trailer tongue	13.0
028287 ♦	3B8L	7,000	16"	Low Profile	2"	IV	3B Style	High-strength steel for 50° trailer tongue	13.0
028463	4B8H	12,500	16-1/2"	High Profile	2-5/16"	N/A	4B Style	High-strength steel for 50° trailer tongue	14.0
028499 ♦	4B8L	12,500	16-1/2"	Low Profile	2-5/16"	N/A	4B Style	High-strength steel for 50° trailer tongue	14.0
028656	5B8H	15,000	16-1/2"	High Profile	2-5/16"	N/A	5B Style	Black primed finish	16.0
028655	5B8L	15,000	16-1/2"	Low Profile	2-5/16"	N/A	5B Style	Black primed finish	16.0
REPLACEMENT PART									
024200	N/A	N/A	N/A	High Profile	N/A	N/A	N/A	Collar-Lok™ Coupler kit, includes high profile latch handle, latch wire, latch pin, push nut, and cotter pin	N/A
500354 NEW!	N/A	N/A	N/A	N/A	N/A	N/A	N/A	Coupler Cap Spring	N/A

NOTE: Other custom-made designs are available upon request. ♦ DENOTES MOST POPULAR

⚠ WARNING

Failure to close coupler securely before towing or failure to use with specified ball size may result in serious injury or death.

† = Available while supply lasts.



44150W



Wedge-Latch® A-Frame Mount, Patent Pending, Cast A-frame couplers with patented replaceable hardware for longer service life

Wedge-Latch® Flat Plate Mount

Wedge-Latch® Adjustable Height Coupler
US Patent 6,505,849

Adjustable Height Bracket

CAST COUPLERS

Designed for utility, horse/livestock, cargo, and construction trailer applications, BULLDOG Couplers are the strongest in the industry. The patented cast head "Wedge-Latch®" coupler design is offered in heavy-duty, A-frame, and convenient adjustable height models. Adjustable couplers assure level operation for trailers when pulled by a variety of different vehicles. The replaceable latching hardware allows for longer service life.

- Quick and easy to engage
- Strong and secure on the road
- Patented Wedge-Latch® ball clamp design
- Quick to hook up and disconnect
- In compliance with SAE standard J684

HEAVY DUTY COUPLERS - CAST COUPLERS

Part No.	Gross Trailer Weight	Overall Length	Latches	Ball Size	SAE Class	Description	Unit Weight Lbs.
WEDGE-LATCH® CAST HEAD COUPLERS							
43805W0317	8,000	18"	Wedge-Latch	2"	IV	Round jack mount, 50° A-frame	14.3
44125W0317	12,500	18"	Wedge-Latch	2-5/16"	IV	Round jack mount, 50° A-frame	18.6
44150W0317	15,000	18"	Wedge-Latch	2-5/16"	IV	Round jack mount, 50° A-frame	18.6
44150WQ317	15,000	18"	Wedge-Latch	2-5/16"	IV	Square jack mount, 50° A-frame	18.6
44150WH301	15,000	18"	Wedge-Latch	2-5/16"	IV	Round jack mount, 50° A-frame, for bolt-on applications	18.6
WEDGE-LATCH® FLAT MOUNT CAST HEAD COUPLERS							
4420000317	20,000	N/A	Wedge-Latch	2-5/16"	N/A	Cast head, 4-1/2" mount pattern, grey primer coat	14.0
4425000317	25,000	N/A	Wedge-Latch	2-5/16"	N/A	Cast head, 4-1/2" mount pattern, grey primer coat	15.0
ACCESSORY PART - WEDGE-LATCH® FLAT MOUNT CAST HEAD COUPLER							
PL4 0201		N/A	N/A	N/A	N/A	Pin/Lanyard 5/16" with 4 Link Chain & Tab	0.75
WEDGE-LATCH® ADJUSTABLE HEIGHT CAST HEAD COUPLERS							
A200C 0317	8,000	8-1/2"	Wedge-Latch	2"	IV	Cast head includes mounting hardware, adjustable height	9.5
A2003C0317	8,000	9-1/4"	Wedge-Latch	2"	IV	Cast head includes bolts and 3-position channel, adjustable height	13.7
A2005C0317	8,000	9-1/4"	Wedge-Latch	2"	IV	Cast head includes bolts and 5-position channel, adjustable height	15.8
A256C 0317	14,000	9-1/4"	Wedge-Latch	2-5/16"	IV	Cast head includes mounting hardware, adjustable height	10.1
A2563C0317	14,000	9-1/2"	Wedge-Latch	2-5/16"	IV	Cast head includes bolts and 3-position channel, adjustable height	14.3
A2565C0317	14,000	9-1/2"	Wedge-Latch	2-5/16"	IV	Cast head includes bolts and 5-position channel, adjustable height	16.4
ACCESSORY / REPLACEMENT PARTS - ADJUSTABLE HEIGHT CHANNEL BRACKET							
AC300 0300		8" Height	N/A	N/A	N/A	4-hole, 3-position bracket, with 4" of vertical adjustment, adjustable height	4.18
AC500 0300		11-3/4" Height	N/A	N/A	N/A	6-hole, 5-position bracket, with 8" of vertical adjustment, adjustable height	6.32
66 0801		N/A	N/A	2"	N/A	2" Ball size Wedge-Latch® repair kit. Includes latch lever, ball clamp, and replacement hardware	1.0
67 0801		N/A	N/A	2-5/16"	N/A	2-5/16" Ball size Wedge-Latch® repair kit. Includes latch lever, ball clamp, and replacement hardware	1.0

NOTE: Other custom-made designs are available upon request. ♦ DENOTES MOST POPULAR

† = Available while supply lasts.



A200S 0303

ADJUSTABLE HEIGHT COUPLERS

Part No.	Gross Trailer Weight	Overall Length	Ball Size	Description	Unit Wt. Lbs.
A200S 0303	8,000	9.00"	2"	Black Painted Finish, Mounting Hardware Included, Mounting Bracket Sold Separately	7.90
A256S 0303	14,000	9.50"	2-5/16"	Black Painted Finish, Mounting Hardware Included, Mounting Bracket Sold Separately	8.00

MOUNTING BRACKETS

Part No.	Overall Height	Description	Unit Wt. Lbs.
AC300 0300	8.00"	3 Position, Raw Finish, Mounting Hardware Sold Separately	4.20
AC500 0300	11.75"	5 Position, Raw Finish, Mounting Hardware Sold Separately	6.40
024202	n/a	Mounting Hardware, Individually Bagged	1.00



E338050303



E438050303

YOKE COUPLER

Part No.	Gross Trailer Weight	Ball Size	Description	Unit Wt. Lbs.
E338050303	5,000	2"	Class III Coupler, Round Jack Mount 50° A-Frame, Black Painted Finish, Weld-on	7.80
E438050303	8,000	2"	Class IV Coupler, Round Jack Mount 50° A-Frame, Black Painted Finish, Weld-on	7.80



† = Available while supply lasts.



ROUND GOOSENECK COUPLERS

BULLDOG gooseneck couplers are quick and easy to engage and strong and secure on the road. Our unique, patented, extruded locking plate design and high-strength steel components make BULLDOG gooseneck couplers 65% stronger than similar products.

- Easy-grip locking handle is accessible from any position, even with a glove on
- Self-centering locking plate lets you miss the ball by more than an inch
- Tight ball fit reduces jarring when changing speeds or on rough roads
- Heavy-duty construction provides unmatched strength
- User-friendly design is simple to use
- Quick to hook up and disconnect
- Easy vertical adjustment



0289500300



0287600300



GN24



0289500300
(shown with 63230 lock)

SQUARE GOOSENECK COUPLERS

You won't find a coupler that's faster or easier to use than the BULLDOG square gooseneck from Cequent Performance Products. Its user-friendly design makes hookup and release swift and secure.

- Easy-grip locking handle is accessible from any position
- Self-centering locking plate lets you miss the ball by more than an inch
- Tight ball fit reduces jarring when changing speeds or on rough roads
- Heavy-duty high-strength fabricated steel components are as strong as heavy cast iron but lighter and less brittle
- User-friendly design enables quick, easy hookup and release
- Locking handle cover protects working parts
- Cam locking pin affords easy vertical adjustment
- Pinch bolt design



028900



0289600300

KING PIN GOOSENECK COUPLERS

- Allows gooseneck trailer to be towed with vehicles equipped with a fifth wheel hitch
- Feature dual set bolts
- Round model features exclusive load bearing pin
- Square model features exclusive load bearing pinch bolt
- Available with or without outer tube



0289580300



0289590300

NOTE: All BULLDOG® Gooseneck Couplers are in compliance with the SAE standard J2638.

WARNING

Failure to close coupler securely before towing or failure to use with specified ball size may result in serious injury or death.

† = Available while supply lasts.



ROUND GOOSENECK COUPLERS

Part No.	Capacity	Overall Retracted Height	Adjustment	Ball Size	Description	Unit Wt. Lbs.
ROUND GOOSENECK FIXED COUPLER						
0287690300	20,000	33.00"	N/A	2-5/16"	Fixed base coupler.	38.0
ROUND GOOSENECK ADJUSTABLE COUPLER						
0287600300	20,000	29.20"	8.0"	2-5/16"	Adjustable gooseneck coupler.	46.0
0287610300	20,000	27.20"	8.0"	2-5/16"	Adjustable gooseneck coupler. No outer tube.	30.0
0287620300	20,000	29.30"	8.0"	2-5/16"	Adjustable gooseneck coupler with cap.	48.0
0287650300	20,000	28.60"	8.0"	2-5/16"	Adjustable gooseneck coupler. No outer tube. GN24 coupler head.	25.5
0287760300	20,000	29.50"	8.0"	2-5/16"	Adjustable gooseneck coupler. GN24 coupler head.	47.3
0289340317	25,000	28.10"	8.0"	2-5/16"	4.5" diameter outer tube, 4" diameter inner tube, with GN24 coupler head, 3/4" load bearing pin.	45.4
0289250300	25,000	29.30"	8.0"	2-5/16"	4.5" diameter outer tube, 4" diameter inner tube, with cast locking plates. 3/4" load bearing pin.	50.0
0289500300	30,000	29.30"	8.0"	2-5/16"	4.5" diameter outer tube, 4" diameter inner tube, with cast locking plates. 3/4" load bearing pin.	52.0
GOOSENECK COUPLER HEAD						
GN24 0200	24,000	N/A	N/A	2-5/16"	Cast steel gooseneck coupler designed for easy welding to 3" or 4" diameter tubing. Quick and easy latching action eliminates need to be in tow vehicle for hook-up.	5.5
GOOSENECK COUPLER OUTER TUBE						
0233010300					Outer tube only. 20" length, 4.5" round tube, with hole for 3/4" load bearing pin, (1) set bolt.	17.2
0233100300					Outer tube only. 20" length, 4.5" round tube, with hole for 3/4" load bearing pin, (2) set bolts.	17.7
REPLACEMENT PART - GOOSENECK COUPLER HEAD GN24 REPAIR KIT						
1542S01	N/A	N/A	N/A	N/A	Kit includes torsion spring, coupler locking shaft, curved handle assembly, 3/4" shaft retaining ring, centerlock nut 1/2-13	N/A
REPLACEMENT PART - GOOSENECK COUPLER KIT						
0287740300	N/A	N/A	N/A	2-5/16"	Kit includes coupler assembly, locking pin assembly, locking pin cover, bulldog label, and warning label.	10.0
0233060301	N/A	N/A	N/A	N/A	Replacement Pin Kit, includes cotter pin.	N/A
500296	N/A	N/A	N/A	N/A	Gooseneck couplers bolt kit. Includes jam nut (1), set screw (1), adjusting nut (1).	N/A

SQUARE GOOSENECK ADJUSTABLE COUPLERS

Part No.	Capacity	Overall Height Retracted	Overall Height Extended	Adjustment	Ball Size	Description	Unit Wt. Lbs.
0289600300	25,000	32"	40"	8"	2-5/16"	4.5" square outer tube, 4.0" square inner tube. (1) 3/4" diameter set screw.	57.0
0288660300	25,000	30.75"	N/A	8"	2-5/16"	4.0" square inner tube only.	42.0
028900	30,000	32"	39"	7"	2-5/16"	4.5" square outer tube with .25" wall, 4.0" square inner tube with .313" wall. Includes topwind crank.	76.0
0289800300	30,000	32"	40"	8"	2-5/16"	4.5" square outer tube with, 4.0" square inner tube. (2) 3/4" diameter set bolts.	68.0

KING PIN GOOSENECK COUPLERS

Part No.	Capacity	Overall Height Retracted	Overall Height Extended	Adjustment	Ball Size	Description	Unit Wt. Lbs.
0289580300	25,000	23.3"	31.3"	8"	N/A	Round tube , raw finish, labels shipped loose.	57.5
0289640300	25,000	23.3"	31.3"	8"	N/A	Round tube , raw finish, labels shipped loose. Inner tube only.	37.1
0289590300	30,000	23.3"	31.3"	8"	N/A	Square tube , raw finish, labels shipped loose.	64.1
0289650300	30,000	23.3"	31.3"	8"	N/A	Square tube , raw finish, labels shipped loose. Inner tube only.	45.8

SERVICE KIT FOR SQUARE / SQUARE KING PIN GOOSENECK ADJUSTABLE COUPLERS


Part No.	Description
0289SB0140	Adjustable gooseneck pinch bolt kit

† = Available while supply lasts.

BX1® GOOSENECK COUPLERS

The BULLDOG BX1 coupler is the result of generations of design expertise and field experience. It incorporates innovative features that revolutionize the benefits available from a gooseneck coupler.

- Offers flexible mounting options with Next Generation locking plate coupler locking mechanism
- Makes hooking up, adjusting vertical height, and disconnecting easy
- Maintains smooth operation over time with grease fittings for every important operating part
- Operates easily with one hand thanks to new locking handle design
- Continuous tight ball fit - ever-increasing cam tightening mechanism
- Protects against wear with enclosed locking pin mechanism
- Resists theft with integrated feature to allow pad-locking the coupler to the ball (lock not included)
- Guides ball into socket more easily—letting you miss by more than an inch—with bottom locking plate 50% larger than competitors
- Lengthens life of locking mechanism with oil-impregnated bushings
- Allows shorter retracted length and less wasted length for trucks with high bed height via low-profile locking mechanism
- Fits ball better and reduces jarring through contour-formed edge on bottom locking plate
- Delivers unmatched strength through heavy-duty construction
- Innovations that improve security, service life, and functionality
- New ball pocket design provides contact on both sides of the ball for substantially improved pull out strength - the only sliding-plate design that transfers part of the load to the top locking plate rather than only the bottom locking plate



BX1® GOOSENECK COUPLERS

Part No.	Capacity	Overall Height		Adjustment	Ball Size	Description	Unit Wt. Lbs.
		Retracted	Extended				
1289030300	20,000	27.5"	35.5"	8"	2-5/16"	BX1 Coupler Round Tube	46.0
1289070300	20,000	22.6"	30.6"	8"	2-5/16"	BX1 Coupler Round Tube, Short Configuration	41.0
1289170300	20,000	N/A	N/A	8"	2-5/16"	BX1 Coupler Round Tube, Inner Tube Only	27.0
1289000300	25,000	27.5"	35.5"	8"	2-5/16"	BX1 Coupler Round Tube	48.0
1289020300	25,000	N/A	N/A	8"	2-5/16"	BX1 Coupler Round Tube, Inner Tube Only	30.4
1289080300	25,000	22.6"	30.6"	8"	2-5/16"	BX1 Coupler Round Tube, Short Configuration	44.0
1289130300	25,000	30.8"	38.8"	8"	2-5/16"	BX1 Coupler Square Tube	58.6
1289210300	25,000	N/A	N/A	8"	2-5/16"	BX1 Coupler Square, Inner Tube Only, Short Configuration	31.2
1289040300	30,000	22.6"	30.6"	8"	2-5/16"	BX1 Coupler Round Tube, Short Configuration	46.0
1289050300	30,000	N/A	N/A	8"	2-5/16"	BX1 Coupler Round Tube, Inner Tube Only, Short Configuration	29.0
1289140300	30,000	30.8"	38.8"	8"	2-5/16"	BX1 Coupler Square Tube	65.3
1289200300	40,000	22.0"	24.6"	2.6"	3"	BX1 Coupler Square Tube NEW!	58.2

ACCESSORIES

0233120300	Square Gooseneck Coupler Outer Tube, Weld On , 20" Length, 4-1/2" Tube, w/Hex Head Bolt Hole, Dual Set Bolts & Labels, 20.6 Lbs.
500356	5/16" Locking Pin for BX1 Gooseneck Couplers NEW!

SERVICE KIT

500289	Service kit for BX1 Gooseneck Coupler handle mechanism
--------	--

REPLACEMENT PARTS

500353	Repair Kit (BX1, 3" Ball), Includes Handle Assembly, Locking Cam, Grease Fitting, Grooved Pin, Flanged Bushing & Torsion Spring NEW!
--------	---

Patents Pending.

† = Available while supply lasts.

ROUND GOOSENECK COUPLERS



- 8" of Adjustment
- Handle hold-open feature
- Raw Finish
- 2 5/16" Ball Size
- P/N 0287820300 includes loading bearing pin



0287800300



Handle Hold-Open



0287820300



Load Bearing Pin

ROUND GOOSENECK COUPLERS

Part No.	Capacity	Overall Height Retracted	Adjustment	Ball Size	Description	Unit Wt. Lbs.
0287790300	20,000	26.70"	8.0"	2-5/16"	Raw Finish, 2 Set Screws	43.00
0287800300	25,000	26.70"	8.0"	2-5/16"	Raw Finish, 2 Set Screws	47.00
0287820300	25,000	26.70"	8.0"	2-5/16"	Raw Finish, 1 Set Screw, Load Bearing Pin	47.00

† = Available while supply lasts.

THE SAE INTERNATIONAL J2638 STANDARD FOR GOOSENECK AND 5TH WHEEL TRAILERS UNDER 30,000 LBS.



The Society of Automotive Engineers (SAE) is a non-profit educational and scientific organization dedicated to advancing mobility technology to better serve humanity. SAE has developed many standards, testing methods and procedures to measure the performance of vehicles and vehicle related products, including trailers. SAE J2638 addresses both gooseneck and 5th wheel trailers under 30,000 lbs. The testing methods for gooseneck are as follows:

TESTING METHODS

STATIC TESTING is a one time maximum load requirement for the three test conditions.

The test is to be maintained for 5 Seconds.

- **Vertical** - tests the goosenecks ability with upward and downward pressure
 - 85% of GVW Pull Out (25K lb Gooseneck = 21,250 lbs)
 - 50% of GVW Down (25K lb Gooseneck = 12,500 lbs)
- **Longitudinal** - tests the goosenecks ability with front and back pressure
 - 75% of GVW Front and Back (25K lb Gooseneck = 18,750 lbs)
- **Transverse** - tests the goosenecks ability with side to side pressure
 - 30% of GVW Each Side (25K lb Gooseneck = 7,500 lbs)

DYNAMIC TESTING defines requirements for repetitive testing in the three test conditions.

- 300,000 Cycles in each test condition. (Vertical, Longitudinal and Transverse)
- The same unit is used for all three tests. (900,000 Cycles all together)
- The range of load requirements are based on GVW and Rated Coupler Load.

In order to assure safety and accountability for the products produced, SAE J2638 also requires:

- Product Identification
 - Manufacturer's Name
 - Maximum Trailer GVW
 - Rated Vertical Coupler Load
 - Ball Size
- Testing
 - Products are to be fixtured at the maximum stress conditions
 - There should be no loss of attachment during testing
 - When testing is completed, the coupler will be capable of being uncoupled and coupled

CEQUENT COMMITMENT

As the leading manufacturer of gooseneck couplers, Cequent understands the importance of the new SAE standard for Goosenecks and 5th Wheels. We are committed to providing products that meet or exceed these recommendations and our commitment is evident by our investment in people and facilities dedicated to testing our products.

In addition to being one of the only manufacturers with dedicated testing facilities, Cequent also has over 90 years of manufacturing experience to insure our products are of the highest quality and reliability.

Because of the size of our organization we can provide the added benefits of high quality, unmatched reliability and proven strength, at a competitive price.



Competitor's 25K gooseneck fails longitudinal test at 11,500 lbs.

† = Available while supply lasts.



FULTON

STAMPED COUPLERS

The most popular coupler mechanism ever developed, the Fas-Lok® originated as a Fulton brand and is offered in a full line of SAE Class I through IV rated straight tongue stamped couplers. The Fas-Lok® latching mechanism allows quick and easy trailer hook-up, and is factory adjusted for convenience.



22300



34300



44314R
US Patent
6,505,849

STAMPED COUPLERS



Straight Tongue Fas-Lok®
Quick and easy trailer hook-up.



A-Frame
High-strength stamped couplers
for 50-degree frames.

HANDI-GRIP COUPLER HANDLE



STAMPED COUPLERS WITH Z-MAX 600 SUPERIOR PLATING



Fulton coupler after
336 hours salt spray testing.



Competitor's coupler
after 336 hours salt spray testing.

† = Available while supply lasts.

STAMPED COUPLERS - STRAIGHT TONGUE STAMPED FAS-LOK® COUPLERS

Part No.	Gross Trailer Weight	Ball Size	SAE Class	Description	Finish	Packaging
E112000340	2,000	1-7/8"	I	2" Wide Channel, Clear Zinc Finish, No Product Label	100 Hr.	Bulk
11200 0317	2,000	1 7/8"	I	2" Wide Channel, Primed Finish, No Product Label	Primed	Bulk
11200 0101	2,000	1-7/8"	I	2" Wide Channel, Clear Zinc Finish, Labeled	100 Hr.	Ind. Labeled
E112500340	2,000	1-7/8"	I	2-1/2" Wide Channel, Clear Zinc Finish, No Product Label	100 Hr.	Bulk
11250 0317	2,000	1 7/8"	I	2 -1/2" Wide Channel, Primed Finish, No Product Label	Primed	Bulk
11250 0101	2,000	1 7/8"	I	2 -1/2" Wide Channel, Zinc Finish, Labeled	Zinc	Ind. Labeled
E113000340	2,000	1-7/8"	I	3" Wide Channel, Clear Zinc Finish, No Product Label	100 Hr.	Bulk
11300 0317	2,000	1 7/8"	I	3" Wide Channel, Primed Finish, No Product Label	Primed	Bulk
11300 0101	2,000	1-7/8"	I	3" Wide Channel, Clear Zinc Finish, Labeled	100 Hr.	Ind. Labeled
22200 0101	3,500	2"	II	2" Wide Channel, Labeled	Z-Max 600	Ind. Labeled
22200 0301	3,500	2"	II	2" Wide Channel, No Product Label	Z-Max 600	Bulk
22200 0317	3,500	2"	II	2" Wide Channel, Primed Finish, No Product Label	Primed	Bulk
22250 0101	3,500	2"	II	2-1/2" Wide Channel, Labeled	Z-Max 600	Ind. Labeled
22250 0301	3,500	2"	II	2-1/2" Wide Channel, No Product Label	Z-Max 600	Bulk
22250 0317	3,500	2"	II	2 -1/2" Wide Channel, Primed Finish, No Product Label	Primed	Bulk
22300 0101	3,500	2"	II	3" Wide Channel, Labeled	Z-Max 600	Ind. Labeled
22300 0301	3,500	2"	II	3" Wide Channel, No Product Label	Z-Max 600	Bulk
22300 0317	3,500	2"	II	3" Wide Channel, Primed Finish, No Product Label	Primed	Bulk
23300 0301	3,500	2"	II	3" Wide Channel, No Product Label, Holes on 3" Center	Z-Max 600	Bulk
34300 0301	5,000	2"	III	3" Wide Channel, No Product Label	Z-Max 600	Bulk
34300 0317	5,000	2"	III	3" Wide Channel, Primed Finish, No Product Label	Primed	Bulk
34600 0301	6,000	2"	IV	3" Wide Channel, Cast Ball Clamp, No Product Label	Z-Max 600	Bulk

STAMPED COUPLERS - A-FRAME STAMPED COUPLERS

Part No.	Gross Trailer Weight	Ball Size	SAE Class	Description	Finish	Packaging
E333050303	5,000	2"	III	50 Degree A-Frame (Weld-On)	Black Primed	Bulk
33305H0301	5,000	2"	III	50 Degree A-Frame (Bolt-On)	100 Hr.	Bulk
E443050303	10,000	2-5/16"	IV	50 Degree A-Frame (Weld-On), Low Profile Latch	Black Primed	Bulk
44305R0317	10,000	2-5/16"	IV	50 Degree A-Frame (Weld On), Wedge-Latch®	Primed	Bulk
44305R0500	10,000	2-5/16"	IV	50 Degree A-Frame (Weld On), Wedge-Latch®	Oily	Bulk
NEW! 44311H0301	11,000	2-5/16"	IV	50 Degree A-Frame (Bolt-On), Wedge-Latch®	Zinc	Bulk
44314R0303	14,000	2-5/16"	IV	50 Degree A-Frame (Weld On), Wedge-Latch®	Black Paint	Bulk

STAMPED COUPLERS - HANDWHEEL COUPLERS

Part No.	Gross Trailer Weight	Ball Size	SAE Class	Description	Finish	Packaging
308 0217	5,000	2" - 2-1/8"	III	2-7/8" Channel, Handwheel Latch	Primed	Ind. Labeled
308 0317	5,000	2" - 2-1/8"	III	2-7/8" Channel, Handwheel Latch	Primed	Bulk

STAMPED COUPLERS - COUPLER ACCESSORIES / REPLACEMENT PARTS

Part No.	Description	Packaging
CH 0701	Handi-Grip Coupler Handle	Carded
52 0801	Kit, 308 repair, handwheel couplers	Display Bag
64 0801	Kit, 44305R, coupler replacement	Display Bag

Couplers do not include hitch balls. Class III hardware couplers can be used on Class II trailers.
 NOTE: Review price list or contact customer service for package quantities and full part number.

† = Available while supply lasts.




Space Saving!

FULTON
FOLD-AWAY™ HINGE KITS

Fulton High Performance Series Fold-Away™ hinge kits are ideal for boat trailers that can be just a little too long to fit inside smaller garages. These high quality, precision engineered products provide options for solving this common problem. Choose the Fold-Away™ product that fits your needs from among several varieties made to fit standard trailer tongue dimensions.

Models with Z-Max 600-hour zinc plating provide protection 6 times longer than typical zinc finishes. By far the best finish in the industry, Z-Max 600 is tested per ASTM B117. Weld-on kits with raw finish are ideal for painting or galvanizing.

Limited 5 year warranty.


FOLD-AWAY™ BOLT-ON HINGE KITS

- Converts standard trailer tongues into fold-away configurations while preserving the existing coupler
- Delivers strength at the pivot point with precisely machined heavy duty hinges made from die cast steel
- Easy to install bolt-on application with complete instruction manual
- Includes all mounting hardware
- Only recommended for trailers made of steel

FOLD-AWAY™ BOLT-ON HINGE KITS (Consult pivot rating charts for allowed capacity.)

Part No.	Gross Trailer Weight	Ball Size	SAE Class	Pivot Length	Description	Finish	Packaging
HDPB230101	Up To 5,000	N/A	N/A	Up to 48"	Bolt-On Hinge Kit, 2" x 3" Trailer Tongues	Z-Max 600	Display Box
HDPB230301	Up To 5,000	N/A	N/A	Up to 48"	Bolt-On Hinge Kit, 2" x 3" Trailer Tongues	Z-Max 600	Bulk
HDPB330101	Up To 5,000	N/A	N/A	Up to 48"	Bolt-On Hinge Kit, 3" x 3" Trailer Tongues	Z-Max 600	Display Box
HDPB330301	Up To 5,000	N/A	N/A	Up to 48"	Bolt-On Hinge Kit, 3" x 3" Trailer Tongues	Z-Max 600	Bulk
HDPB340101	Up To 7,500	N/A	N/A	Up to 48"	Bolt-On Hinge Kit, 3" x 4" Trailer Tongues	Z-Max 600	Display Box
HDPB340301	Up To 7,500	N/A	N/A	Up to 48"	Bolt-On Hinge Kit, 3" x 4" Trailer Tongues	Z-Max 600	Bulk
HDPB350101	Up To 9,000	N/A	N/A	Up to 48"	Bolt-On Hinge Kit, 3" x 5" Trailer Tongues	Z-Max 600	Display Box
HDPB350301	Up To 9,000	N/A	N/A	Up to 48"	Bolt-On Hinge Kit, 3" x 5" Trailer Tongues	Z-Max 600	Bulk

Includes Fold-Away hinges, mounting hardware, pivot bolt, pivot pin/clip. Torques bit included with retail display box packaged items.


FOLD-AWAY™ WELD-ON HINGE KITS

- Ideal for OEMs, a convenient option for custom trailers to utilize a pivot system
- Delivers strength at the pivot point with precisely machined heavy-duty hinges made from die cast steel
- Provides superior performance with unique patent pending offset design
- Works with actuators and standard coupler applications, note gross trailer weight
- Only recommended for trailers made of steel

FOLD-AWAY™ WELD-ON HINGE KITS (Consult pivot rating charts for allowed capacity.)

Part No.	Gross Trailer Weight	Ball Size	SAE Class	Pivot Length	Description	Finish	Packaging
HDPW230300	Up To 5,000	N/A	N/A	Up to 48"	Weld-On Hinge Kit, 2" x 3" Trailer Tongues	Raw Casting	Bulk
HDPW330300	Up To 5,000	N/A	N/A	Up to 48"	Weld-On Hinge Kit, 3" x 3" Trailer Tongues	Raw Casting	Bulk
HDPW340300	Up To 7,500	N/A	N/A	Up to 48"	Weld-On Hinge Kit, 3" x 4" Trailer Tongues	Raw Casting	Bulk
HDPW350300	Up To 9,000	N/A	N/A	Up to 48"	Weld-On Hinge Kit, 3" x 5" Trailer Tongues	Raw Casting	Bulk

Includes Fold-Away hinges (raw finish castings ideal for painting or galvanizing), zinc plated pivot bolt and nut, 5/8" diameter hitch pin and clip.

† = Available while supply lasts.

FOLD-AWAY™ HINGE KIT REPLACEMENT PARTS




Part No.	Description	Packaging
500334	Pivot Pin 5/8" x 4-1/2" w/Cotter Pin & Lanyard for 3" x 3"	Poly Bag
500335	Pivot Pin 5/8" x 5-1/2" w/Cotter Pin & Lanyard for 3" x 4"	Poly Bag
500336	Pivot Pin 5/8" x 6-1/2" w/Cotter Pin & Lanyard for 3" x 5"	Poly Bag

PIVOT RATING CHARTS







Fold-Away Bolt-On Hinge Kits

Fulton Fold-Away Bolt-on Hinge Kits convert standard trailer tongues into fold-away configurations while preserving the existing coupler.



Fold-Away Weld-On Hinge Kits

Ideal for OEMs, Fulton Fold-Away Weld-on Hinge Kits are a convenient option for custom trailers to utilize a pivot system.



† = Available while supply lasts.

FULTON®



WHERE PERFORMANCE AND STYLE MEET

F2™



Need a Winch? Does the application require Pulling or Lifting?

PULLING - SELECT A FULTON "T" SERIES TRAILER WINCH

To Select T Winch Capacity:

Minimum Winch Capacity = Maximum Weight of Boat,
Including Motor, Fuel, Gear \div 2

Example:

Boat, Motor, Fuel, Gear Weight = 2,800 lbs.
 $2,800 \div 2 = 1,400$ lbs.

Select T1500 Winch, rated at 1,500 lbs.



XLT18



T3700

COMMON PULLING APPLICATION

If shallow water or steep inclined launches are
expected to be used \div Maximum Weight by 1.5

Example:

Boat, Motor, Fuel, Gear Weight = 3,100 lbs.
 $3,100 \div 1.5 = 2,067$ lbs.

Select T2100 Winch, rated at 2,100 lbs.



LIFTING - SELECT A FULTON "K" SERIES BRAKE WINCH

To Select K Winch Capacity:

Minimum Winch Capacity = Maximum Line Load,

Example: Maximum Line Load = 1,450 lbs.

Select K1550 Winch, rated at 1,500 lbs.



K2550



KW3000

COMMON LIFTING APPLICATIONS



NOTES

1. Fulton Winches are not designed to be human hoists and should never be operated when there are persons on or under the load being moved.
2. Fulton Winches are rated on the first layer of recommended line on the drum. For maximum efficiency use only the amount of line required. Derate the capacity 10% per additional layer of rope, strap, or cable.

F2® TRAILER WINCH

The F2® Winch addresses the need for attractive design in every element of a marine trailer. It complements the look of even high end boat and trailer combinations and continues the industry changing improvements in both performance and style of the Fulton F2® series of products.

- Models available with 1600, 2000 and 3200 lbs. capacity
- Attractive design to compliment the F2 jack series for a custom look
- Enclosed frame design for a sleek, strong stylish look to compliment your boat and customize your trailer
- Soft ergonomic adjustable handle
- Handle switches from left to right hand drive configuration - 1600 and 2000 lbs. models only
- Features E.I.S. - "Easy Install System"
- Patents pending
- **CE** Compliant
- Limited Lifetime Warranty

FULTON **F2**

SHARKSKIN™

PREMIUM FINISH

- Environmentally friendly
- Self-healing
- Maximum corrosion resistance
- Used in salt water environments and other demanding climate applications
- 1200 hour salt spray rating per ASTM B117



FW16000101



FW20000101



FW32000101

2-SPEED FEATURES



2 Speed Gear System



Low Speed



High Speed

† = Available while supply lasts.



F2® SINGLE SPEED TRAILER WINCH

- 1,600 lbs. capacity
- Two piece corrosion resistant aluminum frame
- One piece corrosion resistant aluminum handle
- Dual gear drum operates smoothly
- Left or Right handed handle attachment
- 2-position handle adjusts from 6" to 7"
- Models available with or without 20' strap

F2® SINGLE SPEED TRAILER WINCH

- 2,000 lbs. capacity
- One piece corrosion resistant aluminum frame
- One piece corrosion resistant aluminum handle
- Dual gear drum operates smoothly
- Center drive enclosed ratchet system
- User-friendly pull-turn knob to engage ratchet plunger pin
- Left or Right handed handle attachment
- 4-position handle adjusts from 6" to 9"
- Includes 20' strap with hook

F2® TWO SPEED TRAILER WINCH

- 3,200 lbs. capacity
- One piece corrosion resistant aluminum frame
- One piece corrosion resistant aluminum handle
- Dual gear drum operates smoothly
- Center drive enclosed ratchet
- Self-engaging one-handed system shifts from high to low speed
- User-friendly pull-turn knob to engage ratchet plunger pin
- 4-position handle adjusts from 6" to 9"
- Includes strap guide and 20' heavy duty strap with hook



E.I.S. - Easy
Install System



Adjustable Handle



Hub Mounted Strap

F2® TRAILER WINCHES

Part No.	Capacity	Gear Ratio	Handle Length	Strap	Strap Included	Mounting Hardware Included	Finish	Packaging	Unit Wt. Lbs.
F2® SINGLE SPEED TRAILER WINCH									
FW16000101	1,600	4.1:1	2 Position 6", 7"	20' x 2" w/Hook	YES	YES	Sharkskin™	Display Box	9.25
FW1600Z0301	1,600	4.1:1	2 Position 6", 7"	20' x 2" w/Hook	YES	YES	Sharkskin™	Bulk	8.7
FW16000301	1,600	4.1:1	2 Position 6", 7"	N/A	NO	NO	Sharkskin™	Bulk	7.85
FW20000101	2,000	5.1:1	4 Position 6", 7", 8", 9"	20' x 2" w/Hook	YES	YES	Sharkskin™	Display Box	6.7
FW20000301	2,000	5.1:1	4 Position 6", 7", 8", 9"	20' x 2" w/Hook	YES	YES	Sharkskin™	Bulk	6.7
F2® TWO SPEED TRAILER WINCH									
FW32000101	3,200	5.1:1, 3.17:1	4 Position 6", 7", 8", 9"	20' x 2" Heavy Duty w/Hook	YES	YES	Sharkskin™	Display Box	15.7
FW32000301	3,200	5.1:1, 3.17:1	4 Position 6", 7", 8", 9"	20' x 2" Heavy Duty w/Hook	YES	YES	Sharkskin™	Bulk	15.7
REPLACEMENT PART									
FW3200S01	F2 Two Speed Replacement Sun Gear Kit								
500350	Top Cover for F2 FW1600, FW2000 & FW3200 Winches NEW!								
500351	Back Cover for F2 FW2000 & FW3200 Winches NEW!								

Patent Pending.

† = Available while supply lasts.

FULTON

SINGLE SPEED TRAILER WINCHES



We manufacture a full line of Fulton brand single speed winches designed to meet your toughest pulling demands. Our winches feature efficient gear ratios, full-length drum bearings, oil-impregnated shaft bushings, and our "Comfort Grip" handle for ease of cranking. All gears are high-carbon steel for superb strength and long-term durability. Stamped carbon steel frames provide rigidity for gear alignment and longer cycle life. Zinc finishes provide excellent corrosion resistance in all environments. All models are designed for use with rope or strap. For end user convenience, most models are available with factory installed straps and hooks. Our XLT® Series includes stylized polypropylene shell with strap and hook as standard features. The T1300 and T1500 models offer optional gear covers, gear train protection, and added styling like T1500ZC.

CE Compliant



XLT14
Winch Housing US Patent
D407,883
Cover Plate US Patent
D395,116



T1500ZC
(ZC-models include
strap, hook, and cover)
US Patent D434,892



T1602



T1100

† = Available while supply lasts.

SINGLE SPEED TRAILER WINCHES

Part No.	Capacity	Gear Ratio	Handle Length	Max. Mech. Adv**	Ratchet Type	Drum Storage			Strap Mfg. Bolt Sizes (Not Included)	Replace Handle	Strap Included	Packaging
						Rope	Cable	Strap				
T600 0101	600	3.1:1	6"	34:1	Two-way	36' x 1/4"	N/A	15' x 2"	1/4" x 2-1/2" Grade 5	5868	NO	Litho Box
T600 0301	600	3.1:1	6"	34:1	Two-way	36' x 1/4"	N/A	15' x 2"	1/4" x 2-1/2" Grade 5	5868	NO	Bulk
T600Z0301	600	3.1:1	6"	34:1	Two-way	36' x 1/4"	N/A	15' x 2"	1/4" x 2-1/2" Grade 5	5868	YES	Bulk
T900 0101	900	3.1:1	7"	39:1	Two-way	36' x 1/4"	N/A	15' x 2"	1/4" x 2-1/2" Grade 5	6312	NO	Litho Box
T900 0301	900	3.1:1	7"	39:1	Two-way	36' x 1/4"	N/A	15' x 2"	1/4" x 2-1/2" Grade 5	6312	NO	Bulk
T900Z0101	900	3.1:1	7"	39:1	Two-way	36' x 1/4"	N/A	15' x 2"	1/4" x 2-1/2" Grade 5	6312	YES	Litho Box
T900Z0301	900	3.1:1	7"	39:1	Two-way	36' x 1/4"	N/A	15' x 2"	1/4" x 2-1/2" Grade 5	6312	YES	Bulk
T903Z 0101	900	3.1:1	6"	39:1	Two-way	36' x 1/4"	N/A	12' x 2"	1/4" x 2-1/2" Grade 5	6312	YES	Litho Box
T903Z 0301	900	3.1:1	6"	39:1	Two-way	36' x 1/4"	N/A	12' x 2"	1/4" x 2-1/2" Grade 5	6312	YES	Bulk
T1100 0101	1,100	4.1:1	7"	43:1	Two-way	30' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6312	NO	Litho Box
T1100 0301	1,100	4.1:1	7"	43:1	Two-way	30' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6312	NO	Bulk
T1100Z0101	1,100	4.1:1	7"	43:1	Two-way	30' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6312	YES	Litho Box
T1300 0101	1,300	4.1:1	8"	49:1	Two-way	30' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6302	NO	Litho Box
T1300 0301	1,300	4.1:1	8"	49:1	Two-way	30' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6302	NO	Bulk
T1300Z0101	1,300	4.1:1	8"	49:1	Two-way	30' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6302	YES	Litho Box
XLT14ZB101	1,400	4.1:1	8"	43:1	Two-way	N/A	N/A	20' x 2"	5/16" x 2-1/2" Grade 5	6302	YES	Litho Box
XLT14ZB301	1,400	4.1:1	8"	43:1	Two-way	N/A	N/A	20' x 2"	5/16" x 2-1/2" Grade 5	6302	YES	Bulk
T1500 0101	1,500	4.1:1	8"	49:1	Two-way	20' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6302	NO	Litho Box
T1500 0301	1,500	4.1:1	8"	49:1	Two-way	20' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6302	NO	Bulk
T1500Z0101	1,500	4.1:1	8"	49:1	Two-way	20' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6302	YES	Litho Box
T1500Z0301	1,500	4.1:1	8"	49:1	Two-way	20' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6302	YES	Bulk
T1500ZC101	1,500	4.1:1	8"	56:1	Two-way	20' x 5/16"	N/A	20' x 2"	1/4" x 2-1/2" Grade 5	6302	YES	Litho Box
T1602 0101	1,600	5.1:1	9"	56:1	Two-way	20' x 7/16"	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6822	NO	Litho Box
T1602 0301	1,600	5.1:1	9"	56:1	Two-way	20' x 7/16"	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6822	NO	Bulk
T1801 0101	1,800	5.1:1	10"	62:1	Two-way	20' x 7/16"	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6817	NO	Litho Box
T1801 0301	1,800	5.1:1	10"	62:1	Two-way	20' x 7/16"	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6817	NO	Bulk
T1801Z0101	1,800	5.1:1	10"	62:1	Two-way	20' x 7/16"	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6817	YES	Litho Box
T1801Z0301	1,800	5.1:1	8"	62:1	Two-way	20' x 7/16"	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6817	YES	Bulk
XLT18ZB101	1,800	5.1:1	10"	62:1	Two-way	N/A	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6817	YES	Litho Box
XLT18ZB301	1,800	5.1:1	10"	62:1	Two-way	N/A	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6817	YES	Bulk
T2100 0301	2,100	5.1:1	10"	62:1	Two-way	20' x 7/16"	N/A	20' x 2"	3/8" x 2-3/4" Grade 5	6817	NO	Bulk

CE All Cequent Performance Products single speed trailer winches are **CE** compliant.

**Maximum Mechanical Advance - Based on first layer of recommended line on the drum.
For maximum efficiency, use only the amount of line required.

† = Available while supply lasts.

FULTON

TWO SPEED TRAILER WINCHES

Make light work of heavy loads with Fulton brand two-speed winches. One fast speed for quick pull-in, a second low speed for increased mechanical advantage. Our shift lock design allows changing gears without moving the crank handle from shaft to shaft. Just lift the shift lock and slide the shaft into the desired gear position. Shift lock holds the shaft in gear. Neutral, free-wheel position allows quick line pay out without spinning the handle. Our ratchet pawl also has a convenient neutral position. Optional handbrake kit no. 1619-01 purchased separately and available for all two-speed winches and can be installed after the winch is mounted.

Our XLT® series includes stylized polypropylene shell with strap and hook as standard features.

CE Compliant



XLT26ZC301



XLT20ZB



T2005



T2605



T2605Z

TWO SPEED TRAILER WINCHES

Part No.	Cap.	Gear Ratio	Handle Length	Max. Mech. Adv**	Ratchet Type	Drum Storage		Strap Mfg. Bolt Sizes (Not Included)	Hub Size	Hand Brake	Replace Handle	Strap Includ.	Cable Includ.	Pkg.
T2005 0101	2,000	4.1:1 & 9.8:1	10"	87:1	Two-way w/neutral	N/A	20' x 2"	N/A	1"	1619-01***	6817	NO	N/A	Litho Box
T2005 0301	2,000	4.1:1 & 9.8:1	10"	87:1	Two-way w/neutral	N/A	20' x 2"	N/A	1"	1619-01***	6817	NO	N/A	Bulk
T2005Z0101	2,000	4.1:1 & 9.8:1	10"	87:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	YES	N/A	Litho Box
T2005Z0301	2,000	4.1:1 & 9.8:1	10"	87:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	YES	N/A	Bulk
XLT20ZB301	2,000	4.1:1 & 9.8:1	10"	87:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	YES	N/A	Bulk
T2005S0301	2,000	4.1:1 & 9.8:1	10"	87:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	NO	N/A	Bulk
T2005SC301	2,000	4.1:1 & 9.8:1	10"	87:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	YES	N/A	Bulk

† = Available while supply lasts.

TWO SPEED TRAILER WINCHES

Part No.	Cap.	Gear Ratio	Handle Length	Max. Mech. Adv**	Ratchet Type	Drum Storage		Strap Mfg. Bolt Sizes (Not Included)	Hub Size	Hand Brake	Replace Handle	Strap Includ.	Cable Includ.	Pkg.
T2025 0301	2,000	4.1:1 & 9.8:1	10"	64:1	Two-way w/neutral	50' x 7/32"	N/A	Cable only	1-3/4"	NO	6817	N/A	NO	Bulk
T2605 0101	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	N/A	1"	1619-01***	6817	NO	N/A	Litho Box
T2605 0301	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	N/A	1"	1619-01***	6817	NO	N/A	Bulk
T2605Z0101	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	YES	N/A	Litho Box
T2605Z0301	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	YES	N/A	Bulk
XLT26ZB301	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	YES	N/A	Bulk
XLT26ZC301	2,600	5.1:1 & 12.2:1	6-1/4"	108:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	N/A	YES	N/A	Bulk
T2605B0101	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	N/A	1"	Installed	6817	NO	N/A	Litho Box
T2605B0301	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	N/A	1"	Installed	6817	NO	N/A	Bulk
T2605S0301	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	NO	N/A	Bulk
T2605SC301	2,600	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	N/A	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	NO	N/A	Bulk
T2625 0101	2,600	5.1:1 & 12.2:1	10"	79:1	Two-way w/neutral	100' x 7/32"	N/A	Cable only	1-3/4"	1619-01***	6817	N/A	NO	Litho Box
T2625 0301	2,600	5.1:1 & 12.2:1	10"	79:1	Two-way w/neutral	100' x 7/32"	N/A	Cable only	1-3/4"	1619-01***	6817	N/A	NO	Bulk
T3205 0101	3,200	5.1:1 & 12.2:1	10"	79:1	Two-way w/neutral	100' x 7/32"	N/A	Cable only	1-3/4"	1619-01***	6817	N/A	NO	Litho Box
T3205 0301	3,200	5.1:1 & 12.2:1	10"	79:1	Two-way w/neutral	100' x 7/32"	N/A	Cable only	1-3/4"	1619-01***	6817	N/A	NO	Bulk
XLT32ZB301	3,200	5.1:1 & 12.2:1	10"	79:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	1619-01***	6817	YES	N/A	Bulk
T3205B0101	3,200	5.1:1 & 12.2:1	10"	79:1	Two-way w/neutral	100' x 7/32"	N/A	Cable only	1-3/4"	Installed	6817	N/A	NO	Litho Box
T32ZHD0301	3,200	5.1:1 & 12.2:1	10"	108:1	Two-way w/neutral	N/A	20' x 2"	3/8" x 2-3/4" grade 5	1"	No	6817	YES	N/A	Bulk
T3700 0101	3,700	5.1:1 & 12.2:1	10"	102:1	Two-way	90' x 7/32"	N/A	Cable only	1-3/4"	Included	9235	N/A	NO	Litho Box
T3700 0301	3,700	5.1:1 & 12.2:1	10"	102:1	Two-way	90' x 7/32"	N/A	Cable only	1-3/4"	Included	9235	N/A	NO	Bulk

The "S" version winches have a narrower drum to accommodate a 2" wide strap. The "SC" version winches have a narrower drum to accommodate a 2" wide strap AND mounting holes in the frame that are centered with the winch drum. **CE** All Cequent Performance Products two speed trailer winches are **CE** compliant. ** Maximum Mechanical Advance - Based on first layer of recommended line on the drum. For maximum efficiency, use only the amount of line required. *** Brake Kit 1619-01 available as option not furnished. Only winches that are shown to accommodate steel cable should be used with steel cable. Cable keeper kits are included with the winches specifying steel cable. Winches rated for steel cable have a larger drum hub to reduce or lessen chance of kinking or fraying.

Notes:

1. Winch mounting hardware sold separately. Refer to instruction sheet for recommended bolt size and grade.
2. Fulton brand two-speed winches are designed for boat trailer and other pulling applications, which require the freewheeling feature of ratchet type winches. If moving loads requiring vertical lifting, or positive load control in both directions, choose a Fulton brake winch.
3. All Fulton brand winches are rated on the first layer of recommended rope, strap, or cable. The winch load capacity must be derated as additional layers are used. Derate the capacity 10% per additional layer of rope, strap, or cable.
4. Fulton brand winches are NOT designed to be human hoists and should never be operated when there are persons on, around, or under the load being moved.

† = Available while supply lasts.

FULTON

BRAKE WINCHES

Fulton brand K-Series self-activating automatic brake winches hold the load securely when the crank handle is released. Typical applications include boat lifts, grain augers, manual fork lifts, retractable swing keels, dumpster lid lifts, and manual hoists. Drum hubs are 10 times the recommended cable size to maximize cable life. The KX series offer plated gear covers for improved gear train protection and a dual ratchet system.

CE Compliant



K2550



K650



KX1550



K1051

† = Available while supply lasts.

BRAKE WINCHES

Part No.	Max. Rated Line Pull		Max. Cable Size Data (7 x 19 Galvanized Aircraft Cable)			Mechanical Data					
	1st Layer	Full Drum	Diameter	Drum Storage	Test Strength	Gear Ratio	Handle Length	Drum Hub Dia.	Free Wheel	Cable Included	Packaging
K650 0101	600 lbs. 272 kg	200 lbs. 91 kg	1/8" (3.2 mm)	85 ft. 26 m	2,000 lbs. 907 kg	1:01	11" 27.9 cm	1-1/4" 32 mm	NO	NO	Litho Box
K650 0301	600 lbs. 272 kg	200 lbs. 91 kg	1/8" (3.2 mm)	85 ft. 26 m	2,000 lbs. 907 kg	1:01	11" 27.9 cm	1-1/4" 32 mm	NO	NO	Bulk
K1051 0101	1,000 lbs. 454 kg	500 lbs. 227 kg	7/32" (5.5 mm)	50 ft. 15 m	5,600 lbs. 2540 kg	4.1:1	11" 27.9 cm	2-1/4" 57 mm	NO	NO	Litho Box
K1051 0301	1,000 lbs. 454 kg	500 lbs. 227 kg	7/32" (5.5 mm)	50 ft. 15 m	5,600 lbs. 2540 kg	4.1:1	11" 27.9 cm	2-1/4" 57 mm	NO	NO	Bulk
KX10510101	1,000 lbs. 454 kg	500 lbs. 227 kg	7/32" (5.5 mm)	50 ft. 15 m	5,600 lbs. 2540 kg	4.1:1	11" 27.9 cm	2-1/4" 57 mm	NO	NO	Ind. Box
KX10510301	1,000 lbs. 454 kg	500 lbs. 227 kg	7/32" (5.5 mm)	50 ft. 15 m	5,600 lbs. 2540 kg	4.1:1	11" 27.9 cm	2-1/4" 57 mm	NO	NO	Bulk
K1550 0101	1,500 lbs. 680 kg	700 lbs. 318 kg	1/4" (6 mm)	70 ft. 21 m	7,000 lbs. 3175 kg	5.1:1	11" 27.9 cm	2-1/2" 63 mm	NO	NO	Litho Box
K1550 0301	1,500 lbs. 680 kg	700 lbs. 318 kg	1/4" (6 mm)	70 ft. 21 m	7,000 lbs. 3175 kg	5.1:1	11" 27.9 cm	2-1/2" 63 mm	NO	NO	Bulk
KX15500101	1,500 lbs. 680 kg	700 lbs. 318 kg	1/4" (6 mm)	70 ft. 21 m	7,000 lbs. 3175 kg	5.1:1	11" 27.9 cm	2-1/2" 63 mm	NO	NO	Ind. Box
KX15500301	1,500 lbs. 680 kg	700 lbs. 318 kg	1/4" (6 mm)	70 ft. 21 m	7,000 lbs. 3175 kg	5.1:1	11" 7.9 cm	2-1/2" 63 mm	NO	NO	Bulk
K2550 0101	2,500 lbs. 1134 kg	1,500 lbs. 680 kg	5/16" (8 mm)	70 ft. 21 m	9,800 lbs. 4445 kg	15.8:1	11" 27.9 cm	3-1/8" 79 mm	NO	NO	Litho Box
K2550 0301	2,500 lbs. 1134 kg	1,500 lbs. 680 kg	5/16" (8 mm)	70 ft. 21 m	9,800 lbs. 4445 kg	15.8:1	11" 27.9 cm	3-1/8" 79 mm	NO	NO	Bulk


Only winches that are shown to accommodate steel cable should be used with steel cable. Cable keeper kits are included with the winches specifying steel cable. Winches rated for steel cable have a larger drum hub to reduce or lessen chance of kinking or fraying.

CE All Cequent Performance Products brake winches are **CE** compliant.

Notes:

1. Fulton brand brake winches meet ASAE S361:3 standards.
2. Winch mounting hardware sold separately. Refer to instruction sheet for recommended bolt size and grade.
3. All Fulton brand winches are rated on the first layer of recommended rope, strap, or cable. The winch must be derated as additional layers are used. Derate the capacity 10% per additional layer of rope, strap, or cable.
4. Fulton brand winches are NOT designed to be human hoists and should never be operated when there are persons on, around, or under the load being moved.


DIMENSIONAL INFORMATION



Model	A	B	C	D	E	F
K650	5.50"	5.50"	4.25"	5.56"	2.94"	11.00"
K/KX1051	5.25"	7.46"	3.69"	5.89"	1.90"	11.00"
K/KX1550	6.56"	9.23"	4.39"	7.08"	2.46"	11.00"
K2550	8.63"	11.13"	5.60"	7.13"	2.08"	11.00"

Contact Cequent Representative for mounting hole information.

† = Available while supply lasts.



KR15000301

BRAKE WINCHES

- Self Activating Automatic Brake
- Passes all applicable SAE and ASAE standards
- Enlarged drum size to extend cable life
- Solid Gear construction
- Covered Braking System
- **CE** Compliant



BRAKE WINCHES

Part No.	Capacity	Gear Ratio	Cable Capacity	Cable included	Packaging
KR10000301	1,000 lbs.	3.5:1	50 ft., 7/32" Dia.	NO	Boxed
KR15000301	1,500 lbs.	5.1:1	50 ft., 7/32" Dia.	NO	Boxed



KW3000



KW1500

WORM GEAR WINCHES

Fulton brand worm gear winches feature high gear ratios for excellent load control. Worm gear design allows reel to automatically stop when handles are released. No minimum loading is required for winch operation. Drum hubs are sized to prevent cable damage and extend cable life. Oil-impregnated bushings and comfort grip handles for easy cranking. Reinforced frames keep gears aligned for improved life cycle performance.



WORM GEAR WINCHES

Part No.	Capacity	Description	Gear Ratio	Drum Cable Storage				Drum Diameter	Drive
				1/8" (3.2 mm)	3/16" (4.8 mm)	1/4" (6.5 mm)	5/16" (7.9 mm)		
KW15000103	1,500 lbs. 680 kg	Regular drum Handle drive	31:1	115' (35 m)	50' (15 m)	—	—	1.5" (38.1 mm)	8" handle (20.3cm)
KW20000103	2,000 lbs. 907 kg	Regular drum Handle drive	31:1	235' (71 m)	100' (30 m)	—	—	1.5" (38.1 mm)	8" handle (20.3cm)
KW30000103	3,000 lbs. 1,361 kg	Regular drum Driving ring and handle	51:1	—	160' (48 m)	90' (27 m)	60' (18 m)	3.125" (79.4 mm)	Drive ring 10" handle (25.4 cm)

Notes:

1. Winch mounting hardware sold separately. Refer to instruction sheet for recommended bolt size and grade.
2. All Fulton brand winches are rated on the first layer of recommended rope, strap, or cable. The winch must be derated as additional layers are used. Derate the capacity 10% per additional layer of rope, strap, or cable.
3. Fulton brand winches are NOT designed to be human hoists and should never be operated when there are persons on, around, or under the load being moved.



WS20 / WSP12



WC325



WS20HD0600



WINCH ACCESSORIES

Part No.	Description	Packaging
WS20 0200	Winch Strap and Hook - Nylon web winch strap with hook, 2" x 20', 2,600 lbs. maximum working load	Bulk
WS20 0700	Winch Strap and Hook - Nylon web winch strap with hook, 2" x 20', 2,600 lbs. maximum working load	Clam Shell
WS20DP0200	Winch Strap and Hook - Nylon web winch strap with hook, 2" x 20', 2,600 lbs. maximum working load	Counter Display Box
WSP12 0100	Personal Watercraft Winch Strap with Hook and Loop - includes loop Nylon web winch strap with hook, 2" x 12', 1,800 lbs. maximum working load	Clam Shell
WSP12 0200	Personal Watercraft Winch Strap with Hook and Loop - includes loop Nylon web winch strap with hook, 2" x 12', 1,800 lbs. maximum working load	Bulk
WS20HD0200	Heavy Duty Winch Strap and Hook - 2" x 20', 10,000 lbs. minimum breaking strength, 4,000 lbs. maximum working load	Bulk
WS20HD0600	Heavy Duty Winch Strap and Hook - 2" x 20', 10,000 lbs. minimum breaking strength, 4,000 lbs. maximum working load	Clam Shell
WC325 0100	Winch Cable and Hook - 3/16" x 25' galvanized cable, 4,200 lbs. breaking strength	Clam Shell
WC750 0100	Winch Cable and Hook - 7/32" x 50' galvanized cable, 5,600 lbs. breaking strength	Bagged

† = Available while supply lasts.

WINCH REPLACEMENT PARTS

Part No.	Description	Packaging
0133302S00	Replacement Part, Pinion Shaft - XLT14	Bagged
0133303S01	Replacement Part, Pinion Shaft - T1602, T1801	Bagged
0133304S01	Replacement Part, Ratchet Repair Kit for XLT Winch	Bagged
0133313S00	Replacement Part, Handle for F2 FW1600 Winch	Bagged
0469006S00 NEW!	Replacement Part, KX Input Shaft Kit	Boxed
12124S01 NEW!	Replacement Part, KX1550 Winch Cover Kit	Bagged
12327S00 NEW!	Replacement Part, K1550 Frame Kit	Boxed
1514S01	Replacement Part, One Way Ratchet Repair - T600, T600L, T900 - Models Pre-2007	Bagged
1558S00	Replacement Part, Friction Disc - K/KX1550	Bagged
1562S00	Replacement Part, Ratchet Repair, 2-Speed - T2005, T2605(B), T2625, T3205	Bagged
1563S01	Replacement Part, Pinion Shaft - K/KX1550	Bagged
1564S01	Replacement Part, Pinion Shaft - KX1550	Bagged
1565S01	Replacement Part, Pinion Shaft/Gear - K2550	Bagged
1568S01	Replacement Part, Inter Shaft - K2550	Bagged
1570S00	Replacement Part, Friction/Brake Disc - K/KX1051	Bagged
1598S01	Replacement Part, Ratchet Repair - T1602, T1801, T903Z, P1200	Bagged
1609S01	Replacement Part, Input Shaft/Bearing - T2005, T2605(B), T2625, T3205	Bagged
1619-01	Replacement Part, 2-Speed Brake	Bagged
185201S00 NEW!	Replacement Part, Covers for XLT14 Winches	Bagged
185205S00 NEW!	Replacement Part, Covers for XLT18 Winches	Boxed
2357S00	Replacement Part, Friction Disk	Bagged
2461P01	Winch Handle, 11" Offset Packaged	Carded
2554S00 NEW!	Replacement Part, Friction Disc Poly Kit	Boxed
4197S00	Replacement Part, Ratchet Repair - T2000, T2500, T3700	Bagged
4769-28	Ratchet Spring, 2-Speed	Bagged
500357 NEW!	Replacement Part, Handle Kit for #KR10000301, KR15000301	Bagged
5621P01	Replacement Part, Cable Keeper - K/KX1051, K/KX1550, KX1575, K2550	Clam Shell
5868P01	Winch Handle, 6" Offset Packaged	Carded
6302P01	Winch Handle, 8" Offset Packaged	Carded
6312P01	Winch Handle, 7" Offset Packaged	Carded
6730S00	Replacement Part, Ratchet Repair - K/KX1550	Bagged
6731S00	Replacement Part, Ratchet Repair - K/KX1051	Bagged
6817P01	Winch Handle, 10" Offset Packaged	Carded
6822 0301	Winch Handle, 9"	Bulk
9235P01	Winch Handle, 10" Dogleg Packaged	Carded
9560S01 NEW!	Replacement Part, KX1051 Winch Cover Kit	Bagged

† = Available while supply lasts.

TIPS TO LIGHT UP YOUR LIFESTYLE

Do I have to use a light or can I use a reflector instead?

Lighting and conspicuity requirements are governed by FMVSS & CMVSS 108. Their use is determined by safety and identification requirements.

What regulations apply to the lighting of a trailer or motor coach? In the USA, FMVSS 108, www.nhtsa.dot.gov. In Canada, CMVSS 108 is used. www.tc.gc.ca.

Why use LED and not Incandescent? The key difference is the way both technologies operate. While both technologies are an acceptable means for vehicle lighting, LED is the stronger technology in Energy Efficiency, Light Output, Reliability, Safety and Life Expectancy.

Do LED lights have to be mounted differently than Incandescent? No, the FMVSS/CMVSS 108 mounting requirements are the same.

When retrofitting a Bargman 59 or 84/85/86 Series Incandescent light with LED can the old lenses be reused? No, Bargman® 59 & 84/85/86 Series LED upgrade kits come with pre-assembled lenses and a simple "plug & play" replacement design.

What does stop/tail/turn mean? How many lights do I need to use to achieve it? Are they the same as "Tail Lights"? Stop/Tail/Turn is a combination rating meaning a specific light or grouping of lights in an assembly meet the requirements for this named combination. This rating can be achieved using 1 light alone as long as the light source meets the requirements for the specific application.

Why does Cequent offer so many different types & styles of lights for a vehicle? Cequent is never satisfied with the status quo and is continually striving to design lights that will meet the designated federal requirements and fit our customer's specific application needs.

When using a Multi-Function Stop/Tail/Turn Light, is a Backup Light function required and does it matter where the Backup Light is located? The requirement for and location of the Backup Light is determined by vehicle type and FMVSS/CMVSS 108 requirements.

Why are some Turn Signal Lights Red and others Amber, does it matter which color I use? Yes, the color does matter. While both colors are acceptable for turn signals, the color use is primarily driven by the "Stop" Function. When using a multi-function Stop/Turn light, the color must be Red as required by FMVSS/ CMVSS 108 requirements.

What does "Over" or "Under" 80 refer to? This is a reference to a vehicles width in inches. There are differing FMVSS/CMVSS 108 requirements covering this dimensional reference point.

What are "Over 80" Combination Tail Lights?


These units meet seven or eight lighting requirements as defined by FMVSS/CMVSS 108.

What are "Under 80" Combination Tail Lights? These units meet six or seven lighting requirements as defined by FMVSS/CMVSS 108.

What is the difference between Side Marker & Clearance Lights? Side Marker Lights are mounted on the side of a vehicle and are used to define its length. Clearance Lights are mounted on the front and rear of a vehicle and are used to define its width.

What are "PC" Side Marker/Clearance Lights?

These lights meet the FMVSS/CMVSS 108 requirements for photometric certification as both Clearance and Side Marker Lights when properly mounted.

The  symbol is for Wet Location Lights. **What does it mean?** Wet Location Lighting products in this catalog are either: "Waterproof/Sealed" or "Submersible" and are safe to use on marine and other trailers that will be in and around the water or UL listed as suitable for wet location use.

What are Submersible Lights? Submersible lights purposely allow water to enter the light assembly, however a cushion of air forms when water enters the light and will protect the bulbs and electrical connectivity from damage. This natural phenomenon is known as the "Bell Jar Principle". These lights are ideal for boat trailers and utility trailers that will be submersed in water.

What are Waterproof/Sealed Lights? "Waterproof" and "sealed" mean exactly the same - these lights are completely sealed and will not allow water to enter the inside of the light assembly. Many of our new LED Side/Marker and Tail Lights are completely sealed as to prevent water from damaging the circuit board and components associated with LED Technology.

Why are vehicle lights grounded? Vehicle lights are grounded in order to complete the electrical circuit. There are differing ways to ground them to meet various applications.

What is an ID Bar, and can one be used as a multi-function Stop/Tail/Turn as well? An ID Bar is an Identification Bar. It consists of 3 lights and is required in order to identify the rear center location on over 80" vehicles. They May Not be used as Multi-Function Lights.

EXTERIOR LIGHTING

LED Tail Lights
Waterproof LED Tail Lights
Submersible LED Tail Lights
Single Tail Lights / Wrap-Around Clearance / Side Marker
Recessed Tail Lights
Surface Mount Tail Lights
Combination Tail Lights
Waterproof / Sealed Recessed Tail Lights
Waterproof Tail Lights
Submersible Tail Lights
Waterproof Auxiliary / Auxiliary Lights
AG Lighting / Accessories
LED Clearance / Side Marker Lights
Waterproof / Sealed Clearance / Side Marker Lights
Standard Clearance / Side Marker Lights
Dual Bulb Clearance / Side Marker Lights
LED Light Strips
LED ID Light Bars
Waterproof ID Light Bars
ID Light Bars
License Plate Lights / Brackets
Reflectors
Porch / Utility Lights

INTERIOR LIGHTS

Interior Lights

PLANOGRAMS

Wesbar® LED/Incandescent Lighting/Electrical
Bargman® LED/Incandescent Lighting

TECHNICAL

Technical - Bulb Specification
Technical - Federal Lighting Requirements
Technical - AG Lighting



NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

WesBarg

LED UPGRADE KITS #84/85/86 SERIES TAIL LIGHTS

Quick and simple LED upgrade kit for existing #84 series tail lights. Remove the bulb and lens, replace with new LED module and instantly have LED red stop/tail/turn lights, amber turn lights, clear backup lights or clear backup w/reflex lights. Installation can be completed in minutes with only a screwdriver required.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
	42-84-410	47-84-410		LED Stop/Tail/Turn Light Lens Module Red w/ Bulb Socket Plug
	42-84-412	47-84-412		LED Turn Light Lens Module Amber w/Bulb Socket Plug
	42-84-414†	47-84-414†		LED Backup Light Lens Module Red Reflex w/ Clear Center w/Bulb Socket Plug
47-84-026	42-84-415†			LED Backup Light Lens Module Clear w/Bulb Socket Plug - Lens Mounted Vertical

Incandescent Upgrade Lens #84/85/86 Series Tail Lights - Backup (or Red w/Red insert) Lens Only

47-84-711		48-84-711		Enhanced Height Incandescent Backup Lens Only - Red Reflex w/Clear Center - Red Border
47-85-711		48-85-711		Enhanced Height Incandescent Backup Lens Only - Red Reflex w/Clear Center - Chrome Border
47-84-712		48-84-712		Enhanced Height Incandescent Lens Only - Red Reflex w/Red Center - Red Border
47-85-712		48-85-712		Enhanced Height Incandescent Lens Only - Red Reflex w/Red Center - Chrome Border

Existing Incandescent Backup
(or Red w/Red Insert) Lens

Enhanced Height Incandescent Backup
(or Red w/Red Insert) Lens Installed



LED Upgrade Lens

LED Upgrade Lens

LED UPGRADE KITS #86 SERIES WRAP-AROUND CLEARANCE/SIDE MARKER LIGHTS

Quick and simple LED upgrade kit for existing #86 series wrap-around clearance/side marker lights. Remove and discard only the wedge base socket and bulb, replace with a new LED module and instantly have LED clearance/side marker lights.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
	42-86-410	47-86-410		LED Wrap-Around Clearance Light Module Red
	42-86-412	47-86-412		LED Wrap-Around Clearance Light Module Amber

BARGMAN #84/85/86 LED LIGHTS

LED Tail Lights and Upgrade Kits for the most popular RV Tail Light in the World! Purchase as fully-assembled complete tail lights for installation or purchase a LED Module Upgrade Kit. The Upgrade Kit will allow you to quickly and easily field upgrade your installed Bargman Model #84/85/86 Tail Lights or Model #86 Wrap-Around Marker/Clearance lights from Incandescent to LED.

HOW TO ORDER

Fully assembled units:

Fully assembled LED versions of the Bargman #84/85/86 tail lights and #86 wrap-around clearance/side marker lights are listed. For convenience and consistency, we have listed them in the same manner that we list the incandescent models. Please note that the part numbers for all LED versions begin with 42/47/48.

Upgrade kits:

These kits are designed to allow RV and Trailer owners to upgrade their Bargman #84/85/86 Tail Lights or #86 Wrap-Around Marker/Clearance lights from Incandescent to LED - quickly and safely. Due to the many configurations of these Bargman light models, upgrade kits are sold to upgrade only one module at a time.

WARNING: All Bargman #84/85/86 Tail Lights and #86 Wrap-Around Marker/Clearance lights meet FMVSS/CMVSS 108 requirements. **WHEN UPGRADING EXISTING LIGHTS FROM INCANDESCENT TO LED, TO RETAIN FMVSS/ CMVSS 108 REQUIREMENTS, SPECIAL CARE MUST BE GIVEN TO REPLACE EXISTING LENS (OR TO ASSEMBLE MODULE) WITH A LED MODULE THAT WILL PERFORM THE EXACT SAME FUNCTION.**

NOTE: For regulatory purposes, installation of any competitive LED Upgrade Kit designed for the Bargman #84/85/86 Tail Lights will immediately void all warranty on the entire Bargman tail light.

#84 Series Tail Lights LED Upgrade Kits

The end-user will simply count the number of red stop/tail/turn lights, amber turn lights or backup lights on the vehicle and order the appropriate number of the desired LED upgrade kits. The end user will simply remove the incandescent lens and bulb and plug the LED module (LED circuit board with connector and lens) into the existing bulb socket and mount, with the existing screws, to the holes in the existing light base.

#86 Series Marker Light LED Upgrade Kit

The end-user will simply count the number of wrap-around clearance/side marker lights on the vehicle and order the appropriate number of the desired LED upgrade kits. The end user will simply remove the lens and bulb and plug the LED module (LED circuit board) into the existing bulb socket and re-install the existing lens.

† = Available while supply lasts.



LED WRAP-AROUND CLEARANCE/SIDE MARKER LIGHTS #86 SERIES

This 90 degree LED wrap-around light meets lighting requirements for side markers and clearance lights and doubles as a Class "A" side-reflex reflector. The light meets FMVSS/CMVSS 108 requirements.

5 3/4" X 4 3/8" X 2 3/16"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-86-005†				LED Wrap-Around Clearance Light Red w/ Colonial White Base
47-86-202		48-86-202		LED Wrap-Around Clearance Light Red w/Black Base
47-86-006†				LED Wrap-Around Clearance Light Amber w/ Colonial White Base
47-86-203†				LED Wrap-Around Clearance Light Amber w/ Black Base

Replacement Parts

	42-86-410	47-86-410		LED Wrap-Around Clearance Light Module Red
	42-86-412	47-86-412		LED Wrap-Around Clearance Light Module Amber
30-86-711		34-86-711		Lens #86 Red Wrap-Around
30-86-712		34-86-712		Lens #86 Amber Wrap-Around
30-84-075				Marker Light Lens Screw



LED SINGLE TAIL LIGHTS #86 SERIES

These LED lights meet FMVSS/CMVSS 108 requirements. Bases are available in either white or black. All include 16 gauge supply and ground wiring.

5 13/16" X 4 3/8" X 2 7/8"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-86-001†				LED Stop/Tail/Turn w/Colonial White Base
47-86-101	42-86-101	48-86-101		LED Stop/Tail/Turn w/Black Base
47-86-004†				LED Turn Amber w/Colonial White Base
47-86-104†	42-86-104†	48-86-104†		LED Turn Amber w/Black Base

Replacement Parts

		47-84-420		LED Stop/Tail/Turn Light Lens Module Red w/Wires
		47-84-422†		LED Turn Light Lens Module Amber w/Wires

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



LED SURFACE MOUNT DOUBLE TAIL LIGHTS #84 SERIES / #85 SERIES

These LED double lights are available for surface mounting in vertical or horizontal applications. Stylish bases with radius corners come in either black or chrome plated finish. All lenses meet FMVSS/CMVSS 108 requirements. Reflex is included on backup lens. Prewired (supply and ground) for easy installation.

10 1/4" x 7 1/4" x 1 7/8".

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-84-613†				LED Red Stop/Tail/Turn, LED Backup w/Black Base
47-85-614†				LED Red Stop/Tail/Turn, LED Backup w/Chrome Base
47-84-612†				LED Red Stop/Tail/Turn, LED Amber Turn w/Black Base
47-85-615†				LED Red Stop/Tail/Turn, LED Amber Turn w/Chrome Base
47-84-610				LED Red Stop/Tail/Turn, LED Red Stop/Tail/Turn w/Black Base
47-85-611				LED Red Stop/Tail/Turn, LED Red Stop/Tail/Turn w/Chrome Base

Replacement Parts

		47-84-420		LED Stop/Tail/Turn Light Lens Module Red w/Wires
		47-84-422†		LED Turn Light Lens Module Amber w/Wires
		47-84-424†		LED Backup Light Lens Module Clear w/Wires

LED RECESSED DOUBLE TAIL LIGHTS #84 SERIES / #85 SERIES

LED double lights for either vertical or horizontal mounting. Radius corners. Black, white and colonial white bases. Clear LED or incandescent backup light lenses are surrounded by a Class "A" red reflex lens. Incandescent lens, red w/red insert, is for clearance/side marker application only. All lenses meet FMVSS/CMVSS 108 requirements. Prewired (supply and ground) for easy installation.

Cutout: 8 7/16" X 5 1/2", Overall: 9 13/16" X 6 15/16" X 1 1/4" w/ 1" depth



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-84-518†				LED Red Stop/Tail/Turn, LED Amber Turn w/Black Base
47-84-527		48-84-527		LED Red Stop/Tail/Turn, LED Red Stop/Tail/Turn w/Black Base
47-84-001				LED Red Stop/Tail/Turn, Incandescent Backup w/Colonial White Base
47-84-540				LED Red Stop/Tail/Turn, Incandescent Backup w/White Base
47-84-008		48-84-008		LED Red Stop/Tail/Turn, Incandescent Backup w/Black Base
47-84-529		48-84-529		LED Red Stop/Tail/Turn, Incandescent Red w/Red Insert (Clearance/Side Marker Application Only) w/Black Base
47-84-808				LED Red Stop/Tail/Turn, Incandescent Backup w/Black Base, 12" 4/Conductor Cord w/4-Way Square Connector

Replacement Parts

		47-84-420		LED Stop/Tail/Turn Light Lens Module Red w/Wires
		47-84-422†		LED Turn Light Lens Module Amber w/Wires
47-84-711		48-84-711		Enhanced Height Incandescent Backup Lens Only - Red Reflex w/Clear Center - Red Border
47-84-712		48-84-712		Enhanced Height Incandescent Lens Only - Red Reflex w/Red Center - Red Border

† = Available while supply lasts.

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.



LED RECESSED TRIPLE TAIL LIGHTS #84 SERIES/#85 SERIES

LED triple lights for either vertical or horizontal mounting. Radius corners. Bases in black, white, colonial white and chrome plated finish. Clear LED or incandescent backup light lenses surrounded by a Class "A" red reflex lens. Incandescent lens, red w/red insert, for clearance/side marker application only. Lenses meet FMVSS/CMVSS 108 requirements. Prewired (supply and ground) for easy installation.

Cutout: 12 11/16" X 5 1/2", Overall: 14 1/16" X 6 15/16" X 1 1/4" w/ 1" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-84-002†				LED Red, LED Red Stop/Tail/Turn, Incandescent Backup w/Colonial White Base
47-84-530				LED Red, LED Red Stop/Tail/Turn, Incandescent Backup w/White Base
47-84-009		48-84-009		LED Red, LED Red Stop/Tail/Turn, Incandescent Backup w/Black Base
47-85-002				LED Red, LED Red Stop/Tail/Turn, Incandescent Backup w/Chrome Base
47-84-522†				LED Red Stop/Tail/Turn, Incandescent Backup, LED Red Stop/Tail/Turn w/Black Base
47-84-003†				LED Red Stop/Tail/Turn, LED Amber Turn, Incandescent Backup w/Colonial White Base
47-84-005				LED Red Stop/Tail/Turn, LED Amber Turn, Incandescent Backup w/Black Base
47-85-004				LED Red Stop/Tail/Turn, LED Amber Turn, Incandescent Backup w/Chrome Base

Replacement Parts

		47-84-420		LED Stop/Tail/Turn Lens Module Red w/Wires
		47-84-422†		LED Turn Light Lens Module Amber w/Wires
47-84-711		48-84-711		Enhanced Height Incandescent Backup Lens Only - Red Reflex w/Clear Center - Red Border
47-84-712		48-84-712		Enhanced Height Incandescent Lens Only - Red Reflex w/Red Center - Red Border

LED RECESSED TRIPLE LONG TAIL LIGHTS #84 SERIES / #85 SERIES

This series of LED triple tail lights incorporates all of the features of the LED Recessed Triple Tail Light #84 Series/ #85 Series with a special lens placement that allows the light to be utilized for a narrow mounting.

Cutout: 16 1/8" X 3 5/8", Overall: 18" X 5 5/16" X 1 1/4" w/ 1" depth



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-84-101†				LED Red Stop/Tail/Turn, Incandescent Backup, LED Red Stop/Tail/Turn w/Colonial White Base
47-84-555†				LED Red Stop/Tail/Turn, Incandescent Backup, LED Red Stop/Tail/Turn w/White Base
47-84-103				LED Red Stop/Tail/Turn, Incandescent Backup, LED Red Stop/Tail/Turn w/Black Base
47-84-104				LED Red Stop/Tail/Turn, Incandescent Backup, LED Amber Turn w/Black Base

Replacement Parts

		47-84-420		LED Stop/Tail/Turn Lens Module Red w/Wires
		47-84-422†		LED Turn Light Lens Module Amber w/Wires
47-84-711		48-84-711		Enhanced Height Incandescent Backup Lens Only - Red Reflex w/Clear Center - Red Border
47-84-712		48-84-712		Enhanced Height Incandescent Lens Only - Red Reflex w/Red Center - Red Border

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



SURFACE MOUNT LED TAIL LIGHTS #07 SERIES

Combination stop, tail and turn lights feature LED technology with 16 diodes. Unprecedented design flexibility for vertical or horizontal applications, 8 different mounting combinations possible. These lights with radius styling feature a white base and snap-on lens. Prewired (supply and ground) for easy installation. Meet FMVSS/CMVSS 108 requirements (AIST 07 DOT). **NOTE: Units with license plate light and bracket approved for horizontal mounting only.**

8 7/16" x 5 15/16" x 2 5/16"



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-07-001†				LED Stop/Tail/Turn Light Surface Mount #07 Series
47-07-002†				LED Stop/Tail/Turn Light Surface/Horizontal Mount #07 Series w/License Light & Bracket

Replacement Parts

47-07-010†				Lens for 47-07-001
47-07-011†				Lens for 47-07-002
47-07-012†				Lens for 47-07-003
47-07-013†				Lens for 47-07-100



47-07-002



47-07-001



LED NARROW TAIL LIGHT #54 SERIES

This LED tail light with 3 diodes is designed for a narrow rail surface mounting. Features include built-in reflex reflectors and mounting holes with stainless steel grommets. This light meets FMVSS/CMVSS 108 requirements. Prewired (supply and ground) for easy installation.

15.84" x 2.29" - Mounting holes on 14.49" centers

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-54-001				Red Stop/Tail/Turn



LED 6" OVAL MID-TURN LIGHT

Standard 6" grommet mount oval LED mid-turn light. Certified to SAE J914 for side turn signal. Meets FMVSS/CMVSS 108 requirements for intermediate side marker and side reflex on vehicles over 30 ft. long. Grommet and pigtail available separately.

6.48" x 2.30" x 2.71" overall height (2" depth w/pigtail, 1.35" height)

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-06-005				6" Oval Mid-Turn Amber Light

Replacement Parts

40-00-003		44-00-003		3 Wire Pigtail w/12" Wire Lead
40-00-004			719063	3 Wire 90° Pigtail w/12" Wire Lead
40-06-020		44-06-020	416088	6" Oval Grommet
108119		34-108119	106873	6" Oval Mounting Bracket
			401591	6" Oval Grommet & 3 Wire 90° Pigtail

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



WATERPROOF LED OVER 80" 3X8 LOW PROFILE TAIL LIGHTS

These waterproof lights meet FMVSS/CMVSS 108 requirements for trailers over 80" wide when properly mounted. Includes stainless steel mounting hardware. Includes 3-wire plug-in harness with 12" wire leads and 7" ring terminal ground. 8" x 2 7/8" x 2 3/4"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
271574			407530	7-Function, Right/Curbside
271575			407535	8-Function, Left/Roadside

Kit comes complete with two low profile tail lights, 25' trailer wiring harness cable with molded 4-way plug, 4' four wire car wiring harness cable with molded 4-way plug and license plate bracket.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
	31-407540		407540	Trailer Light Kit

Replacement Parts

40-00-004			719063	3 Wire 90° Pigtail w/12" Wire Lead
003201			003211	License Plate Bracket
002301			707275	4' Wiring Harness w/4-Way Flat Car End
108825			707261	25' Wiring Harness w/4-Way Flat Trailer End



WATERPROOF LED OVER 80" WRAP-AROUND TAIL LIGHTS

Waterproof surface mount tail lights. Wrap-around design eliminates the need for rear side marker/reflector. These lights meet FMVSS/CMVSS 108 requirements. Plug-in 12" harness with 2-way flat connector and ring terminal ground wire. Stainless steel mounting hardware included.

7.53" x 3.48" x 3.13"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
271594			281594	7-Function, Right/Curbside
271595			281595	8-Function, Left/Roadside



WATERPROOF LED 4" ROUND TAIL LIGHT

Featuring LED Technology, this grommet light is waterproof and meets FMVSS/CMVSS 108 requirements.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		47-01-031		Red Stop/Tail/Turn Light w/Grommet w/Pigtail

Replacement Parts

47-01-001				Stop/Tail/Turn Light 4" Round Red
40-00-006				Pigtail
40-01-020		44-01-020		4" Round Grommet

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.





WATERPROOF LED OVER 80" 4X6 LOW PROFILE TAIL LIGHTS



Unique, compact size and shape allows these waterproof lights to fit where space is limited. Meets FMVSS/CMVSS 108 requirements for trailers over 80" wide when properly mounted. Includes stainless steel mounting hardware.

6" x 3 1/2" x 2 1/4"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
271584				7-Function, Right/Curbside
271584-01				7-Function, Right/Curbside w/3 Wire Pigtail
			407550	7-Function, Right/Curbside w/3 Wire 90° Pigtail
271585		34-271585		8-Function, Left/Roadside
271585-01				8-Function, Left/Roadside w/3 Wire Pigtail
			407555	8-Function, Left/Roadside w/3 Wire 90° Pigtail

Kit comes complete with two low profile tail lights, 25' trailer wiring harness cable with molded 4-way plug, 4' car wiring harness cable with molded 4-way plug and license plate bracket.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
	31-407560		407560	Trailer Light Kit

Replacement Parts

40-00-003		44-00-003		3 Wire Pigtail w/12" Wire Lead
40-00-004			719063	3 Wire 90° Pigtail w/12" Wire Lead
003201			003211	License Plate Bracket
002301			707275	4' Wiring Harness w/4-Way Flat Car End
108825			707261	25' Wiring Harness w/4-Way Flat Trailer End



WATERPROOF LED 6" OVAL GROMMET MOUNT TAIL LIGHTS



Featuring LED Technology, these grommet mount lights are waterproof and meet FMVSS/CMVSS 108 requirements. Lights are mounting-orientation specific. Mounting bracket of 11 ga. steel available separately.

6 1/2" x 2 5/16" x 7/8"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		47-06-031†		Red Stop/Tail/Turn Light Vertical Mount w/ Grommet w/90° Pigtail
		47-06-034		Red Stop/Tail/Turn Light Horizontal Mount w/ Grommet w/90° Pigtail

Replacement Parts

47-06-001†		47-06-401†	401563†	Red Stop/Tail/Turn Light Vertical Mount
47-06-004		47-06-404	401584	Red Stop/Tail/Turn Light Horizontal Mount
40-00-003		44-00-003		3 Wire Pigtail w/12" Wire Lead
40-00-004			719063	3 Wire 90° Pigtail w/12" Wire Lead
40-06-020		44-06-020	416088	6" Oval Grommet
108119		34-108119	106873	6" Oval Mounting Bracket
			401591	6" Oval Grommet & 3 Wire 90° Pigtail

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



Wet Location Lighting Products



WATERPROOF LED 6" OVAL GROMMET MOUNT TAIL LIGHTS

Featuring LED Technology, these grommet mount lights with 10 diodes are waterproof and meet FMVSS/CMVSS 108 requirements. Approved for vertical or horizontal mounting. Grommet, 3 prong wiring pigtail and 11 ga. steel mounting bracket available separately.

6.42" x 2.28" x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			54006	Red Stop/Tail/Turn Light w/Grommet w/3 Wire 90° Pigtail
273561			283561	Red Stop/Tail/Turn Light
273564			283564	Amber Turn Light
273565			283565	White Backup Light

Accessory Parts

40-00-003		44-00-003		3 Wire Pigtail w/12" Wire Lead
40-00-004			719063	3 Wire 90° Pigtail w/12" Wire Lead
40-06-020		44-06-020	416088	6" Oval Grommet
108119		34-108119	106873	6" Oval Mounting Bracket
			401591	6" Oval Grommet & 3 Wire 90° Pigtail



WATERPROOF LED 6" OVAL SURFACE FLANGE MOUNT TAIL LIGHTS

Featuring LED Technology, these flange mount lights are waterproof and meet FMVSS/CMVSS 108 requirements. Surface mounting with prewired supply and ring terminal ground for easy installation.

7.5" x 3.28" x .82"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			54004	Red Stop/Tail/turn w/Black Flange w/Chrome Trim Snap Ring
50-767751				Red Stop/Tail/Turn w/Black Flange
40-767758				Amber Turn w/Black Flange

Accessory Parts

85-767010				Chrome Trim Snap Ring
-----------	--	--	--	-----------------------



WATERPROOF LED 6" OVAL SURFACE FLANGE MOUNT CHMSL

SAE U2 supplemental center high mounted stop lamp. 10 LED diode design. Tested to FMVSS/CMVSS 108 requirements."

7.5" x 3.28" x .82"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
50-767752				Red CHMSL w/Black Flange

Accessory Parts

85-767010				Chrome Trim Snap Ring
-----------	--	--	--	-----------------------

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



Wet Location Lighting Products



SUBMERSIBLE LED UNDER 80" COMBINATION TAIL LIGHTS

These lights are ideal for boat and PWC trailers less than 80" wide and meet FMVSS/CMVSS 108 requirements. Stud mounted using 2" O.C. industry standard stud configuration. Prewired (supply and ground) for easy installation.

5.12" x 4.50" x 1.85" w/.86" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
273006			283006	7-Function, Left/Roadside
273056			283056	6-Function, Right/Curbside

Complete kit with two tail lights, 25' trailer wiring harness cable with molded 4-way flat prong plug, 4' car harness cable with molded 4-way flat prong plug and license plate bracket.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			287512	Trailer Light Kit w/25' Wire Harness



SUBMERSIBLE LED OVER 80" COMBINATION TAIL LIGHTS

These lights are ideal for boat and PWC trailers and meet FMVSS/CMVSS 108 requirements for trailers over 80" wide when properly mounted. Stud mounted using 2" O.C. industry standard stud configuration. Prewired (supply and ground) for easy installation.

5.48" x 4.50" x 1.85" w/.86" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
273008				8 Function Left/Roadside
273058				7 Function Right/Curbside

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.





SINGLE TAIL LIGHTS #86 SERIES

These lights meet FMVSS/CMVSS 108 requirements. Backup light has a clear lens surrounded by a Class "A" reflector. Bases are available in either white or black. All include J-slot bayonet sockets for dependable flicker-free operation and 16 gauge supply and ground wiring.

5 13/16" X 4 3/8" X 2 7/8", Cutout: 5 7/8" X 5 1/2"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-86-001†				Red Stop/Tail/Turn w/Colonial White Base
30-86-101	31-86-101	34-86-101		Red Stop/Tail/Turn w/Black Base
30-86-002†				Turn Red w/Colonial White Base
30-86-102†				Turn Red w/Black Base
30-86-004†				Turn Amber w/ Colonial White Base
30-86-103	31-86-103	34-86-103		Backup Vertical Mount w/Black Base
30-86-105†				Backup Horizontal Mount w/Black Base

Replacement Parts

30-90-156				Bulb #1156, Single Filament
30-84-057				Bulb #2057, Double Filament
	31-84-010	34-84-010		Lens Red
	31-84-016	34-84-016		Lens Amber
	31-84-700	34-84-700		Lens Backup - Lens Mounted Vertical
	31-84-711	34-84-711		Lens Backup - Lens Mounted Horizontal
30-84-075				Tail Light Lens Screw

WRAP-AROUND CLEARANCE/SIDE MARKER LIGHTS #86 SERIES

This 90 degree wrap-around light meets lighting requirements for side markers and clearance lights and doubles as a Class "A" side-reflex reflector. The light meets FMVSS/CMVSS 108 requirements. Bases are available in either white or black. The molded socket with two wires protects bulb from road shock and the molded grommet protects the wiring.

5 3/4" X 4 3/8" X 2 3/16"



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-86-005				Red w/Colonial White Base
30-86-202		34-86-202		Red w/Black Base
30-86-006†				Amber w/Colonial White Base
30-86-203		34-86-203		Amber w/Black Base

Replacement Parts

		34-90-168†		Bulb #168
30-86-711		34-86-711		Lens #86 Red Wrap Around
30-86-712		34-86-712		Lens #86 Amber Wrap Around
30-84-075				Marker Light Lens Screw

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



RECESSED DOUBLE TAIL LIGHTS #84 SERIES

These double lights are available for vertical or horizontal mounting. These styl-
ish units with their radius corners come in black, white and colonial white. Clear
backup light lenses are surrounded by a Class "A" red reflex lens. All lenses meet
FMVSS/CMVSS 108 requirements. All include J-slot bayonet sockets for depend-
able flicker-free operation and 16 gauge supply and ground wiring.

Cutout: 8 7/16" X 5 1/2", Overall: 9 13/16" X 6 15/16" X 1 1/4" w/ 1" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-84-001				Horizontal Mount w/Red Stop/Tail/Turn, Backup Lens w/Colonial White Base
30-84-540				Horizontal Mount w/Red Stop/Tail/Turn, Backup Lens w/White Base
30-84-008		34-84-008		Horizontal Mount w/Red Stop/Tail/Turn, Backup Lens w/Black Base
30-84-508				Vertical Mount w/Red Stop/Tail/Turn, Backup Lens w/Black Base
30-84-546†				Red Stop/Tail/Turn & Amber Turn w/White Base
30-84-547				Red/Red Stop/Tail/Turn w/White Base
30-84-527		34-84-527		Red/Red Stop/Tail/Turn w/Black Base
30-84-529		34-84-529		Red Stop/Tail/Turn, w/Red Insert (Clearance/Side Marker Application Only) w/Black Base

Replacement Parts

30-90-156				Bulb #1156, Single Filament
30-84-057				Bulb #2057, Double Filament
	31-84-010	34-84-010		Lens Red
	31-84-016	34-84-016		Lens Amber
	31-84-700	34-84-700		Lens Backup - Lens Mounted Vertical
	31-84-711	34-84-711		Lens Backup - Lens Mounted Horizontal
		34-85-750		Lens Red w/Red Insert (Clearance/Side Marker Application Only)
30-84-075				Tail Light Lens Screw

RECESSED TRIPLE LONG TAIL LIGHTS #84 SERIES

These triple tail lights incorporate all the features of the Recessed Triple Tail Light
#84 Series with lens placement that allows a narrow mounting.

Cutout: 16 1/8" X 3 5/8", Overall: 18" X 5 5/16" X 1 1/4" w/ 1" depth"



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-84-101†				Horizontal Mount w/Red Stop/Tail/Turn, Center Backup, Red Stop/Tail/Turn w/Col. White Base
30-84-103				Horizontal Mount w/Red Stop/Tail/Turn, Center Backup, Red Stop/Tail/Turn w/Black Base
30-84-104				Horizontal Mount w/Red Stop/Tail/Turn, Center Backup, Amber Turn w/Black Base
30-84-554				Vertical Mount w/Red Stop/Tail/Turn, Center Backup, Amber Turn w/Black Base

Replacement Parts

30-90-156				Bulb #1156, Single Filament
30-84-057				Bulb #2057, Double Filament
	31-84-010	34-84-010		Lens Red
	31-84-016	34-84-016		Lens Amber
	31-84-700	34-84-700		Lens Backup - Lens Mounted Vertical
	31-84-711	34-84-711		Lens Backup - Lens Mounted Horizontal
		34-85-750		Lens Red w/Red Insert (Clearance/Side Marker Application Only)
30-84-075				Tail Light Lens Screw

NOTE: Tail Lights, Clearance/Side Marker Lights
and ID Light Bars approved for trailer accessory
and towing application use. Contact your Cequent
Performance Products Representative for details.

† = Available while supply lasts.



RECESSED TRIPLE TAIL LIGHTS #84 SERIES/#85 SERIES

These triple lights are available for either vertical or horizontal mounting. These stylish units with their radius corners have bases available in either black, white, colonial white or chrome plated finish. Clear backup light lenses are surrounded by a Class "A" red reflex lens. All lenses meet FMVSS/CMVSS 108 requirements. All include J-slot bayonet sockets for dependable flicker-free operation and 16 gauge supply and ground wiring.

Cutout: 12 11/16" X 5 1/2", Overall: 14 1/16" X 6 15/16" X 1 1/4" w/ 1" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-84-002				Horizontal Mount w/Red, Red Stop/Tail/Turn, Backup w/Colonial White Base
30-84-530†				Horizontal Mount w/Red, Red Stop/Tail/Turn, Backup w/White Base
30-84-009		34-84-009		Horizontal Mount w/Red, Red Stop/Tail/Turn, Backup w/Black Base
30-85-002				Horizontal Mount w/Red, Red Stop/Tail/Turn, Backup w/Chrome Base
30-84-005†				Horizontal Mount w/Red Stop/Tail/Turn, Center Amber Turn, Backup w/Black Base
30-85-004†				Horizontal Mount w/Red Stop/Tail/Turn, Center Amber Turn, Backup w/Chrome Base
30-84-522†				Horizontal Mount w/Red Stop/Tail/Turn, Center Backup, Red Stop/Tail/Turn, w/Black Base
30-84-523				Vertical Mount w/Red/Red Stop/Tail/Turn, Backup w/White Base
30-84-509				Vertical Mount w/Red/Red Stop/Tail/Turn, Backup w/Black Base
30-85-003†				Vertical Mount w/Red Stop/Tail/Turn, Center Amber Turn, Backup w/Chrome Base

Replacement Parts

30-90-156				Bulb #1156, Single Filament
30-84-057				Bulb #2057, Double Filament
	31-84-010	34-84-010		Lens Red
	31-84-016	34-84-016		Lens Amber
	31-84-700	34-84-700		Lens Backup - Lens Mounted Vertical
	31-84-711	34-84-711		Lens Backup - Lens Mounted Horizontal
		34-85-750		Lens Red w/Red Insert (Clearance/Side Marker Application Only)
30-84-075				Tail Light Lens Screw

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



54200-003-100



SURFACE MOUNT TAIL LIGHTS #92 SERIES

Radius styling is the key to the smooth flowing design used in the #92 series tail light. Available with or without backup lenses, in red, these tail lights offer maximum design and replacement flexibility. Clean white or rich black bases. All include automotive corrosion resistant bulb sockets and 16 gauge supply and ground wiring. These lights meet FMVSS/CMVSS 108 requirements and are designed for long life and easy installation. These units are designed for horizontal, surface mounting only.

8 9/16" X 4 9/16" X 2 1/8"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-92-001	31-92-001	34-92-001		Stop/Tail/Turn Light Surface Mount #92 w/White Base
30-92-106				Stop/Tail/Turn Light Surface Mount #92 w/Black Base
30-92-003	31-92-003	34-92-003		Stop/Tail/Turn Light Surface Mount #92 w/ License Light & Bracket w/White Base
30-92-108				Stop/Tail/Turn Light Surface Mount #92 w/ License Light & Bracket w/Black Base
30-92-002		34-92-002		Stop/Tail/Turn Light Surface Mount #92 w/ Backup w/White Base
30-92-107				Stop/Tail/Turn Light Surface Mount #92 w/ Backup w/Black Base
30-92-004		34-92-004		Stop/Tail/Turn Light Surface Mount #92 w/ Backup w/License Light & Bracket w/White Base
30-92-109				Stop/Tail/Turn Light Surface Mount #92 w/ Backup w/License Light & Bracket w/Black Base

Replacement Parts

30-90-156				Bulb #1156, Single Filament
30-90-157				Bulb #1157, Double Filament
30-92-012		34-92-012		Lens for 30-92-001, 106
30-92-704		34-92-704		Lens for 30-92-002, 107
30-92-708		34-92-708		Lens for 30-92-003, 108
30-92-713		34-92-713		Lens for 30-92-004, 109
54200-003-100				Gasket (Foam) for #92 Series Tail Light (100 pack)

WEDGE BASE FOR #92 SERIES TAIL LIGHTS

With the correct wedge, legal photometric function can be attained for the #92 Series tail lights which are mounted on surface angles as much as 15 degrees off the perpendicular.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-92-044				Tail Light 15 Degree Wedge Base for #92 Series, White #7, 9" x 5 1/8" x 1 1/2"
30-92-064				Tail Light 15 Degree Wedge Base for #92 Series, Black, 9" x 5 1/8" x 1 1/2"

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



SURFACE MOUNT TAIL LIGHTS #07 SERIES

Combination stop, tail and turn lights feature radius styling, white base and snap-on lens. Unprecedented design flexibility for vertical or horizontal applications, 8 different mounting combinations possible. Prewired (supply and ground) for easy installation. Meet FMVSS/CMVSS 108 requirements (AIST 07 DOT). **NOTE: Units with license plate light and bracket approved for horizontal mounting only.**

8 7/16" x 5 15/16" x 2 5/16"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-07-001†				Stop/Tail/Turn Light Surface Mount #07 Series
30-07-002†				Stop/Tail/Turn Light Surface/Horizontal Mount #07 Series w/License Light & Bracket
30-07-003†				Stop/Tail/Turn Light Surface Mount #07 Series
30-07-100†				Stop/Tail/Turn Light Surface/Horizontal Mount #07 Series w/License Light & Bracket

Replacement Parts

30-84-057				Bulb #2057, Double Filament
30-07-010†				Lens for 30-07-001
30-07-011†				Lens for 30-07-002
30-07-012†				Lens for 30-07-003
30-07-013†				Lens for 30-07-100

† = Available while supply lasts.



COMBINATION UNDER 80" TAIL LIGHTS #80 SERIES

Universal 2" on center stud mounting. Screw-on main and side marker lens allow for easy bulb replacement. This tail light is designed for a variety of under 80" light-duty trailers. Wiring uses the quick connect and disconnect feature. These tail lights meet FMVSS/CMVSS 108 requirements.

4 3/4" x 4 1/2" x 2 9/16"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
2423283			2823283	7-Function, Left/Roadside
2423284			2823284	6-Function, Right/Curbside

Complete kit with two tail lights, two amber clearance/side marker lights with reflex lens, 20' or 25' trailer wiring harness cable with molded 4-way flat prong plug, 4' car wiring harness cable with molded 4-way flat prong plug plus license plate bracket.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
	31-2823285		2823285	Trailer Light Kit w/25' Wire Harness, w/ Rectangular Clearance/Side Marker Lights
			407500	Trailer Light Kit w/20' Wire Harness, w/o Clearance/Side Marker Lights

Replacement Parts

108891				Bulb #193
30-90-157				Bulb #1157, Double Filament
2423286				Lens, Tail Light
2423287				Lens, Red, Clearance/Side Marker
003201			003211	License Plate Bracket
002301			707275	4' Wiring Harness w/4-Way Flat Car End
002220				20' Wiring Harness w/4-Way Flat Trailer End

COMBINATION OVER 80" TAIL LIGHTS #80 SERIES

Universal 2" on center stud mounting. Screw-on main and side marker lens allow for easy bulb replacement. These tail lights meet FMVSS/CMVSS 108 requirements for trailers over 80" wide when properly mounted. Wiring uses the quick connect and disconnect feature.

6.09" x 4.59" x 2.87"



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
2423293			2823293	8-Function, Left/Roadside
2423294			2823294	7-Function, Right/Curbside

Replacement Parts

108891				Bulb #193
30-90-157				Bulb #1157, Double Filament
2423286				Lens, Tail Light
2423297				Lens, Red, Clearance/Side Marker

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



18148

MAGNETIC TOWLIGHT KIT

- 4-Flat hookup
- Mounts in any position vertically or horizontally
- Sealed, watertight housing
- 26' connector
- Plastic carrying case included

Tow Ready Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
18148				Magnetic Towlight Kit (Plastic Carrying Case)



PEDESTAL MOUNT TAIL LIGHTS

This combination signal light requires a 1/2" hole for stud mounting. All mounting hardware included. For easy installation the lights feature prewired supply wires and are self-grounding. Red or amber snap-on acrylic lens and black acrylic cover. Meets FMVSS/CMVSS 108 requirements and meets ASABE 4 Candle Power to the side amber light requirements.

4.28" dia. x 2.16"


Bargman/Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
2423273				Double Face: Amber Marker/Turn - Amber Marker/Turn
2423274				Double Face: Red Stop/Tail/Turn - Amber Marker/Turn
2423275				Single Face: Red Stop/Tail/Turn - Black

Replacement Parts

30-90-156				Bulb #1156, Single Filament
30-90-157				Bulb #1157, Double Filament

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.





WATERPROOF/SEALED RECESSED TAIL LIGHTS

#01 SERIES

Hermetically sealed lens prevents corrosion contributed by salt and rain. Structurally immune to extreme heat and cold. Lenses meet FMVSS/CMVSS 108 requirements. Rubber grommet and three wire pigtail can be purchased separately or as a kit.

4 1/4" dia. x 2 1/16" depth; Cutout: 1) 4 9/16" +/- 1/32" w/grommet when using steel 16 ga. or thicker, 2) 4 1/2" +/- 1/32" w/grommet when using fiberglass or 18 ga. or thinner steel.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		44-01-031		Red Stop/Tail/Turn Light w/Grommet w/Standard Pigtail

Replacement Parts

40-01-001		44-01-001		Red Stop/Tail/Turn Light
40-01-003				Clear Backup Light
40-00-003		44-00-003		3 Wire Pigtail w/12" Wire Lead
40-00-004			719063	3 Wire 90° Pigtail w/12" Wire Lead
40-01-020		44-01-020		4" Round Grommet

WATERPROOF/SEALED RECESSED TAIL LIGHTS

#06 SERIES

Oval design allows for installation in narrower channels. Hermetically sealed lens prevents corrosion contributed by salt and rain. Structurally immune to extreme heat and cold. Lenses meet FMVSS/CMVSS 108 requirements. Rubber grommet and three wire pigtail can be purchased separately or as a kit. Mounting bracket of 11 ga. steel available separately.

6 1/2" x 2 1/4" x 2 3/8" depth, Cutout: 6 3/4" x 2 1/2"




Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
413560		44-06-031	403080	Red Stop/Tail/Turn Light w/Grommet w/Standard Pigtail
		44-06-041		Red Stop/Tail/Turn Light w/Grommet w/90° Pigtail
		44-06-032		Amber Turn Light w/Grommet w/Standard Pigtail
		44-06-042		Amber Turn Light w/Grommet w/90° Pigtail
		44-06-033†		Clear Backup Light w/Grommet w/Standard Pigtail
		44-06-043†		Clear Backup Light w/Grommet w/90° Pigtail

Replacement Parts

40-06-001		44-06-001	403085	Red Stop/Tail/Turn Light
40-06-002		44-06-002		Amber Turn Light
40-06-003†			403087†	Clear Backup Light
40-00-003		44-00-003		3 Wire Pigtail w/12" Wire Lead
40-00-004			719063	3 Wire 90° Pigtail w/12" Wire Lead
40-06-020		44-06-020	416088	6" Oval Grommet
108119		34-108119	106873	6" Oval Mounting Bracket
			401591	6" Oval Grommet and 3 Wire 90° Pigtail

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.





WATERPROOF OVER 80" 3X8 LOW PROFILE TAIL LIGHTS

Featuring a reliable waterproof design, these lights have a bulb replaceable capsule that protects the bulbs from corrosion and thermal shock but still allows for easy access for bulb replacement. These lights meet FMVSS/CMVSS 108 requirements for trailers over 80" wide when properly mounted.

8.03" x 2.94" x 2.83"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
006554			403076	7-Function, Right/Curbside, Two Supply Wires and Ring Terminal Ground
006504			403026	8-Function, Left/Roadside, Two Supply Wires and Ring Terminal Ground
106411				7-Function, Right/Curbside, Trailer Ground Connection w/ Molded 2-Way Plug and Ring Terminal Ground
106410				8-Function, Left/Roadside, Trailer Ground Connection w/ Molded 2-Way Plug and Ring Terminal Ground

The kit comes complete with two tail lights, two sealed amber surface mount clearance/side marker lights with reflex lens, 25' trailer wiring harness cable with molded four prong plug, 4' four wire car wiring harness cable with molded 4-way plug plus license plate bracket.



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
007539			007509	Trailer Light Kit w/25' Wire Harness

Replacement Parts

108891				Bulb #193
30-84-057				Bulb #2057, Double Filament
102641				Lens Red, Tail Light
102639				Lens Red, Clearance/Side Marker
		90-03-336	403336	Lens Set Red, (2) Tail Light and (2) Clearance/Side Marker w/Screws
003101			203111	Clearance Light Amber w/Black Stud Mount Base
003201			003211	License Plate Bracket
002301			707275	4' Wiring Harness w/4-Way Flat Car End
108825			707261	25' Wiring Harness w/4-Way Flat Trailer End



BULB CAPSULE

Capsule protects bulbs from corrosion, thermoshock and environmental failure. Replacement for capsules used on a variety of Wesbar marine over 80" low profile and wrap-around tail lights. Available in permanently sealed or bulb replaceable version.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003308†			403348†	Bulb Capsule - Permanently Sealed
			403356*	Bulb Capsule - Bulb Replaceable

*Note: This product is only applicable for Wesbar lamps produced prior to 2010.

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



Wet Location Lighting Products



SUBMERSIBLE UNDER 80" TAIL LIGHTS

These lights are ideal for boat and PWC trailers less than 80" wide. Fully gasketed, screw on main and side marker lens allow for easy bulb replacement. Universal 2" on-center stud mount.

5.25" x 4.66" x 3.76" overall height

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
2423056			2523073	6-Function, Right/Curbside
2423006			2523023	7-Function, Left/Roadside

This kit comes complete with two pre-wired tail lights, 25' trailer wiring harness cable with molded four prong plug, 4' four wire car wiring harness cable with molded 4-way plug plus license plate bracket.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			2527511	Trailer Light Kit w/25' Wire Harness

Replacement Parts

108891				Bulb #193
30-90-157				Bulb #1157, Double Filament
2423286				Lens Red, Tail Light
54001				Lens Red, Tail Light w/Screws (Bagged)
2423287				Lens Red, Clearance/Side Marker
54002				Lens Red, Clearance/Side Marker w/Screws (Bagged)

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.





SUBMERSIBLE OVER 80" 4X6 LOW PROFILE TAIL LIGHTS

Unique, compact size and shape allows these lights to fit where space is limited. The lens is sonically-sealed to the base providing a "bell jar," making this lamp fully submersible with easily replaceable bulbs. These lights meet FMVSS/CMVSS 108 requirements for trailers over 80" wide when properly mounted. Pre-wired with 2-way molded plugs and ring terminal ground for easy installation.

6" x 3 1/2" x 2 1/4"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
423075			403075	7-Function, Right/Curbside
423025			403025	8-Function, Left/Roadside

The kit comes complete with two tail lights, two amber clearance/side marker lights with reflex lens, 20' trailer wiring harness cable with molded four prong plug, 4' four wire car wiring harness cable with molded 4-way plug plus license plate bracket.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
417515			407515	Trailer Light Kit w/20' Wire Harness

Replacement Parts

108891				Bulb #193
30-90-157				Bulb #1157, Double Filament
223117			203117	Clearance/Side Marker, Amber, Stud Mount w/ Reflex
003328				Lens Amber, Clearance/Side Marker
		90-03-328	003338	Lens Amber, Clearance/Side Marker w/Screw
003201			003211	License Plate Bracket
002301			707275	4' Wiring Harness w/4-Way Flat Car End
002220				20' Wiring Harness w/4-Way Flat Trailer End

SUBMERSIBLE OVER 80" TAIL LIGHTS

These lights are ideal for boat and PWC trailers over 80" wide. Fully gasketed, screw on main and side marker lenses allow for easy bulb replacement. Universal 2" on-center stud mount. These lights meet FMVSS/CMVSS 108 requirements for trailers over 80" wide when properly mounted. Prewired for easy installation.

6.29" x 4.66" x 3.76" overall height



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
2423058			2523074	7-Function, Right/Curbside
2423008			2523024	8-Function, Left/Roadside

Replacement Parts

108891				Bulb #193
30-90-157				Bulb #1157, Double Filament
2423286				Lens Red, Tail Light
54001				Lens Red, Tail Light w/Screws (Bagged)
2423297				Lens Red, Clearance/Side Marker
54003				Lens Red, Clearance/Side Marker w/Screws (Bagged)

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



Wet Location Lighting Products



TRACTOR LIGHT WITH RUBBER HOUSING

12v flood light with shockproof rubber housing. Single wire, self-grounding with single stud mounting. #4406 Par 36 sealed beam.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-073840†		34-073840†		Auxiliary Light

LED WORK LIGHTS

LED work lights perfect for exterior use in AG, horse, livestock, RV, industrial and racing applications. Environmentally sealed design with aluminum housing and stainless steel mounting stud. High power, true white 9-36V, 10W light emission. Rectangular version with 10 LED diodes, circular model has 8 LED diodes.

Circular: 4.5" dia. x 1.5" depth

Rectangular: 4" x 4" x 1.5" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
54209-001				Circular LED Light, 8 Diodes
54209-002				Rectangular LED Light, 10 Diodes
54209-025				Rectangular LED Light, 10 Diodes w/Molded 2-Way Plug

LED WORK LIGHTS WITH COILED CORD & MAGNETIC BASE

LED work lights perfect for exterior use in AG, horse, livestock, RV, industrial and racing applications. Environmentally sealed design with 19' extended coiled cord. Magnetic base, with protective film, secures in high vibration conditions in a vertical or horizontal position. Power adapter for 12V outlet with separate on/off switch. High power, true white 9-36V, 10W light emission. Rectangular version with 10 LED diodes, circular model has 8 LED diodes.

Circular: 4.5" dia. x 1.875" depth

Rectangular: 4" x 4" x 1.75" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			54209-017	Circular LED Light, w/Cord, Magnetic Base, 8 Diodes
			54209-018	Rectangular LED Light, w/Cord, Magnetic Base, 10 Diodes

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



WATERPROOF LAUNCH LIGHTS

Designed to illuminate the back or side of trailers, these lights help to launch and load under low light conditions (requires five-wire trailer harness). Lights are powerful, yet small enough to fit in tight areas and can be either grommet or snap-lock base-mounted. Lens and base are constructed of extra-tough polycarbonate to resist damage.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
203206†				Module, Courtesy / Launch Light

Replacement Parts

40-37-020		44-37-020		Black 2" Snap-Lock Base, Self Grounding w/ Single Black Wire
106289				Black 2" Snap-Lock Base, Self Grounding
108297				Black 2" Snap-Lock Base, Open Back
106293		34-106293		Chrome 2" Snap-Lock Base, Self-Grounding
106294		34-106294		Chrome 2" Snap-Lock Base, Open Back
221588				Grommet, Rectangular
40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead



WATERPROOF COURTESY LIGHTS

Sealed lights with #193 bulbs are ideal for a variety of interior and exterior applications. Lens and base are constructed of extra-tough polycarbonate to resist damage.

2.15" x 1.125" x 1.035" w/.7" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003232				Courtesy Light w/Self-Grounding Stud Mount, Single Wire w/Molded Barrel



WATERPROOF LED 6" OVAL GROMMET MOUNT COURTESY LIGHT

Waterproof 10 diode courtesy/utility light. Horizontal and vertical mount applications. LED provides longer life, brighter more focused illumination and less current draw than incandescent lamps. Grommet and 3 prong wiring pigtail available separately.

6.42" x 2.25" x 1.00 w/.77" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			54005	LED Oval Courtesy Light Clear w/Grommet w/3 Wire 90° Pigtail
273560				LED Oval Courtesy Light Clear

Accessory Parts

40-00-003		44-00-003		3 Wire Pigtail w/12" Wire Lead
40-00-004			719063	3 Wire 90° Pigtail w/12" Wire Lead
40-06-020		44-06-020	416088	6" Oval Grommet
108119		34-108119	106873	6" Oval Mounting Bracket
			401591	6" Oval Grommet & 3 Wire 90° Pigtail



Wet Location Lighting Products

† = Available while supply lasts.

WesBarg™**LED HEAVY-DUTY AG LIGHTS**

Available in single and dual units, these lights meet all ASABE S279.15 lighting requirements including 4cp to side on amber lens. Dual lights designed for right hand and left hand horizontal mounting. Rugged external housing and lens design. Same mounting foot print hardware and electrical connections as incandescent equivalent. Brake functions wired with SQ-4 plug.

6" x 5 1/2" x 3", 10 1/2" x 5 1/2" x 3"

Part No.	Description
54209-009	Single LED AG Light w/2 Wire Leads - Lens: Rear-Red, Front-Blank
54209-011	Single LED AG Light w/2 Wire Leads - Lens: Rear-Amber, Front-Amber
54209-010	Single LED AG Light w/2-Way Plug - Lens: Rear-Red, Front-Blank
54209-012	Single LED AG Light w/2-Way Plug - Lens: Rear-Amber, Front-Amber
54209-013	Single LED AG Light w/3 Wire Leads - Lens: Rear-Red, Front-Blank
54209-015	Single LED AG Light w/3 Wire Leads - Lens: Rear-Amber, Front-Blank
54209-014	Single LED AG Light w/3-Way Plug - Lens: Rear-Red, Front-Blank
54209-016	Single LED AG Light w/3-Way Plug - Lens: Rear-Amber, Front-Amber
54209-019	Dual RH LED AG Light w/3 Wire Leads - Lens: Rear-Red/Amber, Front-Amber/Blank
54209-005	Dual LH LED AG Light w/3 Wire Leads - Lens: Rear-Amber/Red, Front-Blank/Amber
54209-020	Dual RH LED AG Light w/3-Way Plug - Lens: Rear-Red/Amber, Front-Amber/Blank
54209-006	Dual LH LED AG Light w/3-Way Plug - Lens: Rear-Amber/Red, Front-Blank/Amber
54209-021	Dual RH LED AG Light w/4 Wire Leads - Lens: Rear-Red/Amber, Front-Amber/Blank
54209-007	Dual LH LED AG Light w/4 Wire Leads - Lens: Rear-Amber/Red, Front-Blank/Amber
54209-022	Dual RH LED AG Light w/4-Way Square Plug - Lens: Rear-Red/Amber, Front-Amber/Blank
54209-008	Dual LH LED AG Light w/4-Way Square Plug - Lens: Rear-Amber/Red, Front-Blank/Amber

Note: Reference AG Lighting - Technical for mounting applications.

LED ECONOMY AG LIGHT KIT

Featuring left hand and right hand dual light units, this kit include a 35 ft. wishbone wire harness, 7-pin AG plug and tri-plugs. For protection in critical areas, 5' of convoluted tubing is included.



Part No.	Description
54003-040	Economy AG LED Light Kit

Replacement Parts

54209-006	Dual LH LED AG Light w/3-Way Plug - Lens: Rear-Amber/Red, Front-Amber/Blank
54209-020	Dual RH LED AG Light w/3-Way Plug - Lens: Rear-Red/Amber, Front-Amber/Blank

US Patent D347,903/5,335,155

NOTE: Reference AG Lighting - Technical for mounting applications.

LED AG TRANSPORT LIGHT KITS

Featuring left and right hand dual light units with brake function, these kits include a 46 ft. round wishbone cable, four 90 lb. magnets and a 7-pin round plug.



Part No.	Description
54003-041	Deluxe AG LED Transport Kit w/Brake Light Function, 7-Pin

Replacement Parts

54209-008	Dual LH LED AG Light w/4-Way Square Plug - Lens: Rear-Amber/Red, Front-Amber/Blank
54209-022	Dual RH LED AG Light w/4-Way Square Plug - Lens: Rear-Red/Amber, Front-Amber/Blank
002590	Magnet Kit, 90 lb. Pull

US Patent D347,903/5,335,155

NOTE: Reference AG Lighting - Technical for mounting applications.

PEDESTAL MOUNT AG LED LIGHT

16 wire gauge

Dia. 4-3/4" x Height 5" x Cable Length 12"



Part No.	Description
54209-031	Pedestal Mount Single AG LED Light w/Amber/Amber
54209-032	Pedestal Mount Single AG LED Light w/Red/Red

† = Available while supply lasts.

Note: Custom AG lighting and wiring kits are available. Contact your Cequent representative for requirements and minimum annual quantities.



HEAVY-DUTY AG LIGHTS

Available in single and dual units, these lights meet all ASABE S279.13 lighting requirements including 4cp to side on amber lens. Dual lights designed for right hand-horizontal/vertical mounting or left hand-horizontal/vertical mounting. Rugged external housing and lens design with vibration dampening bulb holder. Brake functions wired with SQ-4 plug.

6" x 5 1/2" x 3", 10 1/2" x 5 1/2" x 3"

Part No.	Description
8260501	Single AG Light 2 Wire w/3-Way Plug - Lens: Rear-Red, Front-Blank
8260601	Single AG Light 2 Wire w/3-Way Plug - Lens: Rear-Amber, Front-Amber
8261001	Single AG Light 3 Wire w/3-Way Plug - Lens: Rear-Red, Front-Blank
8260502	Single AG Light 2 Wire w/2-Way Weatherpack Plug - Lens: Rear-Red, Front-Blank
8260602	Single AG Light 2 Wire w/2-Way Weatherpack Plug - Lens: Rear-Amber, Front-Amber
8260604	Single AG Light 2 Wire w/2-Way Weatherpack Plug - Lens: Rear-Amber, Front-Amber
8261002	Single AG Light 3 Wire w/3-Way Weatherpack Plug - Lens: Rear-Red, Front-Blank
8260001	Dual LH AG Light 3 Wire w/3-Way Plug - Lens: Rear-Amber/Red, Front-Blank/Amber
8260101	Dual RH AG Light 3 Wire w/3-Way Plug - Lens: Rear-Red/Amber, Front-Amber/Blank
8261501	Dual LH AG Light 4 Wire w/4-Way Square Plug-Lens: Rear-Amber/Red, Front-Blank/Amber
8261601	Dual RH AG Light 4 Wire w/4-Way Square Plug-Lens: Rear-Red/Amber, Front-Amber/Blank
8261605	Dual RH AG Light 4 Wire w/4-Way Weatherpack Plug-Lens: Rear-Red/Amber, Front-Amber/Blank

Replacement Parts

30-90-157	Bulb #1157, Double Filament
802650	Lens Amber, AG Lamp
802651	Lens Red, AG Lamp
802652	Insert Black, AG Lamp

Note: Reference AG Lighting - Technical for mounting applications.

Note: Custom AG lighting and wiring kits are available. Contact your Cequent representative for requirements and minimum annual quantities.

ECONOMY AG LIGHT KIT

Featuring left hand and right hand dual light units, this kit include a 35 ft. wishbone wire harness, 7-pin AG plug and tri-plugs. For protection in critical areas, 5' of convoluted tubing is included.



Part No.	Description
002670	Economy AG Light Kit

Replacement Parts

8260001	Dual AG Light w/Amber/Red
8260101	Dual AG Light w/Red/Amber

US Patent D347,903/5,335,155

NOTE: Reference AG Lighting - Technical for mounting applications.

AG TRANSPORT LIGHT KITS

Featuring left and right hand dual light units with brake function, these kits include a 46 ft. round wishbone cable, four 90 lb. magnets and either a 7-pin or 6-pin round plug.



Part No.	Description
002675	Deluxe AG Transport Kit w/Brake Light Function, 6-Pin
002676	Deluxe AG Transport Kit w/Brake Light Function, 7-Pin

Replacement Parts


8261501	Dual AG Light w/Amber/Red w/Brake Light Function
8261601	Dual AG Light w/Red/Amber w/Brake Light Function
002590	Magnet Kit, 90 lb. Pull

US Patent D347,903/5,335,155

Note: Reference AG Lighting - Technical for mounting applications.

† = Available while supply lasts.

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

WesBarg™

54003-018

54003-020

7-WAY ROUND PIN AG CONNECTORS

A discrete round pin 7-way vehicle and implement connector for AG OEM and aftermarket use. Vehicle side connector includes a mountable storage box. Implement side connector includes a metal spring cable relief.

Part No.	Description	Packaging
787305	7-Way Round Pin AG Vehicle Connector	Bulk
787303	7-Way Round Pin AG Vehicle Connector	Clam - Wesbar
787304	7-Way Round Pin AG Trailer Connector	Bulk
787302	7-Way Round Pin AG Trailer Connector	Clam - Wesbar

7-WAY AG PLUG HOLDER

Part No.	Description	Packaging
105728	AG 7-Way Plug Holder	Clam - Wesbar

AG REPAIR HARNESSES

Part No.	Description	Packaging
54003-017	AG Repair Harness, 4 Wire w/4-Way Square Connector	Bulk
54003-018	AG Repair Harness, 4 Wire w/4-Way Square Connector	Bulk
54003-020	AG Repair Harness, 4 Wire w/4-Way Weatherpack Connector	Bulk

7-WAY MOLDED TRAILER CONNECTORS WITH CABLE - TRAILER CLOCKING

7-way plastic connector molded to heavy duty 7-way insulated cable using trailer clocking*. Provides 7-way connector contact color coding more conducive to horse and livestock trailers verses RV trailers. Made with self-cleaning contacts and molded to encapsulate terminals and wires to form one weather resistant, non-corrosive assembly. Permits the trailer to have the clean appearance and environmental advantages of a sealed, molded 7-way cord. Primary wire gauges within the insulated cable are: Black and White-10 gauge, Blue-12 gauge, Brown-Red-Green-Yellow-14 gauge.



Note: Various length and combinations available. Crimped junction box terminals can be added. Contact your Cequent Performance Products Representative for details.

Part No.	Description	Packaging
50-67-614	7-Way Molded Trailer Cord w/4' Cable	Bulk
50-67-616	7-Way Molded Trailer Cord w/6' Cable	Bulk
50-67-618	7-Way Molded Trailer Cord w/8' Cable	Bulk
50-67-620	7-Way Molded Trailer Cord w/10' Cable	Bulk

*NOTE: Reference Wiring Diagrams for pin locations.

† = Available while supply lasts.



MAGNET KIT

Use of this magnet kit allows for temporary installation of single or dual lights. Set of four with hardware.


Part No.	Description	Packaging
002590	Magnet Kit, 90 lb. Pull	Bulk



TANDEM HAUL ADAPTER

The Tandem Haul Adapter allows implements to be towed in tandem, providing versatility and economy.

Part No.	Description	Packaging
002500	Tandem Haul Adapter	Bulk
002625	Tandem Haul Kit	Bulk



AG LIGHT ENHANCED LIGHTING MODULES

Install to meet the enhanced lighting standard and have a dramatic safety feature to better signal turns by tractors and implements. Contact your Cequent Representative for additional information.

Part No.	Description	Packaging
108060	Module w/Wire Leads	Bulk
108318	Module w/Molded Plugs	Bulk
108319	Module w/Weatherproof Plugs	Bulk
109992	Module w/Brake Light Signal Function w/Wire Leads	Bulk



AG EXTENSION HARNESSSES

Install on towable field implements to bring power from the tractor to AG Lights. Full length ground assures reliable and continuous operation. Custom configurations and lengths available.

Part No.	Description	Packaging
002510	10' Heavy-Duty Wishbone Harness	Bulk
002408	5' Economy Extension Harness	Bulk
002410	10' Economy Extension Harness	Bulk
002415	15' Straight Section Harness w/7-Pin AG Plug and Flat 4-Way	Bulk
002425	25' Straight Section Harness w/7-Pin AG Plug and Flat 4-Way	Bulk
002430	30' Straight Section Harness w/7-Pin AG Plug and Flat 4-Way	Bulk
002435	35' Extension Harness	Bulk
002504	10' Economy Rear Wishbone Harness	Bulk
002505	15' Economy Rear Wishbone Harness	Bulk
002515	15' Heavy-Duty Rear Wishbone Harness	Bulk

† = Available while supply lasts.



WATERPROOF LED 2" ROUND CLEARANCE/ SIDE MARKER LIGHTS #30 SERIES

Waterproof LED clearance/side marker light with grommet designed for quick and easy installation. Flush mount rubber grommet and two wire pigtail.

Module only: 2" dia. x .97" height



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		47-30-031†		Clearance Light LED #30 Red w/Grommet w/6" Pigtail
		47-30-032†		Clearance Light LED #30 Amber w/Grommet w/6" Pigtail

Replacement Parts

47-30-001†	42-30-401†		401577†	Clearance Light Module LED #30 Red
47-30-002†	42-30-402†	47-30-402†	401576†	Clearance Light Module LED #30 Amber
40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead
40-30-020		44-30-020		2" Round Grommet
			401589	2" Round Grommet and 2 Wire Pigtail w/6" Wire Lead

WATERPROOF LED 2 1/2" ROUND CLEARANCE/SIDE MARKER LIGHTS #31 SERIES WITH/ WITHOUT REFLEX LENS

Waterproof LED clearance/side marker light with grommet designed for quick and easy installation. Flush mount rubber grommet and two wire pigtail. Available with and without reflex lens.

Module only: 2.5" x .98" height



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-31-001†		47-31-401†	401579†	Clearance Light Module LED #31 Red
47-31-003†	42-31-403†	47-31-403†		Clearance Light Module LED #31 Red w/ Reflex
47-31-002†			401578†	Clearance Light Module LED #31 Amber
47-31-004†	42-31-404†	47-31-404†		Clearance Light Module LED #31 Amber w/ Reflex
40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead
40-31-020†				2 1/2" Round Grommet
221088				2 1/2" Round Open Back Heavy Duty Grommet

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



Wet Location Lighting Products



WATERPROOF LED CLEARANCE/SIDE MARKER LIGHTS #37 SERIES

Waterproof LED clearance/side marker light designed for easy installation. Snap lock base mount. Tested and certified to FMVSS/CMVSS 108 side marker/clearance light requirements. P2 rated.

Module Only: 2.60" x 1.20" x 1.03" overall height

Module w/Base: 2-7/8" x 1-1/2" x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		47-37-031	401581	Clearance Light LED #37 Red w/Black Base
		47-37-032	401580	Clearance Light LED #37 Amber w/Black Base
47-37-005				Clearance Light Module LED #37 Red, PC Rated When Properly Mounted
47-37-006				Clearance Light Module LED #37 Amber, PC Rated When Properly Mounted

Accessory/Replacement Parts

47-37-001	42-37-401	47-37-401		Clearance Light Module LED #37 Red
47-37-002	42-37-402	47-37-402		Clearance Light Module LED #37 Amber
40-37-020		44-37-020		Black 2" Snap-Lock Base, Self-Grounding w/ Single Black Wire
106289				Black 2" Snap-Lock Base, Self-Grounding
108297				Black 2" Snap-Lock Base, Open Back
106293		34-106293		Chrome 2" Snap-Lock Base, Self-Grounding
106294		34-106294		Chrome 2" Snap-Lock Base, Open Back
221588				Grommet Rectangular
40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead



WATERPROOF LED HI INTENSITY MICRO CLEARANCE/SIDE MARKER LIGHTS

Waterproof Hi Intensity LED clear, red and amber micro clearance/side marker light. The red and amber lights are FMVSS-108 PC rated. The clear style is ideal for auxiliary and decorative lighting. Self contained grommet and pre-wired with sealed 12" wire pigtail.

.75" light dia. x .5" height, 1" dia. w/grommet

Note: Recommended hole size is .75" and the recommended material thickness is between .0625" and .125".

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
54201-006	54201-003			Hi Intensity Micro Clearance Light LED Amber
54201-007	54201-004			Hi Intensity Micro Clearance Light LED Red
54201-008	54201-005			Hi Intensity Micro Light LED Clear

† = Available while supply lasts.



Wet Location Lighting Products



WATERPROOF LED CLEARANCE/SIDE MARKER LIGHT WITH REFLEX LENS

Waterproof LED clearance/side marker "tongue" lights. Excellent for boat trailer tongue lighting. Snap-on lens with black or white bases. Two wire construction with either notched wires or molded single bullet and barrel. Tested to FMVSS/CMVSS 108 requirements. P2 rated.

2.62" x 1.83" x .83"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-222012				Clearance Light LED Amber w/Reflex w/Black Base - BULLET SUPPLY, BARREL GROUND
47-222014				Clearance Light 1 Diode LED Red w/Reflex w/White Base - NOTCHED SUPPLY & GROUND WIRES
47-222015				Clearance Light 1 Diode LED Amber w/Reflex w/White Base - NOTCHED SUPPLY & GROUND WIRES

Replacement Parts

222012				Lens Amber
--------	--	--	--	------------



WATERPROOF LED CLEARANCE/SIDE MARKER LIGHTS

FMVSS/CMVSS 108 compliant waterproof LED clearance/side marker lights with 2 diodes. One piece design with thru-lens mounting holes. 1.8" two wire construction. P2/P3 rated.

2.6" x 1.1" x .75" height (mounting: (2) .25" dia. hole - 1.9" centers)

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-106853				Clearance Light LED Amber
			54201-001	Clearance Light LED Amber w/Chrome Bezel
47-106854				Clearance Light LED Clear Lens w/Amber Diodes
47-107047				Clearance Light LED Red
			54201-002	Clearance Light LED Red w/Chrome Bezel
47-107048				Clearance Light LED Clear Lens w/Red Diodes

Accessory Parts

47-106020				Chrome Bezel (3.23" x 1.73" x .47" height)
-----------	--	--	--	--

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



Wet Location Lighting Products



WATERPROOF LED CLEARANCE/SIDE MARKER LIGHTS



Waterproof LED clearance/side marker lights. One piece design with thru-lens mounting holes. Single stud on base, 1/4" hole required, provides self-ground. Features wire harness with either one or two wire configurations that includes notched wires or molded single bullets and/or barrels. P2/P3 rated.

2.64" x 1.14" x .97" w/.43" depth (mounting: (2) .25 dia. hole - 1.9" centers)

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-106851	42-99-402	47-99-402		Clearance Light LED Amber w/Self-Ground Stud, 12" Brown Wire
47-107043	42-99-401	47-99-401		Clearance Light LED Red w/Self-Ground Stud, 12" Brown Wire
47-106856†				Clearance Light LED Amber w/Self-Ground Stud, 12" Brown/White Wires
47-107045†				Clearance Light LED Red w/Self-Ground Stud, 12" Brown/White Wires
47-106852				Clearance Light LED Amber w/Self-Ground Stud, 162" Brown Bullet Pigtail
47-106857				Clearance Light LED Amber w/Self-Ground Stud, 162" Brown Bullet/White Barrel Pigtail
47-107044				Clearance Light LED Red w/Self-Ground Stud, 96" Brown Bullet/Brown Barrel Pigtail
47-107046				Clearance Light LED Red w/Self-Ground Stud, 96" Brown Bullet & Barrel/White Bullet & Barrel Pigtail



WATERPROOF LED CLEARANCE/SIDE MARKER LIGHTS



One piece waterproof LED clearance/side marker lights designed for grommet mounting. Two wire pigtail features 6" or 18" wire leads with supply wire and ring terminal ground. Pigtail and grommet available separately. P2 rated.

2.61" x 1.22" x .79"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-203667				Clearance Light Module LED Amber
47-203668				Clearance Light Module LED Red

Accessory Parts

221588				Grommet, Rectangular
40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead



WATERPROOF LED CLEARANCE/SIDE MARKER LIGHTS #99 SERIES



Waterproof mini LED clearance/side marker light with single wire, 12" minimum. Self-grounding stud mounting with 1/4" required hole. Includes type 302 stainless steel hardware. Meets FMVSS/CMVSS 108 requirements. PC rated when properly mounted.

2.16" x 1.16" x 1.03" w/.72" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-99-005			401566	Clearance Light LED #99 Red
47-99-006			401565	Clearance Light LED #99 Amber

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



Wet Location Lighting Products



LED CLEARANCE/SIDE MARKER LIGHTS #59 SERIES WITH REFLEX LENS

Rugged ABS base with LED light engine assembled directly into reflectorized acrylic lens. LED light engine consists of 2 LED lights that are mounted into a circuit board that is then potted and sealed to protect against water and other elements. 4" x 2" x 1 1/32" w/5/8" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-59-001	42-59-401	47-59-401		Clearance Light LED #59 Red w/White Base w/ Pigtail
47-59-002	42-59-402	47-59-402		Clearance Light LED #59 Amber w/White Base w/Pigtail

Replacement Parts

30-58-102†				Wedge Base Socket w/o Bulb
47-59-010	42-59-410	47-59-410		Lens Module LED #59 Red
47-59-012	42-59-412	47-59-412		Lens Module LED #59 Amber



LED UPGRADE KITS CLEARANCE/SIDE MARKER LIGHTS #59 SERIES WITH REFLEX LENS

#59 Series LED Upgrade Kits are designed to convert Bargman #59 Incandescent Clearance/Side Marker Lights to LED WITHOUT having to remove the base. Simply remove the lens and the incandescent bulb and plug in the LED light engine (lens and LED lights).

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-59-010	42-59-410	47-59-410		Upgrade Kit LED #59 Red
47-59-012	42-59-412	47-59-412		Upgrade Kit LED #59 Amber



LED CLEARANCE/SIDE MARKER LIGHT KITS #58 SERIES

LED oblong clearance/side marker light with snap lock base mount. 4" x 2" x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		47-58-031		Clearance Light LED #58 Red w/Pigtail, w/ White Base
		47-58-032		Clearance Light LED #58 Amber w/Pigtail, w/ White Base
47-58-001			401586	Clearance Light LED #58 Red w/ White Base
47-58-002			401585	Clearance Light LED #58 Amber w/ White Base

Replacement Parts

40-00-005				Pigtail
-----------	--	--	--	---------

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



LED CLEARANCE/SIDE MARKER LIGHTS #38 SERIES

LED clearance/side marker light designed for easy installation. Snap lock base mount. Fully tested and certified to FMVSS/CMVSS 108 side marker/clearance light requirements. P2 rated.


Module Only: 3.93" x 1.22" x 1.02" overall height

Fender Mount Module Only: 3.95" x 1.24" x 1.038" overall height

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
	42-38-033	47-38-033	401583	Clearance Light LED #38 Red w/Black Base w/ Pigtail
		47-38-035†		Clearance Light LED #38 Red w/Chrome Base w/Pigtail
	42-38-034	47-38-034	401582	Clearance Light LED #38 Amber w/Black Base w/Pigtail
		47-38-036†		Clearance Light LED #38 Amber w/Chrome Base w/Pigtail
47-38-005				Clearance Light Module LED #38 Red, PC Rated When Properly Mounted
47-38-006				Clearance Light Module LED #38 Amber, PC Rated When Properly Mounted
47-38-004				Fender Mount Clearance Light Module LED #38 Red/Amber
	42-38-035			Fender Mount Clearance Light Module LED #38 Red/Amber w/Black Base, Self-Grounding w/ Single Black Wire

Replacement Parts

47-38-001		47-38-401		Clearance Light Module LED #38 Red
47-38-002		47-38-402		Clearance Light Module LED #38 Amber
40-38-020				Black Base w/Wire Assembly, Self-Grounding w/ Single Black Wire
40-38-025				Black Base w/2 Wires



LED CLEARANCE/SIDE MARKER LIGHTS #42 SERIES WITH REFLEX LENS

Rectangular stud mount LED clearance/side marker light. Two wire construction and requires 1/4" hole for mounting.

2.84" x 2 1/8" x 7/8"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-42-001†	42-42-401†	47-42-401†		Clearance Light LED #42 Red w/Reflex
47-42-002†	42-42-402†			Clearance Light LED #42 Amber w/Reflex



NEW!

LED FENDER CLEARANCE LIGHTS

Compact and waterproof. Durable Polycarbonate construction with rubber gasket. European marketplace approved. P2 Rated. 11.8" wire leads.

Dimensions: 1 1/2" tall x 5 1/4" long

Part No.	Description	Packaging
54201-011	LED Fender Clearance Light Left Side	Carton
54201-013	LED Fender Clearance Light Right Side	Carton
54201-014	LED Fender Clearance Light Kit	Clam Shell

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



WATERPROOF/SEALED CLEARANCE/ SIDE MARKER LIGHTS #37 SERIES

Compact rectangular light with the polycarbonate lens sonic welded to the base. Offers easy installation with self grounding base on metallic surfaces. Snaplock tabs on the lens housing secures light to base to complete the fast installation. The light complies with FMVSS/CMVSS 108 requirements for combination clearance/marker light when mounted properly.

2 1/2" x 1 1/4"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
	41-37-031	44-37-031	203293	Clearance Lens #37 Red w/Black Base w/Wire
	41-37-032	44-37-032	203292	Clearance Lens #37 Amber w/Black Base w/Wire
			203294	Clearance Lens #37 Amber w/Chrome Base w/Wire
			203295	Clearance Lens #37 Red w/Chrome Base w/Wire

Replacement Parts

40-37-001		40-37-401	203396	Clearance Light Module #37 Red
40-37-002		40-37-402	203395	Clearance Light Module #37 Amber
40-37-020		44-37-020		Black 2" Snap-Lock Base, Self-Grounding w/Single Black Wire
106289				Black 2" Snap-Lock Base Self-Grounding
108297				Black 2" Snap-Lock Base Open Back
106293		34-106293		Chrome 2" Snap-Lock Base Self-Grounding w/Wire
106294		34-106294		Chrome 2" Snap-Lock Base Open Back
221588				Grommet Rectangular
106334				Single Plug for Snap-Lock Base
40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead



WATERPROOF/SEALED CLEARANCE/ SIDE MARKER LIGHTS #38 SERIES

Double bulb rectangular light with the polycarbonate lens sonic welded to the base. This light offers easy installation with self grounding base on metallic surfaces. Snap-lock tabs on the lens housing secures light to base to complete the fast installation. The light complies with FMVSS/CMVSS 108 requirements for combination clearance/marker light when mounted properly. P2 rated.

3 13/16" x 1 1/4"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
	41-38-031	44-38-031		Clearance Lens #38 Red w/Black Base w/Wire Assembly
	41-38-032	44-38-032		Clearance Lens #38 Amber w/Black Base w/Wire Assembly
40-38-004				Fender Mount Clearance Light Module #38 Red/Amber

Accessory Parts

40-40-120				Fender Mount Black Base for Two Lights
-----------	--	--	--	--

Replacement Parts

40-38-001				Clearance Light Module #38 Red
40-38-002				Clearance Light Module #38 Amber
40-38-020				Black Base w/Wire Assembly, Self-Grounding w/Single Black Wire
40-38-025				Black Base w/2 Wires

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.



Wet Location Lighting Products

† = Available while supply lasts.



WATERPROOF/SEALED CLEARANCE/ SIDE MARKER LIGHTS #30 SERIES

Clearance/side marker light with grommet designed for quick and easy installation. Rugged ABS base that has the acrylic lens sonic welded to the base. Flush mount rubber grommet and two wire pigtail can be purchased separately or as a kit. 2" dia. x 3/4", 2 3/4" dia. w/grommet, Cutout: 2 5/16" dia



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		44-30-031		Clearance Light #30 Red w/Grommet w/6" Pigtail
		44-30-032		Clearance Light #30 Amber w/Grommet w/6" Pigtail

Replacement Parts

40-30-001	41-30-001	44-30-001	203381	Clearance Light Module #30 Red
40-30-002	41-30-002	44-30-002	203380	Clearance Light Module #30 Amber
40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead
40-30-020		44-30-020		2" Round Grommet
			401589	2" Round Grommet and 2 Wire Pigtail w/6" Wire Lead

WATERPROOF/SEALED CLEARANCE/ SIDE MARKER LIGHTS #31 SERIES

Clearance/side marker light with grommet designed for quick and easy installation. Rugged ABS base that has the acrylic lens sonic welded to the base. Flush mount rubber grommet and two wire pigtail can be purchased separately or as a kit. 2 1/2" dia. x 3/4", 3 1/4" dia. w/grommet, Cutout: 2 25/32" dia.



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		44-31-031†		Clearance Light #31 Red w/Grommet w/6" Pigtail

Replacement Parts

40-31-001	41-31-001†	44-31-001†		Clearance Light Module #31 Red
40-31-002	41-31-002†	44-31-002†		Clearance Light Module #31 Amber
40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead
40-31-020†				2 1/2" Round Grommet
221088				2 1/2" Round Open Back Heavy Duty Grommet

WATERPROOF/SEALED CLEARANCE/ SIDE MARKER LIGHTS 2 1/2" ROUND W/REFLEX LENS

Clearance/side marker light with grommet designed for quick and easy installation. Rugged ABS base that has the acrylic reflex lens sonic welded to the base. Flush mount rubber grommet and two wire pigtail can be purchased separately. 2 1/2" dia. x 3/4", 3 1/4" dia. w/grommet, Cutout: 2 25/32" dia.



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			203386†	Clearance Light Module Red w/Reflex
203223†			203385†	Clearance Light Module Amber w/Reflex

Replacement Parts

40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead
40-31-020†				2 1/2" Round Grommet
221088				2 1/2" Round Open Back Heavy Duty Grommet

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.



Wet Location Lighting Products

† = Available while supply lasts.



WATERPROOF CLEARANCE/SIDE MARKER LIGHTS

Sonically-sealed waterproof clearance/side marker lights with break-resistant polycarbonate lens. Available in either stud-mount or ear-mount styling. Features a pre-installed 15" pigtail. Meets FMVSS/CMVSS 108 requirements for clearance/marker lights when properly mounted.

Stud: 2 1/8" x 1 1/8" x 1 1/16"

Ear: 3 5/16" x 1 5/16" x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003273			203286	Clearance Light Red w/White Ear-Mount Base
003231			203234	Clearance Light Red w/White Stud-Mount Base
003239				Clearance Light Red w/Black Stud-Mount Base
003272			203285	Clearance Light Amber w/White Ear-Mount Base
003230			203233	Clearance Light Amber w/White Stud-Mount Base
003238				Clearance Light Amber w/Black Stud-Mount Base

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



Wet Location Lighting Products



CLEARANCE/SIDE MARKER LIGHTS #58 SERIES

Clearance/side marker light has a rugged ABS base and acrylic snap-on lens. The molded socket protects bulb from road shock and has two wires to eliminate surface ground. The molded grommet extends through the skin to protect the wiring.
4" x 2" x 1 1/32" w/5/8" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-58-001		34-58-001		Clearance Light #58 Red w/White Base
30-58-002		34-58-002		Clearance Light #58 Amber w/White Base
54201-010				Clearance Light #58 Amber w/Black Base
30-58-007				Utility Light #58 Clear w/White Base

Replacement Parts

		34-90-194†		Bulb #194
30-58-102†				Wedge Base Socket w/o Bulb
30-58-702		34-58-702		Wedge Base Socket w/#194 Bulb
30-58-010		34-58-010		Lens #58 Red
30-58-012		34-58-012		Lens #58 Amber
30-58-024				White Base
30-59-054		34-59-054		Gasket-Foam

CLEARANCE/SIDE MARKER LIGHTS #59 SERIES WITH REFLEX LENS

Clearance/side marker light has a rugged ABS base and acrylic snap-on reflex lens. The molded socket protects bulb from road shock and has two wires to eliminate surface ground. The molded grommet extends through the skin to protect the wiring.

4" x 2" x 1 1/32" w/5/8" depth



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-59-001	31-59-001	34-59-001		Clearance Light #59 Red w/White Base
30-59-003				Clearance Light #59 Red w/Black Base
30-59-002	31-59-002	34-59-002		Clearance Light #59 Amber w/White Base
30-59-004				Clearance Light #59 Amber w/Black Base

Replacement Parts

		34-90-194†		Bulb #194
30-58-102†				Wedge Base Socket w/o Bulb
30-58-702		34-58-702		Wedge Base Socket w/#194 Bulb
30-59-010	31-59-010	34-59-010		Lens #59 Red
30-59-012	31-59-012	34-59-012		Lens #59 Amber
30-58-024				White Base
30-59-054		34-59-054		Gasket-Foam

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



CLEARANCE/SIDE MARKER LIGHTS #178 SERIES WEATHERTIGHT WITH REFLEX LENS

Clearance/side marker light has a low profile, one-piece construction with radius styling, ABS base and an acrylic reflex lens. The two wire design eliminates surface ground.

3 7/8" x 1 7/8" x 3/4" w/3/4" depth

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-17-814		34-17-808		Clearance Light #178 Red w/ White Base w/14" Wires
30-17-815		34-17-809		Clearance Light #178 Amber w/ White Base w/14" Wires

Replacement Parts

		34-90-194†		Bulb #194
30-58-702		34-58-702		Wedge Base Socket w/#194 Bulb
30-17-034		34-17-034		Gasket-Foam

CLEARANCE/SIDE MARKER LIGHTS WITH REFLEX LENS

Featuring quick connect wiring installation, these lights feature hidden mounting hardware. Includes snap-fit reflex lens. Meets FMVSS/CMVSS 108 requirements for clearance/marker lights when properly mounted. PC rated.

3 3/4" x 2 1/4" x 15/16"



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			203264†	Clearance Light Red w/White Base

Replacement Parts

		34-90-194†		Bulb #194
003240†			003378†	Lens Amber, Clearance Light
003243†				White Base w/Bulb

CLEARANCE/SIDE MARKER LIGHT #41 SERIES

Rectangular low profile clearance/side marker light with attractive chrome plated ABS base. The two wire design eliminates surface ground. The molded grommet extends through the skin to protect the wiring.

3 3/4" x 2 1/4" x 1/2" w/1 1/8" depth.



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		34-90-194†		Bulb #194

Replacement Parts

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.

WesBarg™**CLEARANCE/SIDE MARKER LIGHTS WITH REFLEX LENS**

Stud mount clearance/side marker light with reflex lens and 18" wire lead. Includes a tapered base for easy installation.

2 3/4" x 2" x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			203116	Clearance Light Red
223117			203117	Clearance Light Amber

Replacement Parts

108891				Bulb #193
003327				Lens Red, Clearance Light
		90-03-327	003337	Lens Red, Clearance Light w/Screws
003328				Lens Amber, Clearance Light
		90-03-328	003338	Lens Amber, Clearance Light w/Screws

**CLEARANCE/SIDE MARKER LIGHTS WITH REFLEX LENS**

Featuring reflex lens and quick connect wiring installation, these lights are available with stud-mount or ear-mount styling.

3 1/8" x 2 3/8" x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003103			203113	Clearance Light Red w/Black Stud-Mount Base
003123			203133	Clearance Light Red w/Black Ear-Mount Base
003101			203111	Clearance Light Amber w/Black Stud-Mount Base
003121			203131	Clearance Light Amber w/Black Ear-Mount Base

Replacement Parts

30-48-095†		34-48-095†		Bulb #57/#1895
003327				Lens Red, Clearance Light
		90-03-327	003337	Lens Red, Clearance Light w/Screws
003328				Lens Amber, Clearance Light
		90-03-328	003338	Lens Amber, Clearance Light w/Screws

**CLEARANCE/SIDE MARKER LIGHT**

Clearance/side marker light featuring quick connect wiring installation with stud mounting. Meets FMVSS/CMVSS 108 requirements for clearance/marker lights when properly mounted ("PC" rated).

2 1/4" x 2 1/4" x 1 1/4"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003225			203235	Clearance Light Amber

Replacement Parts

30-48-095†		34-48-095†		Bulb #57/#1895
003330			003340	Lens Amber, Clearance Light

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



MINI CLEARANCE/SIDE MARKER LIGHT #39 SERIES

Clearance/side marker light with acrylic snap-on lens and built-in drain hole. Single wire construction, self-grounding with double catching lens holders. White base.

3 3/16" x 1 1/32" x 1 1/16"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
40-39-001†		44-39-001†		Clearance Light #39 Red

Replacement Parts

		34-90-194†		Bulb #194
--	--	------------	--	-----------



CLEARANCE/SIDE MARKER LIGHT 2 3/4" ROUND

Surface mount round clearance/side marker light. Single wire construction and self-grounding.

2 3/4" dia. x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-073836†		34-073836†		Clearance Light Amber, Self-Grounding w/Single Black Wire

Replacement Parts

		34-90-194†		Bulb #194
30-173836				Lens Amber, Clearance Light



CLEARANCE/SIDE MARKER LIGHT 2 3/4" ROUND

Round clearance/side marker light with surface mount design. Two wire construction simplifies grounding. These lights meet FMVSS-108 and CMVSS-108 requirements for P2 and PC side marker clearance functions when properly mounted.

2 3/4" Round

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-073833		34-073833		Clearance Light Red Round w/Two Wire Construction
30-073834		34-073834		Clearance Light Amber Round w/Two Wire Construction

Replacement Parts

108891				Bulb #193
--------	--	--	--	-----------

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



CLEARANCE/SIDE MARKER LIGHTS #99 SERIES WITH REFLEX LENS

Clearance/side marker light has an acrylic snap-on reflex lens. This unit is ready for mounting on a flat surface with quick connect wiring installation for supply and ground wires.

4 1/16" x 1 3/8" x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-99-001	31-99-001	34-99-001		Clearance Light #99 Red
30-99-002	31-99-002	34-99-002		Clearance Light #99 Amber

Accessory Parts

40-40-120				Two Light Fender Mount Bezel
-----------	--	--	--	------------------------------

Replacement Parts

		34-90-194†		Bulb #194
30-99-010		34-99-010		Lens #99 Red, Clearance Light
30-99-012		34-99-012		Lens #99 Amber, Clearance Light

CLEARANCE/SIDE MARKER LIGHTS FENDER MOUNT #40 SERIES



Dual function red/amber light for use on fender mount applications. The bulb is protected by the lens on all sides. Two wire design (24" supply and ground) eliminates surface ground. Light w/black base, stainless steel mounting screws: 3.65" x 1.25" x 1.45" w/.5" depth

Light only: 2.75" x 1" x .85" w/.5" depth

Fender mount bezel only: 7.20" x 4.85" x .85"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
40-40-004		44-40-004		Fender Mount Clearance Light #40 Red/Amber w/Lexan® Black Base, Includes Stainless Steel Mounting Screws
40-40-104				Fender Mount Clearance Light Red/Amber

Accessory Parts

40-40-115				Fender Mount Bezel
-----------	--	--	--	--------------------

CLEARANCE/SIDE MARKER LIGHT FENDER MOUNT



Surface mount dual function red/amber light with black base for use on fender mount applications. The bulb is protected by the lens on all sides. Two wire design (18" supply and ground) eliminates surface ground.

3.5" x .78" x 1.03"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
40-40-006†				Fender Mount Clearance Light Red/Amber w/Black Base

Replacement Parts

		34-90-194†		Bulb #194
--	--	------------	--	-----------

LED FENDER CLEARANCE LIGHTS

Compact and waterproof. Durable Polycarbonate construction with rubber gasket. European marketplace approved. P2 Rated. 11.8" wire leads.

Dimensions: 1 1/2" tall x 5 1/4" long

Part No.	Description	Packaging
54201-011	LED Fender Clearance Light Left Side	Carton
54201-013	LED Fender Clearance Light Right Side	Carton
54201-014	LED Fender Clearance Light Kit	Clam Shell

† = Available while supply lasts.

WesBarg**DUAL BULB CLEARANCE/SIDE MARKER LIGHTS**

Lights specifically designed for heavy-duty and industrial use. Features a polycarbonate lens. Pre-wired with a 6" supply lead and are self-grounding.
4" x 2" x 1 1/8"


Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003441	32-003441			Clearance Light Red
003440	32-003440			Clearance Light Amber

Replacement Parts

108891				Bulb #193
108844		34-108844	003495	Lens Red, Clearance Light
108843			003494	Lens Amber, Clearance Light

LED LIGHT STRIPS

Three foot strip, with 54 Diodes per strip. Pre-wired with a 12" supply lead and are self-grounding.
36" length



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
			54205-010	LED Light Strip Red - 36" w/54 Diodes Per Strip
			54205-011	LED Light Strip Blue - 36" w/54 Diodes Per Strip
			54205-012	LED Light Strip Amber - 36" w/54 Diodes Per Strip
			54205-013	LED Light Strip Green - 36" w/54 Diodes Per Strip
			54205-014	LED Light Strip Clear - 36" w/54 Diodes Per Strip

LED light strip on reel.
16' length

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
54205-015				LED Light Strip Red - 16' Per Reel
54205-016				LED Light Strip Blue - 16' Per Reel
54205-017				LED Light Strip Amber - 16' Per Reel
54205-018				LED Light Strip Green - 16' Per Reel
54205-019				LED Light Strip Clear - 16' Per Reel

LED MULTI-FUNCTIONAL STROBE LIGHTS

Has 7 optional flashing modes. Available in amber or clear. Dirt and moisture resistant. Suitable for multiple OE wiring applications.

Part No.	Description	Packaging
54205-020	LED Multi-Functional Strobe Light - Amber	Carton
54205-021	LED Multi-Functional Strobe Light - Clear	Carton

LED STROBE LIGHTS W/ 13' CORD & MAGNETIC BASE

Dirt and moisture resistant. Single mode only.

Part No.	Description	Packaging
54205-022	LED Strobe Light - Amber	Clam Shell
54205-023	LED Strobe Light - Clear	Clam Shell
54205-024	LED Strobe Light - Purple	Clam Shell

† = Available while supply lasts.



WATERPROOF LED ID LIGHT BAR

Light bar with three waterproof red lights. Stainless steel base with stud mounting.
14 1/4" x 1 3/16" x 1 1/16"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-99-004		47-99-034	401567	Light Bar LED w/Red Lens

Replacement Parts

47-99-005			401566	Clearance Light LED #99 Red
-----------	--	--	--------	-----------------------------



WATERPROOF LED ID LIGHT BAR

Waterproof LED low profile red light bar. This light meets FMVSS/CMVSS 108 requirements for vehicles 80" wide or wider. Prewired, single bullet supply and ring terminal ground, with 60" harness for easy installation. P2 rated.

13.54" x 1.313" x .787

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-106858			42-106858	Light Bar LED w/Red Lens



WATERPROOF LED ID LIGHT BAR

Submersible design with black poly-carbonate base incorporates LED #37 series clearance/marker modules. Prewired (supply and ring terminal ground) for easy installation. FMVSS/CMVSS 108 P2 compliant for use to meet over 80" rear clearance marking requirements.

17" x 1.46" x 1.69"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-99-215	42-99-215			Light Bar LED w/Red Lens

Replacement Parts

47-37-001	42-37-401	47-37-401		Clearance Light Module LED #37 Red
-----------	-----------	-----------	--	------------------------------------



LED ID LIGHT BAR WITH REFLEX LENS

This LED light bar with 3 diodes is designed for a narrow rail surface mounting. Features include built-in reflex reflectors and stainless steel grommated mounting holes. Prewired (supply and ground) for easy installation.

15.84" x 2.29" - Mounting holes on 14.49" centers

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
47-54-002				Light Bar LED w/Red Lens
47-54-003				Light Bar LED w/Amber Lens

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.





WATERPROOF ID LIGHT BAR

Light bar with three sonically-sealed, impact-resistant polycarbonate lens and housing that ensure a waterproof module. Light bar features a stainless steel base. 16 1/2" x 1 3/8" x 1 1/2"



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003309†			203309†	Light Bar w/Red Lens

Replacement Parts

40-37-001		40-37-401	203396	Clearance Light Module #37 Red
40-37-002		40-37-402	203395	Clearance Light Module #37 Amber

WATERPROOF ID LIGHT BAR

Submersible design with black poly-carbonate base incorporates incandescent #37 series clearance/marker modules. FMVSS/CMVSS 108 P2 compliant for use to meet over 80" rear clearance marking requirements.

17" x 1.46" x 1.69"



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-99-215†				Red ID Bar Incandescent, mounting holes inboard
	31-99-215			Red ID Bar Incandescent, mounting holes on ends

Replacement Parts

40-37-001		40-37-401	203396	Clearance Light Module #37 Red
-----------	--	-----------	--------	--------------------------------

WATERPROOF ID LIGHT BARS

Sonically-sealed, impact-resistant polycarbonate lens and housing ensure a waterproof module. Meet or exceed all applicable state and federal regulations specified for vehicles 80" wide or wider. Three sealed polycarbonate lamps on 6" centers lead to a stainless steel base completing the best line up of waterproof light bars available today. #003305 and #003306 are pre-wired with 60" leads and can be mounted in protected areas because of their low profile.

14-1/2" x 1-1/8" x 1"



Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003305			203315	Light Bar w/Red Waterproof Modules (White Bases)
003306				Light Bar w/Red Waterproof Modules (Black Bases)

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.





ID LIGHT BAR

Zinc-plated bar with pre-wired clearance lights. Features quick connect wiring installation.

14 1/2" x 2 1/4" x 1 1/2"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
003301				Light Bar w/ Amber Lens

Replacement Parts

30-48-095†		34-48-095†		Bulb #57/#1895
003330			003340	Lens Amber, Clearance Light



ID LIGHT BAR

Three lights with acrylic lens and ABS housing mounted on a white steel bar.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-073843†		34-073843†		Red ID Bar

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



LICENSE PLATE LIGHTS #62 SERIES

License plate light with ABS body construction. The light is available in black or white. Can be purchased with or without the separate 18 gauge galvanized steel license bracket. The molded socket protects bulb from road shock and has two wires to eliminate surface ground.

4" x 1 1/2" x 2 5/8"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-62-003		34-62-003		License Light w/Bracket White
30-62-103		34-62-103		License Light Less Bracket White
30-62-002		34-62-002		License Light w/Bracket Black
30-62-102		34-62-102		License Light Less Bracket Black

Replacement Parts

		34-90-168†		Bulb #168
30-62-030		34-62-030		License Plate Bracket



LICENSE PLATE LIGHT

License light and black steel bracket. Self-grounding, single wire construction.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
223215†		34-223215†		License Plate Light w/Bracket

Replacement Parts

		34-90-194†		Bulb #194
--	--	------------	--	-----------

30-62-000



30-073837



54206-001

LICENSE PLATE LIGHTS

Durable license plate illuminators that are dirt and moisture resistant. Housing is chrome plated steel with half shaded white lens. Mini Compact lights feature two wire construction, mounting gasket and screw. Bullet Snap-in light with self-grounding single wire construction.

2 5/8" x 1 1/4" x 1" - Mini Compact / LED Mini Compact

1" cutout - Bullet Snap-in

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-62-000		34-62-000		Mini Compact Light
			54206-001	LED Mini Compact Light
30-073837†				Bullet Snap-in License Light

Replacement Parts

		34-90-194†		Bulb #194
--	--	------------	--	-----------

003201



30-62-030

30-72-100

LICENSE PLATE BRACKETS

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-62-030		34-62-030		License Plate Bracket 18 Gauge, Galvanized Steel
30-72-100		34-72-100		License Plate Bracket 16 Gauge, Zinc Plated
003201			003211	License Plate Bracket Plastic, Black
003202		34-003202	003213	License Plate Bracket Plastic, White

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



BRACKET

Dark brown thermo-plastic corner bracket. .20" dia. mounting holes accept up to #10 screws.

1" X 1" X 1" - 45° angled

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
60-50-001		64-50-001		Support Mounting Bracket



WATERPROOF LICENSE LIGHT 

Waterproof, sealed license plate light with #193 bulb for a variety of mounting applications. Pigtail available separately. Meets FMVSS/CMVSS 108 requirements.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
223210				License Plate Light and Bracket Assembly (requires 2 Wire Pigtail)

Accessory Parts

40-00-002		44-00-002		2 Wire Pigtail w/6" Wire Lead
108663		34-108663		2 Wire Pigtail w/18" Wire Lead

Replacement Parts

106310				License Light Module Clear
--------	--	--	--	----------------------------

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.





OBLONG/RECTANGULAR REFLECTORS

Oblong: Class "A" acrylic reflector, hermetically sealed, with two mounting holes. Optional adhesive fiber back.
4 3/8" X 1 7/8"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
70-78-010	71-78-010	74-78-010		Red w/Mounting Holes & Adhesive Back
70-78-050				Red w/Mounting Holes Only
70-78-020	71-78-020	74-78-020		Amber w/Mounting Holes & Adhesive Back
70-78-060				Amber w/Mounting Holes Only

Rectangular: Class "A" acrylic reflector, hermetically sealed, with an adhesive fiber back for instant mounting.

3 1/4" X 1 1/2"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
70-71-180		74-71-180	003358	Red w/Adhesive Back
70-71-181		74-71-181	003357	Amber w/Adhesive Back
323357				Amber w/Adhesive Back, w/Mounting Holes (4 3/8" X 1 1/4")
323356				Red w/Adhesive Back, w/Mounting Holes (4 3/8" X 1 1/4")



CONSPICUITY REFLECTORS/TAPE

Reflectors meet or exceed DOT-C and SAE J5941 for reflectivity marking on trucks and trailers. Reflectors are comparable in light return to the 2" x 12" reflective tape and hermetically sealed.

Conspicuity Reflectors - 1.1" X 12"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
		74-72-040		Clear & Red w/Adhesive Back
70-72-020		74-72-020	003387	Clear w/Adhesive Back
70-72-030		74-72-030	003388	Red w/Adhesive Back



ROUND REFLECTORS

Class "A" acrylic reflector, hermetically sealed. Center mounting hole or adhesive fiber back.

3 3/16" & 2 3/16"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
70-68-010		74-68-010		3 3/16" Red w/Center Mounting Hole
70-71-170		74-71-170		2 3/16" Red w/Center Mounting Hole
70-68-020		74-68-020		3 3/16" Amber w/Center Mounting Hole
70-71-175		74-71-175		2 3/16" Amber w/Center Mounting Hole
70-38-010		74-38-010		3 3/16" Red w/Adhesive Back
70-55-010	71-55-010	74-55-010		2 3/16" Red w/Adhesive Back
70-38-020		74-38-020		3 3/16" Amber w/Adhesive Back
70-55-020	71-55-020	74-55-020		2 3/16" Amber w/Adhesive Back

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



PORCH/UTILITY LIGHTS #78 SERIES

This compact design is surface mounted with either polypropylene or chrome plated ABS base and either a clear or amber snap-in lens. A remote switch is required. Two wire construction, supply and ground. CSA approved.

5 15/16" x 3 1/2" x 2"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-78-515	31-78-531	34-78-515		White w/Clear Lens
30-78-522				Black w/Clear Lens
30-78-600				Chrome w/Clear Lens
30-78-516	31-78-532	34-78-516		White w/Amber Lens
30-78-523				Black w/Amber Lens

Replacement Parts

		34-90-041†		Bulb #1141 (After mid 2007)
30-78-021		34-78-021		Lens #78 Clear
30-78-022		34-78-022		Lens #78 Amber



PORCH/UTILITY LIGHTS #78 SERIES WITH SWITCH

This compact exterior light with black rocker switch is designed for surface mounting. Polypropylene base has a lens that is snap-in and is available in either clear or amber. Two wire construction, supply and ground. CSA approved.

5 15/16" x 3 1/2" x 2"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-78-517		34-78-517		White w/Switch w/Clear Lens
30-78-524				Black w/ Switch w/Clear lens
30-78-518		34-78-518		White w/Switch w/Amber Lens
30-78-525				Black w/Switch w/Amber Lens

Replacement Parts

		34-90-041†		Bulb #1141 (After mid 2007)
30-78-021		34-78-021		Lens #78 Clear
30-78-022		34-78-022		Lens #78 Amber

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



PORCH/UTILITY LIGHTS #80 SERIES

Medallion style 12 volt surface mounted porch light. ABS housing with removable clear or amber acrylic lens. A remote switch is required. Two wire construction, supply and ground. CSA listed for surface wall mounting.

5.54" x 5.50" x 2.28"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-80-001†				White Base w/Clear Lens
30-80-002†				White Base w/Amber Lens
30-80-005†				Black Base w/Clear Lens

Replacement Parts

		34-90-041†		Bulb #1141
30-80-021†				Lens #80 Clear
30-80-022†				Lens #80 Amber



PORCH/UTILITY LIGHT #80 SERIES WITH SWITCH

Medallion style 12 volt surface mounted porch light with switch. ABS housing with removable clear or amber acrylic lens. Two wire construction, supply and ground. CSA listed for surface wall mounting.

5.54" x 5.50" x 2.28"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-80-003†				White Base w/ Switch w/Clear Lens
30-80-004†				White Base w/Switch w/Amber Lens
30-80-007†				Black Base w/Switch w/Clear Lens

Replacement Parts

		34-90-041†		Bulb #1141
30-80-021†				Lens #80 Clear
30-80-022†				Lens #80 Amber



SECURITY/UTILITY LIGHTS

This 12 volt surface mounted light is designed to flood light in all directions. The light adds the benefit of increased security features to any unit. Features a 7" polycarbonate lens, two wire construction and stainless steel base to resist corrosion. Designed for years of trouble-free service featuring a gasket between the lens and base, as well as a gasket for mounting.

8 3/4" dia.

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
40-60-001				Security/Utility Light
40-60-004				Security/Utility Light-White Painted Base

Replacement Parts

30-90-156				Bulb #1156, Single Filament
-----------	--	--	--	-----------------------------

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



PORCH/UTILITY LIGHTS #80 SERIES

This 12 volt surface mounted porch light is a heavy duty oval shape. ABS base with clear or amber acrylic lens that are snap-in design. Two wire construction, supply and ground. CSA approved.

6 1/4" x 3 1/2" x 2"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-79-003				White w/Clear Lens
30-79-004				White w/Amber Lens

Replacement Parts

		34-90-041†		Bulb #1141
30-79-023				Lens #79 Clear
30-79-024				Lens #79 Amber



PORCH/UTILITY LIGHTS #79 SERIES WITH SWITCH

This 12 volt surface mounted porch light is a heavy duty oval shape. ABS base with clear or amber acrylic lens that are snap-in design. Available with black rocker switch. Two wire construction, supply and ground. CSA approved.

6 1/4" x 3 1/2" x 2"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-79-005				White w/Switch w/Clear Lens
30-79-006				White w/Switch w/Amber Lens

Replacement Parts

		34-90-041†		Bulb #1141
30-79-023				Lens #79 Clear
30-79-024				Lens #79 Amber

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



INTERIOR LIGHTS #76 SERIES

Single or double 12 volt interior light with diffused lens optics. Double light is available with single or dual switch. Two wire construction, supply and ground. Features a polypropylene base. CSA listed/ approved for ceiling mount and specific wall mounts. Contact your Cequent Representative for the specific wall mount applications.

7.28" x 4.33" x 1.78"

11.02" x 4.33" x 1.78"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-76-123	3176123	34-76-123		Single Light #76 w/Switch
30-76-223		34-76-223		Double Light #76 w/Switch
30-76-243		34-76-243		Double Light #76 w/Dual Switch

Replacement Parts

30-90-021		34-90-021		Bulb #921
30-76-028		34-76-028		Lens #76



INTERIOR DOME LIGHT 5" ROUND W/CHROME BASE

Chrome plated steel base with clear polycarbonate lens. Two wire construction (supply and ground) for easy installation. **Non UL/CSA, suitable for utility use in cargo trailers.**

6.43" dia. x 1.65"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-60-004				Interior Dome Light 5" Round w/Chrome Base
30-60-005				Interior Dome Light 5" Round w/Chrome Base w/Switch

Replacement Parts

30-90-156				Bulb #1156
-----------	--	--	--	------------

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



UTILITY LIGHT #15 SERIES

Surface mount light with foam gasket features two wire construction and has a full cover lens that allows light to diffuse in all directions. The switch is mounted in the lens to keep the unit as compact as possible.

4 9/16" x 2 1/2" x 1 3/4"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
40-15-005†		44-15-005†		Utility Light Clear w/Switch

Replacement Parts

30-90-156				Bulb #1156
-----------	--	--	--	------------



UTILITY LIGHT

Utility light with ABS housing.

4 1/8" x 2 3/8" x 1"

Bargman/ Wesbar Bulk	Bargman Clam Shell	Bargman Bagged	Wesbar Packaging	Description
30-073813†		34-073813†		Interior Light 4" x 2.37" W/Switch

Replacement Parts

		34-90-194†		Bulb #194
--	--	------------	--	-----------

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.



2' & 4' WESBAR PLANOGRAMS

- Best Selling Items
- Designed for 2' or 4' Wide x 4' High Areas
- Minimum Inventory for Maximum Turn
- Includes Reorder Cards

Note: Does not include display, hooks, header or wallpaper.

2' Wesbar Planogram - LED

54311-002

Plan-o-gram Includes All Products Shown



4' Wesbar Planogram - Incandescent/Electrical

54311-001

Plan-o-gram Includes All Products Shown

† = Available while supply lasts.

WESBAR LED 2' PLANOGRAM - 54311-002

Part No.	Description	Qty
LED - ROW #1 - LEFT TO RIGHT		
401565	LED Waterproof Marker/Clearance Lamp, Stud Mount, Amber	2
401566	LED Waterproof Marker/Clearance Lamp, Stud Mount, Red	2
54201-001	LED Clearance Light Amber w/Chrome Bezel (47-106853 & 47-106020)	2
54201-002	LED Clearance Light Red w/Chrome Bezel (47-107047 & 47-106020)	2
54005	LED 6" Oval Courtesy Light Clear w/Grommet w/Pigtail	2
42-106858	LED Light Bar w/Red Lens	2
LED - ROW #2- LEFT TO RIGHT		
401580	LED Waterproof Marker/Clearance Lamp, Amber	2
401581	LED Waterproof Marker/Clearance Lamp, Red	2
401576	LED Waterproof Marker/Clearance Lamp, 2" Round Grommet Mount, Amber	2
401577	LED Waterproof Marker/Clearance Lamp, 2" Round Grommet Mount, Red	2
401578	LED Waterproof Marker/Clearance Lamp, 2 1/2" Round Grommet Mount, Amber	2
401579	LED Waterproof Marker/Clearance Lamp, 2 1/2" Round Grommet Mount, Red	2
LED - ROW #3 - LEFT TO RIGHT		
407535	LED Waterproof Stop, Turn and Tail lamp, Roadside	2
407530	LED Waterproof Stop, Turn and Tail lamp, Curbside	2
281595	LED - Wrap-Around 8-Function, Roadside	2
281594	LED - Wrap-Around 7-Function, Curbside	2
LED - ROW #4 - LEFT TO RIGHT		
54006	LED 6" Oval Tail Light Red w/Grommet w/Pigtail	2
54004	LED 6" Oval Tail Light Red w/Chrome Trim Snap Ring	2
407555	LED Waterproof STL-80 Stop, Turn, and Tail Lamp, Roadside	2
407550	LED Waterproof STL-80 Stop, Turn, and Tail Lamp, Curbside	2
401567	LED Waterproof ID Light Bar	2
LED - ROW #5 - LEFT TO RIGHT		
407540	LED Waterproof Low Profile Trailer Light Kit	2
407560	LED Waterproof STL-80 Trailer Light Kit	2
287512	LED Submersible Under 80" Trailer Light Kit	1

Product listing may vary from photo.

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

WESBAR INCANDESCENT/ELECTRICAL 4' PLANOGRAM - 54311-001

Part No.	Description	Qty
INCANDESCENT - ROW #1 - LEFT TO RIGHT		
203131	Clearance Marker Lamp w/Reflector, Amber	2
203133	Clearance Marker Lamp w/Reflector, Red	2
203111	Clearance Marker Light, Amber	2
203113	Clearance Marker Light, Red	2
203292	Sealed Clearance Marker Lamp, Amber	2
203293	Sealed Clearance Marker Lamp, Red	2
003148	Clearance Marker Lamp Amber w/Reflex Reflector, PC Rated	2
403348	Sealed Bulb Replacement Tail Lamp Capsule	2
403080	Sealed Oval Tail Lamp Kit	2
203309	Waterproof ID Bar, Chrome, Red	2
003211	Black Plastic License Plate Bracket	2
INCANDESCENT - ROW #2 - LEFT TO RIGHT		
203395	Sealed Clearance Marker Lamp Module Snap-Lock, Amber	2
203396	Sealed Clearance Marker Lamp Module Snap-Lock, Red	2
203233	Waterproof Clearance Marker Lamp, Stud Mount, Amber	2
203234	Waterproof Clearance Marker Lamp, Stud Mount, Red	2
203294	Sealed Clearance Marker Lamp, Amber	2
203295	Sealed Clearance Marker Lamp, Red	2
ELECTRICAL - ROW #2		
707254	Double Ended 4-Way 2ft.	2
707255	Double Ended 5-Way 2ft.	2
INCANDESCENT - ROW #3 - LEFT TO RIGHT		
2523024	Submersible Over 80" Tail Light, Roadside	2
2523074	Submersible Over 80" Tail Light, Curbside	2
403025	Submersible Over 80" Tail Light, Roadside	2
403075	Submersible Over 80" Tail Light, Curbside	2
403087	Sealed Oval Lamp Module, Clear	2
403085	Sealed Oval Tail Lamp Module, Red	2
ELECTRICAL - ROW #3		
707250	7-Way to 5-Way Adapter	2
767940	Adapter - 7-Way Blade to 5-Way Flat	2
767941	4-Way Tester w/LED	2
767942	5-Way Tester w/LED and Dust Cap	2
INCANDESCENT - ROW #4 - LEFT TO RIGHT		
2523023	Submersible Under 80" Tail Lamp, Roadside	2
2523073	Submersible Under 80" Tail Lamp, Curbside	2
403026	Waterproof Over 80" Low Profile Tail Lamp, Roadside	2
403076	Waterproof Over 80" Low Profile Tail Lamp, Curbside	2
ELECTRICAL - ROW #4		
707261	25' 4-Flat Wishbone Wire Harness Kit	2
707270	4-Way Trunk/Trailer Connector Kit, 66"	2
707272	4-Way Trunk Connector 6' with 6' Ground	2
707286	4-Way Trailer Connector, 18" Wishbone	2
707275	4-Way Trunk Connector, 4' with 18" Ground	2
INCANDESCENT - ROW #5 - LEFT TO RIGHT		
2527511	Submersible, Under 80" Trailer Light Kit	1
007509	Waterproof Low Profile Trailer Light Kit	1
ELECTRICAL - ROW #5		
707105	25' 5-Flat Wishbone Wire Harness Kit	2
707273	5-Way Trunk Connector, 6' with 4' Ground	2
707283	5-Way Trunk Connector 4' with 4' Ground	2

Product listing may vary from photo.

† = Available while supply lasts.




BARGMAN LED /INCANDESCENT LIGHTING PLANOGRAM

Offering a complete display of the best selling LED and Incandescent interior and exterior lighting products. Planograms are designed for areas 2' wide x 4' high, 3' wide x 4' high and 4' wide x 4' high.

LPOG31001 4' Wide Bargman LED/Incandescent Interior/Exterior Planogram

LPOG31002 2' Wide Bargman LED Exterior Planogram

LPOG31003 3' Wide Bargman Incandescent Interior/Exterior Planogram




Note: Does not include display or hook.

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

ACCESSORIES AVAILABLE



If you wish to receive these additional planogram wallpaper and/or header signs, please call 800-632-3290



2' x 4' Bargman Wallpaper MKG0232



2' Bargman Header MKG0233



4' Bargman Header - MKG0234

† = Available while supply lasts.

BARGMAN LED/INCANDESCENT INTERIOR/EXTERIOR LIGHTING PLANOGRAM

DETAILED PRODUCT CONTAINED IN PLANOGRAM LPOG31001, 4' X 4' BY ROW

Part No.	Description	Qty
INCANDESCENT - ROW #1 - LEFT TO RIGHT (TOP)		
41-30-001	Clearance Light Module #30 2" Red	3
41-30-002	Clearance Light Module #30 2" Amber	3
41-31-001	Clearance Light Module #31 2-1/2" Red	3
41-31-002	Clearance Light Module #31 2-1/2" Amber	3
41-37-031	Clearance Lens #37 Red w/Black Base w/Wire	3
41-37-032	Clearance Lens #37 Amber w/Black Base w/Wire	3
31-78-531	Porch/Utility Light #78 White w/Clear Lens	2
31-78-532	Porch/Utility Light #78 White w/Amber Lens	2
LED - ROW #1 - LEFT TO RIGHT (TOP)		
42-30-401	LED Clearance Light Module #30 2" Red	3
42-30-402	LED Clearance Light Module #30 2" Amber	3
42-31-403	LED Clearance Light Module #31 2-1/2" Red w/Reflex	3
42-31-404	LED Clearance Light Module #31 2-1/2" Amber w/Reflex	3
42-86-410	LED Upgrade Red Clearance Light Wrap-Around #86 Light Module	3
42-86-412	LED Upgrade Amber Clearance Light Wrap-Around #86 Light Module	3
INCANDESCENT - ROW #2 - LEFT TO RIGHT		
31-59-001	Clearance Light #59 Red w/White Base	3
31-59-002	Clearance Light #59 Amber w/White Base	3
32-003441	Clearance Light Dual Bulb Red	3
32-003440	Clearance Light Dual Bulb Amber	3
41-38-031	Clearance Lens #38 Red w/Black Base w/Wire	3
41-38-032	Clearance Lens #38 Amber w/Black Base w/Wire	3
LED - ROW #2 - LEFT TO RIGHT		
42-59-401	LED Clearance Light #59 Red w/White Base w/Pigtail	3
42-59-402	LED Clearance Light #59 Amber w/White Base w/Pigtail	3
42-59-410	LED Upgrade Red Clearance Light #59 Lens Module	3
42-59-412	LED Upgrade Amber Clearance Light #59 Lens Module	3
42-38-033	LED Clearance Light #38 Red w/Black Base w/Pigtail	3
42-38-034	LED Clearance Light #38 Amber w/Black Base w/Pigtail	3
54201-003	LED Clearance Light Micro Amber	3
54201-004	LED Clearance Light Micro Red	3
54201-005	LED Clearance Light Micro Clear	3
INCANDESCENT - ROW #3 - LEFT TO RIGHT		
31-99-001	Clearance Light #99 Red	3
31-99-002	Clearance Light #99 Amber	3
31-59-010	Red Lens #59	3
31-59-012	Amber Lens #59	3
3176123	Interior Light #76 Single White	1
3176123	Interior Light #76 Single White	1
LED - ROW #3 - LEFT TO RIGHT		
42-37-401	LED Clearance Light Module #37 Red	3
42-37-402	LED Clearance Light Module #37 Amber	3
42-99-401	LED Clearance Light #99 Red	3
42-99-402	LED Clearance Light #99 Amber	3
42-42-401	LED Clearance Light #42 Red	3
42-42-402	LED Clearance Light #42 Amber	3
INCANDESCENT - ROW #4 - LEFT TO RIGHT		
31-84-010	Red Lens #84/85/86	2
31-84-016	Amber Lens #84/85/86	2
31-92-001	Stop/Tail/Turn #92 Surface Mount w/White Base	2
31-92-003	Stop/Tail/Turn #92 Surface Mount w/License Light & Brkt w/White Base	2
LED - ROW #4 - LEFT TO RIGHT		
42-84-410	LED Upgrade Red Stop/Tail/Turn Module #84/85/86	2
42-84-412	LED Upgrade Amber Turn Module #84/85/86	2
42-84-414	LED Upgrade Backup Lens Module #84/85/86	2

† = Available while supply lasts.

Part No.	Description	Qty
INCANDESCENT - ROW #5 - LEFT TO RIGHT (TOP)		
31-84-700	Backup Lens #84/85/86 - Lens Mounted Vertical	2
31-84-711	Backup Lens #84/85/86 - Lens Mounted Horizontal	2
LED - ROW #5 - LEFT TO RIGHT (TOP)		
42-86-101	LED Stop/Tail/Turn #86 Red w/Black Base	2
42-86-104	LED Turn #86 Amber w/Black Base	2
71-78-010	Reflector Red w/Mounting Holes & Adhesive Back	3
71-78-020	Reflector Amber w/Mounting Holes & Adhesive Back	3
71-55-010	Reflector Red 2-3/16" w/Adhesive Back	3
71-55-020	Reflector Amber 2-3/16" w/Adhesive Back	3
INCANDESCENT - ROW #6 - LEFT TO RIGHT		
31-86-101	Stop/Tail/Turn #86 Red w/Black Base	2
31-86-103	Backup Vertical Mount #86 w/Black Base	2
31-2823285	Trailer Light Kit Under 80" w/25 Ft. Wire Harness	2
LED - ROW #6 - LEFT TO RIGHT		
31-407560	LED Trailer Light Kit 4x6 Waterproof Low Profile	1
31-407540	LED Trailer Light Kit 3x8 Waterproof Low Profile	1

Product listing may vary from photo.

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

BARGMAN LED EXTERIOR LIGHTING PLANOGRAM

DETAILED PRODUCT CONTAINED IN PLANOGRAM
LPOG31002, 2' X 4' BY ROW

Part No.	Description	Qty
LED - ROW #1 - LEFT TO RIGHT (TOP)		
42-30-401	LED Clearance Light Module #30 2" Red	3
42-30-402	LED Clearance Light Module #30 2" Amber	3
42-31-403	LED Clearance Light Module #31 2-1/2" Red w/Reflex	3
42-31-404	LED Clearance Light Module #31 2-1/2" Amber w/Reflex	3
42-86-410	LED Upgrade Red Clearance Light Wrap-Around #86 Light Module	3
42-86-412	LED Upgrade Amber Clearance Light Wrap-Around #86 Light Module	3
LED - ROW #2 - LEFT TO RIGHT		
42-59-401	LED Clearance Light #59 Red w/White Base w/Pigtail	3
42-59-402	LED Clearance Light #59 Amber w/White Base w/Pigtail	3
42-59-410	LED Upgrade Red Clearance Light #59 Lens Module	3
42-59-412	LED Upgrade Amber Clearance Light #59 Lens Module	3
42-38-033	LED Clearance Light #38 Red w/Black Base w/Pigtail	3
42-38-034	LED Clearance Light #38 Amber w/Black Base w/Pigtail	3
54201-003	LED Clearance Light Micro Amber	3
54201-004	LED Clearance Light Micro Red	3
54201-005	LED Clearance Light Micro Clear	3
LED - ROW #3 - LEFT TO RIGHT		
42-37-401	LED Clearance Light Module #37 Red	3
42-37-402	LED Clearance Light Module #37 Amber	3
42-99-401	LED Clearance Light #99 Red	3
42-99-402	LED Clearance Light #99 Amber	3
42-42-401	LED Clearance Light #42 Red	3
42-42-402	LED Clearance Light #42 Amber	3
LED - ROW #4 - LEFT TO RIGHT		
42-84-410	LED Upgrade Red Stop/Tail/Turn Module #84/85/86	2
42-84-412	LED Upgrade Amber Turn Module #84/85/86	2
42-84-414	LED Upgrade Backup Lens Module #84/85/86	2
LED - ROW #5 - LEFT TO RIGHT (TOP)		
42-86-101	LED Stop/Tail/Turn #86 Red w/Black Base	2
42-86-104	LED Turn #86 Amber w/Black Base	2
71-78-010	Reflector Red w/Mounting Holes & Adhesive Back	3
71-78-020	Reflector Amber w/Mounting Holes & Adhesive Back	3
71-55-010	Reflector Red 2-3/16" w/Adhesive Back	3
71-55-020	Reflector Amber 2-3/16" w/Adhesive Back	3
LED - ROW #6 - LEFT TO RIGHT		
31-407560	LED Trailer Light Kit 4x6 Waterproof Low Profile	1
31-407540	LED Trailer Light Kit 3x8 Waterproof Low Profile	1

Product listing may vary from photo.

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

BARGMAN INCANDESCENT INTERIOR/ EXTERIOR LIGHTING PLANOGRAM

DETAILED PRODUCT CONTAINED IN PLANOGRAM
LPOG31003, 3' X 4' BY ROW

Part No.	Description	Qty
INCANDESCENT - ROW #1 - LEFT TO RIGHT (TOP)		
41-30-001	Clearance Light Module #30 2" Red	3
41-30-002	Clearance Light Module #30 2" Amber	3
41-31-001	Clearance Light Module #31 2-1/2" Red	3
41-31-002	Clearance Light Module #31 2-1/2" Amber	3
41-37-031	Clearance Lens #37 Red w/Black Base w/Wire	3
41-37-032	Clearance Lens #37 Amber w/Black Base w/Wire	3
31-78-531	Porch/Utility Light #78 White w/Clear Lens	2
31-78-532	Porch/Utility Light #78 White w/Amber Lens	2
INCANDESCENT - ROW #2 - LEFT TO RIGHT		
31-59-001	Clearance Light #59 Red w/White Base	3
31-59-002	Clearance Light #59 Amber w/White Base	3
32-003441	Clearance Light Dual Bulb Red	3
32-003440	Clearance Light Dual Bulb Amber	3
41-38-031	Clearance Lens #38 Red w/Black Base w/Wire	3
41-38-032	Clearance Lens #38 Amber w/Black Base w/Wire	3
INCANDESCENT - ROW #3 - LEFT TO RIGHT		
31-99-001	Clearance Light #99 Red	3
31-99-002	Clearance Light #99 Amber	3
31-59-010	Red Lens #59	3
31-59-012	Amber Lens #59	3
3176123	Interior Light #76 Single White	1
3176123	Interior Light #76 Single White	1
INCANDESCENT - ROW #4 - LEFT TO RIGHT		
31-84-010	Red Lens #84/85/86	2
31-84-016	Amber Lens #84/85/86	2
31-92-001	Stop/Tail/Turn #92 Surface Mount w/White Base	2
31-92-003	Stop/Tail/Turn #92 Surface Mount w/License Light & Brkt w/White Base	2
INCANDESCENT - ROW #5 - LEFT TO RIGHT (TOP)		
31-84-700	Backup Lens #84/85/86 - Lens Mounted Vertical	2
31-84-711	Backup Lens #84/85/86 - Lens Mounted Horizontal	2
INCANDESCENT - ROW #6 - LEFT TO RIGHT		
31-86-101	Stop/Tail/Turn #86 Red w/Black Base	2
31-86-103	Backup Vertical Mount #86 w/Black Base	2
31-2823285	Trailer Light Kit Under 80" w/25 Ft. Wire Harness	2

Product listing may vary from photo.

† = Available while supply lasts.

NOTES

VEHICLE ILLUMINATION

K-62

† = Available while supply lasts.

BULB SPECIFICATION

BULB TYPE	PART #	PACKAGING	MEAN SPHERICAL	RATED AMPS CANDLE POWER	WATTS
#1141	34-90-041†	Bagged	21	1.44	18.432
#1156	30-90-156	Bulk	32	2.10	26.880
#1157	30-90-157	Bulk	32/3	2.10/0.59	26.880/8.260
#168	34-90-168†	Bagged	3	0.35	4.900
#193	108891	Bulk	2	0.33	4.620
#194	34-90-194†	Bagged	2	0.27	3.780
#2057	30-84-057	Bulk	32/2	2.10/0.48	26.880/6.720
#57 / #1895	30-48-095†	Bulk	2	0.27	3.780
	34-48-095†	Bagged			
#921	30-90-021	Bulk	21	1.40	17.920
	34-90-021	Bagged			

NOTE: Tail Lights, Clearance/Side Marker Lights and ID Light Bars approved for trailer accessory and towing application use. Contact your Cequent Performance Products Representative for details.

† = Available while supply lasts.

LIGHTING TERMINOLOGY

"Over 80" Combination Tail Lights

These units meet seven or eight DOT-108 lighting requirements when properly mounted. Seven function units meet tail light, stop light, rear turn signal light, rear reflex reflector, rear side marker light, rear side reflex reflector and rear clearance light. The eighth function met is license plate light. Trailers over 80 inches wide require the addition of front Clearance Lights and Rear Identification (ID) Lights. Consult Title 49 – Code of Federal Regulations-Section 571.108 (USA) or Section 108 of the Motor Vehicle Safety Regulations (Canada) for additional compliance requirements.

"Under 80" Combination Tail Lights

These units meet six or seven DOT-108 lighting requirements when properly mounted. Six function units meet tail light, stop light, rear turn signal light, rear reflex reflector, rear side marker light and rear side reflex reflector. The seventh function met is license plate light. Consult Title 49 – Code of Federal Regulations-Section 571.108 (USA) or Section 108 of the Motor Vehicle Safety Regulations (Canada) for additional compliance requirements.

"PC" Rated Clearance/Side Marker Lights

A single unit meets DOT-108 lighting requirements and has been photometrically certified at a specific installation angle to provide both clearance light and side marker light. In most cases, the light will have to be mounted on a 45° angle, Consult Title 49 – Code of Federal Regulations-Section 571.108 (USA) or Section 108 of the Motor Vehicle Safety Regulations (Canada) for additional compliance requirements to meet both functions' requirements with just one unit.

BASIC EQUIPMENT REQUIRED ON ALL TRAILERS, TRUCKS, BUSES & MPVS

Federal Motor Vehicle Safety Standards and Regulations

The tables summarize lighting equipment requirements contained in Federal/Canada Motor Vehicle Safety Standard 108.

While Cequent Performance Products, Inc. believes this to be an accurate summary of the latest printed information, the actual standard should be consulted for design or other such purposes.

For complete compliance requirements consult Title 49 - Code of Federal Regulations-Section 571.108 (USA) or Section 108 of the Motor Vehicle Safety Regulations (Canada). State or Provincial regulations, where they may apply, have not been included.

For more information contact:

Transport Canada, Motor Vehicle Safety Enforcement Branch
<http://www.tc.gc.ca>

National Highway Traffic Safety Administration, Office of Safety Performance Standards
<http://www.nhtsa.dot.gov>


TECHNICAL INFORMATION IS CURRENT AS OF
 THE PRINTING OF THIS CATALOG. CONTACT
 TECHNICAL SERVICE FOR PERIODIC UPDATES.

† = Available while supply lasts.

TRAILERS: FEDERAL LIGHTING EQUIPMENT LOCATION REQUIREMENTS

IMPORTANT NOTE: Every lamp, reflex reflector, and conspicuity treatment must be permanently attached in the location specified below and must comply with all applicable requirements prescribed for it by FMVSS/CMVSS 108. The face of any device on the front/rear and sides should be, respectively perpendicular and parallel to the vehicle's centerline, unless it is photometrically certified at installation

angle. No part of the vehicle shall prevent any device from meeting its prescribed requirements unless an auxiliary device meeting all prescribed requirements is installed. In Canada: Manufacturers and importers of vehicles must have the proper certification test records demonstrating compliance of lighting components with all prescribed requirements.



This table summarizes lighting equipment requirements contained in Federal/Canada Motor Vehicle Safety Standard 108. While Cequent Performance Products believes this to be an accurate summary of the latest printed information, the actual standard should be consulted for design or other such purposes. For complete compliance requirements consult Title 49 - Code of Federal Regulations-Section 571.108 (USA) or Section 108 of the Motor Vehicle Safety Regulations (Canada). State or Provincial regulations, where they may apply, have not been included.

For more information contact:

Transport Canada, Motor Vehicle Safety Enforcement Branch

<http://www.tc.gc.ca>

National Highway Traffic Safety Administration, Office of Safety Performance Standards

<http://www.nhtsa.dot.gov>

† = Available while supply lasts.

BASIC EQUIPMENT REQUIRED ON ALL TRAILERS

DESCRIPTION				MANDATORY REQUIREMENTS			
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
1	Tail Lamps	(T)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Stop Lamps	(S)	Indicate braking	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Rear Turn Signal Lamps	(I)	Indicate direction of turn	Minimum 2	Red or Yellow	On the rear - symmetrical as far apart as practicable	380-2110 (15-83)
	Rear Reflex Reflectors	(A)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable facing rearward	380-1530 (15-60)
2	License Plate Lamp(s)	(L)	Illuminates license plate	Minimum 1	White	On the rear - above or at the sides of license plate	No requirement
3	Rear Side Marker Lamps <small>*photometrically certified at installation angle</small>	(P2, PC* or P3, PC2*)	Front and rear side marker lamps / side reflex reflectors indicate vehicle's presence and length	Minimum 2	Red	Each side at rear as far back as practicable	380-1530 (15-60) no max. for veh. under 2032mm (80") wide
	Rear Side Reflex Reflectors	(A)		Minimum 2	Red	Each side at rear as far back as practicable facing sideward	380-1530 (15-60)
4	a Front Side Marker Lamps <small>*photometrically certified at installation angle</small>	(P2, PC* or P3, PC2*)		Minimum 2	Yellow	Each side at front as far forward as practicable	380 (15) minimum
	b Front Side Reflex Reflectors	(A)		Minimum 2	Yellow	Each side at front as far forward as practicable facing sideward	380-1530 (15-60)

ADDITIONAL EQUIPMENT FOR TRAILERS EXCEEDING THE FOLLOWING PARAMETERS

Length 9.1m (30 ft.) or longer

DESCRIPTION				MANDATORY REQUIREMENTS			
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
5	a Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380 (15) minimum
	b Intermediate Side Reflex Reflectors	(A)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380-1530 (15-60)

Width 2032mm (80 in.) or wider

DESCRIPTION			MANDATORY REQUIREMENTS				
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height
6	Rear Clearance Lamps <small>*photometrically certified at installation angle</small>	(P2, PC* or P3, PC2*)	Show vehicle's width MAY NOT be combined with tail lamps	Minimum 2	Red	At widest point - symmetrical on the rear or near the rear facing rearward	As high as practicable may be lower only if ID lamps are at the top
7	Rear Identification (ID) Lamps	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Red	On the rear - center horizontally spaced 150mm (6 in.) to 300mm (12 in.) apart facing rearward	At the top - may be lower if door header narrower than 25mm
8	Front Clearance Lamps <small>*photometrically certified at installation angle</small>	(P2, PC* or P3, PC2*)	Show vehicle's width	Minimum 2	Yellow	At widest point - symmetrical on the front or near the front facing forward	As high as practicable

Width 2032mm (80 in.) or wider AND GVWR 4536 kg (10,000 lb.) or more


DESCRIPTION		MANDATORY REQUIREMENTS					
Area	Conspicuity Treatment	DOT Coding	Quantity	Color	Location	Height	Options
9	Rear Upper Body Markings	DOT-C DOT-C2 DOT-C3 DOT-C4	Exactly 2 pairs of 300mm long strips	White	On the rear upper corners facing rearward	At the top	Reflex reflectors may not be required if they are replaced in their required location with conspicuity treatment. Optional in Canada: Rear lower body and side conspicuity treatment may also be solid white, solid yellow, or white and yellow.
10	Bumper Bar Marking		Continuous	Red/White	On the rear bumper bar's horizontal element full width - facing rearward	No requirement	
11	Rear Lower Body Marking		Continuous	Red/White <i>(see options)</i>	On the rear full width of the vehicle facing rearward	As horizontal as practicable and as close as practicable to the range of 375 to 1525mm from the ground	
12	Side Marking		(see location)	Red/White <i>(see options)</i>	Each side - facing sideward continuous, or evenly spaced over minimum of 50% of length starts and ends as close to the front and rear of the vehicle as practicable	As horizontal as practicable and as close as practicable to the range of 375 to 1525mm from the ground	
NOTE: The edge of red conspicuity tape shall not be closer than 75 mm to the edge of any amber lamp and the edge of white conspicuity tape shall not be closer than 75 mm to the edge of any lamp							

† = Available while supply lasts.

TRUCKS: FEDERAL LIGHTING EQUIPMENT LOCATION REQUIREMENTS

IMPORTANT NOTE: Every lamp, reflex reflector, and conspicuity treatment must be permanently attached in the location specified below and must comply with all applicable requirements prescribed for it by FMVSS/CMVSS 108. The face of any device on the front/rear and sides should be, respectively perpendicular and parallel to the vehicle's centerline, unless it is photometrically

certified at installation angle. No part of the vehicle shall prevent any device from meeting its prescribed requirements unless an auxiliary device meeting all prescribed requirements is installed. In Canada: Manufacturers and importers of vehicles must have the proper certification test records demonstrating compliance of lighting components with all prescribed requirements.



This table summarizes lighting equipment requirements contained in Federal/Canada Motor Vehicle Safety Standard 108. While Cequent Performance Products believes this to be an accurate summary of the latest printed information, the actual standard should be consulted for design or other such purposes. For complete compliance requirements consult Title 49 - Code of Federal Regulations-Section 571.108 (USA) or Section 108 of the Motor Vehicle Safety Regulations (Canada). State or Provincial regulations, where they may apply, have not been included.

For more information contact:
 Transport Canada, Motor Vehicle Safety Enforcement Branch
<http://www.tc.gc.ca>
 National Highway Traffic Safety Administration, Office of Safety Performance Standards
<http://www.nhtsa.dot.gov>

† = Available while supply lasts.

BASIC EQUIPMENT REQUIRED ON ALL TRUCKS, BUSES & MPVs

DESCRIPTION				MANDATORY REQUIREMENTS			
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
1	Headlamps - Lower Beam US requires "DOT" lettering on lens US&Canada - light source code required on lens	(H, HR)	Forward road illumination	Minimum 2	White	On the front - symmetrical as far apart as practicable If 4 lamp system - outboard or above upper beams	560-1370 (22-54)
	Headlamps - Upper Beam US requires "DOT" lettering on lens US&Canada - light source code required on lens	(H, HR)	Forward road illumination	Minimum 2	White	On the front - symmetrical as far apart as practicable If 4 lamp system - inboard or below lower beams	560-1370 (22-54)
	Parking Lamps Vehicles less than 2032mm wide	(P)	Indicate parked vehicle	Minimum 2	White or Yellow	On the front - symmetrical as far apart as practicable	380-1830 (15-72)
	Daytime Running Lamps (DRL) Canada - required / US - option US requires "DRL" lettering on lens if not headlamp	(Y2)	Indicate in use vehicle	Minimum 2	White or Yellow	On the front - symmetrical as far apart as practicable	380 (15) min. Max. depends on type of DRL
	Front Turn Signal/ Hazard Warning Lamps	(I)	Indicate direction of turn/ identify disabled vehicle	Minimum 2	Yellow	On the front- symmetrical as far apart as practicable	380-2110 (15-83)
2	Front Clearance Lamps Vehicles 2032mm wide or wider *photometrically certified at installation angle	(P2, PC* or P3, PC2*)	Show vehicle's width	Minimum 2	Yellow	At widest point - symmetrical on the front or near the front facing forward	As high as practicable
3	Front Identification Lamps (ID) Vehicles 2032mm wide or wider	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Yellow	On the front - center horizontally spaced 150 mm (6 in.) to 300 mm (12 in.) apart	As high as practicable or on top of the cab
4	a Front Side Marker Lamps *photometrically certified at installation angle	(P2, PC* or P3, PC2*)	Front and rear side marker lamps / side reflex reflector indicate vehicle's presence and length	Minimum 2	Yellow	Each side at front as far forward as practicable	380 (15) minimum
	b Front Side Reflex Reflectors	(A)		Minimum 2	Yellow	Each side at front as far forward as practicable facing sideward	380-1530 (15-60)
5	a Rear Side Marker Lamps ** *photometrically certified at installation angle	(P2, PC* or P3, PC2*)		Minimum 2	Red	Each side at rear as far back as practicable	380 (15) minimum
	b Rear Side Reflex Reflectors ** **not required on Truck Tractors	(A)		Minimum 2	Red	Each side at rear as far back as practicable facing sideward	380-1530 (15-60)
6	Rear Clearance Lamps Vehicles 2032mm wide or wider Not required on Truck Tractors *photometrically certified at installation angle	(P2, PC* or P3, PC2*)	Show vehicle's width MAY NOT be combined with tail lamps	Minimum 2	Red	At widest point - symmetrical on the rear or near the rear facing rearward	As high as practicable may be lower only if rear ID lamps are at the top
7	Rear Identification (ID) Lamps Vehicles 2032mm wide or wider Not required on Truck Tractors	(P2 or P3)	Indicate presence of a wide vehicle	Exactly 3	Red	On the rear - center horizontally spaced 150mm (6 in.) to 300mm (12 in.) apart facing rearward	At the top may be lower if doo narrower than 25mm
8	Tail Lamps	(T)	Indicate vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Stop Lamps	(S)	Indicate braking	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1830 (15-72)
	Rear Turn Signal/ Hazard Warning Lamps	(I)	Indicate direction of turn/ identify disabled vehicle	Minimum 2	Red or yellow	On the rear - symmetrical as far apart as practicable	380-2110 (15-83)
	Rear Reflex Reflectors	(A)	Show vehicle's presence and width	Minimum 2	Red	On the rear - symmetrical as far apart as practicable	380-1530 (15-60)
9	Backup Lamp	(R)	Illuminates ground behind the vehicle and alert road users	Minimum 1	White	Rear	No requirement
10	License Plate Lamp(s)	(L)	Illuminates license plate	Minimum 1	White	On the rear - above or at the sides of license plate	No requirement
11	Center High Mounted Stop Lamp Vehicles less than 2032mm wide and 4536kg	(U3)	Indicates braking	1	Red	On the rear - centerline of the vehicle	860 (34) minimum

ADDITIONAL EQUIPMENT FOR SPECIFIC VEHICLES VEHICLES 9.1m (30 ft.) LONG OR LONGER

DESCRIPTION				MANDATORY REQUIREMENTS			
Area	Equipment	SAE Lens Coding	Functional Purpose	Quantity	Color	Location	Height mm(in.) from the ground
12	a Intermediate Side Marker Lamps	(P2 or P3)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center	380 (15) minimum
	b Intermediate Side Reflex Reflectors	(A)	Indicate presence of a long vehicle	Minimum 2	Yellow	Each side near center facing sideward	380-1530 (15-60)

Truck Tractors

DESCRIPTION		MANDATORY REQUIREMENTS					
Area	Conspicuity Treatment	DOT Coding	Quantity	Color	Location	Height	Options
13	Rear Upper Body Markings	DOT-C DOT-C2 DOT-C3 DOT-C4	Exactly 2 pairs of 300mm long strips	White	Rear upper corners of cab facing rearward	As high as practicable excluding fairings	
14	Rear Marking		Exactly 2 sections of min. 600mm each	Red/ White	Rear - facing rearward - on fenders, on mud flap brackets, or within 300mm below the top of mud flaps	As horizontal as practicable and not higher than 1525mm from the ground	If mud flaps not used - on the cab or frame mounted brackets

NOTE: The edge of red conspicuity tape shall not be closer than 75 mm to the edge of any amber lamp and the edge of white conspicuity tape shall not be closer than 75 mm to the edge of any lamp

† = Available while supply lasts.


STANDARD AG IMPLEMENT ENHANCED LIGHTING SCHEME

Under both the standard and enhanced lighting schemes, when traveling straight forward, the amber (outside) lights flash in unison with the tractor's amber lights on the high intensity at approximately 100 pulses per minute, and the low intensity of the red (inside) lights are on constantly.

With the standard wire harness in place, when a turn is being signaled, the amber light signaling the turn will increase flashing to approximately 120 pulses per minute with the amber light on the opposite side changing to a constant high intensity light. This mirrors the amber light on the tractor. Both red lights, however, remain on a constant low intensity.

To meet the enhanced lighting standard, introduce Electronic AG Light Enhanced Module to the implement's wire harness, and simply add red lights that have an active high intensity along with an additional RH and LH wire to these red lights. With this enhanced AG lighting system, during a turn the red light next to the amber turn side light will rapidly flash on the high intensity in unison with the amber light, and the red light on the opposite side will remain constant on the high intensity. This is a dramatic safety feature to better signal (to everyone) turns by tractors and implements.


AG LIGHTING WIRING DIAGRAM



Rev. 02/10

† = Available while supply lasts.

AG LIGHTING WIRING DIAGRAM WITH BRAKE



Rev. 02/10

† = Available while supply lasts.

TECHNICAL INFORMATION
IS CURRENT AS OF THE
PRINTING OF THIS
CATALOG. CONTACT
TECHNICAL SERVICE FOR
PERIODIC UPDATES.

AG LIGHTING



AG LIGHTS

Meet lighting standards for agricultural field equipment and improve high-way operating safety easily and cost effectively with AG Lights by Cequent™. No other lighting package offers you the quality and dependability of AG Lights by Cequent. Designed specifically for the agricultural industry, AG Lights by Cequent withstand the most rigorous field and environmental conditions for long life and wear without repair. A variety of mounts enable easy and quick placement on all towable field equipment – harvesters, field cultivators, tillage equipment, forage boxes, and more.

SAFETY IS KEY

Meet ASAE lighting recommendations for agricultural equipment and improve safety, while operating on highways easily and cost effectively, with AG Lights by Cequent. No other lighting package offers you the quality, durability, and reliability of AG Lights by Cequent. Designed specifically for the agricultural industry, these Heavy-Duty AG Lights, when combined with Cequent's AG Wiring, withstand the most rigorous field and environmental conditions for long life and wear.

DURABLE, DEPENDABLE CONSTRUCTION OF HEAVY-DUTY AG LIGHTS

- High-impact, glass-filled thermoplastic housings deflect objects away from the lens area and prevent them from damaging or dislodging the lights assembly.
- Acrylic lenses.
- All fasteners provided are coated to resist rust.
- Bulb replacement, if ever needed, is simple – uses readily available standard automotive #1157 bulbs.

USER-FRIENDLY DESIGN

- AG Harnesses are designed with a full-length ground circuit, from tractor to AG Lamp, assuring reliable and continuous operation.
- Each light's wiring is routed through a center port area, helping facilitate a variety of light placement.
- AG Lights by Cequent are available with a variety of connector options.
- Choose from mounting screws, bolts, or heavy-duty magnets to meet your mounting needs.

- All lighting units are designed for easy customer repairs... right in the field. Pry out lenses with flat screwdriver for easy access to, and replacement of, the #1157 bulb.
- Five distinctly different light styles to meet your performance and styling requirements.

ELECTRONIC ENHANCED AG LIGHTING MODULE

Cequent, known for innovation and product reliability, presents an electronic module to deliver the ASAE recommended "enhanced turn signal lighting" with conventional AG lights and a standard wiring scheme. This unit may be hard-wired into the AG lighting harness or coupled-in by use of a variety of plug assemblies.

Use of Cequent's electronic enhanced AG lighting module helps to meet the new ASAE standard cost effectively. It eliminates the need for special wedge-based bulbs and non-standard wire schemes to deliver the enhanced turn signal lighting called for by this ASAE standard.




Refer to the Standard AG Implement Enhanced Lighting Guide.

MULTIPLE MOUNTING OPTIONS

A variety of mounts enable suitable placement on tractors and all towable field equipment – harvesters, cultivators, tillage equipment, fertilizers, forage boxes, and more. Heavy-Duty AG Lights by Cequent have a patented design incorporating multiple mounting options and lighting combinations. Dual AG Light models provide amber flashing and turn indicators plus red tail light functions. Amber or red single lights provide maximum mount flexibility (vertically or horizontally) to meet applicable lighting requirements. All AG Lights by Cequent, except the grommated series, are equipped with an exclusive molded weather-resistant low profile tri-plug. Custom plug configurations are also available.

Additionally, an optional brake light function is available for dual light or single red-lensed models. This optional function is also needed on lights used with enhanced turn light systems. The brake light option is recommended when implements are to be towed by non-farm vehicles or tractors with brakes (brake lights).

AG SAFETY LIGHTING SYSTEMS



† = Available while supply lasts.

NOTES

VEHICLE ILLUMINATION

K-72

† = Available while supply lasts.

LOCKS

HITCH / TRAILER / COUPLER LOCKS

Hitch Locks

Trailer Locks

Coupler Locks

Keyed Alike Hitch and Coupler Locks

Trailer Wheel Lock

Fifth Wheel Rail / King Pin Lock

ACCESSORY LOCKS

Cable Locks

Marine Outboard Motor Lock

Spare Tire Lock





580400

BULLDOG™ LIFELONG® LOCKS DELIVER TRIPLE SECURITY

- Stronger Break Resistance
- Dual Self-locking Design
- High Security Square Key Design
- Includes Dust Cap

LIFELONG® HITCH LOCKS WITH 5/8" DIAMETER

Part No.	Description
580400	Chrome Bent Shank Lock for Class III & IV
580401	Chrome Dogbone Lock for Class III & IV
580402	Stainless Steel Dogbone Lock for Class III & IV



580401

580402

LIFELONG® TRAILER LOCK

Part No.	Description
580403	Chrome Coupler Lock

LIFELONG® COMBO LOCK

Part No.	Description
580404	Chrome Combo Lock Set, 5/8" Dogbone Receiver and Coupler, for Class III & IV



580403

580404

BULLDOG™ LOCKS

- Includes Dust Cap
- Easy Access Models Feature Side Key Entry, Sliding Dust Cap, Lock Housing Rotates 360°

HITCH LOCKS WITH 5/8" AND 1/2" DIAMETER

Part No.	Description
580405	Stainless Steel Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers
580406	Stainless Steel Combo Lock Set, 5/8" Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers and Coupler
580407	Easy Access Lock w/Sleeve for 1-1/4" & 2" Square Receivers



580405

580406

580407

TRAILER LOCKS

Part No.	Description
580408	Stainless Steel Coupler Lock
580409	Easy Access Long Coupler Lock
580410	Easy Access Adjustable Coupler Lock
TK100 0100	Trailer Keeper® Lock - Heavy-duty, hardened steel construction. Adjustable to fit most trailer wheels up to 15". Includes brass lock and key set.



580408

580409

580410




TK100 0100

† = Available while supply lasts.



63234



63224



63223



63252



63225



63230



63226




63227



63228



63249



63250

HITCH LOCKS WITH 5/8" AND 1/2" DIAMETER

Part No.	Description
63234*	Dogbone Lock w/Sleeve for 1-1/4", 2" & 2-1/2" Square Receivers
63248	Bent Pin Lock w/Extra Pin for 1-1/4" & 2" Square Receivers

* not compatible with 18K Titan® Receivers

HITCH LOCKS WITH 1/2" DIAMETER

Part No.	Description
63224	Bent Pin Lock for 1-1/4" Square Receivers

HITCH LOCKS WITH 5/8" DIAMETER

Part No.	Description
63223	Bent Pin Lock for 2" & 2-1/2" Square Receivers
63252	Dogbone Lock for 2-1/2" Square Receivers, 3-1/2" Span, Class V
63253	Bent Pin Lock for 2-1/2" Square Receivers, 3-1/2" Span, Class V

TRAILER LOCKS

Part No.	Description
63225	Coupler Lock
63230	Brass Coupler Lock
63226	Universal Coupler Lock
63227	Coupler Lock for 2-5/16" Ball
63228	Coupler Lock for 2" Ball

COMBO LOCKS (HITCH, 5/8" & 1/2" DIA., AND TRAILER)

Part No.	Description
63249	Combo Lock Set, Bent Pin/Brass Coupler, for 1-1/4" & 2" Square Receivers
63250	Combo Lock Set, Dogbone Receiver/Coupler, for 1-1/4" & 2" Square Receivers

† = Available while supply lasts.



63256

KEYED ALIKE COUPLER/TRAILER/RECEIVER LOCK LOCK SET

- Guards against towed and parked trailer thefts
- Universal Coupler Lock Fits 1 7/8", 2", 2 5/16"
- Dual Bent Pin Lock: 1/2", 5/8"
- Adjustable Coupler Lock: 5/8", 1"
- 3 Interchangeable Keys

Part No.	Description
63256	Tow & Store™ KEYED ALIKE Universal Coupler Lock, Trailer Lock, Receiver Lock, Lock Set



63216KA

63219KA

63220KA

KEYED ALIKE COUPLER AND HITCH LOCKS

- Avoid the complication of having to keep track of different keys for every lock
- Includes 2 keys
- Order in multiples of 3 / minimum order is 3 locks

Part No.	Description
63216KA	KEYED ALIKE 1/2" Receiver Lock for Class II Receiver Hitches
63217KA	KEYED ALIKE 5/8" Receiver Lock for Class III & IV Receiver Hitches
63218KA	KEYED ALIKE Class II 1/2" Receiver Lock and 1/2" Span Style Coupler Lock
63219KA	KEYED ALIKE Class III & IV 5/8" Receiver Lock and 1/2" Span Style Coupler Lock
63220KA	KEYED ALIKE 1/2" Span Style Coupler Lock
63221KA	KEYED ALIKE 2" Span Style Coupler Lock with 1/4" Pin
63222KA	KEYED ALIKE 2-1/2" Span Style Coupler Lock with 1/4" Pin
63226KA	Coupler Lock



63226KA

FIFTH WHEEL LOCKS

Part No.	Description
KING PIN LOCK	
63251	Fifth Wheel King Pin Lock, Extruded T6 Tempered Aluminum Body
RAIL LOCK	
63254	Fifth Wheel Rail Lock, Push Button, Replaces One Locking Pin



63251



63254



† = Available while supply lasts.



63233



63255

CABLE LOCK

- Cable locks secure items to the vehicle
- Attractive point-of-purchase display packaging

Part No.	Description
CLK15 0100	15' Cable Lock w/ Key
63233	10' Dead Bolt Aircraft Cable with Lock, Case Lot 12
63255	4' Cable Lock w/ Key, 5/16"



CLK15 0100




OML 0127

MARINE OUTBOARD MOTOR LOCK

- Foam filler insert reduces noise and vibration
- Mounts on most outboard motors

Part No.	Description
OML 0127	Outboard Motor Lok™


FULTON


STL 0603

SPARE TIRE LOCK

- Fits over wheel studs (up to 9/16" diameter) to help deter theft.
- Removable plug allows longer wheel studs to protrude through cap, and locking tab provides positive locking feature to help prevent lock from turning.

Part No.	Description
STL 0603	Spare Tire Lock

† = Available while supply lasts.

NOTES

Locks

L-6

† = Available while supply lasts.

PUSH-TO-TEST Breakaway Kit

**Tekonsha® Push-To-Test
Breakaway Kit with Integrated
Multi-Stage Charger (50-85-325)**

**Pro Series™ Push-To-Test
Breakaway Kit with Charger
(50-85-320)**

For proper performance of a breakaway system, battery must be maintained at a minimum of 80% capacity or greater.

This charge level is required to deliver enough current to the trailer brakes to be effective. The optimum charge level is 100%.

By setting our “Recharge” (Red) threshold at 80%, allows the operator ample opportunity to recharge the unit.

- For up to 3 axles
- Flat surface mounting
- Post mount bracket available (P/N 5085115)

Kits Include:

- 5 Amp/hr Battery
- Breakaway Switch w/48” lead wires
- Battery Box
- Charger



**3
MOUNTING
OPTIONS!**

TRAILER ACCESSORIES

BREAKAWAY SYSTEMS AND ACCESSORIES

Push to Test Breakaway Systems

Breakaway Systems

Breakaway Switches

Battery Chargers

Sealed Lead Acid Batteries

Battery Cases



ELECTRIC TRAILER BRAKE REPLACEMENT PARTS

Electric Trailer Brake Replacement Parts

Electric Trailer Brake Assemblies

Electric Trailer Brake Assemblies Self Adjusting

Magnets / Bearing Sets Reference Guide

Brake Part Reference Guide

Wheel Nuts / Bolts

WHEEL PROTECTION

Wheel Bearing Kits

Bearing Protectors

Grease Caps

Plastic Fenders



TRAILER ACCESSORIES

Trailer Alignment

Tire Chocks

Safety Chains and Accessories

D-Rings / Tow Hooks

Spare Tire Carriers

Boat Guides / Marine Grade Carpeting

WaterWick™





50-85-325

PUSH TO TEST BREAKAWAY SYSTEM

- Push to Test: LED's indicate fully charged, charging or recharge
- Multi-Stage Integrated Charger provides a fast recharge up to 12.8 volts. Once battery is fully charged, the automatic float mode is designed to provide a continuous charge without overcharging.
- Activates trailer brakes upon separation of trailer and tow vehicle
- For use on 1, 2 or 3 axle trailers equipped with electric brakes
- Weather/corrosion resistant, heavy-duty polymer case to protect battery & charger
- Quick and easy to install
- Tekonsha Breakaway Switch w/48" lead wires
- 5 Amp/hr Battery
- Battery Box, dimensions – 4.25" x 6.25" x 4.125"
- **3 mounting options!** (Note: third mounting requires optional post mount bracket 5085115)
- Limited 1 year warranty

Note: Make sure battery is fully charged prior to towing.



5085115
(Bracket Sold Separately)

Part No.	Description	Packaging
50-85-325	Push to Test Breakaway System with Multi-Stage Integrated Charger	Display Box - Tekonsha

Accessory Part

Part No.	Description	Packaging
5085115	Post Mount Bracket	Bulk

PUSH TO TEST BREAKAWAY SYSTEM



- Push to Test: LED's indicate fully charged or recharge
- Built in battery charger charges battery when plugged into the tow vehicle
- Breakaway Switch w/48" lead wires
- 5 Amp/hr Battery
- Activates trailer brakes upon separation of trailer and tow vehicle
- For use on 1, 2, or 3 axle trailers equipped with electric brakes
- **3 mounting options!** (Note: third mounting requires optional post mount bracket 5085115)
- Limited 1 year warranty

Note: Make sure battery is fully charged prior to towing.



50-85-320

Part No.	Description	Packaging
50-85-320	Push to Test Breakaway System with Charger	Display Box - Pro Series

Accessory Part

Part No.	Description	Packaging
5085115	Post Mount Bracket	Bulk

† = Available while supply lasts.



50-85-302



50-85-312



5085115
(Bracket Sold Separately)

BREAKAWAY SYSTEMS

- Activates trailer brakes upon separation of trailer and tow vehicle
- For use on 1, 2 or 3 axle trailers equipped with electric brakes
- Weather/corrosion resistant, heavy-duty polymer case to protect battery and charger
- **P/N 50-85-312 contains battery charger**
- Quick and easy to install
- Breakaway Switch w/7.5" lead wires
- 5 Amp/hr Battery
- Battery Box, dimensions – 5" x 4.125" x 4"
- Flat Surface Mounting (Note: optional post mount bracket available)
- Limited 1 year warranty

Note: Make sure battery is fully charged prior to towing.

Part No.	Description	Packaging
50-85-302	Breakaway System	Boxed
50-85-312	Breakaway System with Charger	Boxed

Accessory Parts

Part No.	Description	Packaging
5085115	Post Mount Bracket	Bulk



20048†

PUSH TO TEST BREAKAWAY KIT W/ BUILT-IN BATTERY CHARGER

Complete system includes switch, 12 volt battery, battery box with built-in charger, mounting screws and installation instructions.

- Provides neat, efficient battery connection
- Convenient test button verifies battery charge
- Built-in battery charger
- 1 or 2 axle capacity
- 5 amp/hr battery
- Limited 1 year warranty

Note: Make sure battery is fully charged prior to towing.

Part No.	Description	Packaging
20048†	Trailer Breakaway Kit	Display Box - Tow Ready

3 and 4 axle trailers require minimum 5 Amp-hr battery.

For optimal performance, replacement of breakaway electrical components is recommended every 3 to 5 years.

† = Available while supply lasts.

BREAKAWAY SYSTEMS

For use on 1, 2, 3 and 4 axle trailers equipped with electric brakes. These complete systems incorporate the highest quality components in trailer breakaway systems. Meet or exceed Department of Transportation (DOT) specifications regarding trailer breakaway and holding requirements. If a breakaway occurs between your tow vehicle and your trailer, the breakaway systems will automatically apply consistent braking power to your trailer brakes. Quick and easy to install, the systems comes with a weather/corrosion resistant, heavy-duty polymer case to protect the battery and charger.

Breakaway System - For use on 1 & 2 axle trailers with electric brakes.

Part No.	Description	Packaging
1026	Includes 2018 Polymer Battery Case w/A-Frame or Post Mounting Bracket; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 2005-P Breakaway Switch.	Display Box - Tekonsha



1026 / 1028 / 2026 /
2028 Systems & 2018 Case

Breakaway System - For use on 1, 2 & 3 axle trailers with electric brakes.

Part No.	Description	Packaging
50-85-200†	Includes 50-85-102 Lockable All Polymer Battery Case w/Flat Surface Mounting; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 50-85-007 Breakaway Switch.	Bulk



20005 / 20015 Systems & 2051 Case

50-85-200 / 50-85-201 Systems
& 50-85-102 Case

Breakaway System - For use on 1, 2, 3 & 4 axle trailers with electric brakes.

Part No.	Description	Packaging
2026	Includes 2018 Polymer Battery Case w/A-Frame or Post Mounting Bracket; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 2010-P Breakaway Switch.	Display Box - Tekonsha
20005	Includes 2051 Lockable All Polymer Battery Case w/Flat Surface Mounting; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 2010-P Breakaway Switch.	Display Box - Tekonsha
20010	Includes 20000 Lockable Polymer Battery Case w/Weldable Flat Surface Mounting; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 2010-P Breakaway Switch.	Display Box - Tekonsha

Breakaway System With Charger - For use on 1, & 2 axle trailers with electric brakes.

Part No.	Description	Packaging
1028	Includes 2018 Polymer Battery Case w/A-Frame or Post Mounting Bracket; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 2005-P Breakaway Switch; 1024 DC-to-DC Accelerated Battery Charging Device (ABCD).	Display Box - Tekonsha



20010 / 20020 Systems & 20000 Case

Breakaway System With Charger - For use on 1, 2 & 3 axle trailers with electric brakes.

Part No.	Description	Packaging
50-85-201†	Includes 50-85-102 Lockable All Polymer Battery Case w/Flat Surface Mounting; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 50-85-007 Breakaway Switch; 50-85-104 DC-to-DC Accelerated Battery Charging Device (ABCD).	Bulk

Breakaway System With Multi-Stage Integrated Charger - For use on 1, 2, 3 & 4 axle trailers with electric brakes.

Part No.	Description	Packaging
2028	Includes 2018 Polymer Battery Case w/A-Frame or Post Mounting Bracket; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 2010-P Breakaway Switch; 2024-07 DC-to-DC Heavy Duty Quick/Maintenance (Multi Stage) Battery Charger.	Display Box - Tekonsha
20015	Includes 2051 Lockable All Polymer Battery Case w/Flat Surface Mounting; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 2010-P Breakaway Switch; 2024-07 DC-to-DC Heavy Duty Quick/Maintenance (Multi Stage) Battery Charger.	Display Box - Tekonsha
20020	Includes 20000 Lockable Polymer Battery Case w/Weldable Flat Surface Mounting; 2023 Rechargeable Sealed 12v 5 Amp-hr Lead Acid Battery & Terminals; 2010-P Breakaway Switch; 2024-07 DC-to-DC Heavy Duty Quick/Maintenance (Multi Stage) Battery Charger.	Display Box - Tekonsha



Battery Terminals Included in systems

3 and 4 axle trailers require
minimum 5 Amp-hr battery.

For optimal performance,
replacement of breakaway
electrical components is
recommended every 3 to 5 years.

† = Available while supply lasts.


50-85-007 Switch

2010 Switch

2005 Switch

2009 Switch

2023 Battery

Most states require breakaway switch with separate power supply when towing a trailer.

BREAKAWAY SWITCHES

Completely sealed breakaway switches to automatically set trailer brakes in case of accidental trailer breakaway. Required by law in some states. Emergency use only, not to be used to lock brakes when parked or stored. 2010, 50-85-007 and 2005 have reinforced nylon case, weldable metal tab, nylon pin assembly and are rust and corrosion free. 2009 has all metal parts and a brass pin assembly.

Part No.	Description	Packaging
50-85-007	Breakaway Switch w/ 48" wires w/Cable & Nylon Pin Assembly	Bulk
54-85-007	Breakaway Switch w/ 48" wires w/Cable & Nylon Pin Assembly	Bagged
2010-B125	Breakaway Switch w/ 48" wires w/Cable & Nylon Pin Assembly	Bulk
2010-P	Breakaway Switch w/ 48" wires w/Cable & Nylon Pin Assembly	Clam - Tekonsha
2005-B120	Breakaway Switch w/ 48" wires w/Cable & Nylon Pin Assembly (for use with 1-3 axle trailers)	Bulk
2005-P	Breakaway Switch w/ 48" wires w/Cable & Nylon Pin Assembly (for use with 1-3 axle trailers)	Clam - Tekonsha
2009-B60	Breakaway Switch w/ 48" wires w/Cable & Brass Pin Assembly	Bulk
2009-P	Breakaway Switch w/ 48" wires w/Cable & Brass Pin Assembly	Clam - Tekonsha

REPLACEMENT PARTS

50-85-002	48" Replacement Cable & Nylon Pin Assembly (for 50-85-007 Switch)	Bulk
54-85-002	48" Replacement Cable & Nylon Pin Assembly (for 50-85-007 Switch)	Bagged
2010-A	48" Replacement Cable & Nylon Pin Assembly (for 2010 Switch)	Bulk
2010-A-P	48" Replacement Cable & Nylon Pin Assembly (for 2010 Switch)	Clam - Tekonsha
2005-A	48" Replacement Cable & Nylon Pin Assembly (for 2005 Switch)	Bulk
2009-A	48" Replacement Cable & Brass Pin Assembly (for 2009 Switch)	Bulk
2009-A-P	48" Replacement Cable & Brass Pin Assembly (for 2009 Switch)	Clam - Tekonsha

SEALED LEAD ACID BATTERY

12v, sealed lead acid battery for use with Breakaway Systems on single, tandem and tri-axle trailers equipped with electric brakes. Battery requires periodic recharging to maintain optimum performance.

Part No.	Description	Packaging
2023	5 Amp-hr Sealed Battery	Bulk
2023-X	5 Amp-hr Sealed Battery	Display Box - Tekonsha

BATTERY CHARGERS

For all 12v battery systems with a 4 Amp-hr minimum output. 2024-07 is designed to fit securely into the Breakaway Battery Cases. Temperature compensated design provides continuous recharge with automatic float mode feature to prevent overcharging. 1024/50-85-104 will return trailer breakaway system batteries to their maximum potential. Patent pending. 2025-09 features an automatic float mode to prevent overcharging. Ideal for seasonal storage and maintenance of recreational vehicles, motorcycles, snowmobiles, lawn tractors, and more.

Part No.	Description	Packaging
50-85-104	DC-to-DC Accelerated Battery Charging Device (ABCD)	Bulk
1024	DC-to-DC Accelerated Battery Charging Device (ABCD)	Clam - Tekonsha
2024-07	DC-to-DC Heavy Duty Multi Stage/Maintenance Charger	Bulk
2024-07-S	DC-to-DC Heavy Duty Multi Stage/Maintenance Charger	Clam - Tekonsha
2025-09	AC-to-DC Multi Stage Maintenance Charger	Clam - Tekonsha

BATTERY CASES


Rust-proof heavy duty polymer cases protect battery and charger from elements and corrosion. Featuring U-shaped clamp style fastener on #2018 to mount over most trailer tongues, #2051/5085102 is a lockable case, and #20000 features a galvanized metal mounting bracket with locking bar for secure battery protection.

Part No.	Description	Packaging
2018	Battery Case - One-Bolt Installation on Jackpost or A-Frame	Bulk
2051	Battery Case - Four-Bolt Installation on Flat Surface	Bulk
50-85-102	Battery Case - Four-Bolt Installation on Flat Surface	Bulk
20000	Battery Case - Two-Bolt or Weldable Installation on Flat Surface	Bulk


2024-07 Charger


2025-09 Charger

1024/50-85-104 Charger

AL-KO 10" x 2 1/4"


Tekonsha Part No.	Illustration No.	Description
Hardware		
6205†	1	Actuating Lever - R.H.
6206†	1	Actuating Lever - L.H.
6106	2	Magnet Kit
5304	3	Return Spring Set (Axle Set)
5353	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
6604/5604	7	Seal (Axle Set)
5651	10	Grease Cap (Axle Set)
Bearing Sets		
5505	8	Bearing Set - Inner
5502	9	Bearing Set - Outer
Brake Shoes		
6004	11	Shoe and Lining Kit (Wheel Set)
Brake Assembly		
6709TEK		Complete Assembly - L.H.
6710		Complete Assembly - R.H.


AL-KO 12" x 2"


Tekonsha Part No.	Illustration No.	Description
Hardware		
6211†	1	Actuating Lever - R.H.
6212†	1	Actuating Lever - L.H.
6109	2	Magnet Kit 6K & 7K
5307	3	Return Spring Set (Axle Set)
5353	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
6605/5605	7	Seal (Axle Set) (Replace in Pairs)
6658	10	Grease Cap (Axle Set) for 5508
5652	10	Grease Cap (Axle Set) for 5509
Bearing Sets		
5503	8	Bearing Set - Inner
5508	9	Bearing Set - Outer - 865 Large Bore
5509	9	Bearing Set - Outer - Small Bore
Brake Shoes		
6005	11	Shoe and Lining Kit (Wheel Set)
Brake Assembly		
6713		Complete Assembly - L.H.
6714		Complete Assembly - R.H.

† = Available while supply lasts.

Dexter 7" x 1 1/4"



Tekonsha Part No.	Illustration No.	Description
Hardware		
(N/A)	1	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
(N/A)	2	Magnet Kit
5113***	2	Magnet Kit
Hardware (Axle Set)		
5320*	3	Return Spring
5320*	4	Hold Down Clips
5320*	5	Adjusting Screw Spring
5320*	6	Adjusting Screw Assembly


Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5603	7	Seal - BTR (Axle Set)
5651	9	Grease Cap (Axle Set)
Bearing Sets		
5502	8	Bearing Set - Inner & Outer
Brake Shoes		
5002	10	Shoe and Lining Kit (Wheel Set)

*Contained in Hardware Kit (Axle Kit)

***5113 After 4-1990

(N/A) - No Longer Available

Dexter 10" x 1 1/2"



Tekonsha Part No.	Illustration No.	Description
Hardware		
(N/A)	1	Actuating Lever - R.H.
(N/A)	1A	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
(N/A)	1A	Actuating Lever - L.H.
5113*	2	Magnet Kit
5118**	2A	Magnet Kit
5306	3	Return Spring Set (Axle Set)
(N/A)	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5607	7	Seal (Axle Set)
5651	10	Grease Cap (Axle Set)
Bearing Sets		
5507	8	Bearing Set - Inner
5502	9	Bearing Set - Outer
Brake Shoes		
5009	11	Shoe and Lining Kit (Wheel Set)

*Prior to Mid 1988

**After Mid 1988

(N/A) - No Longer Available

† = Available while supply lasts.


Dexter 10" x 2 1/4"



Tekonsha Part No.	Illustration No.	Description
Hardware		
5209†	1	Actuating Lever - R.H.
5210†	1	Actuating Lever - L.H.
5106	2	Magnet Kit
5305	3	Return Spring Set (Axle Set)
5353	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5604	7	Seal (Axle Set)
5651	10	Grease Cap (Axle Set)
Bearing Sets		
5506	8	Bearing Set - Inner (Prior to Dec. 1983)
5505	8	Bearing Set - Inner (After Dec. 1983)
5502	9	Bearing Set - Outer
Brake Shoes		
5003	11	Shoe and Lining Kit (Wheel Set)
Brake Assembly		
5707		Complete Assembly - L.H.
5708		Complete Assembly - R.H.

Dexter 12" x 2"



Tekonsha Part No.	Illustration No.	Description
Hardware		
5215†	1	Actuating Lever - R.H.
5216†	1	Actuating Lever - L.H.
5109	2	Magnet Kit
Return Spring Set (Axle Set)		
5307	3A	Single Retractor
5305	3B	Dual Retractor
5353*	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)


*Replacement Kit Uses Coil Springs

**Prior to 1997

***After 1997 (A Series Only)

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5606**	7	Seal (Axle Set)
5608***	7	Seal (Axle Set)
5652	10	Grease Cap (Axle Set)
Bearing Sets		
5503	8	Bearing Set - Inner
5507	9	Bearing Set - Outer
Brake Shoes		
5000-DX	11	Shoe and Lining Kit (Wheel Set)
Brake Assembly		
5711		Complete Assembly - L.H.
5712		Complete Assembly - R.H.

† = Available while supply lasts.


Dexter 12" x 2" 7K

Tekonsha Part No.	Illustration No.	Description
Hardware		
5215†	1	Actuating Lever - R.H.
5216†	1	Actuating Lever - L.H.
5114	2	Magnet Kit
5305	3	Return Spring Set (Axle Set)
5353	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

*Prior to 1997

**After 1997 (A Series Only)

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5606*	7	Seal (Axle Set)
5608**	7	Seal (Axle Set)
5652	10	Grease Cap (Axle Set)
Bearing Sets		
5503	8	Bearing Set - Inner
5508	9	Bearing Set - Outer (865 HUB)
5509	9	Bearing Set - Outer (UTG Hub)
Brake Shoes		
5010	11	Shoe and Lining Kit (Wheel Set)

Hayes 10" x 1 5/8"

Tekonsha Part No.	Illustration No.	Description
Hardware		
(N/A)	1	Actuating Lever - R.H.
(N/A)	1A	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
(N/A)	1A	Actuating Lever - L.H.
5105*	2	Magnet Kit (4.5K Axles)
5106**	2A	Magnet Kit (6K & 7K Axles)
5101-HA***	2B	Magnet Kit - White Wire
5304	3	Return Spring Set (Axle Set)
(N/A)	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5604	7	Seal (Axle Set)
5651	10	Grease Cap (Axle Set)
Bearing Sets		
5507	8	Bearing Set - Inner
5502	9	Bearing Set - Outer
Brake Shoes		
(N/A)	11	Shoe and Lining Kit (Wheel Set)

*Prior to Mid 1987

**After Mid 1987

***After Late 1994 (Replace in Pairs)

(N/A) - No Longer Available

† = Available while supply lasts.

Hayes 10" x 2 1/4"



Tekonsha Part No.	Illustration No.	Description
Hardware		
(N/A)	1	Actuating Lever - R.H.
(N/A)	1A	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
(N/A)	1A	Actuating Lever - L.H.
5105*	2	Magnet Kit
5106**	2A	Magnet Kit
5101-HA	2B	Magnet Kit-White Wire After Late 1994 (Replace in Pairs)
Return Spring Set (Axle Set)		
5304	3A	Single Retractor
5305****	3B	Dual Retractor
5353	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5604	7	Seal (Axle Set)
5651	10	Grease Cap (Axle Set)
Bearing Sets		
5505***	8	Bearing Set - Inner
5502	9	Bearing Set - Outer
Brake Shoes		
6004	11	Shoe and Lining Kit (Wheel Set)
Brake Assembly		
(N/A)		Complete Assembly - L.H. (Replace in Pairs)
(N/A)		Complete Assembly - R.H. (Replace in Pairs)

*Prior to Mid 1987

**After Mid 1987

***After 1972

****Prior to May 1977

(N/A) - No Longer Available

Hayes 12" x 2"



Tekonsha Part No.	Illustration No.	Description
Hardware		
(N/A)	1	Actuating Lever - R.H.
5211†**	1A	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
5212†**	1A	Actuating Lever - L.H.
(N/A)	2	Magnet Kit
5109**	2A	Magnet Kit
5101-HA	2B	Magnet Kit-White Wire After Late 1994 (Replace in Pairs)
5307	3	Return Spring Set (Axle Set)
5353	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)


Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5605	7	Seal (Axle Set)
5652	10	Grease Cap (Axle Set)
Bearing Sets		
5503	8	Bearing Set - Inner
5507	9	Bearing Set - Outer
Brake Shoes		
(N/A)	11	Shoe and Lining Kit (Wheel Set)
Brake Assembly		
5713-HA		Complete Assembly - L.H. (Replace in Pairs)
5714-HA		Complete Assembly - R.H. (Replace in Pairs)

**After Late 1987

(N/A) - No Longer Available

† = Available while supply lasts.

Hayes 12" x 2" Centerline




Tekonsha Part No.	Illustration No.	Description
Hardware		
(N/A)	1	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
(N/A)	1	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
(N/A)	2	Magnet Kit (4.5K Axles)
(N/A)	2	Magnet Kit (6K & 7K Axles)
(N/A)	3	Return Spring Set (Axle Set)
5353	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

(N/A) - No Longer Available

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5605	7	Seal (Axle Set)
5652	10	Grease Cap (Axle Set)
Bearing Sets		
5503	8	Bearing Set - Inner
5507	9	Bearing Set - Outer
Brake Shoes		
(N/A)	11	Shoe and Lining Kit (Wheel Set) (4.5K and 6K Axles)
(N/A)	11	Shoe and Lining Kit (Wheel Set) (7K Axles)

Fayette 10" x 2 1/4"



Tekonsha Part No.	Illustration No.	Description
Hardware		
(N/A)	1	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
(N/A)	2	Magnet Kit
5304	3	Return Spring Set (Axle Set)
5353*	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

*Contained in Hardware Kit (Axle Kit)

***After 1972


(N/A) - No Longer Available

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5604	7	Seal (Axle Set)
5651	10	Grease Cap (Axle Set)
Bearing Sets		
5505***	8	Bearing Set - Inner
5502	9	Bearing Set - Outer
Brake Shoes		
(N/A)	11	Shoe and Lining Kit (Wheel Set)

† = Available while supply lasts.



Fayette 12" x 2"



Tekonsha Part No.	Illustration No.	Description
Hardware		
(N/A)	1	Actuating Lever - R.H.
(N/A)	1	Actuating Lever - L.H.
(N/A)	2	Magnet Kit
5307	3	Return Spring Set (Axle Set)
5353*	4	Hold Down Kit (Axle Set)
5404	5,6	Adjusting Screw Kit (Spring & Screw Assembly)

*Replacement Kit Uses Coil Springs

**Bonded Shoes

(N/A) - No Longer Available

Tekonsha Part No.	Illustration No.	Description
Grease Seal & Cap		
5605	7	Seal (Axle Set)
5652	10	Grease Cap (Axle Set)
Bearing Sets		
5503	8	Bearing Set - Inner
5507	9	Bearing Set - Outer
Brake Shoes		
5000-DX**	11	Shoe and Lining Kit (Wheel Set)

ELECTRIC TRAILER BRAKE ASSEMBLIES



- Units are assembled
- Assemblies include: Backing Plate, Shoe and Linings, Magnets, Actuating Lever, Adjusting Screw and Spring Hardware.

Part No.	Description
5707	10" x 2 1/4" L.H. Dexter Assembly
5708	10" x 2 1/4" R.H. Dexter Assembly
5711	12" x 2" L.H. Dexter Assembly
5712	12" x 2" R.H. Dexter Assembly
5713-HA	12" x 2" L.H. Hayes Assembly (Replace in Pairs)
5714-HA	12" x 2" R.H. Hayes Assembly (Replace in Pairs)
6709TEK	10" x 2 1/4" L.H. AL-KO Assembly
6710	10" x 2 1/4" R.H. AL-KO Assembly
6713	12" x 2" L.H. AL-KO Assembly
6714	12" x 2" R.H. AL-KO Assembly



† = Available while supply lasts.



SELF-ADJUSTING ELECTRIC TRAILER BRAKE ASSEMBLIES

- Replaces Dexter Electric Trailer Brake Assemblies
- Self Adjusting
- Units are assembled
- Replace in pairs
- Assemblies include: Backing Plate, Shoe and Linings, Magnets, Actuating Lever and Spring Hardware.



Part No.	Description	Packaging
54801-005	10 x 2 1/4 Right Hand Brake Assembly - Self-Adjusting	Boxed
54801-006	10 x 2 1/4 Left Hand Brake Assembly - Self-Adjusting	Boxed
54801-007	12 x 2 Right Hand Brake Assembly - Self-Adjusting	Boxed
54801-008	12 x 2 Left Hand Brake Assembly - Self-Adjusting	Boxed

ELECTRIC TRAILER BRAKE ASSEMBLIES



- Replaces Dexter Electric Trailer Brake Assemblies
- Units are assembled
- Assemblies include: Backing Plate, Shoe and Linings, Magnets, Actuating Lever, Adjusting Screw and Spring Hardware.



Part No.	Description	Packaging
54801-001	10 x 2 1/4 Right Hand Brake Assembly	Boxed
54801-002	10 x 2 1/4 Left Hand Brake Assembly	Boxed
54801-003	12 x 2 Right Hand Brake Assembly	Boxed
54801-004	12 x 2 Left Hand Brake Assembly	Boxed
54801-023	10 x 2 1/4 Right Hand Brake Assembly	Bulk
54801-024	10 x 2 1/4 Left Hand Brake Assembly	Bulk
54801-025	12 x 2 Right Hand Brake Assembly	Bulk
54801-026	12 x 2 Left Hand Brake Assembly	Bulk

SKID QUANTITIES

54801-126R	12 x 2 Right Hand Brake Assembly	126 per skid
54801-126L	12 x 2 Left Hand Brake Assembly	126 per skid
54801-156R	10 x 2-1/4 Right Hand Brake Assembly	156 per skid
54801-156L	10 x 2-1/4 Left Hand Brake Assembly	156 per skid



BRAKE ASSEMBLY MOUNTING BOLTS

Part No.	Description	Packaging
5720	3/8" Brake Assembly Mounting Bolt (Used on 5 bolt mounting patterns)	Clam Shell
5721	7/16" Brake Assembly Mounting Bolt (Used on 4 bolt mounting patterns)	Clam Shell

† = Available while supply lasts.

**Brake Assembly**

Part No.	Description	Packaging
5707	10 x 2 1/4 Dexter (L.H.)	Boxed
5708	10 x 2 1/4 Dexter (R.H.)	Boxed
5711	12 x 2 Dexter (L.H.)	Boxed
5712	12 x 2 Dexter (R.H.)	Boxed
*5713-HA	12 x 2 Hayes (L.H.)	Boxed
*5714-HA	12 x 2 Hayes (R.H.)	Boxed
6709TEK	10 x 2 1/4 AL-KO (L.H.)	Boxed
6710	10 x 2 1/4 AL-KO (R.H.)	Boxed
6713	12 x 2 AL-KO (L.H.)	Boxed
6714	12 x 2 AL-KO (R.H.)	Boxed

Brake Assembly Mounting Bolts

Part No.	Description	Packaging
5720	3/8" 5 Bolt Mounting Pattern	Clam Shell
5721	7/16" 4 Bolt Mounting Pattern	Clam Shell

Magnet Kit

Part No.	Description	Packaging
*5101-HA	10 x 1 5/8 Hayes (After late 1994) 10 x 2 1/4 Hayes (After late 1994) 10 x 2 1/4 Hayes (After late 1994)	Boxed
5105	10 x 2 1/4 Hayes (Prior to Mid 1987) 10 x 1 5/8 Hayes (4.5K Axles) (Prior to Mid 1987)	Boxed
5106	10 x 2 1/4 Dexter 10 x 2 1/4 Hayes (After Mid 1987) 10 x 1 5/8 Hayes (6K&7K Axles) (After Mid 1987)	Boxed
5109	12 x 2 Dexter 12 x 2 Hayes (After Late 1987)	Boxed
5113	10 x 1 1/2 Dexter (Prior to Mid 1988) 7 x 1 1/4 Dexter (After April 1990)	Boxed
5114	12 x 2 Dexter 7K	Boxed
5118	10 x 1 1/2 Dexter (After Mid 1988)	Boxed
6106	10 x 2 1/4 AL-KO	Boxed
6109	12 x 2 AL-KO 6K & 7K	Boxed

Magnet Retaining Ring (Not Pictured)

Part No.	Description	Packaging
5120TEK	10 x 1 5/8 Hayes 10 x 2 1/4 Hayes (Old Style) 12 x 2 Hayes (Old Style)	Clam Shell

Magnet Retaining Clip (Not Pictured)

Part No.	Description	Packaging
5121TEK	10 x 2 1/4 Dexter 12 x 2 Dexter 12 x 2 Dexter 7K 10 x 2 1/4 Hayes (New Style) 12 x 2 Hayes (New Style)	Clam Shell

Wire Clip (Not Pictured)

Part No.	Description	Packaging
5122	10 x 1 1/2 Dexter 10 x 2 1/4 Dexter 12 x 2 Dexter	Clam Shell

Actuating Lever

Part No.	Description	Packaging
5209†	10 x 2 1/4 Dexter (R.H.)	Boxed
5210†	10 x 2 1/4 Dexter (L.H.)	Boxed
5211†	12 x 2 Hayes (R.H.) (After Late 1987)	Boxed
5212†	12 x 2 Hayes (L.H.) (After Late 1987)	Boxed
5215†	12 x 2 Dexter (R.H.) & 12 x 2 Dexter 7K (R.H.)	Boxed
5216†	12 x 2 Dexter (L.H.) & 12 x 2 Dexter 7K (L.H.)	Boxed
6205†	10 x 2 1/4 AL-KO (R.H.)	Boxed
6206†	10 x 2 1/4 AL-KO (L.H.)	Boxed
6211†	12 x 2 AL-KO (R.H.)	Boxed
6212†	12 x 2 AL-KO (L.H.)	Boxed

Grease Cap (Axle Set)

Part No.	Description	Packaging
5651	7 x 1 1/4 Dexter 10 x 2 1/4 AL-KO 10 x 1 5/8 Hayes 10 x 1 1/2 Dexter 10 x 2 1/4 Hayes 10 x 2 1/4 Dexter 10 x 2 1/4 Fayette 10 x 2 1/4 Foreman	Clam Shell
5652	12 x 2 AL-KO (Small Bore) 12 x 2 Hayes & 12 x 2 Hayes Centerline 12 x 2 Dexter & 12 x 2 Dexter 7K 12 x 2 Fayette 12 x 2 Foreman	Clam Shell
6658	12 x 2 AL-KO (Large Bore)	Clam Shell

Grease Seal (Axle Set)

Part No.	Description	Packaging
5602	7 1/4 x 1 1/4 Hayes	Clam Shell
5603	7 x 1 1/4 Dexter (BTR)	Clam Shell
5604	10 x 1 5/8 Hayes 10 x 2 1/4 AL-KO 10 x 2 1/4 Hayes 10 x 2 1/4 Dexter 10 x 2 1/4 Fayette	Clam Shell
5605	12 x 2 Hayes & 12 x 2 Hayes Centerline 12 x 2 Fayette 12 x 2 AL-KO*	Clam Shell
5606	12 x 2 Dexter (Prior 1997) & 12 x 2 Dexter 7K (Prior 1997)	Clam Shell
5607	10 x 1 1/2 Dexter	Clam Shell
5608	12 x 2 Dexter (After 1997 - A Series Only) & 12 x 2 Dexter 7K (After 1997 - A Series Only)	Clam Shell
6604/5604	10 x 2 1/4 AL-KO	Clam Shell
6605/5605	12 x 2 AL-KO*	Clam Shell

* (Replace in pairs)

† = Available while supply lasts.

Shoe and Lining Kits (Wheel Set)

Part No.	Description	Packaging
5000-DX	12 x 2 Dexter 12 x 2 Fayette (Bonded Shoes) 12 x 2 Aimco 12 x 2 Foreman	Boxed
5002	7 x 1 1/4 Dexter	Boxed
5003	10 x 2 1/4 Dexter	Boxed
5009	10 x 1 1/2 Dexter	Boxed
5010	12 x 2 Dexter 7K	Boxed
6004	10 x 2 1/4 AL-KO 10 x 2 1/4 Hayes	Boxed
6005	12 x 2 AL-KO	Boxed

Bearing Set (L44610 Cup L44649 Cone)

Part No.	Description	Packaging
5502	7 1/4 x 1 1/4 Hayes (In & Out) 7 1/4 x 1 1/4 Foreman (In & Out) 7 x 1 1/4 Dexter BTL (In & Out) 7 x 1 1/4 Dexter BTR (In & Out) 7 1/4 x 1 1/4 Fayette (In & Out) 7 1/4 x 1 1/4 Foreman (In & Out) 10 x 1 5/8 Hayes (Out) 10 x 1 1/2 Dexter (Out) 10 x 2 1/4 AL-KO (Out) 10 x 2 1/4 Hayes (Out) 10 x 2 1/4 Dexter (Out) 10 x 2 1/4 Fayette (Out) 10 x 2 1/4 Foreman (Out)	Clam Shell

Bearing Set (25520 Cup 25580 Cone)

Part No.	Description	Packaging
5503	12 x 2 AL-KO (In) 12 x 2 Hayes (In) & 12 x 2 Hayes Centerline (In) 12 x 2 Dexter (In) & 12 x 2 Dexter 7K (In) 12 x 2 Fayette (In) 12 x 2 Foreman (In) 12 x 2 AL-KO (In) 6 & 8 Hole	Clam Shell

Bearing Set (L68111 Cup L68149 Cone)

Part No.	Description	Packaging
5505	10 x 2 1/4 AL-KO (In) 10 x 2 1/4 Fayette (In) (After 1972) 10 x 2 1/4 Hayes (In) (After 1972) 10 x 2 1/4 Dexter (In) (After Dec. 1983) 12 x 2 Foreman (In) 12 x 2 AL-KO (In) 6 & 8 Hole	Clam Shell

Bearing Set (LM48510 Cup LM48548 Cone)

Part No.	Description	Packaging
5506	10 x 2 1/4 Dexter (In) (Prior Dec. 1983) 10 x 2 1/4 Foreman (In) 10 x 2 1/4 Fayette (In) (Prior 1972)	Clam Shell

Bearing Set (L44610 Cup L44649 Cone)

Part No.	Description	Packaging
5507	10 x 1 5/8 Hayes (In) 10 x 1 1/2 Dexter (In) 12 x 2 Hayes (Out) & 12 x 2 Hayes Centerline (Out) 12 x 2 Dexter (Out) 12 x 2 Fayette (Out) 12 x 2 Foreman (Out)	Clam Shell

Bearing Set (14276 Cup 14125A Cone)

Part No.	Description	Packaging
5508	12 x 2 Dexter 6K & 7K 865 Hub (Out) 12 x 2 AL-KO 8 Hole 865 Hub (Out)	Clam Shell

Bearing Set (15245 Cup 15123 Cone)

Part No.	Description	Packaging
5509	12 x 2 Dexter 6K & 7K UTG Hub (Out) 12 x 2 AL-KO 6 & 8 Hole (865 Small)	Clam Shell

Return Spring Set (Axle Set)

Part No.	Description	Packaging
5304	10 x 2 1/4 AL-KO 10 x 1 5/8 Hayes 10 x 2 1/4 Hayes (Single Retractor) 10 x 2 1/4 Fayette	Clam Shell
5305	10 x 2 1/4 Hayes (Dual Retractor - Prior to May 1977) 10 x 2 1/4 Dexter 10 x 2 1/4 Aimco 10 x 2 1/4 Foreman 12 x 2 Aimco 12 x 2 Dexter (Dual Retractor) & 12 x 2 Dexter 7K 12 x 2 Foreman	Clam Shell
5306	10 x 1 1/2 Dexter	Clam Shell
5307	12 x 2 AL-KO 12 x 2 Hayes 12 x 2 Dexter (Single Retractor) 12 x 2 Fayette	Clam Shell

Hardware Kit (Axle Set)

Part No.	Description	Packaging
5320	7 x 1 1/4 Dexter	Clam Shell

Hold Down Kit (Axle Set)

Part No.	Description	Packaging
5353	10 x 2 1/4 AL-KO 10 x 2 1/4 Hayes 10 x 2 1/4 Dexter 10 x 2 1/4 Fayette 10 x 2 1/4 Aimco 12 x 2 AL-KO 12 x 2 Hayes & 12 x 2 Hayes Centerline 12 x 2 Dexter & 12 x 2 Dexter 7K 12 x 2 Fayette	Clam Shell

Adjusting Screw Kit (Spring & Screw Assembly)

Part No.	Description	Packaging
5404	10 x 2 1/4 AL-KO 10 x 1 5/8 Hayes 10 x 1 1/2 Dexter 10 x 2 1/4 Hayes 10 x 2 1/4 Dexter 10 x 2 1/4 Fayette 10 x 2 1/4 Aimco 12 x 2 AL-KO 12 x 2 Hayes & 12 x 2 Hayes Centerline 12 x 2 Dexter & 12 x 2 Dexter 7K 12 x 2 Fayette 12 x 2 Aimco 12 x 2 Foreman	Clam Shell

Adjusting Screw Spring Set (Not Pictured)

Part No.	Description	Packaging
5407	10 x 1 5/8 Hayes 10 x 1 1/2 Dexter 10 x 2 1/4 Hayes 10 x 2 1/4 Dexter 10 x 2 1/4 Fayette 10 x 2 1/4 Aimco 12 x 2 Hayes 12 x 2 Dexter 12 x 2 Fayette	Clam Shell

† = Available while supply lasts.

5101-HA – White Wires

Length	3 1/8
Width	2
Thickness	15/16
Fits or Replaces	
Hayes	10 x 1 5/8
	10 x 2 1/4
	12 x 2

(All - Replaces in pairs)

(All - After Late 1994)

5105 – Red Wires

Length	3 1/4
Width	2 3/8
Thickness	7/8
Fits or Replaces	
Hayes	10 x 2 1/4
	(Prior to Mid 1987)
Hayes	10 x 1 5/8
	(Prior to Mid 1987)
Trailer Pac	100
Tow Craft	1103-100-001

5106 – Green Wires

Length	3 1/8
Width	2
Thickness	15/16
Fits or Replaces	
Dexter	10 x 2 1/4
Hayes	10 x 2 1/4
	(After Mid 1987)
Hayes	10 x 1 5/8
	(After Mid 1987)
Trailer Pac	102
Tow Craft	1103-100-017

5109 – White Wires

Length	3 1/8
Width	2
Thickness	15/16
Fits or Replaces	
Dexter	12 x 2
Hayes	12 x 2
	(After Late 1987)
Trailer Pac	103
Tow Craft	1103-100-018

5113 – White Wires

Length	2 1/16
Width	1 15/16
Thickness	3/4
Fits or Replaces	
Dexter	10 x 1 1/2
	(Prior to Mid 1988)
Dexter	7 x 1 1/4
	(After April 1990)

5114 – Black Wires

Length	3 1/8
Width	2
Thickness	15/16
Fits or Replaces	
Dexter	12 x 2 - 7K Axles

5118 – Yellow Wires

Length	3 1/8
Width	2
Thickness	15/16
Fits or Replaces	
Dexter	10 x 1 1/2
	(After Mid 1988)



6106 – Light Green Wires

Length	3 1/8
Width	2
Thickness	15/16
Fits or Replaces	
AL-KO Kober	10 x 2 1/4

6109 – White Wires

Length	3 1/8
Width	2
Thickness	15/16
Fits or Replaces	
AL-KO Kober	12 x 2 6K & 7K



Bearing Sets

Cup / Cone	Part No.
14276-14125A	5508
15245-15123	5509
25520-25580	5503
L44610-L44649	5502
LM48510-LM48548	5506
LM67010-LM67048	5507
L68111-L68149	5505



Spindle Nuts Kits - Standard Washer

Spindle Nuts Kits - D Type Washer

SPINDLE NUT KITS

Secures brake hardware on spindle axles.

Part No.	Description	Packaging
5774	Spindle Nut Kit - Standard Washer - (1" - 14 Spindle)	Clam - Tekonsha
5775	Spindle Nut Kit - D Type Washer - (1" - 14 Spindle)	Clam - Tekonsha



Wheel Nuts

Wheel Bolts

WHEEL NUTS/BOLTS

Secures wheel to brake drum.

Part No.	Description	Packaging
5780TEK	13/16 Wheel Nut - (1/2 - 20) - Set of 5	Clam - Tekonsha
5787	Wheel Bolt - (1/2 - 20) - Set of 5	Clam - Tekonsha

† = Available while supply lasts.


FULTON

WHEEL BEARING KITS

- Designed to fit most hubs used on boat, utility, snowmobile, and RV trailers
- Kit includes 2 bearing cones, 2 bearing cups, grease seal, and cotter pin

Part No.	Spindle Outer Diameter	Hub Diameter
WB100 0700	1"	1.980"
WB106 0700	1-1/16"	1.980"
WB138T0700*	1-3/8" x 1-1/16"	1.980"

Minimum order quantities may apply. *T applies to tapered axle applications.


FULTON
Bearing Life

BEARING PROTECTORS

- Protects wheel bearings from the elements during all trailer operations
- Automatically maintains the correct internal pressure – cannot damage seals
- Chrome-plated steel construction
- Sold in pairs and are available in bulk or full color display packages
- Some models include vinyl cover (see chart)

Part No.	Description	Hub Diameter	Packaging
BPC1780604*	Bearing Protector with Covers	1.781"	Clam Shell
BPC1980604*	Bearing Protector with Covers	1.980"	Clam Shell
BP232S0604	Bearing Protector	2.328"	Clam Shell
BP244S0604	Bearing Protector	2.441"	Clam Shell
BP198S0304	Bearing Protector	1.980"	Bulk
BP232S0304	Bearing Protector	2.328"	Bulk
BP244S0304	Bearing Protector	2.441"	Bulk
BB17810112*	Bearing Protector Covers - 2 pack	1.781"	Bag w/Header Card
BB19800112	Bearing Protector Cover - 2 pack	1.980"	Bag w/Header Card
BB24410112	Bearing Protector Cover - 2 pack	2.328" and 2.441"	Bag w/Header Card
BB19800312	Bearing Protector Cover	1.980"	Bulk
BB24410312	Bearing Protector Cover	2.328" and 2.441"	Bulk
000612	Bearing Protector	2"	Bulk

Minimum order quantities may apply.


*Bulk versions also available. Contact your sales representative.



1500 Series



1600 Series



GREASE CAPS

1500 Series

Part No. Packaging	Part No. Bulk	Mat. Gauge	Measurements (See Diagram)				Weight / 100 Pcs.
			A	B	C	D	
-	001501*	22	1.786"	0.63"	0.27"	0.89"	7.0 lbs.
001928	001517*	22	1.786"	0.88"	0.28"	1.16"	7.3 lbs.
-	001503*	22	1.786"	1.16"	0.375"	1.535"	9.6 lbs.
-	001523	20	1.943"	0.69"	0.31"	1"	8.5 lbs.
-	001524	20	1.943"	1.04"	0.34"	1.38"	10.5 lbs.
-	001527	20	1.957"	1.06"	0.31"	1.375"	10.5 lbs.
001925	001505*	22	1.968"	0.78"	0.375"	1.156"	9.5 lbs.
-	001518*	22	1.988"	0.94"	0.218"	1.156"	9.5 lbs.
-	001513	14	2.446"	0.93"	0.313"	1.24"	25.0 lbs.
-	107540*	14	2.446"	0.93"	0.313"	1.24"	25.0 lbs.
001927	001520*	22	2.446"	1.03"	0.313"	1.34"	12.8 lbs.
-	001508*	20	2.251"	0.93"	0.260"	1.26"	12.5 lbs.
-	001515*	20	2.567"	1.08"	0.281"	1.36"	15.0 lbs.
-	001526	20	2.722"	1.13"	0.312"	1.44"	15.6 lbs.
-	001516*	16	3.008"	1.62"	0.66"	2.28"	42.8 lbs.
-	001531	16	3.155"	1.43"	0.37"	1.8"	46.0 lbs.
-	001528	20	3.358"	1.06"	0.56"	1.62"	26.8 lbs.

1600 Series

Part No. Packaging	Part No. Bulk	Mat. Gauge	Measurements (See Diagram)				Weight / 100 Pcs.
			A	B	C	D	
-	001610	16	1.96"	0.68"	0.32"	1"	15.0 lbs.
-	100235*	16	2.333"	0.84"	0.37"	1.21"	15.4 lbs.
001926	001601	16	2.333"	0.91"	0.37"	1.281"	18.0 lbs.
-	001604	16	2.446"	0.88"	0.28"	1.16"	18.8 lbs.
-	001606	16	2.503"	0.53"	0.41"	0.94"	18.3 lbs.
-	001605	16	2.722"	1.03"	0.31"	1.34"	22.6 lbs.
-	001609	16	3.125"	1.01"	0.296"	1.31"	28.4 lbs.
-	001607	16	3.155"	1.16"	0.218"	1.375"	28.4 lbs.
-	001602	16	3.255"	0.61"	0.53"	1.145"	32.6 lbs.
-	001603	16	3.882"	0.44"	0.63"	1.07"	40.8 lbs.

All shown standards.

*Zinc-plated for corrosion resistance.

Minimum order quantities may apply.

† = Available while supply lasts.




PLASTIC FENDERS

- High density polyethylene (HDPE) fenders
- Injection molded
- Corrosion proof
- Impact resistant, 300 lbs. capacity
- Molded-in color is "scratch proof"
- Built-in fender skirt
- Optional integral step pad
- Handles temperature extremes
- Mounting slots



Note: Lights not included.

Dimensional Information



PLASTIC FENDERS

Style A

Part No. Bulk White	Part No. Bulk Black	Part No. Bulk Silver	Tire Size	Measurements (See Diagram)										Unit Wt. Lbs.
A	B	C	D	E	F	M (1)	M (2)	M (3)	M (4)					
008540*	008550*	—	8"-12"	7.00"	—	20.25"	6.25"	4.62"	—	—	—	2.25"	2.50"	1

Style B

Part No. Bulk White	Part No. Bulk Black	Part No. Bulk Silver	Tire Size	Measurements (See Diagram)										Unit Wt. Lbs.
A	B	C	D	E	F	M (1)	M (2)	M (3)	M (4)					
008549	008559	008569	8"-12"	7.35"	—	22.30"	6.50"	3.75"	2.18"	—	—	.075"	3.00"	1-1/4

Style C

Part No. Bulk White	Part No. Bulk Black	Part No. Bulk Silver	Tire Size	Measurements (See Diagram)										Unit Wt. Lbs.
A	B	C	D	E	F	M (1)	M (2)	M (3)	M (4)					
008541*	008551*	008561	8"-12"	7.35"	7.35"	21.80"	6.50"	3.75"	2.18"	—	—	2.43"	2.50"	1
008543	008553	008563	13"	9.00"	7.70"	29.25"	12.00"	—	2.75"	—	—	—	—	3
—	008554	008564	14"	9.70"	8.00"	31.30"	12.75"	—	3.00"	—	—	—	—	3-3/4

Style D (US Patent D385, 512)

Part No. Bulk White	Part No. Bulk Black	Part No. Bulk Silver	Tire Size	Measurements (See Diagram)										Unit Wt. Lbs.
A	B	C	D	E	F	M (1)	M (2)	M (3)	M (4)					
008572	008582	008592	12"	7.50"	6.90"	33.50"	8.75"	—	2.50"	22.70"	4.00"	1.50"	3.00"	2-1/2
508572	—	—	12"	7.50"	6.90"	33.50"	8.75"	—	2.50"	22.70"	4.00"	1.50"	3.00"	2-1/2
008573	008583	008593	13"	9.00"	7.70"	40.00"	12.00"	—	2.75"	28.00"	4.00"	2.12"	3.75"	3-3/4
508573	—	—	13"	9.00"	7.70"	40.00"	12.00"	—	2.75"	28.00"	4.00"	2.12"	3.75"	3-3/4
008574	008584	008594	14"	9.70"	8.00"	43.40"	12.75"	—	3.00"	30.00"	4.00"	2.12"	3.75"	4-3/4
508574	—	—	14"	9.70"	8.00"	43.40"	12.75"	—	3.00"	30.00"	4.00"	2.12"	3.75"	4-3/4
008575	008585	008595	15"	10.25"	6.70"	45.00"	14.85"	—	3.00"	34.00"	4.00"	2.12"	3.75"	5-3/4

* Minimum order quantities may apply.

† = Available while supply lasts.



7000100

WHEEL CHOCK

- Made from high impact polymer
- Reduces the risk of trailer roll
- Fits most trailer wheels
- Counter display box



Part No.	Description
7000100	Wheel Chock - must be ordered in multiples of 6 pairs



63300

HITCH & TRAILER ALIGNMENT TOOL

- Convenient one person hitch alignment system
- Magnetic base for fast and easy location
- Telescoping rods adjust up to 42"
- Easy to use the first time

Part No.	Description
63300	Hitch & Trailer Alignment Tool



CHA0010340



CHA0040324



CHA0060324



CHA0020324



SAFETY CHAINS

- Safety chains are required by law in most states
- Cross chains when towing for added safety
- All chains conform to J684.6.3.4 SAE standards

Part No.	Grade	Size	Hook	Finish	Capacity	Description	Packaging
CHA0010140	30	1/4 x 24"	7/16" Safety Hook	Clear Zinc	5,000 lbs.	Proof coil chain. 1/4" chain interior dimension is sized so a 1/2" bolt shank can pass through. (2-pack)	Clam Shell
CHA0010340	30	1/4 x 24"	7/16" Safety Hook	Clear Zinc	5,000 lbs.	Proof coil chain. 1/4" chain interior dimension is sized so a 1/2" bolt shank can pass through.	Bulk
CHA0020324	70	1/4" x 36"	1/4" Forged Clevis Hook	Yellow Zinc	12,600 lbs.	Transport chain. 1/4" chain interior dimension is sized so a 1/2" bolt shank can pass through.	Bulk
CHA0030140	43	1/4 x 24"	7/16" Safety Hook	Clear Zinc	7,800 lbs.	Test chain. 1/4" chain interior dimension is sized so a 1/2" bolt shank can pass through. (2-pack)	Clam Shell
CHA0030340	43	1/4 x 24"	7/16" Safety Hook	Clear Zinc	7,800 lbs.	Test chain. 1/4" chain interior dimension is sized so a 1/2" bolt shank can pass through.	Bulk
49150	70	5/16" x 42"	5/16" Forged Clevis Hook	Yellow Zinc	16,000 lbs.	Goosebox safety chain.	Boxed
CHA0040324	70	5/16" x 36"	5/16" Forged Clevis Hook	Yellow Zinc	18,800 lbs.	Transport chain.	Bulk
CHA0050324	70	5/16" x 42"	5/16" Forged Clevis Hook	Yellow Zinc	18,800 lbs.	Transport chain.	Bulk
CHA0060324	70	3/8" x 36"	3/8" Forged Clevis Hook	Yellow Zinc	26,400 lbs.	Transport chain.	Bulk
CHA0070324	70	1/2" x 42"	1/2" Forged Clevis Hook	Yellow Zinc	45,200 lbs.	Transport chain.	Bulk



63035




5592



49138



49137



40604



49147

SAFETY CHAIN KIT

Part No.	Max GTW	Description
63034	2,000	6' Class I - S-Hooks on Both Ends (1pc)
63035	5,000	6' Class III - Quick Links on Both Ends (1pc)

SAFETY CHAIN KIT (BULK PACKAGED)

Part No.	Max GTW	Description
5592	3,500	6' Class II - 1/4" Proof Coil Chain.
2489	5,000	30" Class III - Straight Link Machine Chain

CLASS I-III CHAIN WITH S-HOOK, ONE END

Part No.	Description
49138	Class II GVWR 3,500 lbs. 24", 1/4" Proof Coil Grade 30, with S-Hook at One End (836)
49141	Class III GVWR 5,000 Lbs. 30", 1/4" Proof Coil Grade 30, with S-Hook at One End (839)

CLASS I-III SAFETY CHAIN WITH S-HOOK, BOTH ENDS

Part No.	Description
49137	Class I GVWR 2,000 Lbs. 48", 3/16" Proof Coil Grade 30, S-Hook, Both Ends (835)
44140	Class III GVWR 5,000 Lbs. 48", 1/4" Proof Coil Grade 30, S-Hook, Both Ends (839)

CLASS III SAFETY CHAIN WITH QUICK LINKS

Part No.	Description
40604	Class III 30" with Quick Links, Heavy Duty Safety Chain Kit for Tow Bars (5,000 lbs. GTW)

CLASS IV SAFETY CHAIN WITH CLEVIS HOOK

Part No.	Description
49148	Class IV 32", 5/16" Proof Coil Grade 30 5/16" Clevis Slip Hook, One End (7,600 lbs. GVW)
49149	Class IV 36", 1/2" proof Coil Grade 30 3/8" Clevis Slip Hook, One End (10,600 lbs. GVW)
49147	Class IV 35", 3/8" High Test 43 Clevis Slip & Latch Hook (16,200 lbs. GVW)

† = Available while supply lasts.



63024



63025



63026

63027

63028



44200



44201



44202



63029



63030



44150

44153

49152



JC1000300

FORGED D-RINGS, FORGED LASHING RINGS & BRACKETS

Part No.	Description	Work Load (lbs.)	Max Load (lbs.)
63024	Forged D Ring Yellow Zinc, 1/2" Forged D-Ring with Mounting Bracket, Measures 2-1/2" X 2-3/8" ID	4,000	12,000
63025	Forged Lashing Ring 18,000 lbs. 3/8" C1045 Material 5/8" Forged D-Ring with Weld Mounting Bracket	6,000	18,000
63026	Forged Lashing Ring 26,500 lbs. 3/8" Thick, C1045 Material 3/4" Forged D-Ring with Weld Mounting Bracket	8,833	26,500
63027	1" Forged D-Ring with Weld On Mounting Bracket, 3/8" Thick	15,587	46,760
63028	1x5x6 Forged Lashing Ring 46,760 lbs. C1045 Material 5/8" Forged D-Ring with Weld Mounting Bracket	15,587	46,760
44200	Recessed Rope Ring for 3/8" Plywood	400	1,200
44201	Rope Ring, Zinc 10 gauge	400	1,200
44202	Recessed Rope Ring & Trim Ring Zinc 16 gauge Steel for 1/4" Plywood	333	1,000
44203†	Replacement Plastic Trim for #44202		
44209†	Recessed Floor/Wall Tie Downs 1/8" Plate Steel	1,667	5,000

TOW HOOKS (BULK PACKAGED)

Part No.	Description	Max. GTW (lbs.)
63029	Tow Hook with Mounting Bolts (Chrome)	10,000
63030	Tow Hook with Mounting Bolts (Black)	10,000

S-HOOKS/J-CLIP FOR TRAILER SAFETY CHAIN

Part No.	Description
44150	S-hook for Trailer Safety Chain, Class I, Break Strength 2,000 lbs.
44153	S-hook for Trailer Safety Chain, Class II/III, Break Strength 5,000 lbs.
49152	S-hook for Trailer Safety Chain, Class IV, Break Strength 7,600 lbs.
JC1000300	J-Clip for Safety Chain

QUICK LINKS (BULK PACKAGED)

- Use to connect safety chains to tow vehicle or trailer

Part No.	Max GTW	Description
49132	3,500	1/4" Quick Link
49131	3,500	5/16" Quick Link
44133	3,500	3/8" Quick Link
49134	5,000	7/16" Quick Link
49135	10,000	1/2" Quick Link
74602	5,000	5/16" Quick Link, Fits 5/16" Chain - Packaged

CLEVIS SLIP HOOKS W/ LATCH FOR TRAILER SAFETY CHAIN

Part No.	Description
44154	Grade 43, Clevis Slip with Latch, 1/4"
44155	Grade 43, Clevis Slip with Latch, 5/16"
44156	Grade 43, Clevis Slip with Latch, 3/8"
44157	Grade 43, Clevis Slip with Latch, 1/2"
44163	Grade 70, Clevis Hook with Latch, 1/4"
44159	Grade 70, Clevis Hook with Latch, 5/16"
44164	Grade 70, Clevis Hook with Latch, 3/8"


† = Available while supply lasts.



SPARE TIRE CARRIER

- Fits most 4, 5 and 6 lug wheels - up to 16-1/2"
- Provides 4-3/4" lift and over 7" of offset to mount tire up and out of the way
- Zinc-plated to resist corrosion
- Easy bolt-on installation, no cutting or drilling required
- Fits trailer tongue up to 3" wide by 5" high
- All mounting hardware and instructions included

Part No.	Description	Packaging
HDSTC 0101	Spare tire carrier	Bulk



HI-MOUNT SPARE TIRE CARRIER

- Heavy-duty, welded and reinforced steel plate construction
- Zinc-plated to resist corrosion
- Adjustable bolt circle to fit both 4 and 5 lug wheels
- Fits all trailer tongues up to 3" wide by 4" high
- Includes zinc-plated mounting hardware and instructions
- Security locking hole to lock wheel and bracket to trailer using a security cable and lock (cable and lock sold separately).

Part No.	Description	Packaging
STC1000101	Hi-mount spare tire carrier	Ind. Box
STC1000301	Hi-mount spare tire carrier	Bulk



ECONOMY SPARE TIRE CARRIER

- Fits 8", 9", 12", 13", 14", and 15" wheels with 4 or 5 lug rims
- Easy to install
- Includes lug nuts to secure wheel to frame
- Heavy-duty 1/2" diameter construction
- Zinc-plated to resist corrosion

Part No.	Description	Packaging
ETC 0101	Economy spare tire carrier	Clam Shell
ETCLB 0201	Economy spare tire carrier with locking levers	Bulk
ETCLB 0700	Economy spare tire carrier with locking levers	Clam Shell
ETCHL 0700	Economy spare tire carrier with locking levers and HLO lock	Clam Shell



ECONOMY ETC & SPARE TIRE LOCK

- Tested tough
- Theft-resistant locking cap
- Fits over wheel studs (up to 9/16" diameter) to deter spare tire theft
- Removable plug allows longer wheel studs to protrude through cap
- Locking tab provides positive locking feature to prevent lock from turning

Part No.	Description	Packaging
ETCSTL0701	Economy spare tire carrier with STL spare tire lock	Clam Shell

† = Available while supply lasts.



BGR20

BOAT GUIDES

Boat guides help you visually guide your boat onto your trailer. High-strength super gripper mounting brackets attach firmly above and below the trailer frame. Easy bolt-on mounting fits trailer frames up to 3" x 5" high. Adjustable to provide optimum fit to any hull design.

Part No.	Description	Upright Height
GB44 0101	Non-marring, marine grade PVC tubing, 1 pair	44"
GB150 0100	Non-marring, marine grade PVC tubing, 1 pair	50"
BGR20 0101	Steel construction with non-marring, cushioned rollers, 1 pair	20"

Accessory Part

Part No.	Description
500358	Cap for BGR20 0101



GB150



GB44


Replacement
Bunk Carpeting

MARINE GRADE CARPETING

Marine Grade carpeting allows the do-it-yourselfer to replace worn and dirty carpet on bunk trailers. The carpet protects your boat investment by reducing scratching on the hull and keeps it in like-new condition. Individual rolls are shrink-wrapped for shelf display.

Part No.	Description
CR8008	Bunk carpeting, Black, 8" x 144"
CR8012	Bunk carpeting, Black, 12" x 144"

† = Available while supply lasts.



WaterWick

FULTON

- Absorbs moisture from the air
- Helps control mold and mildew
- Contains 1.65 lbs/750 grams of Calcium Chloride (salt), that can absorb up to 1/4 gallon of moisture
- 32" long (with hook extended), 1.88 lbs.
- Designed for use in RVs, Trailers, Boats

Part No.	Description
1000750	WaterWick™

US Patent 6.273.942. B1



WATERWICK RECOMMENDED USAGE

Square Feet	Humidity	# of Units
Up to 30	Low	1-2
	High	2-3
Over 30	Low	2-3
	High	3-4

General guidelines only. Number of units needed may vary depending on your specific needs.

NOTE: Contains Calcium Chloride (salt). Possible adverse effects in case of contact with eyes. Please read caution on instructions sheet.

VEHICLE ACCESSORIES

Tow Bars

Transmission Coolers and Accessories

Battery Post Adapter

Battery Isolators



5,000 LBS. ADJUSTABLE TOW BARS



63180

63181

- Light-weight, only 31 lbs.
- Arms adjust from 26" to 41" for universal fit
- Tow bar mounting brackets bolt securely to vehicle bumper - (almost all applications will require a custom fabricated bracket due to bumper design)
- Heavy-Duty quick latch A-Frame coupler fits 2" ball
- Tow bar comes assembled, complete with installation instructions
- Some states require the use of double safety chains
- Black powder coat finish

Part No.	Description
63180	Adjustable Tow Bar, 5,000 lbs. GWW, incl. mounting brackets
63181	Adjustable Tow Bar, 5,000 lbs. GWW, incl. mounting brackets w/Bolt together 2-piece adjustment arms
40604	Safety Chain Kit, Class III chains rated at 5,000 lbs. GTW
40602	Replacement Bumper Bracket Kit (Qty 2)
2471	Wire Lock Pin

NOTE: Total weight of towed vehicle must not exceed 5,000 lbs., or must not exceed the weight of the towing vehicle.



40604



40602

† = Available while supply lasts.



TUBE AND FIN TRANSMISSION COOLERS

- Ultrasonically soldered for reliability
- 100% pressure tested at 150 psi for quality assurance
- High efficiency turbulators for maximum heat dissipation
- 3/8" push-on fittings for quick and easy installation

Part No.	Towing Class	Application	Thickness	Width	Length
41010	Light duty	Compact to mid-size cars (light duty)	3/4"	5"	12-3/4"
41011	Medium duty	Full-Size cars, mini-vans & SUVs towing up to 2,500 lbs. (med. duty)	3/4"	7-1/2"	12-3/4"
41013	Heavy duty	SUVs, vans and pick-up trucks, towing up to 5,000 lbs.	3/4"	7-1/2"	15-1/2"
41014	X-heavy duty	Pick-up trucks and motorhomes, towing over 5,000 lbs.	3/4"	10"	15-1/2"



PLATE AND FIN TRANSMISSION COOLERS

- Durable brazed aluminum construction
- Easy to install - simple instructions included
- 33% smaller than comparable tube and fin designs

Part No.	Towing Class	Application	Thickness	Width	Length
41019	Class I	Compact to mid-size cars towing under 2000 lbs.	3/4"	4"	11"
41020	Class II	Full-size cars, mini-vans & SUVs towing 2,000-3,500 lbs.	3/4"	5-3/4"	11"
41310	Class III	SUVs, vans and pick-up trucks towing 3,500-5,000 lbs.	3/4"	7-1/4"	11"
41311	Class III	Pick-up trucks and motorhomes, towing over 5,000 lbs.	3/4"	12"	11"
41312	Class V	Pick-up trucks towing fifth wheels and gooseneck trailers	1-1/2"	11"	11"

† = Available while supply lasts.



41102
3132



41103



41405

TRANSMISSION COOLER ACCESSORIES

Part No.	Description
41102	Transmission Oil Cooler Hose, 11/32" x 4-1/2' long
3132	Transmission Oil Cooler Hose, 1-1/32" i.d., 25' long
41103	Metal Strap Mounting Kit
41405	Nylon Tie Mount Kit (4 per bag)

OEM CUSTOM FITTING KITS

Part No.	Description
41412	1987 and newer Jeep adapter kit for 5/8"-18, 45° S.A.E. flare
41413	1987 and newer Jeep, 1995 and later Dodge truck and vans adapter kit for quick disconnect style with rubber hose/metal line
41410	1983 and newer Ford, Lincoln & Mercury cars adapter kit for duckbill style line fittings
41415	1983 and newer Ford, Lincoln & Mercury Cars and Ford trucks & vans, adapter kit for deep-thread style
41416	1999 and later Dodge Trucks Adapter Kit for 9/16"-18 JIC 37° Flare
41417	1987 and later Ford Aerostar, Explorer, Expedition, F-Series trucks & ranger adapter kit for 5/8"-18 inverted flare, recessed thread
41418	1996-up GMC snap-in transmission cooler fitting

41412



41413



41410



41415



41417



41416



41418



† = Available while supply lasts.



BATTERY POST ADAPTER

Battery Post Adapter for General Motors Side Post Batteries. Allows stud for attaching accessories wires.



Part No.	Description	Packaging
3194-S	Battery Post Adapter	Clam Shell - Tekonsha



BATTERY ISOLATORS

Cadmium plated isolator with terminal nuts and lock-washers. 3 terminal isolator for metal frame ground systems, 4 terminal has insulated ground terminal for use with fiberglass or other non-conductive materials. Isolates starting battery, provides secondary battery current for auxilliary power and full time charging of both batteries.



Part No.	Description	Packaging
7000	Battery Isolator - 3 Terminal	Bulk
54-98-002	Battery Isolator - 3 Terminal	Bagged
7000-S	Battery Isolator - 3 Terminal	Clam - Tekonsha
7001	Battery Isolator - 4 Terminal	Bulk
54-98-004	Battery Isolator - 4 Terminal	Bagged
7001-S	Battery Isolator - 4 Terminal	Clam Shell - Tekonsha



BATTERY ISOLATION SOLENOID

Battery isolation solenoids are used to switch the auxiliary 12v feed off when the ignition is off.

Part No.	Description	Packaging
118665	Battery Isolation Solenoid, 3 Pole, 12 Volt (Chassis Ground)	Clam

NOTES

VEHICLE ACCESSORIES

N-6

TESTERS

4-Way Testers
6-Way Testers
7-Way Testers
Current Monitor
Trailer Tester
Bench Tester
Circuit Testers

TOOLS

Drill Bits & Hole Saws
Trailer Tongue Weight Scale
Hitch Ball Lube
Hitch Ball Wrench
Wire Looms





51-767811

6562



767941




6565



8010

7585



20114

20115



20116

20117



40376



3808



20145

TESTERS

Plug these testers into any car connector and you will have an instant test of running light circuits. Features LED display to show completed circuit for the running lights, left turn signal and right turn signal. Auxiliary and electric brake circuit are included on the 6-way tester and auxiliary, electric brake and battery charge are included with the 7-way tester. One piece units with internal ground. Proper installation and set-up of a brake control, when a trailer is not readily available, is possible with the 7-way tester.

Current Monitor testing device is designed to assist in determining whether a tow vehicle's 7-way blade car end connector has been wired properly. (Current Monitor is an excellent diagnostic tool for installation, setup and troubleshooting of electric trailer brake controls.)

The Trailer Tester is designed to help you quickly identify problems in the wiring of the trailer. This is done by testing the Left Turn, Right Turn, Tail/Marker, Brake and Back Up circuits on the trailer. The tester indicates approximate amount of current in each circuit. It will also test the voltage of the external battery connected to the trailer charge circuit (i.e. trailer battery).

Brake Control Bench Tester is a test device designed to determine if a brake control is working properly. Checks brake control output, independent of vehicle wiring. Simulates many fault conditions including open ground, short circuit, open load and more.

Part No.	Description	Packaging
51-98-005	4-Way Tester w/LED Display	Clam
767941	4-Way Tester w/LED Display	Clam
51-767811	6-Way Tester w/LED Display	Clam
54-767811	6-Way Tester w/LED Display	Bagged
6562	7-Way Blade Tester and Trailer Emulator w/LED Display	Clam - Tekonsha
54-6562	7-Way Blade Tester and Trailer Emulator w/LED Display	Bagged
767943	7-Way Blade Tester and Trailer Emulator w/LED Display	Clam
6565	Current Monitor	Bulk
8010	Trailer Tester, Includes Charger	Bulk
7585	Brake Control Bench Tester	Bulk


CIRCUIT TESTERS

Part No.	Description	Packaging
40376	Circuit Tester	Clam
3808	Economy Circuit Tester	Clam
20114	4-Flat Circuit Tester	Clam
20115	5-Flat Circuit Tester	Clam
20116	6-Way Circuit Tester	Clam
20117	7-Way Circuit Tester	Clam
20145	LED Circuit Tester	Clam
20145-010	LED Circuit Tester (10 pack)	Clam

† = Available while supply lasts.



40109
40110
6810
6811



01932-003
01933-003
01934-003
1935

1937
Anchor with drill



58381



5780



58117



74342



5481
5482
55393

DRILL BITS & HOLE SAWS

Drill bits and hole saws are especially selected to best suit trailer hitch installations where drilling is required.

- Drill bits have 135° "split points" for easy starts on flat surfaces
- Made of high carbon, M-2 steel for maximum durability and minimum brittleness
- Bulk packaged

Part No.	Description	Overall Length	Flut Length
01932-003	3/8" Drill Bits (3 per poly bag)	5"	3-5/8"
01933-003	7/16" Drill Bits (3 per poly bag)	5-1/2"	4-1/16"
01934-003	1/2" Drill Bits (3 per poly bag)	6"	4-1/2"
1935	3/8", 7/16", 1/2" Drill Bits (1 set per poly bag)	—	—
1936	1" Hole Saw (1 per poly bag)	—	—
1937	Hole Saw Arbor with pilot drill (1936) (1 per poly bag)	—	—
58381	3-1/2" Hole Saw (1 per poly bag)	—	—
1124	Hole Saw Arbor with pilot drill (58381) (1 per poly bag)	—	—
01938-003	1/4" Pilot Drill Bit (3 per poly bag)	—	—
4655	9/16" Drill Bit with 1/2" shank (1 per poly bag)	6-1/8"	3"
40109	3/8" Rotabroach hole cutting tool with pilot (1 per plastic tube)	—	—
40110	7/16" Rotabroach hole cutting tool with pilot (1 per plastic tube)	—	—
6810	1/2" Rotabroach hole cutting tool with pilot (1 per plastic tube)	—	—
6811	9/16" Rotabroach hole cutting tool with pilot (1 per plastic tube)	—	—

LOAD-MASTER TRAILER TONGUE WEIGHT SCALE

Load-Master is a hydraulic pressure gauge for measuring trailer tongue weights from 0 to 2,000 lbs.

Part No.	Description
5780	Load-Master Trailer Tongue Weight Scale

HITCH BALL LUBE



Part No.	Description
58117	Hitch Ball Lube, 4 oz. jar

HITCH BALL WRENCH



Part No.	Description
74342	Hitch Ball Wrench, boxed end 1-1/8" & 1-1/2"

WIRE LOOMS

Part No.	Description
5481	7/16" Wire Forms (20 pack)
5482	1/2" Wire Forms (20 pack)
55393	3/8" Wire Forms (1 pack)

† = Available while supply lasts.

PRODUCT DISPLAYS

Hitch Displays
Weight Distributing Displays
Fifth Wheel Displays
Pin Box Displays
Gooseneck Hitch Displays
Spinner Product Displays
Jack Displays
Brake Control Displays
Mini Light Display
Roof Rack Display
Bike / Cargo Carrier Displays
Product Displays - Suggested Product Listing
Gondola Displays
Gondola Shelf and Hitch Ball / Ball Mount Racks

HEADER SIGNS/CARDS / GONDOLA WALLPAPER

Gondola Wallpaper /Display Out of Stock Tags
Header Cards / Signs

MERCHANDISING MATERIALS

Showroom Signs
Counter Mats
Window Clings
Pennants
Banners
Yard/Outdoor Signs / Mounting Systems
Catalogs / Clip Art Disks
Product DVDs

PLANOGRAM LAYOUTS

Jack Products – Suggested Layout
Jack / Coupler Products – Suggested Layout
Towing Products / Accessories – Suggested Layouts
Wiring Products / Accessories - Suggested Layout
Lighting Products – Suggested Layouts
Lighting / Wiring Products – Suggested Layout
Cargo Management Products – Suggested Layouts

There may be charges for display items. Contact your sales representative for ordering information.

MKG0221



37-0030
(Display only)

HITCH DISPLAYS

Hitch Display Racks promote the products you install. Turn your hitch display into an add-on sales tool by attaching the Accessory Display Kit. It is designed to help promote the sale of hitch balls, tow vehicle wiring and other towing accessories.

*PRODUCT MUST BE ORDERED SEPARATELY - CASTERS NOT INCLUDED**

Part No.	Description
37-0030	5-Hitch, 4-Ball Mount Display w/Flip Chart Attachment
37-5638†	4-Hitch Display
MKG0221	Draw-Tite® Flip Chart for Hitch Display 37-0030
MKG0249	Hidden Hitch® Flip Chart for Hitch Display 37-0030
MKG0163	Reese® Flip Chart for Hitch Display 37-0030
MKG0218	Draw-Tite® logo sign (41-1/2" x 10")
MKG0346	Reese® logo sign (41-1/2" x 10")

Note: See HEADER CARDS / SIGNS for hitch display graphics.



MKG0221



MKG0249



MKG0163



MKG0218



MKG0346

SUGGESTED PRODUCTS

Display Part No.	Brand/ Description	Parts to Order
37-0030	Draw-Tite®	24899, 36423, 75193, 41946, 45288
	Hidden Hitch® / Reese®	60325, 33036, 87606, 44028, 45288
	Pro Series™	51083, 51200, 45288, 51072, 51165

* **NOTE:** Casters may not be included with these displays, but will accept 3," 4" or 5" casters, with coarse thread 1/2" wide stem.

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.



37-2109
(Display only)

WEIGHT DISTRIBUTING DISPLAYS

Great for showroom display of weight-distributing hitches.

*PRODUCT MUST BE ORDERED SEPARATELY - CASTERS ARE NOT INCLUDED**

Part No.	Description
37-2109	Weight Distributing Stand (2-5/16" coupler) – 2" receiver tube built-in (2-5/16" ball not included)
MKG0629	Reese® SC Display Signage for 37-2109 (includes sign attachment brackets, brochure pocket) (French)
MKG0995	Reese® SC Display Signage for 37-2109 (includes sign attachment brackets, brochure pocket)
MKG1281	Reese® Weight Distribution/Sway Control Display Signage for 37-2109 (includes sign attachment brackets, brochure pocket)



37-2109 &
MKG0995



MKG0995



MKG0629



MKG1281

SUGGESTED PRODUCTS

Display Part No.	Brand/ Description	Parts to Order
37-2109	Reese® Trunnion WD	66540 or 66541 or 66542, 63835
	Reese® Round Bar WD	65509 or 67509 or 61009, 63835
	Reese® SC	66151 or 66153 or 66155 or 66157, 63835
	Reese® Dual Cam	26002
	Reese® Friction Sway Control	26660
	Reese® Strait Line® Trunnion	66082 or 66083 or 66084, 63835
	Reese® Strait Line® Round Bar	66086 or 66087 or 66088, 63835
	Draw-Tite® Trunnion WD	7901 or 7902 or 7903 + 54970 hitch bar
	Draw-Tite® Round Bar WD	3201 or 3202 or 3203 + 54970 hitch bar
	Draw-Tite® Dual Cam	26102
	Draw-Tite® Friction Sway Control	3400
	Pro Series™ Complete	49901 or 49902 or 49903 (includes 2-5/16" hitch ball)
	Pro Series™ Trunnion WD	49585 or 49586 or 49587
	Pro Series™ Round Bar WD (RB2)	49568 or 49569 or 49570
	Optional Pro Series™ Sway Control	83660

*** NOTE:** Casters are not included with these displays, but will accept 3," 4" or 5" casters, with coarse thread 1/2" wide stem.

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.



37-2103



MKG0466



MKG0255

MKG0346

37-2103



37-2123
(Display only)

37-2129 - Pro Series Display
INCLUDES: Signage, Brochures

FIFTH WHEEL DISPLAYS

Fifth wheel hitch displays promote the products you install. Stand will display one fifth wheel hitch and rail kit. 37-2103 adjusts from 38" to 42" in width and includes signage posts.

*PRODUCT MUST BE ORDERED SEPARATELY - CASTERS ARE NOT INCLUDED**

Part No.	Description
37-2103	Heavy Duty Fifth Wheel Hitch Display with bolt-on signage posts (order signage separately)
MKG0218	Draw-Tite® logo sign (41-1/2" x 10")
MKG0346	Reese® logo sign (41-1/2" x 10")
MKG0466	Reese® Titan® 16K/20K merchandising sign for 37-2103
MKG0255	Reese® Elite™ Series merchandising sign for 37-2103



MKG0346



MKG0218

SUGGESTED PRODUCTS

Display Part No.	Brand/ Description	Parts to Order
	Reese® Elite™ Fifth Wheel	30142 or 30143
	Reese® Elite™ Fifth Wheel w/Slider	30144
	Reese® Fifth Wheel	30047 or 30033 or 30081 or 30083 or 30084
	Reese® Titan® 16K or 20K Fifth Wheel	30886 or 30867
	Draw-Tite® Fifth Wheel	6021 or 6032
Rails and Mounting Bracket Required for Mounting Hitch to Display Description		
	Reese® Elite™ Fifth Wheel Rail	30126 (Ford) or 30868 (GM)
	Fifth Wheel Rails and Brackets	30035 and 50081
	Reese® Outboard Rails	30153

TIERED FIFTH WHEEL HEAD DISPLAYS

Fifth wheel hitch displays promote the products you install. Stand will display one to three fifth wheel hitch heads. 37-2123 includes signage posts.

*PRODUCT MUST BE ORDERED SEPARATELY - CASTERS NOT INCLUDED**

Part No.	Description
37-2123	Tier Design Fifth Wheel Hitch Display only – mount up to three Pro Series™ fifth wheel hitch heads
37-2129	Tier Design Fifth Wheel Hitch Display (includes Pro Series signage and brochures)

SUGGESTED PRODUCTS

Display Part No.	Brand/ Description	Parts to Order
37-2129*	Pro Series™	30099, 30854, 30118 (heads only)
37-2123	Pro Series™	30099, 30854, 30118 (heads only)

*NOTE: Includes signage and brochures.

*** NOTE:** Casters may not be included with these displays, but will accept 3," 4" or 5" casters, with coarse thread 1/2" wide stem.

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.

PIN BOX DISPLAYS

Fifth wheel trailer pin box displays promote the pin boxes you install. Stand will display one of the custom pin boxes. Reese 16K head, signage and brochures are included with display.

*PRODUCT MUST BE ORDERED SEPARATELY - CASTERS NOT INCLUDED**

Part No.	Description
37-2130	Reese® Pin Box Display (includes Reese 16K head, signage and brochures)



Shown with
Sidewinder™

37-2130
INCLUDES: Signage, Brochures



Shown with
5th Airborne™

37-2130
INCLUDES: Signage, Brochures



Shown with
Elite Airborne/
Sidewinder™

37-2130
INCLUDES: Signage, Brochures

SUGGESTED PRODUCTS

Display Part No.	Brand/ Description	Parts to Order
37-2130*	Reese®	61420 (Sidewinder™)
	Reese®	5AB-E1621-16K (5th Airborne™)
	Reese® Elite™	61422 (Airborne/Sidewinder™ Combo)

*NOTE: Includes signage and brochures.

*** NOTE:** Casters may not be included with these displays, but will accept 3," 4" or 5" casters, with coarse thread 1/2" wide stem.

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.



GOOSENECK HITCH DISPLAYS

Gooseneck displays promote the gooseneck trailer towing systems you install. Stand will display hitch system and platform heads.

PRODUCT MUST BE ORDERED SEPARATELY - NOT CASTER READY

Part No.	Description
37-2118*	Draw-Tite® Hide-A-Goose™ System Display (includes signage and brochures)
37-2122*	Bulldog® Under-Bed System Display (includes signage and brochures)
116437	Draw-Tite® Signage
116438	Bulldog® Signage

*NOTE: Displays Under-Bed Gooseneck, Remov-A-Ball® and Fold-Down Gooseneck Hitches

SUGGESTED PRODUCTS

Display Part No.	Brand/ Description	Parts to Order
37-2122*	Bulldog®	630044, 8339, 9470-48
37-2118*	Draw-Tite®	6300, 8339, 9460-48

*NOTE: Includes signage and brochures.



SPINNER PRODUCT DISPLAYS

Merchandise many lightweight peg hook products with minimal floor space. Includes long peg hooks and brochure holders.

PRODUCT MUST BE ORDERED SEPARATELY - NOT CASTER READY

Part No.	Description
9980760†	Spinner Rack Display Only
MKG1433	Tekonsha® Signage
MKG1434	Bargman® Signage



There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.



37-2125
INCLUDES: Marine Jack
Adaptors & Fold-Away
Bolt-on Hinge Kit

MARINE JACK DISPLAYS

Display stands increase end-user visibility to Jacks and Winches. Using a minimal amount of floor space these stands provide easy access to customers.

PRODUCT MUST BE ORDERED SEPARATELY - NOT CASTER READY

Part No.	Description
37-2125	Display Stand – Marine Jacks, Includes(3) Jack Display Adaptors #117399, (1) Fold-Away™ Bolt-on Hinge Kit
117398	Jack Display Stand Only
117399	Marine Jack Display End Caps – Jack Adapter Only

SUGGESTED PRODUCTS

Display Part No.	Brand/ Description	Parts to Order
37-2125	Fulton® Jacks (4)	XP10 0101, XPD15L0101, 1413040134, 141133
	Fulton® F2™ Winch (1)	FW16000101
	Fulton® Fold-Away Hinge Kit	Included with display: HDPB330101



37-2126
INCLUDES: A-Frame
Jack Adaptors

RV JACK DISPLAYS

Display stands increase end-user visibility to A-frame Jacks. Using a minimal amount of floor space these stands provide easy access to a variety of jacks.

PRODUCT MUST BE ORDERED SEPARATELY - NOT CASTER READY

Part No.	Description
600051	Display Stand – Jacks, Includes: Integrated Center A-Frame Mount, (4) A-Frame Jack Display Adaptors
37-2126	Display Stand – RV Jacks, Includes (4) Jack Display Adaptors #117400
37-2134	A-Frame Jack Mount System for Lozier Gondola - includes (1) 37-2131 Crossbar, (5) 37-2132 Brackets, (1) 37-2133 Bracket Support
117398	Jack Display Stand Only
117400	RV Jack Display End Caps – Jack Adapter Only

SUGGESTED PRODUCTS

Display Part No.	Brand/ Description	Parts to Order
37-2126	BULLDOG® Manual Jacks (4)	1551570117, 1550220117, 1550320117, 1750290317
	Pro Series™ Manual Jacks (4)	EA20000103, RV20000103, 1400600303, EA20000340
Rails and Mounting Bracket Required for Mounting Hitch to Display Description		
600051	BULLDOG® Electric Jack (1)	500185 or 500186 or 500187 or 500188
	BULLDOG® Manual Jacks (4)	1551570117, 1550220117, 1550320117, 1750290317
	Pro Series™ Electric Jack (1)	500198
	Pro Series™ Manual Jacks (4)	EA20000103, RV20000103, 1400600303, EA20000340



600051
INCLUDES:
A-Frame Mount
Adaptors



37-2134
For 4' gondola displays

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.



37-2110
(Display only)



COUNTER TOP BRAKE CONTROL DISPLAYS

Counter top brake control displays with interchangeable insert cards. Cards are easily removed to change display as often as needed. Insert cards sold separately.

PRODUCT MUST BE ORDERED SEPARATELY

Part No.	Description
37-2110	Brake Control Counter Top Display Only
37-2115	Draw-Tite® Brake Control Counter Top Display w/Activator® III Graphic Package
37-2116	Reese® Brake Control Counter Top Display w/Brakeman® Ultra Graphic Package
MKG0916	Draw-Tite® Brake Control Display Decal Set for 37-2110
MKG0917	Tekonsha® Brake Control Display Decal Set for 37-2110
MKG0918	Reese® Brake Control Display Decal Set for 37-2110
MKG0919	Pro Series™ Brake Control Display Decal Set for 37-2110



37-2048



37-2049

MINI LIGHT DISPLAY

Light display mounts to gondola using peg hooks. Includes incandescent and LED tail lights, clearance lights, and AMP meter to show the draw of each type of light. No internal power source, includes 6' wiring for battery use. 20" L x 9" H x 5" D.

Part No.	Description
37-2048	Bargman® Mini Light Display includes Lights & AMP Meter
37-2049	Wesbar® Mini Light Display includes Lights and AMP Meter



37-2135

ROOF RACK DISPLAY

Attach the signage and this unit makes an engaging countertop display. Versatile tool! For a vertical display, the base unit is easily mounted on standard slat wall material. Simply attach two included brackets to the lower unit and slip into your slat wall. Shows five varieties of mounting feet: APE, APX, GTX REX and the universal fit RBU. 29.5" x 15.5" x 23.5"

Part No.	Description
37-2135	Roof Rack Display



37-2046



37-6475†



37-6297

PRODUCT MUST BE ORDERED SEPARATELY

BIKE / CARGO CARRIER DISPLAYS

Hitches aren't just for towing any longer. From bike and cargo carriers to the wide range of front mounted receiver accessories, these displays illustrate all the options available to your customer with the purchase of their new receiver. Load up the carriers in your showroom to illustrate the features and benefits of these great hitch mounted accessories.

PRODUCT MUST BE ORDERED SEPARATELY


Part No.	Description
37-2046	4-Bike Carrier Display
37-6297	2-Cargo/Bike Carrier Display (Bottom half)
37-6475†	Roof Top Carrier Display for use with 37-6297 (Top half)
37-6299	Adventure System Display (with counterweight)
MKG0239	ROLA® Sign for use with 37-6297, 9" x 34" Cargo Basket/Adventure

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.



37-5365




37-2112




MKG0232



MKG0210




MKG0225



MKG0191



MKG0187




MKG0230

GONDOLA DISPLAYS

No matter the showroom size, these displays offer the ultimate return on display space. Placed against a wall or as an island, gondola displays offer your customers a complete line of towing and vehicle accessories.

PRODUCT MUST BE ORDERED SEPARATELY

Part No.	Description
37-5365	4' Tall x 4' Lozier Gondola
37-5366	4' Tall x 4' Lozier Island Gondola (two sided)
37-5367	4' Tall x 2' Lozier Gondola
37-2128	7' Tall x 4' Lozier Gondola
37-2112	Rack 4' - Ball Mount for Lozier Gondola
37-2114	Rack 4' - Hitch Ball for Lozier Gondola
37-2127	Rack 4' - One Half Hitch Ball / One Half Ball Mount for Lozier Gondola
37-2131	Crossbar 4' for Lozier Gondola (mount up to 5 brackets, 37-2132)
37-2132	Bracket (each) - A-Frame Jack Mounting on 37-2131 Crossbar (mount up to 3 jacks / ea bracket)
37-2133	Bracket Support 4' (each) - A-Frame Jack Mounting on 37-2131 Crossbar (use w/37-2132)
37-2134	A-Frame Jack Mount System for Lozier Gondola - includes (1) 37-2131 Crossbar, (5) 37-2132 Brackets, (1) 37-2133 Bracket Support
37-6666	Shelf 4' for Lozier Gondola - pack of 2 shelves
37-2082	Pegboard 4" Hook, 50 pcs.
37-2078	Pegboard 6" Hook, 50 pcs.
37-2081	Pegboard 8" Hook, 50 pcs.



37-2127



37-2114



37-2134

DISPLAY – OUT OF STOCK TAGS

Part No.	Description
MKG0269	Draw-Tite® "Out of Stock" Tags, 50 pcs.
MKG0271	Reese® "Out of Stock" Tags, 50 pcs.
MKG0262	Tow Ready® "Out of Stock" Tags, 50 pcs.

GONDOLA WALLPAPER

Ideal for drawing attention to gondolas displaying products. Wallpaper is 2'x4' and ideal for covering multiple colored pegboards on the display floor. Wallpaper is heavy-duty vinyl, pre-perforated for peg hooks and includes mounting pins to attached to peg board.

GONDOLA WALLPAPER, 2' X 4'

Part No.	Description
MKG0232	Bargman® Logo Design
MKG0210	Bulldog® Logo Design
MKG0225	Draw-Tite® Logo Design
MKG0191	Fulton® Logo Design
MKG0187	Tekonsha® Logo Design
MKG0230	Wesbar® Logo Design

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.



MKG0233 MKG0234



MKG0211 MKG0212



MKG0209



MKG0218



MKG0219



MKG0197† MKG0203†



MKG0192 MKG0193



MKG0246



MKG0243† MKG0244†



MKG0200† MKG0201†



MKG1326



MKG0182

HEADER CARDS / SIGNS

Merchandising headers in a wide range of sizes for use on displays or any showroom application.

Part No.	Description	
MKG0233	Bargman® Logo Merchandising Sign	6" x 24"
MKG0234	Bargman® Logo Merchandising Sign	6" x 48"
MKG0209	Bulldog® The Choice of America's Military & Manufacturers Merchandising Sign	14" x 48"
MKG0211	Bulldog® Logo Merchandising Sign	6" x 24"
MKG0212	Bulldog® Logo Merchandising Sign	6" x 48"
MKG0218	Draw-Tite® Logo Merchandising Sign	10" x 41-1/2"
MKG0219	Draw-Tite® Merchandising Sign	14" x 42"
MKG0197†	Draw-Tite® & Tow Ready® Merchandising Sign	14" x 42"
MKG0203†	Draw-Tite® & Tow Ready® Merchandising Sign	9" x 16"
MKG0192	Fulton® Logo Merchandising Sign	6" x 24"
MKG0193	Fulton® Logo Merchandising Sign	6" x 48"
MKG0246	Hidden Hitch® Merchandising Sign	14" x 42"
MKG0243†	Hidden Hitch® & Tow Ready® Merchandising Sign	14" x 42"
MKG0244†	Hidden Hitch® & Tow Ready® Merchandising Sign	9" x 16"
MKG1326	Pro Series™ Merchandising Sign	14" x 42"
MKG0182	Reese® Pioneering Performance Merchandising Sign	15" x 39"
MKG0205	Reese® Merchandising Sign	14" x 42"
MKG0255	Reese® Elite™ Series Fifth Wheel Hitches Merchandising Sign	20" x 41-1/2"
MKG0346	Reese® Logo Merchandising Sign	10" x 41-1/2"
MKG0466	Reese® Titan® Series Fifth Wheel Hitches Merchandising Sign	20" x 41-1/2"
MKG0200†	Reese® & Tow Ready® Merchandising Sign	14" x 42"
MKG0201†	Reese® & Tow Ready® Merchandising Sign	9" x 16"
MKG0236	ROLA® Merchandising Sign	14" x 42"
MKG0237	ROLA® Merchandising Sign	9" x 16"
MKG0239	ROLA® Cargo Basket/Adventure Merchandising Sign	9" x 34"



MKG0205



MKG0346



MKG0255




MKG0466



MKG0236 MKG0237

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.



MKG0188 MKG0189



MKG0185†



MKG0184† MKG0186†



MKG0231 MKG0235

HEADER CARDS / SIGNS (CONTINUED)

Merchandising headers in a wide range of sizes for use on displays or any show-room application.

Part No.	Description	
MKG0188	Tekonsha® Logo Merchandising Sign	6" x 24"
MKG0189	Tekonsha® Logo Merchandising Sign	6" x 48"
MKG0184†	Tow Ready® Merchandising Sign	18" x 48"
MKG0185†	Tow Ready® Merchandising Sign	3" x 24"
MKG0186†	Tow Ready® Merchandising Sign	8" x 24"
MKG0231	Wesbar® Logo Merchandising Sign	6" x 24"
MKG0235	Wesbar® Logo Merchandising Sign	6" x 48"

SHOWROOM SIGNS

Part No.	Description	Size
MKG0626	Hidden Hitch® Ceiling Two of Canada's Favourites Merchandising Sign	21" x 35"
MKG0627	Hidden Hitch® Ceiling Two of Canada's Favourites Merchandising Sign (French)	21" x 35"
MKG0253	Pro Series™ Ceiling Complete Weight Distribution Kit Merchandising Sign	27" x 27"
MKG0258	Pro Series™ Ceiling Complete Weight Distribution Kit Merchandising Sign (French)	27" x 27"



MKG0253
MKG0258 (French)



MKG0626
MKG0627 (French)

SHOWROOM SIGNS HOURS OF OPERATION

Part No.	Description
MKG0198	Reese® Hours of Operation Indoor Sign
MKG0216	Draw-Tite® Hours of Operation Indoor Sign
MKG0252	Hidden Hitch® Hours of Operation Indoor Sign



MKG0216



MKG0252



MKG0198

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.

COUNTER MATS

Part No.	Description
MKG0214	BULLDOG® Gooseneck Hitch Systems
MKG0224	Draw-Tite® Gooseneck Hitch Systems
MKG0608	Draw-Tite® Who Say's There's Nothing The Left and Right Can Agree On?
MKG0811†	Draw-Tite® / Tow Ready® America's Favorite Hitch
MKG0628	Hidden Hitch® Is Your Team Complete
MKG0257	Powerful Brands Reese®, Tekonsha®, BULLDOG®
MKG0190	Tekonsha® Brake Controls
MKG1081	Reese® Weight Distribution / Fifth Wheel Systems



MKG0214



MKG0608



MKG0224



MKG0190



MKG0257



MKG1081



MKG0628



MKG0811†



MKG1094



MKG1095



MKG0624



MKG0625



MKG0213



MKG0223

WINDOW CLINGS

Part No.	Description
MKG0213	BULLDOG® Gooseneck Hitches, 6" x 4", two sided
MKG0223	Draw-Tite® Hide-A-Goose™ Hitch, 4" x 6", two sided
MKG0636	Draw-Tite® America's Favorite Hitch, 7" x 2"
MKG0609	Draw-Tite® America's Favorite Hitch, 7" x 4", two sided
MKG0637	Hidden Hitch® Canada's Favourite, 10" x 2"
MKG0638	Hidden Hitch® Canada's Favourite (French), 10" x 2"
MKG0624	Hidden Hitch® Two of Canada's Favourites, 7" x 7"
MKG0625	Hidden Hitch® Two of Canada's Favourites (French), 7" x 7"
MKG1094	Hidden Hitch® All Hail Hockey, 6" x 6"
MKG1095	Hidden Hitch® All Hail Hockey (French), 6" x 6"



MKG0609



MKG0636



MKG0637




MKG0638


PENNANTS

Stringed pennant flags, 25 ft.

Part No.	Description
MKG0463	Draw-Tite® Tested Tough
MKG0607	Draw-Tite® America's Favorite Hitch
MKG0117	Fulton® 100 Years of Performance



MKG0607



MKG0463



MKG0117




There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.


MKG0196

MKG0241

MKG0202

MKG1276

MKG0618

2859

2860

BANNERS

Attract potential customs with branded durable, indoor/outdoor banners.

Part No.	Description
MKG0196	Draw-Tite® Tested Tough®, 5' x 3' w/four grommets
MKG0311	Fulton® 100 Year, 6' x 2' w/four grommets
MKG0241	Hidden Hitch® Built For Life, 5' x 3' w/four grommets
MKG0683	Hidden Hitch® Two of Canada's Favourites, 5' x 3' w/four grommets
MKG0684	Hidden Hitch® Two of Canada's Favourites (French), 5' x 3' w/four grommets
MKG0202	Reese® Pioneering Performance, 5' x 3' w/four grommets
MKG0183†	Tow Ready®, 5' x 3' w/four grommets
MKG1276	Bulldog® The Choice of America's Military & Manufacturers, 5' x 3'


MKG0683

MKG0684

MKG0311

MKG0183†

YARD SIGNS

Mounts with single metal post.

Part No.	Description
MKG0618	Draw-Tite® America's Favorite Hitch, 14.5" x 23"
MKG0641	Hidden Hitch® Two of Canada's Favourites, 14.5" x 23"
MKG0642	Hidden Hitch® Two of Canada's Favourites (French), 14.5" x 23", two sided



MKG0641

MKG0642

OUTDOOR SIGNS

Outdoor metal signs with two different mounting systems. Purchase sign and mountings separately. Curb side A-Frame stand, with extra wide stance, folds for easy storage. Durable metal bracket for either wall or pole mounting includes hardware for installation.

Part No.	Description
2859	Wall or pole mounting bracket only
2860	Curb stand only
2858	Draw-Tite® aluminum sign only, 24"w x 30"h
37-2051	Hidden Hitch® aluminum sign only, 24" x 30"h
37-5652	Reese® aluminum sign only, 24"w x 30"h, two sided


37-2051

37-5652


2858

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.

CATALOGS

Part No.	Description
98929-2015	Catalog - Towing, Trailing & Vehicle Accessories
98931-2015	Application/Technical Catalog - Towing, Trailing & Vehicle Accessories



CLIP ART DISKS

Clip art files are available on DVD as high resolution (300 dpi, CMYK) files. Compatible with PC and Mac operating systems.

Part No.	Description
MKG1874	Clip Art Disk - Towing, Trailing & Vehicle Accessories CATALOG
MKG1875	Clip Art Disk - Towing, Trailing & Vehicle Accessories APPLICATION GUIDE

PRODUCT DVDS

Product instructional and informational videos.

PROPORTIONAL BRAKE CONTROLS

Part No.	Description
MKG0164	DVD - Draw-Tite® I-Stop™ IQ
MKG0161	DVD - Tekonsha® Prodigy® RF
MKG0160	DVD - Tekonsha® P3®
MKG0158	DVD - Tekonsha® Prodigy® P2
MKG0159	DVD - Tekonsha® Primus™ IQ
MKG0156	DVD - Tekonsha® Voyager®
MKG1120	DVD - Bulldog® BX1™, Twin Cam™, 12K Powered Drive Kit, Landing Gear, Powered A-Frame Jack, Custom Products



MKG0160



MKG0158



MKG0156



MKG1120

There may be charges for display items. Contact your sales representative for ordering information.

† = Available while supply lasts.

JACK PLANOGRAM

Recommending a complete layout of the best selling jack products.



Ref. No.	Part No.	Description	Qty
1	500239	Replacement Part, Swivel Trailer Mount, Tubular Male Weld-On For 9/16 Pull Pin, for 2000 lbs. Jacks & 5000 lbs. Topwind Jack Only	4
2	500241	Replacement Part, Swivel Retaining Ring For 800-5000 lbs. Jacks	4
3	500243	Replacement Part, 9/16 Pull Pin w/12-1/4 Chain & Drive Screw For 2000 lbs. Jacks & 5000 lbs. Topwind Jack Only	4
4	500180	Replacement Part, Topwind Crank, 6-3/4 Radius w/Red Bulldog Knob For 750-5000 lbs. Jacks	6
5	500245	Tongue Jack Caster w/6 Wheel & Pin/Clip, for 2000-5000 lbs. Jacks	3
6	500244	Replacement Part, Removable Disc Foot, 2-3/32 Tall w/Snapper Pin for 2000-5000 lbs. Jacks	3
7	155022	A-Frame Jack, Topwind, 15 Travel, 8.4 Bracket to Ground Retracted, Weld-On/Bolt-On, 2,000 lbs. Lift Capacity	4
8	155032	A-Frame Jack, Topwind, 15 Travel, 10.15 Bracket to Ground Retracted, Weld-On/Bolt-On, 5,000 lbs. Lift Capacity	4
9	155157	A-Frame Jack, Sidewind, 13 Travel, 8.6 Bracket to Ground Retracted, Weld-On/Bolt-On, 2,000 lbs. Lift Capacity	2
10	151401	Weld-On Jack, Topwind, 10 Travel, Weld-On "L" Bend Swivel Bracket, 2,000 lbs. Lift Capacity (Includes Base)	2
11	158451	Swivel Jack, Topwind, 10 Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	2
12	178101	Swivel Jack, Topwind, 10 Travel, Weld-On Tubular Mount, 5,000 lbs. Lift Capacity (Includes Foot Plate)	2
13	158452	Swivel Jack, Topwind, 15 Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	2


Ref. No.	Part No.	Description	Qty
14	190704	TWL 190 DL-BQ, 8,000 lbs. Support Cap., 15 Travel, Drop Leg, No Mount	2
15	190754	SWL 190 DL-BQ, 8,000 lbs. Support Cap., 15 Travel, Drop Leg, No Mount	2
TOTAL CONTENTS			46
	37-2128	7' Tall x 4' Lozier Gondola	1
	37-2134	A-Frame Jack Mount System for Lozier Gondola - includes (1) 37-2131 Crossbar, (5) 37-2132 Brackets, (1) 37-2133 Bracket Support	1
	37-2078	Pegboard 6" Hook, 50 pcs.	1
	MKG0209	BULLDOG® Header Card	1
	MKG0210	BULLDOG® Gondola Wallpaper	4

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.

† = Available while supply lasts.

JACK PLANOGRAM

Cequent Performance Products Merchandising Solutions



† = Available while supply lasts.

COUPLER AND JACK PLANOGRAM

Recommending a complete layout of the best selling jack and coupler products.



Ref. No.	Part No.	Description	Qty
1	11200 0101	Coupler, Class I, 1-7/8" Ball, 2" Channel, 2000 lbs. - Zinc	2
2	11300 0101	Coupler, Class I, 1-7/8" Ball, 3" Channel, 2000 lbs. - Zinc	2
3	22200 0101	Coupler, Ball Size 2", 2" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	2
4	22250 0101	Coupler, Ball Size 2", 2-1/2" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	2
5	22300 0101	Coupler, Ball Size 2", 3" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	2
7	1400700340	Pro Series Foot Plate & Pin	2
9	EA20000303	2000 lbs., TW, A-Frame, 14 Travel, Black	4
10	A256S 0303	Adjustable Coupler, Cast Head, w/Hardware, Less Channel, 14,000 lbs. - Black	1
11	RV20000303	2000 lbs., SW, A-Frame, 14 Travel, Black	2
12	AC500 0300	6 Hole, 5 Position Channel, w/11-3/4" Height	1
13	1400600303	Pro Series™ A-Frame Jack, 5,000 lbs.	4
14	1400850383	Pro Series™ Square Tube, 8,000 lbs., Sidewind, 15 Travel, Adjustable Dropleg w/Additional Travel of 13.6	2


Ref. No.	Part No.	Description	Qty
15	1400800383	Pro Series™ Square Tube, 8,000 lbs., Topwind, 15 Travel, Adjustable Dropleg w/Additional Travel of 13.6	2
16	1401200303	Pro Series™ Weld-On Jack, Topwind, 2,000 lbs. w/Footplate	2
17	1401460303	Pro Series™ Weld-On Jack, Topwind, 5,000 lbs.	2
18	1400400303	Pro Series™ Weld-On Jack, Topwind, 10 Travel, 2,000 lbs. w/Footplate	2
19	1401140303	Pro Series™ Weld-On Jack, Topwind, 2,000 lbs. w/Footplate	2
TOTAL CONTENTS			36
	37-2128	7' Tall x 4' Lozier Gondola	1
	37-2134	A-Frame Jack Mount System for Lozier Gondola - includes (1) 37-2131 Crossbar, (5) 37-2132 Brackets, (1) 37-2133 Bracket Support	1
	37-2078	Pegboard 6" Hook, 50 pcs.	1

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.

† = Available while supply lasts.

COUPLER AND JACK PLANOGRAM

Cequent Performance Products Merchandising Solutions



† = Available while supply lasts.

TOWING / WIRING PRODUCTS AND ACCESSORIES PLANOGRAM

Recommending a complete layout of the best selling towing / wiring products and accessories.



Ref. No.	Part No.	Description	Qty
ELECTRICAL ITEMS			
1	118702	7-Way Flat Pin to 4-Flat Adapter	2
2	118021	7-Way Flat Pin Connector, Trailer End, Plastic	2
3	118703	7-Way Flat Pin to 5-Flat Adapter	2
4	118704	7-Way Flat Pin to 6-Way Round Adapter w/Electric Brakes to Outside (S) Pin of 6-Way	2
5	118708	7-Way Flat Pin to 6-Way Round Adapter w/Electric Brakes to Center (A) Pin of 6-Way	2
6	20112	Cover, 4-Flat LED Connector	2
13	118020	7-Way Flat Pin Connector, Car End, Plastic	2
14	118702	6-Way Round Pin to 4-Flat Adapter	2
15	20047	7-Way U.S. Car Replacement Socket for 7-Way Twist In OEM GM Vehicles	2
16	20321	4-Flat to 7-Way Flat Pin Connector Adapter, Plastic	2
17	118138	Mounting Bracket for 7-Way Flat Pin Connectors, Includes Screws and Nuts	2
18	118136	Universal Mounting Bracket and Clamp (Long)	2
19	118144	4-Flat Mounting Bracket	2

Ref. No.	Part No.	Description	Qty
24	118004	4-Flat Trailer End Connector, 12" Long	2
25	118185	4-Flat Plug Loop, 18" Long (Includes 4 Wire Taps)	2
26	118045	4-Flat Plug Loop, 60" Long (Includes 4 Wire Taps)	2
27	118001	4-Flat Car End Connector 48" Long (Includes 4 Wire Taps)	2
28	118033	4-Flat Trailer End Connector, 48" Long	2
29	20144	7-Way Flat Pin Connector/4-Flat Combo Adapter Harness w/Mounting Bracket & Hardware	2
30	118159	6 & 7-Way Connector Mounting Box, Universal for Round & Square Tube Hitches	2
HITCH BALLS			
36	63810	Bulk Ball 1.875X.75X1.5	5
37	63816	Bulk Ball 1.875X1X2.125	5
38	63820	Bulk Ball 2X.75X1.50	5
39	63822	Bulk Ball 2X.75X2.375	5
40	63845	Bulk Ball 2X1X2.125	5
41	63849	Bulk Ball 2X1X3.375	5
42	63830	Bulk Ball 2X1.25X2.75	4

† = Available while supply lasts.

Cequent Performance Products Merchandising Solutions

Ref. No.	Part No.	Description	Qty
50	40346	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9-1/2" Length, 4-3/4" Rise, 6" Drop, Black	1
51	40330	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 1" Rise, 2" Drop, Black	2
52	63043	5 Ton Receiver Mount Pintle Hook, Solid Shank, Rating 10,000 lbs. (GTW), 2,000 lbs. (VL), Black	1
53	40382	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 10-5/8" Length, 3" Rise, 4" Drop	1
54	63041	Receiver Mount Pintle Hook w/2" Ball (Inc. Grade 8 Hardware) Hook Rating 12,000 lbs. (GTW), Ball Rating 7,000 lbs. (GTW), 2,400 lbs. (VL), Black	1
55	40384	Aluminum Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-7/8" Length, 7" Rise, 8" Drop	1
PINTLE PRODUCTS			
56	63011	Pintle Hook w/2" Ball (Inc. Grade 8 Hardware) Hook Rating 16,000 lbs. (GTW), Ball Rating 10,000 lbs. (GTW), 3,000 lbs. (VL), Black	2
57	63012	Pintle Hook w/2-5/16" Ball (Inc. Grade 8 Hardware) Hook Rating 16,000 lbs. (GTW), Ball Rating 14,000 lbs. (GTW), 3,000 lbs. (VL), Black	1
58	63015	15 Ton Regular Pintle Hook (Inc. Grade 8 Hardware) Rating 30,000 lbs. (GTW), 6,000 lbs. (VL), Black	2
59	63013	5 Ton Regular Pintle Hook (Inc. Grade 8 Hardware) Rating 10,000 lbs. (GTW), 2,000 lbs. (VL), Black	1
60	63057	Pintle Hook Receiver Mount, Solid Shank, 7-5/8" Length, 12,000 lbs. (GTW), 1,200 lbs. (TW), Black	2
61	40563-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2 Pack)	2
TOTAL CONTENTS			
	37-5365	4' Tall x 4' Lozier Gondola	1
	37-2127	Rack 4' - One Half Hitch Ball / One Half Ball Mount for Lozier Gondola	1
	37-2078	Pegboard 6" Hook, 50 pcs.	1
	MKG0197†	Draw-Tite® - Tow Ready® Header Card	1
	MKG0225	Draw-Tite® Gondola Wallpaper	2

1	2	3	4	5	6	7	8	9	10	11	12				
13	14	15	16	17	18		19	20	21	22	23				
24	25	26	27	28	29	30	31	32	33	34	35				
36	37	38	39	40	41	42	43	45	47	48	49	50	51	52	54
56 on shelf		58 on shelf		52	54	44	46	47	48	49	51	53	55		
56 on shelf		58 on shelf		empty box	empty box	60 on shelf					61 on shelf		61 on shelf		
57 on shelf		59 on shelf													
Shelf															

TOWING PRODUCTS AND ACCESSORIES PLANOGRAM

Recommending a complete layout of the best selling towing products and accessories.



Ref. No.	Part No.	Description	Qty	Ref. No.	Part No.	Description	Qty
1	580408	Stainless Steel Coupler Lock	3	17	580409	Easy Access Receiver Lock Long	3
2	580403	Chrome Coupler Lock	3	18	580410	Adjustable Coupler Lock	3
3	63204	1/2" Integral Pin & Clip for 1-1/4" Sq. Receivers - Zinc	3	19	63803	Interchangeable Hitch Ball, 1" Shank, 1-7/8", 2", & 2-5/16" Balls, 8,000 lbs. Rating	2
4	63205	5/8" Integral Pin & Clip for 2" Sq. Receivers - Zinc	3	20	63804	Interchangeable Hitch Ball, 1" Shank, 2" & 2-5/16" Balls, 8,000 lbs. Rating	2
5	63241	Packaged 1/2" Grooved Style Hitch Pin and Clip for 1-1/4" Sq. Receivers	3	21	63810	Hitch Ball, 1-7/8" x 3/4" x 1-1/2", 2,000 lbs. GTW Chrome	5
6	63240	Packaged 5/8" Grooved Style Hitch Pin and Clip for 2" Sq. Receivers	3	22	63812	Hitch Ball, 1-7/8" x 3/4" x 2-3/8", 2,000 lbs. GTW Chrome	5
7	63802	Interchangeable Hitch Ball, 1" Shank, 1-7/8" & 2" Balls, 8,000 lbs. Rating	2	23	63816	Hitch Ball, 1-7/8" x 1" x 2-1/8", 2,000 lbs. GTW Chrome	5
8	63201	J-Pin® Anti-Rattle Pin & Barrel Lockset for 2" Sq. Receivers	2	24	63820	Hitch Ball, 2" x 3/4" x 1-1/2", 3,500 lbs. GTW Chrome	5
9	63226	Coupler Lock, Universal	2	25	63822	Hitch Ball, 2" x 3/4" x 2-3/8", 3,500 lbs. GTW Chrome	5
10	580400	5/8" Chrome Bent Pin Lock	3	26	63824	Hitch Ball, 2" x 3/4" x 3-3/8", 3,500 lbs. GTW Chrome	5
11	580401	5/8" Chrome Dogbone Lock	3	27	63845	Hitch Ball, 2" x 1" x 2-1/8", 6,000 lbs. GTW Chrome	5
12	580402	5/8" SS Dogbone Lock	3	28	63849	Hitch Ball, 2" x 1" x 3-3/8", 6,000 lbs. GTW Chrome	5
13	580404	5/8" Chrome Dogbone Lock w/ Chrome Coupler Lock	3	29	63830	Hitch Ball, 2" x 1-1/4" x 2-3/4", 8,000 lbs. GTW Chrome	4
14	580405	Lock 5/8" Hitch Pin-Class III Stainless Steel	3	30	63847	Hitch Ball, 2-5/16" x 1" x 2-1/8", 6,000 lbs. GTW Chrome	4
15	580406	Lock 5/8" Hitch Pin Coupler Lock Combo Stainless Steel	3	31	63834	Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 12,000 lbs. GTW Chrome	4
16	580407	Easy Access Receiver Lock Sleeved	3	32	63836	Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 14,000 lbs. GTW Chrome	4


† = Available while supply lasts.

TOWING PRODUCTS AND ACCESSORIES PLANOGRAM

Cequent Performance Products Merchandising Solutions

Ref. No.	Part No.	Description	Qty	Ref. No.	Part No.	Description	Qty
33	63840	Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 20,000 lbs. GTW Chrome	4	47	80796	Dual-Ball Ball Mount, 2" Sq. Solid Shank, 8" Length, w/Black 2" & 2-5/16" Balls, Black	1
34	36071	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 7-3/16" Length x 2-5/8" Rise x 3-1/4" Drop), Pin and Clip, Black	2	48	80791	Tri-Ball Ball Mount, 2" Sq. Solid Shank w/Black 1-7/8", 2", & 2-5/16" Balls, Black	1
35	36065	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 10" Length x 5" Rise), Pin and Clip, Black	1	49	63011	Pintle Hook w/2" Ball (Inc. Grade 8 Hardware) Hook Rating 16,000 lbs. (GTW), Ball Rating 10,000 lbs. (GTW), 3,000 lbs. (VL), Black	2
36	36078	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 7-3/8" Length x 4-3/4" Drop), Pin and Clip, Black	1	50	63012	Pintle Hook w/2-5/16" Ball (Inc. Grade 8 Hardware) Hook Rating 16,000 lbs. (GTW), Ball Rating 14,000 lbs. (GTW), 3,000 lbs. (VL), Black	1
37	40342	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, Black	2	51	63015	15 Ton Regular Pintle Hook (Inc. Grade 8 Hardware) Rating 30,000 lbs. (GTW), 6,000 lbs. (VL), Black	2
38	40343	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-1/2" Length, 3/4" Rise, 2" Drop, Black	2	52	63013	5 Ton Regular Pintle Hook (Inc. Grade 8 Hardware) Rating 10,000 lbs. (GTW), 2,000 lbs. (VL), Black	1
39	40344	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, Black	2	53	63057	Pintle Hook Receiver Mount, Solid Shank, 7-5/8" Length, 12,000 lbs. (GTW), 1,200 lbs. (TW), Black	2
40	40346	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9-1/2" Length, 4-3/4" Rise, 6" Drop, Black	1	54	40563-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2 Pack)	2
41	40330	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 1" Rise, 2" Drop, Black	2	TOTAL CONTENTS			146
42	63043	5 Ton Receiver Mount Pintle Hook, Solid Shank, Rating 10,000 lbs. (GTW), 2,000 lbs. (VL), Black	1	37-5365	4' Tall x 4' Lozier Gondola		1
43	63041	Receiver Mount Pintle Hook w/2" Ball (Inc. Grade 8 Hardware) Hook Rating 12,000 lbs. (GTW), Ball Rating 7,000 lbs. (GTW), 2,400 lbs. (VL), Black	1	37-2112	Rack 4' - Ball Mount for Lozier Gondola		1
44	40382	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 10-5/8" Length, 3" Rise, 4" Drop	1	37-2114	Rack 4' - Hitch Ball for Lozier Gondola		1
45	40383	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 11-7/8" Length, 5" Rise, 6" Drop	1	37-2078	Pegboard 6" Hook, 50 pcs.		1
46	40384	Aluminum Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-7/8" Length, 7" Rise, 8" Drop	2	MKG019†	Draw-Tite® - Tow Ready® Header Card		1
				MKG0225	Draw-Tite® Gondola Wallpaper		2

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.



† = Available while supply lasts.

TOWING / WIRING PRODUCTS AND ACCESSORIES PLANOGRAM

Recommending a complete layout of the best selling towing / wiring products and accessories.



Ref. No.	Part No.	Description	Qty
1	5100	Activator® Electronic Brake Control, for 1 to 2 Axle Trailers, Timed Actuated	2
2	5504	Activator® IV Electronic Brake Control, for 1 to 4 Axle Trailers, Timed Actuated	2
3	5520	Activator® III Electronic Brake Control, for 1 to 4 Axle Trailers, Timed Actuated	2
4	63234	Receiver Lock, for 1-1/4", 2" & 2-1/2" Sq. Receivers w/Universal Stainless Steel Sleeve	2
5	63223	Receiver Lock, Bent Pin, 5/8" for 2" & 2-1/2" Sq. Receivers	3
6	63224	Receiver Lock, Bent Pin, 1/2" for 1-1/4" Sq. Receivers & Fifth Wheel Base Rails	3
7	118301	T-One Connector Assembly w/Circuit Protected Converter	2
8	118336	T-One Connector Assembly	2
9	118392	T-One Connector Assembly	2
10	118412	T-One Connector Assembly w/Circuit Protected ModuLite® Module	2
11	22280	Brake Control Wiring Adapter, 2 plugs, Ford	2
12	22281	Brake Control Wiring Adapter, 2 plugs, Dodge	2
13	20264	Brake Control Wiring Adapter, GM	2


Ref. No.	Part No.	Description	Qty
14	22284	Brake Control Wiring Adapter - 2 plugs, GM	2
15	63250	Dogbone Lock 1/2"-5/8" Hitch Pin Coupler Combo	2
16	63228	Coupler Lock, "Gorilla Guard" for 2" Couplers	2
17	63202	1/2" Integral Pin & Clip for 1-1/4" Sq. Receivers - Stainless	3
18	63203	5/8" Integral Pin & Clip for 2" Sq. Receivers - Stainless	2
19	118416	T-One Connector Assembly	2
20	118551	T-One Connector Assembly w/Upgraded Circuit Protected ModuLite® HD Module	2
21	118552	T-One Connector Assembly w/Upgraded Circuit Protected ModuLite® HD Module	2
22	118450	T-One Connector Assembly	2
23	118151	Wiring Kit for Installing #118146, #118176, #118187 & #118190 ModuLite® Power Modules, Includes 20 ft. Undercar Wire, Fuse w/ Holder and Attaching Terminals	2
24	119130	Taillight Converter w/12" Leads and 60". 4-Flat Car End Connector	2
25	119147	ModuLite® Trailer Light Power Module	2
26	119178	Taillight Converter with Integrated Circuit Protection	2

† = Available while supply lasts.

TOWING / WIRING PRODUCTS AND ACCESSORIES PLANOGRAM

Cequent Performance Products Merchandising Solutions

Ref. No.	Part No.	Description	Qty	Ref. No.	Part No.	Description	Qty
27	119179	ModuLite® Protector w/Integrated Circuit Protection	2	41	20144	7-Way Flat Pin Connector/4-Flat Combo Adapter Harness w/ Mounting Bracket & Hardware	1
28	63227	Coupler Lock, "Gorilla Guard" for 2-5/16" Couplers	2	42	20110	Fifth Wheel Adapter Harness, 7-Way Flat Pin U.S. Car Connector Assembly 7 ft.	2
29	63204	1/2" Integral Pin & Clip for 1-1/4" Sq. Receivers - Zinc	3	43	40563-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2 Pack)	1
30	118467	T-One Connector Assembly w/Upgraded Circuit Protected ModuLite® Module	2	44	80791	Tri-Ball Ball Mount, 2" Sq. Solid Shank w/Black 1-7/8", 2", & 2-5/16" Balls, Black	1
31	118496	T-One Connector Assembly w/Upgraded Converter	2	45	80799	Tri-Ball Ball Mount, 2" Sq. Solid Shank w/Chrome 1-7/8", 2", & 2-5/16" Balls, Black	1
32	118242	Replacement OEM Tow Package Wiring Harness (7-Way)	2	46	63226	Coupler Lock, Universal	2
33	119180	ModuLite® Protector w/Integrated Circuit Protection & Installation Kit	2	TOTAL CONTENTS			93
34	119191	ModuLite® HD Protector w/Integrated Circuit & Overload Protection Trailer Light Power Module & Installation Kit	1	37-5365	4' Tall x 4' Lozier Gondola		1
35	118001	4-Flat Car End Connector 48" Long (Includes 4 Wire Taps)	2	37-2078	Pegboard 6" Hook, 50 pcs.		1
36	118033	4-Flat Trailer End Connector, 48" Long	2	MKG0197†	Draw-Tite® - Tow Ready® Header Card (not shown)		1
37	118136	Universal Mounting Bracket and Clamp (Long)	2	MKG0225	Draw-Tite® Gondola Wallpaper		2
38	20212	Mounting Bracket for 7-Way OEM Connectors, Includes Screws and Nuts	3	<i>*NOTE: See GONDOLA DISPLAYS for gondola accessory items.</i>			
39	63205	5/8" Integral Pin & Clip for 2" Sq. Receivers - Zinc	3				
40	20143	6-Way Round Pin Connector/4-Flat Combo Adapter Harness w/ Mounting Bracket & Hardware	1				



† = Available while supply lasts.

WIRING PRODUCTS AND ACCESSORIES PLANOGRAM

Recommending a complete layout of the best selling wiring products and accessories.



Ref. No.	Part No.	Description	Qty
1	20321	4-Flat to 7-Way Flat Pin Connector Adapter, Plastic	2
2	118020	7-Way Flat Pin Connector, Car End, Plastic	2
3	118021	7-Way Flat Pin Connector, Trailer End, Plastic	2
4	20047	7-Way U.S. Car Replacement Socket for 7-Way Twist In OEM GM Vehicles	2
5	118136	Universal Mounting Bracket and Clamp (Long)	2
6	118138	Mounting Bracket for 7-Way Flat Pin Connectors, Includes Screws and Nuts	2
7	118144	4-Flat Mounting Bracket	2
8	20144	7-Way Flat Pin Connector/4-Flat Combo Adapter Harness w/ Mounting Bracket & Hardware	1
9	20117	7-Way Flat Pin Car End Tester	2
10	118159	6 & 7-Way Connector Mounting Box, Universal for Round & Square Tube Hitches	2
11	118009	4-Flat Trailer End Connector, 21' Long	2
12	20224	7-Way Trailer Wiring Harness, U.S. Car Connector, 4'	1
13	54-98-003	6-Way & 7-Way Plug Holder	2
14	20112	Cover, 4-Flat LED Connector	2
15	118001	4-Flat Car End Connector 48" Long (Includes 4 Wire Taps)	2
16	118033	4-Flat Trailer End Connector, 48" Long	2
17	118045	4-Flat Plug Loop, 60" Long (Includes 4 Wire Taps)	2
18	118185	4-Flat Plug Loop, 18" Long (Includes 4 Wire Taps)	2
19	118301	T-One Connector Assembly w/Circuit Protected Converter	2
20	118336	T-One Connector Assembly w/Converter	2
21	118534	T-One Connector Assembly w/Upgraded Circuit Protected ModuLite® HD Module	2
22	118215	5-Flat Plug Loop 60" Long, Car & Trailer End Wiring Harness	1
23	20116	6-Way Car End Tester	2
24	20114	4-Flat Car End Tester	3
25	118412	T-One Connector Assembly w/Circuit Protected ModuLite® Module	2
26	118416	T-One Connector Assembly	2


Ref. No.	Part No.	Description	Qty
27	118551	T-One Connector Assembly w/Upgraded Circuit Protected ModuLite® HD Module	2
28	118552	T-One Connector Assembly w/Upgraded Circuit Protected ModuLite® HD Module	2
29	118004	4-Flat Trailer End Connector, 12" Long	2
30	118016	5-Flat 72" Car End Wiring Harness	2
31	118017	5-Flat 48" Trailer End Wiring Harness	2
32	119130	Taillight Converter w/12" Leads and 60" 4-Flat Car End Connector	2
33	119147	ModuLite® Trailer Light Power Module	2
34	119178	Taillight Converter with Integrated Circuit Protection	2
35	119179	ModuLite® Protector w/Integrated Circuit Protection	2
36	118450	T-One Connector Assembly	2
37	118467	T-One Connector Assembly w/Upgraded Circuit Protected ModuLite® Module	2
38	118496	T-One Connector Assembly w/Upgraded Converter	2
39	118036	6-Way Round Pin Connector, Car End, Metal	2
40	118037	6-Way Round Pin Connector, Trailer End, Metal	2
41	119180	ModuLite® Protector w/Integrated Circuit Protection & Installation Kit	2
42	119191	ModuLite® HD Protector w/Integrated Circuit & Overload Protection Trailer Light Power Module & Installation Kit	1
TOTAL CONTENTS			81
	37-5365	4' Tall x 4' Lozier Gondola	1
	37-2078	Pegboard 6" Hook, 50 pcs.	1
	MKG0197†	Draw-Tite® - Tow Ready® Header Card (not shown)	1
	MKG0225	Draw-Tite® Gondola Wallpaper	2

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.

† = Available while supply lasts.

WIRING PRODUCTS AND ACCESSORIES PLANOGRAM

Cequent Performance Products Merchandising Solutions



† = Available while supply lasts.

TRAILER LOCKS PLANOGRAM

Recommending a complete layout of the best selling trailer locks.




Ref. No.	Part No.	Description	Qty.
1	580402	5/8" Stainless Steel Dogbone Lock	3
2	580404	5/8" Chrome Dogbone Lock w/ Chrome Coupler Lock	3
3	580401	5/8" Chrome Dogbone Lock	3
4	580400	5/8" Chrome Bent Pin Lock	3
5	63249	Lock 5/8" Hitch Pin Coupler Lock Combo	3
6	63248	Lock 5/8" Hitch Pin - Class III	3
7	63250	Dogbone Lock 1/2"-5/8" Hitch Pin Coupler Combo	3
8	63234	Dogbone Lock 1/2"-5/8" Hitch Pin	6
9	580406	5/8" Stainless Steel Receiver Lock w/ SS Coupler Lock	3
10	580405	5/8" Stainless Steel Receiver Lock	3
11	580407	5/8" - 1/2" Easy Access Receiver Lock	3
12	580409	Easy Access Coupler Lock	3
13	63223	Lock 5/8" Hitch Pin - Class III	6
14	63224	Lock 1/2" Hitch Pin - Class III	6
15	63230	Brass Coupler Lock	6
16	63225	Coupler Lock	6
17	580403	Chrome Coupler Lock	3
18	580408	Stainless Steel Coupler Lock	6
19	580410	Adjustable Easy Access Coupler Lock	3
20	63253	5/8" Bent Pin Lock, 3-1/2" Span - Class V	6
21	63254	Fifth Wheel Rail Lock	6
22	63252	5/8" Dogbone Lock, 3-1/2" Span - Class V	6
23	63251	King Pin Lock	12
24	63226	Universal Coupler Lock	3
TOTAL CONTENTS			78
	37-2078	Pegboard 6" Hook, 50 pcs.	1
	37-5365	4' Tall x 4' Lozier Gondola	1

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.

† = Available while supply lasts.

TRAILER LOCKS PLANOGRAM

Cequent Performance Products Merchandising Solutions



† = Available while supply lasts.

INCANDESCENT AND LED LIGHTING PLANOGRAM

Recommending a complete layout of the best selling incandescent and LED lighting products.



3' Incandescent or 2' LED

SUGGESTED INCANDESCENT LIGHTS TO DISPLAY

Part No.	Description	Qty.	Part No.	Description	Qty.
41-30-001	Clearance Light Module #30 2" Red	3	3176123	Interior Light #76 Single White	1
41-30-002	Clearance Light Module #30 2" Amber	3	31-84-010	Red Lens #84/85/86	2
41-31-001	Clearance Light Module #31 2-1/2" Red	3	31-92-001	Stop/Tail/Turn #92 Surface Mount w/White Base	2
41-31-002	Clearance Light Module #31 2-1/2" Amber	3	31-92-003	Stop/Tail/Turn #92 Surface Mount w/License Light & Brkt w/White Base	2
41-37-031	Clearance Lens #37 Red w/Black Base w/Wire	3	31-84-700	Backup Lens #84/85/86 - Lens Mounted Vertical	2
41-37-032	Clearance Lens #37 Amber w/Black Base w/Wire	3	31-84-711	Backup Lens #84/85/86 - Lens Mounted Horizontal	2
31-78-531	Porch/Utility Light #78 White w/Clear Lens	2	31-86-101	Stop/Tail/Turn #86 Red w/Black Base	2
31-78-532	Porch/Utility Light #78 White w/Amber Lens	2	31-86-103	Backup Vertical Mount #86 w/Black Base	2
31-59-001	Clearance Light #59 Red w/White Base	3	31-2823285	Trailer Light Kit Under 80" w/25 Ft. Wire Harness	2
31-59-002	Clearance Light #59 Amber w/White Base	3	TOTAL CONTENTS		82
32-003441	Clearance Light Dual Bulb Red	3	37-5365	4' Tall x 4' Lozier Gondola	1
32-003440	Clearance Light Dual Bulb Amber	3	37-2078	Pegboard 6" Hook, 50 pcs.	1
41-38-031	Clearance Lens #38 Red w/Black Base w/Wire	3	MKG0234	Bargman® Header Card (not shown)	1
41-38-032	Clearance Lens #38 Amber w/Black Base w/Wire	3	MKG0232	Bargman® Gondola Wallpaper	2
54206-001	License Plate Light, Mini LED	6			
31-99-001	Clearance Light #99 Red	3			
31-99-002	Clearance Light #99 Amber	3			
31-59-010	Red Lens #59	3			
31-59-012	Amber Lens #59	3			
3176123	Interior Light #76 Single White	1			

† = Available while supply lasts.

INCANDESCENT AND LED LIGHTING PLANOGRAM

Cequent Performance Products Merchandising Solutions

SUGGESTED LED LIGHTS TO DISPLAY (CONTINUED)

Part No.	Brand	Description	Qty.	Part No.	Brand	Description	Qty.
42-30-401	Bargman	LED Clearance Light Module #30 2" Red	3	42-84-414	Bargman	LED Upgrade Backup Lens Module #84/85/86	2
42-30-402	Bargman	LED Clearance Light Module #30 2" Red	3	42-86-101	Bargman	LED Stop/Tail/Turn #86 Red w/Black Base	2
42-31-403	Bargman	LED Clearance Light Module #31 2-1/2" Red w/Reflex	3	42-86-104	Bargman	LED Turn #86 Amber w/Black Base	2
42-31-404	Bargman	LED Clearance Light Module #31 2-1/2" Amber w/Reflex	3	54201-003	Bargman	Hi Intensity Micro LED Amber Side Marker Clearance Light w/Grommet	8
42-86-410	Bargman	LED Upgrade Red Clearance Light Wrap-Around #86 Light Module	3	54201-004	Bargman	Hi Intensity Micro LED Red Side Marker Clearance Light w/Grommet	6
42-86-412	Bargman	LED Upgrade Amber Clearance Light Wrap-Around #86 Light Module	3	54201-005	Bargman	Hi Intensity Micro LED Clear Light w/Grommet	3
42-59-401	Bargman	LED Clearance Light #59 Red w/White Base w/Pigtail	3	71-78-010	Bargman	Reflector Red w/Mounting Holes & Adhesive Back	3
42-59-402	Bargman	LED Clearance Light #59 Amber w/White Base w/Pigtail	3	71-78-020	Bargman	Reflector Amber w/Mounting Holes & Adhesive Back	3
42-59-410	Bargman	LED Upgrade Red Clearance Light #59 Lens Module	3	71-55-010	Bargman	Reflector Red 2-3/16" w/Adhesive Back	3
42-59-412	Bargman	LED Upgrade Amber Clearance Light #59 Lens Module	3	71-55-020	Bargman	Reflector Amber 2-3/16" w/Adhesive Back	3
42-38-033	Bargman	LED Clearance Light #38 Red w/Black Base w/Pigtail	3	31-407560	Bargman	LED Trailer Light Kit 4x6 Waterproof Low Profile	1
42-38-034	Bargman	LED Clearance Light #38 Amber w/Black Base w/Pigtail	3	31-407540	Bargman	LED Trailer Light Kit 3x8 Waterproof Low Profile	1
42-37-401	Bargman	LED Clearance Light Module #37 Red	3	TOTAL CONTENTS			82
42-37-402	Bargman	LED Clearance Light Module #37 Amber	3	37-5367		4' Tall x 2' Lozier Gondola	1
42-99-401	Bargman	LED Clearance Light #99 Red	3	37-2078		Pegboard 6" Hook, 50 pcs.	1
42-99-402	Bargman	LED Clearance Light #99 Amber	3	MKG0233		Bargman® Header Card (not shown)	1
42-42-401	Bargman	LED Clearance Light #42 Red	3	MKG0232		Bargman® Gondola Wallpaper	1
42-42-402	Bargman	LED Clearance Light #42 Amber	3				
42-84-410	Bargman	LED Upgrade Red Stop/Tail/Turn Module #84/85/86	2				
42-84-412	Bargman	LED Upgrade Amber Turn Module #84/85/86	2				

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.

† = Available while supply lasts.

LED LIGHTING PLANOGRAM

Recommending a complete layout of the best selling LED lighting products.



SUGGESTED LED LIGHTS TO DISPLAY

Part No.	Description	Qty.	Part No.	Description	Qty.
401565	LED Waterproof Marker/Clearance Lamp, Stud Mount, Amber	2	407555	LED Waterproof STL-80 Stop, Turn, and Tail Lamp, Roadside	2
401566	LED Waterproof Marker/Clearance Lamp, Stud Mount, Red	2	407550	LED Waterproof STL-80 Stop, Turn, and Tail Lamp, Curbside	2
54201-001	LED Clearance Light Amber w/Chrome Bezel (47-106853 & 47-106020)	2	401567	LED Waterproof ID Light Bar	2
54201-002	LED Clearance Light Red w/Chrome Bezel (47-107047 & 47-106020)	2	407540	LED Waterproof Low Profile Trailer Light Kit	1
54005	LED 6" Oval Courtesy Light Clear w/Grommet w/Pigtail	2	407560	LED Waterproof STL-80 Trailer Light Kit	1
42-106858	LED Light Bar w/Red Lens	2	287512	LED Submersible Under 80" Trailer Light Kit	1
401580	LED Waterproof Marker/Clearance Lamp, Amber	2	54205-010	LED Light Strip Red - 36" w/54 Diodes Per Strip	3
401581	LED Waterproof Marker/Clearance Lamp, Red	2	54205-011	LED Light Strip Blue - 36" w/54 Diodes Per Strip	3
401576	LED Waterproof Marker/Clearance Lamp, 2" Round Grommet Mount, Amber	2	54205-012	LED Light Strip Amber - 36" w/54 Diodes Per Strip	3
401577	LED Waterproof Marker/Clearance Lamp, 2" Round Grommet Mount, Red	2	54205-013	LED Light Strip Green - 36" w/54 Diodes Per Strip	3
401578	LED Waterproof Marker/Clearance Lamp, 2 1/2" Round Grommet Mount, Amber	2	54205-014	LED Light Strip Clear - 36" w/54 Diodes Per Strip	3
401579	LED Waterproof Marker/Clearance Lamp, 2 1/2" Round Grommet Mount, Red	2	TOTAL CONTENTS		45
407535	LED Waterproof Stop, Turn and Tail lamp, Roadside	2	37-5367	4' Tall x 2' Lozier Gondola	1
407530	LED Waterproof Stop, Turn and Tail lamp, Curbside	2	37-2078	Pegboard 6" Hook, 50 pcs.	1
281595	LED - Wrap-Around 8-Function, Roadside	2	MKG0231	Wesbar® Header Card	1
281594	LED - Wrap-Around 7-Function, Curbside	2	MKG0230	Wesbar® Gondola Wallpaper	1
54006	LED 6" Oval Tail Light Red w/Grommet w/Pigtail	2	<i>*NOTE: See GONDOLA DISPLAYS for gondola accessory items.</i>		
54004	LED 6" Oval Tail Light Red w/Chrome Trim Snap Ring	2			

† = Available while supply lasts.

INCANDESCENT LIGHTING AND WIRING PLANOGRAM

Recommending a complete layout of the best selling incandescent lighting and wiring products.



SUGGESTED LIGHTS & WIRING TO DISPLAY

Part No.	Description	Qty.	Part No.	Description	Qty.
203131	Clearance Marker Lamp w/Reflector, Amber	2	767942	5-Way Tester w/LED and Dust Cap	2
203133	Clearance Marker Lamp w/Reflector, Red	2	2523023	Submersible Under 80" Tail Lamp, Roadside	2
203111	Clearance Marker Light, Amber	2	2523073	Submersible Under 80" Tail Lamp, Curbside	2
203113	Clearance Marker Light, Red	2	403026	Waterproof Over 80" Low Profile Tail Lamp, Roadside	2
203292	Sealed Clearance Marker Lamp, Amber	2	403076	Waterproof Over 80" Low Profile Tail Lamp, Curbside	2
203293	Sealed Clearance Marker Lamp, Red	2	707261	25' 4-Flat Wishbone Wire Harness Kit	2
003148	Clearance Marker Light Amber w/Reflex Lens, PC Rated	2	707270	4-Way Trunk/Trailer Connector Kit, 66"	2
403348	Sealed Bulb Replacement Tail Lamp Capsule	2	707272	4-Way Trunk Connector 6' with 6' Ground	2
403080	Sealed Oval Tail Lamp Kit	2	707286	4-Way Trailer Connector, 18" Wishbone	2
203309	Waterproof ID Bar, Chrome, Red	2	707275	4-Way Trunk Connector, 4' with 18" Ground	2
003211	Black Plastic License Plate Bracket	2	2527511	Submersible, Under 80" Trailer Light Kit	1
203395	Sealed Clearance Marker Lamp Module Snap-Lock, Amber	2	007509	Waterproof Low Profile Trailer Light Kit	1
203396	Sealed Clearance Marker Lamp Module Snap-Lock, Red	2	707105	25' 5-Flat Wishbone Wire Harness Kit	2
203233	Waterproof Clearance Marker Lamp, Stud Mount, Amber	2	707273	5-Way Trunk Connector, 6' with 4' Ground	2
203234	Waterproof Clearance Marker Lamp, Stud Mount, Red	2	707283	5-Way Trunk Connector 4' with 4' Ground	2
203294	Sealed Clearance Marker Lamp, Amber	2	54205-010	LED Light Strip Red - 36" w/54 Diodes Per Strip	3
203295	Sealed Clearance Marker Lamp, Red	2	54205-011	LED Light Strip Blue - 36" w/54 Diodes Per Strip	3
707254	Double Ended 4-Way 2ft.	2	54205-012	LED Light Strip Amber - 36" w/54 Diodes Per Strip	3
707255	Double Ended 5-Way 2ft.	2	54205-013	LED Light Strip Green - 36" w/54 Diodes Per Strip	3
2523024	Submersible Over 80" Tail Light, Roadside	2	54205-014	LED Light Strip Clear - 36" w/54 Diodes Per Strip	3
2523074	Submersible Over 80" Tail Light, Curbside	2	TOTAL CONTENTS		45
403025	Submersible Over 80" Tail Light, Roadside	2	37-5365	4' Tall x 4' Lozier Gondola	1
403075	Submersible Over 80" Tail Light, Curbside	2	37-2078	Pegboard 6" Hook, 50 pcs.	1
403087	Sealed Oval Lamp Module, Clear	2	MKG0235	Wesbar® Header Card	1
403085	Sealed Oval Tail Lamp Module, Red	2	MKG0230	Wesbar® Gondola Wallpaper	2
707250	7-Way to 5-Way Adapter	2	*NOTE: See GONDOLA DISPLAYS for gondola accessory items.		
767940	Adapter - 7-Way Blade to 5-Way Flat	2			
767941	4-Way Tester w/LED	2			

† = Available while supply lasts.

INCANDESCENT AND LED LIGHTING PLANOGRAM

Recommending a complete layout of the best selling incandescent and LED lighting products.



SUGGESTED INCANDESCENT & LED LIGHTS TO DISPLAY

Part No.	Description	Qty.	Part No.	Description	Qty.
32-003440	Clearance Light Red	1	31-59-010	Clearance Light Replacement Lens #59 Red	1
32-003441	Clearance Light Amber	1	31-59-012	Clearance Light Replacement Lens #59 Amber	1
42-59-401	Clearance Light LED #59 Red w/White Base	2	42-42-401	Clearance Light LED #42 Red w/Reflex, Stud Mount	2
42-59-402	Clearance Light LED #59 Amber w/White Base	2	42-42-402	Clearance Light LED #42 Amber w/Reflex, Stud Mount	2
31-59-001	Clearance Light #59 Red with White Base	1	41-31-001	Clearance Light Sealed Module, #31 Red	1
31-59-002	Clearance Light #59 Amber with White Base	1	41-31-002	Clearance Light Sealed Module, #31 Amber	1
42-99-401	Clearance Light LED #99 Red	2	42-37-401	37 Series LED Red	2
42-99-402	Clearance Light LED #99 Amber	2	42-37-402	37 Series LED Amber	2
71-55-010	Reflector 2-3/16 Round Adhesive Mount Red	1	41-30-001	Clearance Light Sealed Module, #30 Red	1
71-55-020	Reflector 2-3/16 Round Adhesive Mount Amber	1	41-30-002	Clearance Light Sealed Module, #30 Amber	1
41-38-031	Clearance Light Sealed #38 Red with Black Base and Wire Assembly	1	42-38-034	Clearance Light LED #38 Amber with Black Base with Pigtail	2
41-38-032	Clearance Light Sealed #38 Amber with Black Base and Wire Assembly	1	42-38-033	Clearance Light LED #38 Red with Black Base with Pigtail	2
42-30-402	LED 2 Round Amber	2	71-78-010	Reflector Rectangular Red 3-1/4 x 1-1/2 - Adhesive	1
42-30-401	LED 2 Round Red	2	71-78-020	Reflector Rectangular Amber 3-1/4 x 1-1/2 - Adhesive	1
42-31-404	LED 2-1/2 Round Amber w/Grommet & Pigtail Reflex	2	42-86-410	LED Wrap-Around Clearance Light Upgrade Module Red	2
42-31-403	LED 2-1/2 Round Red w/Grommet & Pigtail Reflex	2	42-86-412	LED Wrap-Around Clearance Light Upgrade Module Amber	2
31-99-001	Clearance Light #99 Red	1	203233	Side Marker/Clearance Light Amber w/White Stud-Mount Base, PC Rated	1
31-99-002	Clearance Light #99 Amber	1	203234	Side Marker/Clearance Light Red w/White Stud-Mount Base, PC Rated	1
42-59-410	Upgrade Kit LED #59 Red	2	203292	Clearance Lens #37 Amber w/Black Base and Wire	1
42-59-412	Upgrade Kit LED #59 Amber	2	203293	Clearance Lens #37 Red w/Black Base and Wire	1

† = Available while supply lasts.

INCANDESCENT AND LED LIGHTING PLANOGRAM

Cequent Performance Products Merchandising Solutions

SUGGESTED INCANDESCENT & LED LIGHTS TO DISPLAY (CONTINUED)

Part No.	Description	Qty.	Part No.	Description	Qty.
42-84-412	LED #84 Series Turn Light Lens Upgrade Module Amber w/Connector and Lens Screws	2	31-84-010	Taillight Replacement Lens #84, #85, & #86 Red	1
42-84-410	LED #84 Series Stop, Tail, Turn Light Lens Upgrade Module Red w/Connector and Lens Screws	2	403348	Replacement Part, Sonically Sealed Waterproof Bulb Capsule for Part #007509	1
42-86-104	Taillight LED #86 Amber Turn with Black Base	2	2527511	Submersible Under 80 Taillight Kit w/25' Harness (w/o Clearance/Side Marker Lights) INCAND;TRAILER KIT	1
42-86-101	Taillight LED #86 Single Stop, Tail, Turn with Black Base	2	31-2823285	Taillight Kit w/25' Wire Harness, w/Rectangular Clearance/Side Marker Lights	1
42-84-414	LED #84 Backup Lens Module Red Reflex w/Clear Center w/Bulb Socket Plug	2	54201-003	Hi Intensity Micro LED Amber Side Marker Clearance Light w/Grommet	3
2523073	6-Function Submersible Under 80 Taillight, Right/Curbside	1	54201-004	Hi Intensity Micro LED Red Side Marker Clearance Light w/Grommet	3
2523023	7-Function Submersible Under 80 Taillight, Left/Roadside	1	54201-005	Hi Intensity Micro LED Clear Light w/Grommet	2
403335	Replacement Part, Over 80 Taillight Lens for Part #403010, #403060, #403023 & #403073	1	54206-001	Mini LED License Plate Light	6
203310	Red, Standard, Black Painted Bar	1	TOTAL CONTENTS		91
31-84-700	Taillight Replacement Lens Horizontal #84, #85, & #86 Clear Backup	1	37-5365	4' Tall x 4' Lozier Gondola	1
31-84-711	Taillight Replacement Lens Vertical #84, #85, & #86 Clear Backup	1	37-2078	Pegboard 6" Hook, 50 pcs.	1
31-86-101	Taillight #86 Single Stop-Tail-Turn w/Black Base	1	MKG0231	Wesbar® Header Card (not shown)	1
31-86-103	Taillight #86 Single Vertical Backup w/Black Base	1	MKG0233	Bargman® Header Card (not shown)	1
403076	Taillight, Waterproof Low-Profile Over 80 - Right/Curbside	1	MKG0230	Wesbar® Gondola Wallpaper	1
403026	Taillight, Waterproof Low-Profile Over 80 - Left/Roadside	1	MKG0232	Bargman® Gondola Wallpaper	1
403080	Taillight, Sealed Oval Set (Module, Grommet & Harness)	1			
283561	LED 6 Oval Stop/Tail/Turn, Red	2			
283564	LED 6 Oval Stop/Tail/Turn, Amber	2			
44-00-003	Pigtail - 3 Wire Sealed	1			
44-06-020	Grommet - Sealed 6 Oblong Taillight	1			
44-01-031	Taillight Sealed Stop, Tail, Turn 4 Round with Grommet and Standard Pigtail	1			

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.

† = Available while supply lasts.

CARGO MANAGEMENT PLANOGRAM

Recommending a complete layout of the best selling cargo management products.



Ref, No.	Part No.	Description	Qty
1	1157200	Titan Tie Down 1800 lbs. 1 x 10' 2 per pack	3
2	1157300	Titan Tie Down 1800 lbs. 1 x 10' 4 per pack	3
3	1157100	Titan Tie Down 1800 lbs. 1 x 14' 1 per pack	3
4	1152101	Ratchet Tie Down 1 x 6' Padded Handle	3
5	1151601	Ratchet Tie Down 1.25 x 10' with Hooks	3
6	1151701	Ratchet Tie Down 1.5 x 15' with Hooks	3
7	1152500	Ratchet Tie Down 2 x 25' with Hooks	2
8	7330	Cargo Net	2
9	59200	Cargo Net 36 x 48	3
10	9203200	Stretch Cord 32" 2 pack	2
11	9500100	Cargo Net	2
12	9500500	Pick Up Truck Cargo Net	2
13	44209	Recessed Floor/Wall Tie Down	1
14	44202	Recessed Ring Tie Down for Rope	4


Ref, No.	Part No.	Description	Qty
15	44201	Surface Mount Ring Tie Down for Rope	3
16	9402400	Bungee Cord 24" Red	4
17	1017800	Tow Strap 2 x 20' with Loop	2
18	9500600	Universal Truck Net	2
19	9501000	Storage Net 48 x 60 x 12	1
20	9501200	Hammock Storage Net	1
21	1970000	Cargo Bar 40 x 74"	2
22	1970200	Ratchet Cargo Bar	3
23	59000	Move Organizer 25 x 15 x 7	1
24	59001	Move Organizer 38 x 15 x 7	1
25	2004500	Pet Barrier	1
TOTAL CONTENTS			81
37-2128		7' Tall x 4' Lozier Gondola	1
37-2078		Pegboard 6" Hook, 50 pcs.	1

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.

† = Available while supply lasts.

CARGO MANAGEMENT PLANOGRAM

Cequent Performance Products Merchandising Solutions



† = Available while supply lasts.

CARGO MANAGEMENT PLANOGRAM

Recommending a complete layout of the best selling tie down and strap products.




Ref. No.	Part No.	Description	Qty
1	9210500	Ratchet Tie Down - 1" x 10' (4 pack)	2
2	9210600	Cambuckle Tie Down - 1" x 6', 900 lbs. - blue (4 pack)	2
3	1152200	Surelok Cambuckle Tie Down - 1" x 6'	2
4	9232400	Stretch Cord - 24" (2 pack)	3
5	1227000	Ratchet Tie Down - 1" x 10', 900 lbs. - Break Strength	3
6	9303200	Triple Strength Stretch Cord 32"	3
7	9304000	Triple Strength Stretch Cord 40"	3
8	9414500	Fat Strap Cord - 45"	3
9	1157100	Titan Ratchet Tie Down - 1" x 14', 1,800 lbs. (single)	2
10	1151800	Retractable Ratchet Tie Down - 1" x 6', 500 lbs. - twin pack	2
11	1034400	Cambuckle Tie Down w/hooks 1" x 12', 1,200 lbs. - black	2
12	1170500	Ratchet Tie Down - 1" x 14'	2
13	1158300	Titan Max Grip Ratchet Tie Down, 1" x 14', 3,000 lbs. (single)	2
14	1154201	Cambuckle Tie Down - 1" x 6', 1,300 lbs. - Break Strength - Orange	2
16	9203200	Stretch Cord - 32" (2 pack)	3
17	1169900	Ratchet Tie Down - 1" x 12'	3
18	1170000	Ratchet Tie Down - 1" x 13'	3
19	9302400	Triple Strength Stretch Cord 24"	3
20	9416700	Rotating Triple Strength Bungee Cord - 52"	3
21	9412000	Fat Strap Cord - 20"	3
22	1157200	Titan Ratchet Tie Down - 1" x 14', 1,800 lbs. (2 pack)	2
23	1153500	Retractable Ratchet Tie Down - 1" x 6', 400 lbs. - Camo (2 pack)	2
24	1170200	Ratchet Tie Down - 1" x 6'	2
25	1158400	Titan Max Grip Ratchet Tie Down, 1" x 14', 3,000 lbs. (2 pack)	2

Ref. No.	Part No.	Description	Qty
26	1152101	Ratchet w/Padded handle Tie Down - 1" x 6', 1,800 lbs. - Break Strength - Orange	2
27	9203200	Stretch Cord - 32" (2 pack)	3
28	1033300	Cambuckle Tie Down w/hooks 1" x 10', 900 lbs. - red	3
29	9305200	Triple Strength Stretch Cord 52"	3
30	9413000	Fat Strap Cord - 30"	3
31	9414900	Adjustable Fat Strap - 10" to 45" orange/black	3
32	1157300	Titan Ratchet Tie Down - 1" x 10', 1,800 lbs. (2 pack)	2
33	1158500	Titan Max Grip Ratchet Tie Down, 1" x 14', 3,000 lbs. (4 pack)	2
34	9500500	Cargo Net - Pickup Truck - 60" x 78"	1
35	9500100	Cargo Net - 36" x 48"	1
36	9008600	Bungee Cord Assortment - 24 pc.	1
37	9420500	Fat Strap Bungee Cords - 6 pc.	1
38	9133900	Tarp Strap Assortment - 6 pc.	1
39	9052000	Mini Stretch Cord Assortment - 20 pc.	1
TOTAL CONTENTS			81
	37-5365	4' Tall x 4' Lozier Gondola	1
	37-2078	Pegboard 6" Hook, 50 pcs.	1

*NOTE: See GONDOLA DISPLAYS for gondola accessory items.

† = Available while supply lasts.

CARGO MANAGEMENT PLANOGRAM
Cequent Performance Products Merchandising Solutions



† = Available while supply lasts.

INDEMNIFICATION PROGRAM



INSTALLED

Install Cequent Performance Products, Inc branded applicable products properly, according to the instructions included.

INFORMED

Before installation begins, present the towing safety form to the customer and have them read and sign it.

INSURED

A: Give the copy of the signed towing safety form to the customer.

B: Retain the original signed towing safety form for your records.

DEALER SUPPORT

In the interest of safe towing, Draw-Tite®, Hidden Hitch®, and Reese® offer this Dealer Installation Indemnification Program. We're committed to designing and building the industry's highest quality trailer hitches and towing accessories. We also back our equipment with an extraordinary level of support for our customers. Once enrolled in the Dealer Installation Indemnification Program, when you sell and properly install complete Draw-Tite®, Hidden Hitch®, or Reese® applicable products according to written instructions and provide your customers with the required information for safe and proper towing, you are indemnified on any claim over USD \$2,000 arising from your installation of Cequent branded products. *(For conditions and limitation see Dealer Agreement.)*

INDEPENDENT OF THIS AGREEMENT, THE CEQUENT PERFORMANCE PRODUCTS, INC LIMITED LIFETIME WARRANTY REMAINS IN EFFECT WITH RESPECT TO PRODUCT CLAIMS.

To enroll in the program, contact your Sales Representative

DEALER BENEFITS

What you receive is the potential of significant cost savings by reducing your installation liability coverage for Cequent branded products. We design and build safety into everything we produce, so we have the confidence to back Cequent branded products with this comprehensive program. Therefore you'll be able to serve your customers with a new level of confidence, knowing Cequent backs your work. However, Cequent recommends you determine your base liability coverage requirements with your local insurance professional.

ELIGIBILITY

To qualify for the Dealer Installation Indemnification Program, you must be a qualified Draw-Tite®, Hidden Hitch® or Reese® Installer. If you install other manufacturers' products, you will need to maintain liability insurance to cover non Cequent branded products.

PROGRAM COST

There is no charge to the participating Dealer.

LIMITED LIFETIME WARRANTY

- 1. Limited Lifetime Warranty ("Warranty"). Cequent Performance Products, Inc. ("We" or "Us") warrants to the original consumer purchaser only ("You") that the product will be free from material defects in both material and workmanship, ordinary wear and tear excepted; provided that installation and use of the product is in accordance with product instructions. There are no other warranties, express or implied, including the warranty of merchantability or fitness for a particular purpose. This warranty is not transferable.
- 2. Limitations on the Warranty. This Warranty does not cover: (a) normal wear and tear; (b) damage through abuse, neglect, misuse, or as a result of any accident or in any other manner; (c) damage from misapplication, overloading, or improper installation; (d) improper maintenance and repair; and (e) product alteration in any manner by anyone other than Us, with the sole exception of alterations made pursuant to product instructions and in a workmanlike manner.
- 3. Obligations of Purchaser. To make a Warranty claim, contact Us, at our principal address of 47912 Halyard Dr. Suite 100, Plymouth, MI 48170, 1-800-521-0510, identify the product by model number, and follow the claim instructions that will be provided. Any returned product that is replaced by Us becomes our property. You will be responsible for return shipping costs. Please retain your purchase receipt to verify date of purchase and that You are the original consumer purchaser. The product and the purchase receipt must be provided to Us in order to process Your Warranty claim.
- 4. Remedy Limits. Product replacement is Your sole remedy under this Warranty. We shall not be liable for service or labor charges incurred in removing or replacing a product or any incidental or consequential damages of any kind.
- 5. Assumption of Risk. You acknowledge and agree that any use of the product for any purpose other than the specified use(s) stated in the product instructions is at Your own risk.
- 6. Governing Law. This Warranty gives You specific legal rights, and You also may have other rights which vary from state to state. This Warranty is governed by the laws of the State of Michigan, without regard to rules pertaining to conflicts of law. The state courts located in Oakland County, Michigan shall have exclusive jurisdiction for any disputes relating to this Warranty.

LIMITED 1/3/5/7/10/15 YEAR WARRANTY

- 1. Limited Warranty. Cequent Performance Products, Inc. ("We" or "Us") warrants to the original consumer purchaser only ("You") that the product will be free from material defects in both material and workmanship for a specific period*, ordinary wear and tear excepted; provided that installation and use of the product is in accordance with product instructions. There are no other warranties, express or implied, including the warranty of merchantability or fitness for a particular purpose. If the product does not comply with this period specific limited warranty*, Your sole and exclusive remedy is that We will replace the product without charge to You and within a reasonable time or, at our option, refund the purchase price. This warranty is not transferable.
- 2. Limitations on the Warranty. This limited warranty does not cover: (a) normal wear and tear; (b) damage through abuse, neglect, misuse, or as a result of any accident or in any other manner; (c) damage from misapplication, overloading, or improper installation, including welds; (d) improper maintenance and repair; and (e) product alteration in any manner by anyone other than Us, with the sole exception of alterations made pursuant to product instructions and in a workmanlike manner.
- 3. Obligations of Purchaser. To make a warranty claim, contact Us, at our principal address of 47912 Halyard Dr. Suite 100, Plymouth, MI 48170, 1-800-521-0510, identify the product by model number, and follow the claim instructions that will be provided. Any returned product that is replaced or refunded by Us becomes our property. You will be responsible for return shipping costs. Please retain your purchase receipt to verify date of purchase and that You are the original consumer purchaser. The product and the purchase receipt must be provided to Us in order to process Your warranty claim.
- 4. Remedy Limits. Repair or replacement is Your sole remedy under this limited warranty or any other warranty related to the product. We shall not be liable for service or labor charges incurred in removing or replacing a product or any incidental or consequential damages of any kind.
- 5. Assumption of Risk. You acknowledge and agree that any use of the product for any purpose other than the specified use(s) stated in the product instructions is at Your own risk.
- 6. Governing Law. This limited warranty gives You specific legal rights, and You also may have other rights which vary from state to state. This limited warranty is governed by the laws of the State of Michigan, without regard to rules pertaining to conflicts of law. The state courts located in Oakland County, Michigan shall have exclusive jurisdiction for any disputes relating to this warranty.

*Visit www.cequentgroup.com for a copy of the specific warranty.

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
000612	Bearing Protector, 2" Hub	5 Year	M-18
001501	Grease Cap, 1.786" Zinc Plated	5 Year	M-19
001503	Grease Cap, 1.786" Zinc Plated	5 Year	M-19
001505	Grease Cap, 1.988" Zinc Plated	5 Year	M-19
001508	Grease Cap, 2.251" Zinc Plated	5 Year	M-19
001513	Grease Cap, 2.446"	5 Year	M-19
001515	Grease Cap, 2.567" Zinc Plated	5 Year	M-19
001516	Grease Cap, 3.008" Zinc Plated	5 Year	M-19
001517	Grease Cap, 1.786" Zinc Plated	5 Year	M-19
001518	Grease Cap, 1.988" Zinc Plated	5 Year	M-19
001520	Grease Cap, 2.446" Zinc Plated	5 Year	M-19
001523	Grease Cap, 1.943"	5 Year	M-19
001524	Grease Cap, 1.943"	5 Year	M-19
001526	Grease Cap, 2.722"	5 Year	M-19
001527	Grease Cap, 1.957"	5 Year	M-19
001528	Grease Cap, 3.358"	5 Year	M-19
001531	Grease Cap, 3.157"	5 Year	M-19
001601	Grease Cap, 2.333"	5 Year	M-19
001602	Grease Cap, 3.255"	5 Year	M-19
001603	Grease Cap, 3.882"	5 Year	M-19
001604	Grease Cap, 2.446"	5 Year	M-19
001605	Grease Cap, 2.722"	5 Year	M-19
001606	Grease Cap, 2.503" Plain	5 Year	M-19
001607	Grease Cap, 3.155"	5 Year	M-19
001609	Grease Cap, 3.125"	5 Year	M-19
001610	Grease Cap, 1.960"	5 Year	M-19
001925	Grease Cap, 1.988" Zinc Plated	5 Year	M-19
001926	Grease Cap, 2.333" Zinc Plated	5 Year	M-19
001927	Grease Cap, 2.446" Zinc Plated	5 Year	M-19
001928	Grease Cap, 1.786" Zinc Plated	5 Year	M-19
002120	4-Flat Trailer End Connector, 20' Wunside Harness, 3' Ground	1 Year	C-39
002125	4-Flat Trailer End Connector, 25' Wunside Harness, 3' Ground	1 Year	C-39
002130	4-Flat Trailer End Connector, 30' Wunside Harness, 3' Ground	1 Year	C-39
002215	4-Flat Trailer End Connector, 15' Wishbone Harness, 3' Ground	1 Year	C-39
002220	4-Flat Trailer End Connector, 20' Wishbone Harness, 3' Ground	1 Year	C-39, K-18, K-24
002230	4-Flat Trailer End Connector, 30' Wishbone Harness, 3' Ground	1 Year	C-39
002235	4-Flat Trailer End Connector, 35' Wishbone Harness, 3' Ground	1 Year	C-39
002240	4-Flat Trailer End Connector, 40' Wishbone Harness, 3' Ground	1 Year	C-39
002275	5-Flat Trailer End Connector, 25' Wishbone Harness, 4' Ground, 5' Auxiliary	1 Year	C-44
002280	5-Flat Trailer End Connector, 30' Wishbone Harness, 4' Ground, 5' Auxiliary	1 Year	C-44
002285	5-Flat Trailer End Connector, 35' Wishbone Harness, 4' Ground, 5' Auxiliary	1 Year	C-44
002290	5-Flat Trailer End Connector, 40' Wishbone Harness, 4' Ground, 5' Auxiliary	1 Year	C-44
002301	4-Flat Car End Connector 48" Long, 18" Ground	1 Year	C-39, K-10, K-18, K-22, K-24
002309	5-Flat Car End Connector, 6' Long, 6' Ground, 6' Auxiliary	1 Year	C-44
002401	4-Flat Trailer End Connector, 18" Wunside Harness, 18" Ground	1 Year	C-39
002402	4-Flat Trailer End Connector, 18" Wishbone Harness, 18" Ground	1 Year	C-39
002408	Ag Economy Extension Harness, 5' Long	1 Year	C-56, K-30
002409	5-Flat Trailer End Connector, 4' Wishbone Harness, 4' Ground, 4' Auxiliary	1 Year	C-44
002410	Ag Economy Extension Harness, 10' Long	1 Year	C-56, K-30
002415	Ag Straight Section Harness w/ 7-Pin Ag Plug and 4-Flat, 15' Long	1 Year	C-56, K-30

PART NO.	DESCRIPTION	WNTY	PAGE #
002425	Ag Straight Section Harness w/ 7-Pin Ag Plug and 4-Flat, 25' Long	1 Year	C-56, K-30
002430	Ag Straight Section Harness w/ 7-Pin Ag Plug and 4-Flat, 30' Long	1 Year	C-56, K-30
002435	Ag Harness Extension, 35' Long	1 Year	C-56, K-30
002500	Ag Tandem Haul Adapter	1 Year	C-56, K-30
002504	Ag Economy Rear Wishbone Harness, 10' Long	1 Year	C-56, K-30
002505	Ag Economy Rear Wishbone Harness, 15' Long	1 Year	C-56, K-30
002510	Ag Heavy-Duty Wishbone Harness w/Protective Covering, 10' Long	1 Year	C-56, K-30
002515	Ag Heavy-Duty Rear Wishbone Harness w/Protective Covering, 15' Long	1 Year	C-56, K-30
002590	Replacement Part, Magnet Kit for Ag Lights, 90 lbs. Pull (Set of 4)	1 Year	C-56, C-57, C-58, C-57, K-27, K-28, K-30
002625	Ag Tandem Haul Kit	1 Year	C-56, K-30
002670	Ag Economy Light Kit	1 Year	C-58, K-28
002675	Ag Deluxe Transport Kit w/ Brake Light Function, 6-Pin	1 Year	C-58, K-28
002676	Ag Deluxe Transport Kit w/ Brake Light Function, 7-Pin	1 Year	C-58, K-28
002802	Metal Wire Clip (1000 pack)	1 Year	C-68
002805	Wire Nut, Large - 14-16 Gauge (1000 pack)	1 Year	C-68
002806	Wire Tap, White, Double Leads (500 pack)	1 Year	C-68
002807	Wire Tap, Blue, Single Leads (500 pack)	1 Year	C-68
003101	Side Marker/Clearance Light Amber w/Reflex Lens w/ Black Stud-Mount Base	1 Year	K-22, K-42
003103	Side Marker/Clearance Light Red w/Reflex Lens w/ Black Stud-Mount Base	1 Year	K-42
003121	Side Marker/Clearance Light Amber w/Reflex Lens w/ Black Ear-Mount Base	1 Year	K-42
003123	Side Marker/Clearance Light Red w/Reflex Lens w/ Black Ear-Mount Base	1 Year	K-42
0031350300	A-Frame Bottom Support Plate, 2.3" Hole Dia., for 150's, 160's, 170's & A-Frames	5 Year	J-7, J-25
0031550300	Weld-On Female Mount, 3/4" Pin for 190's	5 Year	J-7
003201	License Plate Bracket, Plastic, Black	1 Year	K-10, K-18, K-22, K-24, K-49
003202	License Plate Bracket, Plastic, White	1 Year	K-49
003211	License Plate Bracket, Plastic, Black	1 Year	K-9, K-10, K-18, K-22, K-24, K-49
003213	License Plate Bracket, Plastic, White	1 Year	K-49
003225	Side Marker/Clearance Light Amber, PC Rated	1 Year	K-42
003230	Side Marker/Clearance Light Amber w/White Stud-Mount Base, PC Rated	1 Year	K-39
003231	Side Marker/Clearance Light Red w/White Stud-Mount Base, PC Rated	1 Year	K-39
003232	Courtesy Light w/Self-Grounding Stud Mount, Single Wire w/Molded Barrel	1 Year	K-26
003238	Side Marker/Clearance Light, Amber, Waterproof, Black, Stud Mount, PC Rated	1 Year	K-39
003239	Side Marker/Clearance Light, Red, Waterproof, Black, Stud Mount, PC Rated	1 Year	K-39
003240†	Replacement Part, Lens, Side Marker - Amber (lens only)	1 Year	K-41
003243†	Replacement Part, Side Marker/Clearance Base (only) w/ Ground Strap, White	1 Year	K-41
003272	Side Marker/Clearance Light Amber w/White Ear-Mount Base, PC Rated	1 Year	K-39
003273	Side Marker/Clearance Light Red w/White Ear-Mount Base, PC Rated	1 Year	K-39
003301	ID Bar, Standard, Amber	1 Year	K-48
003305	ID Bar-SS, Waterproof (w/White Bases), Red	1 Year	K-47
003306	ID Bar-SS, Waterproof (w/Black Bases), Red	1 Year	K-47
003308†	Replacement Part, Sealed Bulb Capsule	1 Year	K-22
003309†	ID Bar, Red, "15 Series" Waterproof	1 Year	K-47
003327	Replacement Part, Clearance Light Lens Red	1 Year	K-42
003328	Replacement Part, Clearance Light Lens Amber	1 Year	K-24, K-42
003330	Replacement Part, Clearance Light Lens Amber	1 Year	K-42, K-48

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
003337	Replacement Part, Lens, Red, Side Marker/Clearance Light w/Screw	1 Year	K-42	018098	Tongue Jack Support Foot, Removable w/Lock Pin, 6.2" Tall, Rating 2,000 - 5,000 lbs. for Jacks w/2" Inner Tubes	5 Year	J-7, J-26
003338	Replacement Part, Lens, Amber, Side Marker/Clearance Light w/Screw	1 Year	K-24, K-42	0181730324	Removable Foot Plate, 6.2"	5 Year	J-26
003340	Replacement Part, Lens, Amber, Side Marker/Clearance, Square	1 Year	K-42, K-48	018507	Kit -Removable Caster Assembly Steel Wheel	5 Year	J-25
003357	Amber Reflector w/Adhesive Back (1/bag)	1 Year	K-51	0185640301	Removable Disc Foot w/Pin 2.1" Tall - Plated for 150's & 170's	5 Year	J-26
003358	Red Reflector w/Adhesive Back (1/bag)	1 Year	K-51	01932-003	3/8" Drill Bits (3 pack)	1 Year	O-3
003378†	Replacement Part, Lens, Amber Clearance w/ Reflex (Rectangle)	1 Year	K-41	01933-003	7/16" Drill Bits (3 pack)	1 Year	O-3
003387	White Reflector w/Adhesive Back, 1"x1" (2/bag)	1 Year	K-51	01934-003	1/2" Drill Bits (3 pack)	1 Year	O-3
003388	Red Reflector w/Adhesive Back, 1"x1" (2/bag)	1 Year	K-51	01938-003	1/4" Pilot Drill Bits (3 pack)	1 Year	O-3
003440	Side Marker/Clearance Light, Amber, w/Dual Bulbs	1 Year	K-45	0233010300	Kit, Adjustable Tube - Welded 20" w/Pin Hole & 1 Set Bolt	5 Year	J-42
003441	Side Marker/Clearance Light, Red, w/Dual Bulbs	1 Year	K-45	0233060301	Replacement Part, Pin Kit for Adjustable Gooseneck Coupler	5 Year	J-42
003494	Replacement Part, Lens Amber, Clearance Light	1 Year	K-45	0233100300	Replacement Part, Adjustable Round Gooseneck Coupler Tube, Weld On, 20" Length, w/Pin Hole & 2 Set Bolts	5 Year	J-42
003495	Replacement Part, Lens Red, Clearance Light	1 Year	K-45	0233120300	Square Gooseneck Coupler Outer Tube, Weld On, 20" Length, 4-1/2" Tube, w/Hex Head Bolt Hole, Dual Set Bolts & Labels	5 Year	J-43
0050050300	Weld-On Male Mount, 9/16" Pin	5 Year	J-7	024200	High Profile Coupler Repair Kit	5 Year	J-38
0050240300	Weld-On Female Tube Mount, 5/8" Pin for 190's	5 Year	J-7	024202	Replacement Part, Adjustable Height Coupler Mounting Hardware Kit	5 Year	J-40
005122	Weld-On Tube Mount for #182524 & #182374	5 Year	J-7, J-16	0252010201	Kit, Snapper Pin & Chain Assembly	5 Year	J-26
006504	Taillight 8-Function, Waterproof Over 80" Low Profile w/Stripped Leads - Left/Roadside	1 Year	K-22	028242	Coupler, Round Tube Mount, 5000 lbs.	5 Year	J-38
006554	Taillight 7-Function, Waterproof Over 80" Low Profile w/Stripped Leads - Right/Curbside	1 Year	K-22	028243	Coupler, Square/Rectangular Mount, 7000 lbs.	5 Year	J-38
007257	7-Way Blade to 5-Flat, 6" Wire Adapter	1 Year	C-59	028244	Coupler, Square/Rectangular Mount, 5000 lbs.	5 Year	J-38
007509	Trailer Light Kit w/25' Harness, Waterproof Low-Profile Wrap-Around Over 80"	1 Year	K-22	028287	Coupler, A-Frame Mount, 7000 lbs.	5 Year	J-38
007539	Trailer Light Kit w/25' Harness, Waterproof Over 80" Low Profile	1 Year	K-22	028288	Coupler, A-Frame Mount, 5000 lbs.	5 Year	J-38
008540	Plastic Fender, 8"-12" Tire Size, White	5 Year	M-20	028351	Hitch Ball, 2" x 1" x 2-1/8", 5000 lbs.	5 Year	B-4
008541	Plastic Fender, 8"-12" Tire Size, White	5 Year	M-20	028352	Hitch Ball, 2" x 1" x 2-1/8", 7000 lbs.	5 Year	B-4
008543	Plastic Fender, 13" Tire Size, White	5 Year	M-20	028375	Hitch Ball, 2" x 3/4" x 2-1/8", 3000 lbs.	5 Year	B-4
008549	Plastic Fender, 8"-12" Tire Size, White	5 Year	M-20	028381	Coupler, Round Tube Mount, 5000 lbs.	5 Year	J-38
008550	Plastic Fender, 8"-12" Tire Size, Black	5 Year	M-20	028382	Coupler, Ball Size 2", Tongue Mount Width 3", Straight Channel, 5,000 lbs.	5 Year	J-38
008551	Plastic Fender, 8"-12" Tire Size, Black	5 Year	M-20	028383	Coupler, Round Straight Mount, 5000 lbs.	5 Year	J-38
008553	Plastic Fender, 13" Tire Size, Black	5 Year	M-20	028384	Coupler, Ball Size 2", A-Frame Coupler, 5,000 lbs.	5 Year	J-38
008554	Plastic Fender, 14" Tire Size, Black	5 Year	M-20	028386	Coupler, Ball Size 2", A-Frame Coupler, 7,000 lbs.	5 Year	J-38
008559	Plastic Fender, 8"-12" Tire Size, Black	5 Year	M-20	028387	Coupler, Ball Size 2", Tongue Mount Width 3", Straight Channel, 7,000 lbs.	5 Year	J-38
008561	Plastic Fender, 8"-12" Tire Size, Silver	5 Year	M-20	028390	Adjustable Coupler, 7000 lbs.	5 Year	J-38
008563	Plastic Fender, 13" Tire Size, Silver	5 Year	M-20	028400	Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 12,500 lbs.	5 Year	B-4
008564	Plastic Fender, 14" Tire Size, Silver	5 Year	M-20	028442	Coupler, Round Tube Mount, 12,500 lbs.	5 Year	J-38
008569	Plastic Fender, 8"-12" Tire Size, Silver	5 Year	M-20	028444	Coupler, Square/Rectangular Mount, 12,500 lbs.	5 Year	J-38
008572	Plastic Fender, 12" Tire Size, White	5 Year	M-20	028461	Coupler, Round Tube Mount, 12,500 lbs.	5 Year	J-38
008573	Plastic Fender, 13" Tire Size, White	5 Year	M-20	028462	Coupler, Ball Size 2-5/16", Tongue Mount Width 3", Straight Channel, 12,500 lbs.	5 Year	J-38
008574	Plastic Fender, 14" Tire Size, White	5 Year	M-20	028463	Coupler, Ball Size 2-5/16", A-Frame Coupler, 12,500 lbs.	5 Year	J-38
008575	Plastic Fender, 15" Tire Size, White	5 Year	M-20	028499	Coupler, A-Frame Mount, 12,500 lbs.	5 Year	J-37, J-38
008582	Plastic Fender, 12" Tire Size, Black	5 Year	M-20	028630	Adjustable Coupler, 12,500 lbs.	5 Year	J-37, J-38
008583	Plastic Fender, 13" Tire Size, Black	5 Year	M-20	028655	Coupler, Ball Size 2-5/16", A-Frame Coupler, 15,000 lbs.	5 Year	J-37, J-38
008584	Plastic Fender, 14" Tire Size, Black	5 Year	M-20	028656	Coupler, Ball Size 2-5/16", A-Frame Coupler, 15,000 lbs.	5 Year	J-38
008585	Plastic Fender, 15" Tire Size, Black	5 Year	M-20	028657	Adjustable Coupler, 15,000 lbs.	5 Year	J-37, J-38
008592	Plastic Fender, 12" Tire Size, Silver	5 Year	M-20	0287600300	20K Adjustable Gooseneck Coupler	5 Year	J-41, J-42
008593	Plastic Fender, 13" Tire Size, Silver	5 Year	M-20	0287610300	20K Adjustable Gooseneck Coupler w/Pin & Less Outer Tube	5 Year	J-42
008594	Plastic Fender, 14" Tire Size, Silver	5 Year	M-20	0287620300	20K Adjustable Gooseneck Coupler w/Tube Cap	5 Year	J-42
008595	Plastic Fender, 15" Tire Size, Silver	5 Year	M-20	0287650300	20K Round Gooseneck Coupler w/Cable Release-Inner	5 Year	J-42
01202-024	Receiver Tube Covers, 2" Sq., Black (24 pack)	1 Year	B-24	0287690300	20K Fixed Base Gooseneck Coupler	5 Year	J-42
0133302S00	Replacement Part, Pinion Shaft -XLT14	5 Year	J-62	0287740300	20K Gooseneck Coupler Kit, Includes Locking Pin Assembly, Locking Pin Cover and Labels	5 Year	J-42
0133303S01	Replacement Part, Pinion Shaft -T1602, T1801	5 Year	J-62	0287790300	20K Round Gooseneck Coupler, Dual Set Bolt and Labels	1 Year	J-44
0133304S01	Replacement Part, Ratchet Repair Kit for XLT18 Winch	5 Year	J-62	0287800300	25K Round Gooseneck Coupler, Dual Set Bolt and Labels	1 Year	J-44
0133313S00	Replacement Part, Handle for F2 FW1600 Winch	Lifetime	J-62				
015181	Sidewind Crank Assembly for 180's	5 Year	J-16, J-27				
0152710300	Bracket-Female Swivel-2.5"O.D.	5 Year	J-7				
0152730300	Weld-On Male Swivel Mount, 9/16" Pin for 150's & 170's	5 Year	J-7				
0152790300	Weld-On Male Swivel Mount, 5/8" Pin, 2" O.D. for 170's	5 Year	J-7				
017125	Detachable Steel Wheel Assembly w/Pin for 150 A-Frame's	5 Year	J-7, J-25				

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
0287820300	25K Round Gooseneck Coupler, Includes Locking Pin Assembly, Single Set Bolt, 4 Hole Adjustment and Labels	1 Year	J-44
0288660300	25K Square Gooseneck, 4" Inner Tube w/Pin & Less Outer Tube	5 Year	J-42
028900	30K Adjustable Square Gooseneck	5 Year	J-41, J-42
0289250300	25K Adjustable Round Gooseneck w/Pin & Outer Tube	5 Year	J-42
0289340317	25K Round Gooseneck Coupler w/Cable Release	5 Year	J-42
0289500300	30K Adjustable Round Gooseneck w/Pin	5 Year	J-41, J-42
0289580300	25K Round King Pin Gooseneck	5 Year	J-41, J-42
0289590300	30K Square King Pin Gooseneck	5 Year	J-41, J-42
0289600300	25K Square Gooseneck w/Pin	5 Year	J-41, J-42
0289640300	25K Round King Pin Gooseneck w/o Outer Tube, 4 Hole	5 Year	J-42
0289650300	30K Square King Pin Gooseneck w/o Outer Tube, 4 Hole	5 Year	J-42
0289800300	30K Square Gooseneck w/Pin	5 Year	J-42
0289SB0140	Replacement Part, Adjustable Gooseneck Pinch Bolt Kit	5 Year	J-42
0469006S00	Replacement Part, KX Input Shaft Kit	3 Year	J-62
05102-100†	6-5/8" All Weather Beaded Cable Ties, White (100 pack)	1 Year	C-68
05330-010	Hitch Hider Tube Covers, 2" Sq. Receivers w/Built-In 4-Flat Electrical Cover (10 pack)	1 Year	B-24
06237	1/2" Hitch Pin for 1-1/4" Class I and Class II, Zinc	1 Year	B-19
07010-024	Receiver Tube Cover, 2" Sq., Black Rubber (24 pack)	1 Year	B-24
0917501S00	Wheel Replacement - Plain w/UPC	5 Year	J-25
0917540-00	Replacement Part, Cap, Dome - 2" Jack Tube w/1 Tab, 1 Zerk	5 Year	J-35
0933301S00	Replacement Part, Service Kit, Handle-Marine JK 800 lbs.	5 Year	J-35
0933302S00	Replacement Part, Service Kit, Bevel	5 Year	J-35
0933305S00	Replacement Part, Service Kit, Handle-Sidewind Jacks	5 Year	J-35
0933306S00	Replacement Part, Service Kit, Bevel Gear-1200 lbs. Jacks	5 Year	J-35
0933307S00	Replacement Part, Service Kit, Plunger Pin 1/2" S-Mount	5 Year	J-35
0933325S00	Replacement Part, Service Kit, Bolt-On Hardware	5 Year	J-35
1000750	Water Wick, 750 Gram	5 Year	M-26
100235	Grease Cap, 2.333" Zinc Plated	5 Year	M-19
101469	4-Flat Car End Connector 72" Long, 72" Ground (Includes Wire Taps)	1 Year	C-39
1017600	Tow Strap w/Hooks - 2" x 20', 10,000 lbs.	1 Year	I-46
1017800	Tow Strap w/Loops - 2" x 20', 17,000 lbs.	1 Year	I-46
1024	Accelerated Battery Charging Device (ABCD)	1 Year	M-6
1026	Shur-Set III® Breakaway System w/5 Amp/Hr Battery (Includes #2005 Breakaway Switch) (Battery Charger Sold Separately)	1 Year	M-5
102639	Replacement Part, Lens Red, Clearance/Side Marker	1 Year	K-22
102641	Replacement Part, Lens Red, Taillight Over 80"	1 Year	K-22
1028	Shur-Set III® Breakaway System w/5 Amp/Hr Battery(with ABCD) (Includes #2005 Breakaway Switch)	1 Year	M-5
1040100	Solo™ Cargo Carrier w/3" Side Rails, 32" x 48" Platform, 2" Receiver Mount, Bolt Together	1 Year	I-20
1040200	Cargo Carrier Accessory, Loading Ramp for #1040100	1 Year	I-20
104393	4-Flat Dust Cover	1 Year	C-43
104429	Plastic Wire Clip w/ Adhesive Back	1 Year	C-68
105728	Plug Holder for AG 7-Way Round Pin Trailer Connector, Trailer End	1 Year	C-55, K-29
106289	Replacement Part, Clearance Light Base, Chrome 2" Snap-Lock, Self-Grounding	1 Year	K-26, K-32, K-37
106293	Replacement Part, Clearance Light Base, Chrome 2" Snap-Lock, Open-Back	1 Year	K-26, K-32, K-37
106294	Replacement Part, Module, Utility, Snap-lock, Clear	1 Year	K-26, K-32, K-37
106310	Replacement Part, Single Plug for Snap-lock Base	1 Year	K-50
106334	Replacement Part, Pigtail	1 Year	K-37
106410	8-Function, Left/Roadside, Trailer Ground Connection w/ Molded 2-Way Plug and Ring Terminal Ground	1 Year	K-22

PART NO.	DESCRIPTION	WNTY	PAGE #
106411	7-Function, Right/Curbside, Trailer Ground Connection w/Molded 2-Way Plug and Ring Terminal Ground	1 Year	K-22
106873	Replacement Part, 6" Oval Mounting Bracket	1 Year	K-8, K-10, K-11, K-21, K-26
107540	Grease Cap, 2.446" Zinc Plated	5 Year	M-19
108060	Ag Light Enhanced Lighting Module w/ Wire Leads	1 Year	C-56, K-30
108119	Mounting Wedge, Bud Light	1 Year	K-8, K-10, K-11, K-21, K-26
108297	Replacement Part, Base only, Black, Open Back "15 Series"	1 Year	K-26, K-32
108318	Ag Light Enhanced Lighting Module w/ Molded Plugs	1 Year	C-56, K-30
108319	Ag Light Enhanced Lighting Module w/ Weatherproof Plugs	1 Year	C-56, K-30
108663	Replacement Part, Plug, 2-Way, 18" w/#10 Ring	1 Year	K-26, K-31, K-32, K-34, K-37, K-38, K-50
108820	4-Flat Trailer End Connector, 20' Wishbone Harness, 30" Ground	1 Year	C-39
108825	4-Flat Trailer End Connector, 25' Wishbone Harness, 30" Ground	1 Year	C-39, K-10, K-22
108830	4-Flat Trailer End Connector, 30' Wishbone Harness, 30" Ground	1 Year	C-39
108835	4-Flat Trailer End Connector, 35' Wishbone Harness, 30" Ground	1 Year	C-39
108840	4-Flat Trailer End Connector, 40' Wishbone Harness, 30" Ground	1 Year	C-39
108843	Replacement Part, Lens Amber, Clearance Light	1 Year	K-45
108844	Replacement Part, Lens Red, Clearance Light	1 Year	K-45
108891	Replacement Part, Bulb #193	1 Year	K-18, K-22 - 24, K-42, K-43, K-45, K-63
109992	Ag Light Enhanced Lighting Module w/ Brake Light Signal Function w/ Wire Leads	1 Year	C-56, K-30
11003	Receiver Extension, 2" to 2" Extension, 14" Length, 400/4,000 lbs. WC & 650/6,500 lbs. WD	Lifetime	B-15
11004	Receiver Extension, 2" to 2" Extension, 18" Length, 400/4,000 lbs. WC & 650/6,500 lbs. WD	Lifetime	B-15
11005	Receiver Extension w/Step, 2" to 2" Extension, 14" Length, 400/4,000 lbs. WC & 650/6,500 lbs. WD	Lifetime	B-15
11006	Receiver Extension w/Step, 2" to 2" Extension, 18" Length, 400/4,000 lbs. WC & 650/6,500 lbs. WD	Lifetime	B-15
11029	Receiver Fabrication Part, 18" Combo Bar 2-1/2" Sq. ID, Unpainted	1 Year	A-16
11081	Receiver Fabrication Part, 8" Combo Bar 2" Sq. ID, Unpainted	1 Year	A-16
11200 0101	Coupler, Class I, 1-7/8" Ball, 2" Channel, 2000 lbs. - Zinc	5 Year	J-48
11200 0317	Coupler, Class I, 1-7/8" Ball, 2" Channel, 2000 lbs. - Primed	5 Year	J-48
1124	Hole Saw Arbor w/Pilot Drill for #1123/#58381	1 Year	O-3
11250 0101	Coupler, Class I, 1-7/8" Ball, 2-1/2" Channel, 2000 lbs. - Zinc	5 Year	J-48
11250 0317	Coupler, Class I, 1-7/8" Ball, 2-1/2" Channel, 2000 lbs. - Primed	5 Year	J-48
11300 0101	Coupler, Class I, 1-7/8" Ball, 3" Channel, 2000 lbs. - Zinc	5 Year	J-48
11300 0317	Coupler, Class I, 1-7/8" Ball, 3" Channel, 2000 lbs. - Primed	5 Year	J-48
1151601	Ratchet Tie Down - 1-1/4" x 10', 3,300 lbs. - Break Strength	1 Year	I-44
1151701	Ratchet Tie Down - 1-1/2" x 15', 5,500 lbs. - Break Strength	1 Year	I-44
1151801	Retractable Ratchet Tie Down - 1" x 6', 500 lbs. (2 pack)	1 Year	I-44
1152101	Ratchet w/Padded Handle Tie Down - 1" x 6', 1,800 lbs. - Break Strength - Orange	1 Year	I-44
1152500	HD Ratchet Tie Down - 2" x 25', 10,000 lbs. - Break Strength	1 Year	I-44
1153500	Retractable Ratchet Tie Down - 1" x 6', 400 lbs., Camo (2 pack)	1 Year	I-44

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
1154000	Retractable Ratchet Tie Down - 2" x 10', 1100 lbs. (Single)	1 Year	I-44
1157100	Titan Ratchet Tie Down, 1" x 14', 1800 lbs. (Single)	1 Year	I-47
1157200	Titan Ratchet Tie Down, 1" x 6', 1800 lbs. (2 pack)	1 Year	I-47
1157300	Titan Ratchet Tie Down, 1" x 10', 1800 lbs. (4 pack)	1 Year	I-47
1158300†	Titan Max Grip Ratchet Tie Down, 1" x 14', 3000 lbs. (Single)	1 Year	I-47
1158400	Titan Max Grip Ratchet Tie Down, 1" x 14', 3000 lbs. (2 pack)	1 Year	I-47
1158500	Titan Max Grip Ratchet Tie Down, 1" x 14', 3000 lbs. (4 pack)	1 Year	I-47
1160400	ATV Ratchet Tie Down w/Reflective Webbing - 1" x 12' (4 pack)	1 Year	I-44
116437	ARTWORK DT		P-6
116438	ARTWORK BD		P-6
117300	Replacement Part, Elite Fifth Wheel Head Kit	Lifetime	E-5, G-8, G-10
117398	STAND RV JACK DISPLAY		P-7
117399	ENDCAPS (3) MARINE JACK		P-7
117400	ENDCAPS (4) RV JACK DISP		P-7
11755	Electrical Contact Grease, 2 Oz. Tube	1 Year	C-69
118001	4-Flat Car End Connector 48" Long (Includes 4 Wire Taps)	1 Year	C-40
118001-024	4-Flat Car End Connector 48" Long (24 pack)	1 Year	C-40
118001-200	4-Flat Car End Connector 48" Long (200 pack)	1 Year	C-40
118002	4-Flat Car End Connector 60" Long (Includes 4 Wire Taps)	1 Year	C-40
118002-024	4-Flat Car End Connector 60" Long (24 pack)	1 Year	C-40
118002-200	4-Flat Car End Connector 60" Long (200 pack)	1 Year	C-40
118004	4-Flat Trailer End Connector, 12" Long	1 Year	C-40
118004-012	4-Flat Trailer End Connector, 12" Long (12 pack)	1 Year	C-40
118009	4-Flat Trailer End Connector, 21' Long	1 Year	C-40
118015	7-Way U.S. Car End Connector (See Application Guide for Fit Information)	1 Year	C-4
118016	5-Flat 72" Car End Wiring Harness	1 Year	C-44
118016-025	5-Flat 72" Car End Wiring Harness (25 pack)	1 Year	C-44
118017	5-Flat 48" Trailer End Wiring Harness	1 Year	C-44
118019	7-Way to Cigarette Lighter Plug Adapter	1 Year	C-60
118020	7-Way Flat Pin Connector, Car End, Plastic	1 Year	C-47
118020-006	7-Way Flat Pin Connector, Car End, Plastic (6 pack)	1 Year	C-47
118020-050	7-Way Flat Pin Connector, Car End, Plastic (50 pack)	1 Year	C-47
118021	7-Way Flat Pin Connector, Trailer End, Plastic	1 Year	C-47
118021-006	7-Way Flat Pin Connector, Trailer End, Plastic (6 pack)	1 Year	C-47
118021-050	7-Way Flat Pin Connector, Trailer End, Plastic (50 pack)	1 Year	C-47
118022	2-Flat Electrical Connector Loop, 12" Long	1 Year	C-42
118030	7-Way Flat Pin Connector, Car End, Metal	1 Year	C-47
118031	7-Way Flat Pin Connector, Trailer End, Metal	1 Year	C-47
118032	4-Flat to 4-Flat Universal Adapter	1 Year	C-60
118033	4-Flat Trailer End Connector, 48" Long	1 Year	C-40
118033-012	4-Flat Trailer End Connector, 48" Long (12 pack)	1 Year	C-40
118036	6-Way Round Pin Connector, Car End, Metal	1 Year	C-45
118036-006	6-Way Round Pin Connector, Car End, Metal (6 pack)	1 Year	C-45
118036-050	6-Way Round Pin Connector, Car End, Metal (50 pack)	1 Year	C-45
118037	6-Way Round Pin Connector, Trailer End, Metal	1 Year	C-45
118037-006	6-Way Round Pin Connector, Trailer End, Metal (6 pack)	1 Year	C-45
118037-050	6-Way Round Pin Connector, Trailer End, Metal (50 pack)	1 Year	C-45
118043	4-Flat Car End Connector 30" Long, "The Knockout" Connector	1 Year	C-41
118044	4-Flat Plug Loop, 48" Long (Includes 4 Wire Taps)	1 Year	C-40
118044-010	4-Flat Plug Loop, 48" Long (10 pack)	1 Year	C-40
118044-175	4-Flat Plug Loop, 48" Long (175 pack)	1 Year	C-40
118045	4-Flat Plug Loop, 60" Long (Includes 4 Wire Taps)	1 Year	C-40
118045-010	4-Flat Plug Loop, 60" Long (10 pack)	1 Year	C-40
118045-175	4-Flat Plug Loop, 60" Long (175 pack)	1 Year	C-40
118077	4-Way Round Connector, Car and Trailer End, Metal	1 Year	C-41
118101	4-Way Round Connector, Car End, Metal	1 Year	C-41

PART NO.	DESCRIPTION	WNTY	PAGE #
118102	4-Way Round Connector, Trailer End, Metal	1 Year	C-41
118104	4-Flat Trailer End Connector to 6 Pole Square Adapter for Jayco Type Trailers	1 Year	C-45
118132	Mounting Bracket Combo for 4-Way & 6-Way Round Connectors	1 Year	C-62
118136	Universal Mounting Bracket and Clamp (Long)	1 Year	C-64
118137	Mounting Bracket for 4, 5 and 6-Way Connectors, Includes Screws and Nuts	1 Year	C-64
118137-010	Mounting Bracket for 4, 5 and 6-Way Connectors (10 pack)	1 Year	C-64
118138	Mounting Bracket for 7-Way Flat Pin Connectors, Includes Screws and Nuts	1 Year	C-64
118138-010	Mounting Bracket for 7-Way Flat Pin Connectors (10 pack)	1 Year	C-64
118140	Universal Mounting Bracket and Clamp (Short)	1 Year	C-64
118144	4-Flat Mounting Bracket	1 Year	C-64
118144-010	4-Flat Mounting Bracket (10 pack)	1 Year	C-64
118145	Plug Storage Box for 4-Flat Connector	1 Year	C-64
118147-025	Cover w/Led Tester, 4-Flat Connector	1 Year	C-43
118149	4-Flat Universal Mounting Bracket	1 Year	C-64
118149-010	4-Flat Universal Mounting Bracket (10 pack)	1 Year	C-64
118150	Wiring Kit for Installing #118146, #118176, #118187, #118190, #119146, #119147, #119176, #119177, #119179, #119180, #119190, #119192 ModuLite® Power Modules, Includes 20 ft. Undercar Wire, Fuse w/Holder and Attaching Terminals	1 Year	C-34
118151	Wiring Kit for Installing #118146, #118176, #118187, #118190, #119146, #119147, #119176, #119177, #119179, #119180, #119190, #119192 ModuLite® Power Modules, Includes 20 ft. Undercar Wire, Fuse w/Holder and Attaching Terminals	1 Year	C-34
118152	Trailer Plug Holder for 6 & 7-Way Trailer Plugs	1 Year	C-64
118156	6 & 7-Way Connector Mounting Box, 2-1/2" Crosstubes	1 Year	C-66
118156-010	6 & 7-Way Connector Mounting Box, 2-1/2" Crosstubes (10 pack)	1 Year	C-66
118157	6 & 7-Way Connector Mounting Box, 3" Crosstubes	1 Year	C-66
118157-010	6 & 7-Way Connector Mounting Box, 3" Crosstubes (10 pack)	1 Year	C-66
118158	2 to 3 Taillight Converter for Connecting Tow Vehicles w/2 Wire Systems to Towed Vehicles w/3 Wire Systems	1 Year	C-37
118159	6 & 7-Way Connector Mounting Box, Universal for Round & Square Tube Hitches	1 Year	C-66
118159-010	6 & 7-Way Connector Mounting Box, Universal for Round & Square Tube Hitches (10 pack)	1 Year	C-66
118172-024	4-Flat Car End Connector 72" Long (24 pack)	1 Year	C-40
118172-150	4-Flat Car End Connector 72" Long (150 pack)	1 Year	C-40
118185	4-Flat Plug Loop, 18" Long (Includes 4 Wire Taps)	1 Year	C-40
118185-025	4-Flat Plug Loop, 18" Long (25 pack)	1 Year	C-40
118185-200	4-Flat Plug Loop, 18" Long (200 pack)	1 Year	C-40
118192	4-Flat Trailer End Connector, Dual Tail Light Wires, 25' Long	1 Year	C-40
118215	5-Flat Plug Loop 60" Long, Car & Trailer End Wiring Harness	1 Year	C-44
118601	4-Flat to 4-Flat "The Knockout" Adapter	1 Year	C-60
118603	4-Flat Car End Connector 60" Long, "The Knockout" Connector	1 Year	C-41
118607	Pre-Wired Brake Mate™ Kit Adapter, 7-Way Flat Pin Connector w/Brake Control Wiring Installation Kit	1 Year	C-62, H-11
118615-020	4-Flat Plug Loop, 72" Long (20 pack)	1 Year	C-40
118630	Side Post Universal Battery Bolt Extender, 1-3/4" Short Side Terminal	1 Year	C-68
118631†	Side Post Universal Battery Bolt Extender, 1-3/16" Long Side Terminal	1 Year	C-68
118634†	Tap/Ground Kit Side Post Universal Battery Plate w/Spade Terminal Tabs & 16-22 Gauge Female Terminals	1 Year	C-68
118636	4-Flat Plug Loop, 24" Long (Includes 4 Wire Taps)	1 Year	C-40
118664	7-Way U.S. Car End to 7-Way Trailer End Extension Cable 7'	1 Year	C-49

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
118665	Battery Isolation Soleniod, 3 Pole, 12 Volt (Chassis Ground)	1 Year	N-5
118666	6-Way Car End to 6-Way Trailer End Extension Cable 7'	1 Year	C-49
118700	6-Way Round Pin to 4-Flat Adapter	1 Year	C-60
118700-050	6-Way Round Pin to 4-Flat Adapter (50 pack)	1 Year	C-60
118702	7-Way Flat Pin to 4-Flat Adapter	1 Year	C-60
118702-050	7-Way Flat Pin to 4-Flat Adapter (50 pack)	1 Year	C-60
118703	7-Way Flat Pin to 5-Flat Adapter	1 Year	C-60
118704	7-Way Flat Pin to 6-Way Round Adapter w/Electric Brakes to Outside (S) Pin of 6-Way	1 Year	C-60
118704-050	7-Way Flat Pin to 6-Way Round Adapter w/Electric Brakes to Outside (S) Pin of 6-Way (50 pack)	1 Year	C-60
118708	7-Way Flat Pin to 6-Way Round Adapter w/Electric Brakes to Center (A) Pin of 6-Way	1 Year	C-60
118708-050	7-Way Flat Pin to 6-Way Round Adapter w/Electric Brakes to Center (A) Pin of 6-Way (50 pack)	1 Year	C-60
118709	7-Way Round Pin to 4-Flat Adapter	1 Year	C-60
118710	7-Way European Style Round Pin to 4-Flat Adapter	1 Year	C-60
118799	Pre-Wired Adapter, 7-Way Flat Pin Connector w/Brake Control Wiring	1 Year	C-62
118821	Taillight Isolating System w/4-Flat	1 Year	C-37
119130	Taillight Converter w/12" Leads and 60" 4-Flat Car End Connector	1 Year	C-37
119130-012	Taillight Converter w/12" Leads and 60" 4-Flat Car End Connector (12 pack)	1 Year	C-37
119130-050	Taillight Converter w/12" Leads and 60" 4-Flat Car End Connector (50 pack)	1 Year	C-37
119147	ModuLite® HD Protector Trailer Light Power Module	1 Year	C-34
119147-012	ModuLite® HD Protector Trailer Light Power Module (12 pack)	1 Year	C-34
119147-050	ModuLite® HD Protector Trailer Light Power Module (50 pack)	1 Year	C-34
119148	ModuLite® HD Protector Trailer Light Power Module & Installation Kit	1 Year	C-34
119177	ModuLite® HD Protector w/Integrated Circuit & Overload Protection & 5-Flat Connector for Backup Light or Surge Brake Lockout Circuit	1 Year	C-36
119178	Taillight Converter with Integrated Circuit Protection	1 Year	C-37
119178-012	Taillight Converter with Integrated Circuit Protection (12 pack)	1 Year	C-37
119178-050	Taillight Converter with Integrated Circuit Protection (50 pack)	1 Year	C-37
119179	ModuLite® Protector w/Integrated Circuit Protection	1 Year	C-34
119179-012	ModuLite® Protector w/Integrated Circuit Protection (12 pack)	1 Year	C-34
119179-050	ModuLite® Protector w/Integrated Circuit Protection (50 pack)	1 Year	C-34
119180	ModuLite® Protector w/Integrated Circuit Protection & Installation Kit	1 Year	C-34
119190	ModuLite® HD Plus Protector w/Integrated Circuit & Overload Protection Trailer Light Power Module	1 Year	C-34
119190-012	ModuLite® HD Plus Protector w/Integrated Circuit & Overload Protection Trailer Light Power Module (12 pack)	1 Year	C-34
119190-050	ModuLite® HD Plus Protector w/Integrated Circuit & Overload Protection Trailer Light Power Module (50 pack)	1 Year	C-34
119191	ModuLite® HD Plus Protector w/Integrated Circuit & Overload Protection Trailer Light Power Module & Installation Kit	1 Year	C-34
119192	ModuLite® Ultra Protector w/Integrated Circuit & Overload Protection Trailer Light Power Module	1 Year	C-36
1202	Receiver Tube Cover, 2" Sq., Black	1 Year	B-24
12124S01	Replacement Part, KX1550 Winch Cover Kit	5 Year	J-62
1227000	Ratchet Tie Down - 1" x 10', 900 lbs. - Break Strength	1 Year	I-44
12327S00	Replacement Part, K1550 Frame Kit	3 Year	J-62
1270700	Ratchet Tie Down - 1-1/2" x 7', 6,000 lbs. - Break Strength	1 Year	I-46
1275500	Tire Tie Down - 25", 6000 lbs. - Break Strength	1 Year	I-46

PART NO.	DESCRIPTION	WNTY	PAGE #
1289000300	BX1™ 25K Round Gooseneck Coupler, Includes Locking Pin Assembly, Dual Set Bolts, 4 Hole Adjustment and Labels	5 Year	J-43
1289020300	BX1™ 25K Round Gooseneck Coupler w/o Outer Tube, Includes Locking Pin Assembly, 4 Hole Adjustment and Labels	5 Year	J-43
1289030300	BX1™ 20K Round Gooseneck Coupler, Includes Locking Pin Assembly, Dual Set Bolts, 4 Hole Adjustment and Labels	5 Year	J-43
1289040300	BX1™ 30K Round Gooseneck Coupler, Short Configuration , Includes Locking Pin Assembly, Dual Set Bolts, 4 Hole Adjustment and Labels	5 Year	J-43
1289050300	BX1™ 30K Round Gooseneck Coupler w/o Outer Tube, Short Configuration , Includes Locking Pin Assembly, 4 Hole Adjustment and Labels	5 Year	J-43
1289070300	BX1™ 20K Round Gooseneck Coupler, Short Configuration , Includes Locking Pin Assembly, Dual Set Bolts, 4 Hole Adjustment and Labels	5 Year	J-43
1289080300	BX1™ 25K Round Gooseneck Coupler, Short Configuration , Includes Locking Pin Assembly, Dual Set Bolts, 4 Hole Adjustment and Labels	5 Year	J-43
1289130300	BX1™ 25K Square Gooseneck Coupler, Includes Hex Head Bolt & Nylon Locknut, Dual Set Bolts, 4 Hole Adjustment and Labels	5 Year	J-43
1289140300	BX1™ 30K Square Gooseneck Coupler, Includes Hex Head Bolt & Nylon Locknut, Dual Set Bolts, 4 Hole Adjustment and Labels	5 Year	J-43
1289170300	BX1™ 20K Round Gooseneck Coupler w/o Outer Tube, Includes Locking Pin Assembly, 4 Hole Adjustment and Labels	5 Year	J-43
1289200300	BX1™ 40K Square Gooseneck Coupler for 3" Ball, Includes Locking Pin Assembly, Quad Set Bolts, 3 Holes for 2 Position Adjustment and Labels	5 Year	J-43
1289210300	BX1™ 25K Square Gooseneck Coupler w/o Outer Tube, Short Configuration , Includes Locking Pin Assembly, Dual Set Bolts, 4 Hole Adjustment and Labels	5 Year	J-43
1291010383	Adjustable Lunette Ring, 3" Dia., 14,000 lbs. Capacity (Adjustable Channel & Hardware Sold Separately)	5 Year	B-17
1291010395	Adjustable Lunette Ring, 3" Dia., 14,000 lbs. Capacity (Adjustable Channel & Hardware Sold Separately)	5 Year	B-17
1370300†	Shank Adapter, Permits Use of 1-1/4" Accessories in 2" Receivers	1 Year	I-51
1370400	SportWing™ Aluminum Bike Carrier, 4 Bike, 2" Sq. Receiver Mount	1 Year	I-10
1370600	Pro Series™ AXIS 3™, Bike Carrier, 3 Bike, Dual Arm, Trunk Mount	1 Year	I-13
1400300303	Pro Series™ Bolt-On Jack, Topwind, 2,000 lbs. w/ Footplate	1 Year	J-10
1400400303	Pro Series™ Weld-On Jack, Topwind, 10" Travel, 2,000 lbs. w/Footplate	1 Year	J-10
1400600303	Pro Series™ A-Frame Jack, 5,000 lbs.	1 Year	J-9
1400700340	Pro Series™ Footplate & Pin	1 Year	J-9
1400750340	6" Caster, Poly	1 Year	J-9
1400800383	Pro Series™ Square Tube, 8,000 lbs., Topwind, 15" Travel, Adjustable Dropleg w/Additional Travel of 13.6"	1 Year	J-20
1400830383	Pro Series™ Weld-On Square Tube, 8,000 lbs., Topwind, Tubular Swivel Mount w/Footplate, 10" Travel	1 Year	J-20
1400850383	Pro Series™ Square Tube, 8,000 lbs., Sidewind, 15" Travel, Adjustable Dropleg w/Additional Travel of 13.6"	1 Year	J-20
1400860383	Pro Series™ Weld-On Square Tube, 8,000 lbs., Sidewind, Tubular Swivel Mount w/Footplate, 10" Travel	1 Year	J-20
1400920383	KIT-JACK HNDL W/MNT HDWR	1 Year	J-20
140094	Pro Series™ Weld-On Jack Square Tube, 12,000 lbs., Sidewind, 12-1/2" Travel, Adjustable Dropleg w/ Additional Travel of 13-1/2"	1 Year	J-20
1400950376	Pro Series™ Weld-On Jack Square Tube, 12,000 lbs., Sidewind, 12-1/2" Travel, Adjustable Dropleg w/ Spring Return & Additional Travel of 13-1/2", Crank Handle Included	1 Year	J-20
1400960376	Pro Series™ Weld-On Jack Square Tube, 12,000 lbs., Sidewind, 12-1/2" Travel, Adjustable Dropleg w/Spring Return & Additional Travel of 13-1/2"	1 Year	J-20

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
1400980376	Pro Series™ Weld-On Jack Square Tube, 12,000 lbs., Sidewind, 12-1/2" Travel, Adjustable Dropleg w/ Additional Travel of 13-1/2", Crank Handle Included	1 Year	J-20	150000	Jack, Topwind, 10" Travel, No Mount or Base, 2,000 lbs. Lift Capacity	5 Year	J-7
1400990376	Pro Series™ Weld-On Jack Square Tube, 12,000 lbs., Sidewind, 12-1/2" Travel, Adjustable Dropleg w/ Additional Travel of 13-1/2"	1 Year	J-20	150152	Jack, Sidewind, 15" Travel, No Mount, 2000 lbs. Lift Capacity	5 Year	J-7
1401000303	Pro Series™ A-Frame Jack, 2,000 lbs.	1 Year	J-9	150441	TWS 150DTSFX w/P&C PLTD	5 Year	J-5
1401010376	Pro Series™ Weld-On Jack Square Tube, 12,000 lbs., Sidewind, 12-1/2" Travel, Adjustable Dropleg w/ Additional Travel of 13-1/2"	1 Year	J-20	151101	Weld-On Jack, Sidewind, 10" Travel, Weld-On "L" Bend Swivel Bracket, 2,000 lbs. Lift Capacity (Includes Base)	5 Year	J-7
1401020303	Pro Series™ Weld-On Jack, Sidewind, 2,000 lbs. w/ Footplate	1 Year	J-10	1511010117	Weld-On Jack, Sidewind, 10" Travel, Weld-On "L" Bend Swivel Bracket, 2,000 lbs. Lift Capacity (Includes Base)	5 Year	J-7
1401030303	Pro Series™ Weld-On Jack, Sidewind, 2,000 lbs. w/ Footplate	1 Year	J-10	151159	Weld-On Jack, Sidewind, 15" Travel, Weld-On "L" Bend Swivel Bracket, 2,000 lbs. Lift Capacity (Includes Base)	5 Year	J-7
1401040303	Pro Series™ Weld-On Jack, Topwind, 2,000 lbs. w/ Footplate	1 Year	J-10	151401	Weld-On Jack, Topwind, 10" Travel, Weld-On "L" Bend Swivel Bracket, 2,000 lbs. Lift Capacity (Includes Base)	5 Year	J-7
1401060303	Pro Series™ Weld-On Jack, Sidewind, 2,000 lbs. w/ Footplate	1 Year	J-10	1514010117	Weld-On Jack, Topwind, 10" Travel, Weld-On "L" Bend Swivel Bracket, 2,000 lbs. Lift Capacity (Includes Base)	5 Year	J-7
1401080303	Pro Series™ Weld-On Jack, Sidewind, 2,000 lbs. w/ Footplate	1 Year	J-10	151421	Bulldog Tongue Jack, Swivel Jack, Topwind, 15" Travel, Weld-On Retaining Ring Bracket, Rating 2,000 lbs.	5 Year	J-7
1401140303	Pro Series™ Weld-On Jack, Topwind, 2,000 lbs. w/ Footplate	1 Year	J-10	1514210117	Weld-On Jack, Topwind, 15" Travel, Weld-On "L" Bend Swivel Bracket, 2,000 lbs. Lift Capacity (Includes Base)	5 Year	J-7
1401200303	Pro Series™ Weld-On Jack, Topwind, 2,000 lbs. w/ Footplate	1 Year	J-10	151443	Bolt-On Jack, Topwind, 10" Travel, Bolt-On Swivel Bracket, 2,000 lbs. Lift Capacity	5 Year	J-7
1401420303	Pro Series™ Weld-On Jack, Sidewind, 5,000 lbs.	1 Year	J-10	151460	TWS 151 DS Jack	5 Year	J-7
1401440303	Pro Series™ Weld-On Jack, Sidewind, 5,000 lbs. w/ Footplate	1 Year	J-10	1514S01	Replacement Part, Ratchet Repair Kit for #T600, #T900, #T1100*, #T1300* & #T1500*	5 Year	J-62
1401460303	Pro Series™ Weld-On Jack, Topwind, 5,000 lbs.	1 Year	J-10	1542S01	Replacement Part, Repair Kit (GN24), Includes Torsion Spring, Coupler Locking Shaft, Curved Handle Assembly, 3/4" Shaft Retaining Ring, Centerlock Nut - 1/2-13		J-42
1401480303	Pro Series™ Weld-On Jack, Topwind, 5,000 lbs. w/ Footplate	1 Year	J-10	1550100117	A-Frame Jack, Sidewind, 13" Travel, 7" Bracket to Ground Retracted, 3,000 lbs. Lift Capacity	5 Year	J-6
1401500383	Pro Series™ Square Tube, 5,000 lbs., Topwind, 15" Travel, Adjustable Dropleg w/Additional Travel of 13.6"	1 Year	J-20	1550100317	A-Frame Jack, Sidewind, 13" Travel, 7" Bracket to Ground Retracted, 3,000 lbs. Lift Capacity	5 Year	J-6
1401520383	Pro Series™ Square Tube, 5,000 lbs., Topwind, Weld-On Tubular Swivel Mount w/Footplate, 10" Travel	1 Year	J-20	1550101344	A-Frame Jack, Sidewind, 13" Travel, 7" Bracket to Ground Retracted, 3,000 lbs. Lift Capacity	5 Year	J-6
1401600383	Pro Series™ Square Tube, 5,000 lbs., Sidewind, 15" Travel, Adjustable Dropleg w/Additional Travel of 13.6"	1 Year	J-20	155022	A-Frame Jack, Topwind, 15" Travel, 8.4" Bracket to Ground Retracted, Weld-On/Bolt-On, 2,000 lbs. Lift Capacity	5 Year	J-6
1401610383	Pro Series™ Square Tube, 5,000 lbs., Sidewind, Weld-On Tubular Swivel Mount w/Footplate, 10" Travel	1 Year	J-20	1550220117	A-Frame Jack, Topwind, 15" Travel, 8.4" Bracket to Ground Retracted, Weld-On/Bolt-On, 2,000 lbs. Lift Capacity	5 Year	J-6
1410050149	400 lbs., Trailer Stand, Swivel, 6" Poly Wheel	5 Year	J-34	155028	A-Frame Jack, Topwind, 8.4" Bracket to Ground Retracted, 2,000 lbs. Lift Cap., - Zinc Plated	5 Year	J-6
1411300301	Jack, 1,500 lbs., Bolt-On, Independent Caster, Torsion Axle Version	5 Year	J-34	155032	A-Frame Jack, Topwind, 15" Travel, 10.15" Bracket to Ground Retracted, Weld-On/Bolt-On, 5,000 lbs. Lift Capacity	5 Year	J-6
141132	XLT Jack, 1,500 lbs., Swing Away, Weld-On, 12" Travel, Patent Pending TruTurn 360 Castering System (P9012-00 Weld-On Mount & Hardware Sold Separately)	5 Year	J-32	1550320117	A-Frame Jack, Topwind, 15" Travel, 10.15" Bracket to Ground Retracted, Weld-On/Bolt-On, 5,000 lbs. Lift Capacity	5 Year	J-6
141133	XLT Jack, 1,500 lbs., Swing Away, Bolt-On (Mounting Hardware Incl.), 12" Travel, Patent Pending TruTurn 360 Castering System	5 Year	J-32	155033	A-Frame Jack, Topwind, 15" Travel, Weld-On/Bolt-On, 2,000 lbs. Lift Capacity	5 Year	J-6
1413020134	F2™ Jack, 1,600 lbs., Twin Track	Lifetime	J-29	155157	A-Frame Jack, Sidewind, 13" Travel, 8.6" Bracket to Ground Retracted, Weld-On/Bolt-On, 2,000 lbs. Lift Capacity	5 Year	J-6
1413040134	F2™ Jack, 1,600 lbs., Wide Track	Lifetime	J-29	1551570117	A-Frame Jack, Sidewind, 13" Travel, 8.6" Bracket to Ground Retracted, Weld-On/Bolt-On, 2,000 lbs. Lift Capacity	5 Year	J-6
1413050334	F2™ Jack, 1,600 lbs., Wide Track, Includes Handle Holdup, Weld-On Mount & Mounting Hardware	Lifetime	J-29	1558S00	Replacement Part, Friction Disc - K/KX1550	5 Year	J-62
1413060334	F2™ Jack, 1,600 lbs., Twin Track, Weld-On	Lifetime	J-29	1562S00	Replacement Part, Ratchet Repair, 2-Speed for T2005, T2605(B), T2625, T3205	5 Year	J-62
1413080334	F2™ Jack, 1,600 lbs., Twin Track, Bolt-On	Lifetime	J-29	1563S01	Replacement Part, Pinion Shaft - K1550	5 Year	J-62
1413110334	F2™ Jack, 1,600 lbs., Wide Track, 5" Tongue Weld-On Mount & Hardware Incl.	Lifetime	J-29	1564S01	Replacement Part, Pinion Shaft - KX1550	5 Year	J-62
1413120334	F2™ Jack, 1,600 lbs., Twin Track, 5" Tongue Weld-On Mount & Hardware Incl.	Lifetime	J-29	1565S01	Replacement Part, Pinion Shaft/Gear - K2550	5 Year	J-62
1413130334	F2™ Jack, 1,600 lbs., Twin Track, 5" Tongue Bolt-On Hardware Incl.	Lifetime	J-29	1568S01	Replacement Part, Inter Shaft - K2550	5 Year	J-62
1413140334	F2™ Jack, 1,600 lbs., Wide Track, 5" Tongue Bolt-On Hardware Incl.	Lifetime	J-29	1570S00	Replacement Part, Friction/Brake Disc -K/KX1051	5 Year	J-62
1413200334	F2™ Jack, 2,000 lbs., Swivel w/Foot Plate, Weld-On	Lifetime	J-30	158109	Swivel Jack, Sidewind, 10" Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-5
1413210334	F2™ JACK-2K SWWL W.FT BOLT-ON	Lifetime	J-30	1581090117	Swivel Jack, Sidewind, 10" Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-5
1413220334	F2™ Jack, 2,000 lbs., Swivel w/Foot Plate, Bolt-On	Lifetime	J-30	158151	Swivel Jack, Sidewind, 15" Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
1413230134	F2™ Jack, 2,000 lbs., Swivel w/Foot Plate, Bolt-On	Lifetime	J-30	1581510117	Swivel Jack, Sidewind, 15" Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
1413250334	F2™ Jack, RV A-Frame	Lifetime	J-30	158451	Swivel Jack, Topwind, 10" Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-5
1420†	Adjustable Ball Mount, 5,000 lbs. GTW, 1" Ball Hole, 12" Length, 6" Maximum Rise, 7-1/4" Maximum Drop, Black	Lifetime	B-12				
14-715810	7-Way Junction Box	1 Year	C-66				
148700	Multi-Jack w/Foot Plate, 7,000 lbs. Capacity, 35" Travel	5 Year	J-36				

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
1584510117	Swivel Jack, Topwind, 10" Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-5
158452	Swivel Jack, Topwind, 15" Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-5
1584520117	Swivel Jack, Topwind, 15" Travel, Weld-On Tubular Mount, 2,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-5
158488	TWL 150 DTSF w/P&C-w/Mount	5 Year	J-5
1598S01	Service Kit, Ratchet Repair - T1602, T1801, T903Z, P1200	5 Year	J-62
1609S01	Service Kit-Input Shaft/Bearing -T2005, T2605(B), T2625, T3205	5 Year	J-62
161300	Weld-On L-Bend Bracket, Steel Wheel	5 Year	J-24
1619-01	Replacement Part, 2-Speed Brake for T2005, T2605, T3205	5 Year	J-62
162300	Bolt-On L-Bend Bracket, Steel Wheel	5 Year	J-23, J-24
165111	A-Frame Weld-On/Bolt-On Bracket, Disc Foot	5 Year	J-24
165211	A-Frame Weld-On/Bolt-On Bracket, Polyolefin Wheel	5 Year	J-24
165311	165 W, 16" Travel, Includes #018155 Gearbox and #018006 Rack & Post Assembly	5 Year	J-23, J-24
165411	Heavy Duty Jack, A-Frame Weld-On/Bolt-On Bracket, Heavy-Duty 21" Long 1,200 Lb. Rack and Post, Steel Wheel	5 Year	J-24
165412	Heavy Duty Jack, A-Frame Weld-On/Bolt-On Bracket, Heavy-Duty 21" Long 1,200 Lb. Rack and Post, Steel Wheel	5 Year	J-23, J-24
169201	Bolt-On Mount, 3"x5" Tongue, Mounting Kit, Polyolefin Wheel, Black Finish	5 Year	J-24
1700100117	A-Frame Jack, Sidewind, 15" Travel, Weld-On/Bolt-On, 5,000 lbs. Lift Capacity	5 Year	J-7
1700100301	A-Frame Jack, Sidewind, 15" Travel, Weld-On/Bolt-On, 5,000 lbs. Lift Capacity	5 Year	J-7
1700100317	A-Frame Jack, Sidewind, 15" Travel, Weld-On/Bolt-On, 5,000 lbs. Lift Capacity	5 Year	J-7
1701480317	TWL 170 X, 5,000 lbs. Lift Cap., 15" Travel, No Mount	5 Year	J-7
170205	SWL 170, 5,000 lbs. Lift Cap., 15" Travel, Less Base, No Mount	5 Year	J-7
171401	Weld-On Jack, Topwind, 10" Travel, Weld-On "L" Bend Swivel Bracket, 5,000 lbs. Lift Capacity (Includes Base)	5 Year	J-7
171412	Weld-On Jack, Topwind, 15" Travel, Weld-On "L" Bend Swivel Bracket, 5,000 lbs. Lift Capacity (Includes Base)	5 Year	J-7
1750290301	TWL 175 X A-Frame, 5,000 lbs. Lift Capacity	5 Year	J-6
1750290317	TWL 175 X A-Frame, 5,000 lbs. Lift Capacity	5 Year	J-6
178101	Swivel Jack, Topwind, 10" Travel, Weld-On Tubular Mount, 5,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
1781010117	Swivel Jack, Topwind, 10" Travel, Weld-On Tubular Mount, 5,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
178151	Swivel Jack, Topwind, 15" Travel, Weld-On Tubular Mount, 5,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
1781510117	Swivel Jack, Topwind, 15" Travel, Weld-On Tubular Mount, 5,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
178201	Swivel Jack, Sidewind, 10" Travel, Weld-On Tubular Mount, 5,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
1782010117	Swivel Jack, Sidewind, 10" Travel, Weld-On Tubular Mount, 5,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
178203	Swivel Jack, Sidewind, 15" Travel, Weld-On Tubular Mount, 5,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6
18004001	4-Flat Trailer End Connector, 12" Long	1 Year	C-39
180304	TWS 180 DL-BQ, 10,000 lbs. Support Cap., 10" Travel, 10.12" ADDT'L ADJ., Crank, No Mount	5 Year	J-14
18035†	4-Strand 18 Gauge Bonded Wire, 500' Spool	1 Year	C-67
180354	TWL 180 DL-BQ, 10,000 lbs. Support Cap., 15" Travel, 13.50" ADDT'L ADJ., Crank, No Mount	5 Year	J-13
180405	SWS 180 DL-BQ Jack Assembly	5 Year	J-13
18044001	4-Flat Loop, 48" Long (Includes Wire Taps)	1 Year	C-39
18045001	4-Flat Loop, 60" Long (Includes Wire Taps)	1 Year	C-39
180455	SWL 180 DL-BQ, 10,000 lbs. Support Cap., 15" Travel, 13.50" ADDT'L ADJ., Crank, No Mount	5 Year	J-13
18099-025†	In-Line Fuse Holder Wire Taps, for 20 Amp Bayonet Fuse (25 pack)	1 Year	C-67
18121-100†	Non-Insulated Ring Terminal, 10-12 Gauge Wire, #10 Stud Size (100 pack)	1 Year	C-68

PART NO.	DESCRIPTION	WNTY	PAGE #
18148	Tow Light Kit - Includes 2 Magnetic Base Lights and Leads	1 Year	K-19
18164-020†	1/4" Diameter Shrink Tube, 8" Length (20 pack)	1 Year	C-68
18167-010†	In-Line 20 Amp Fuse Holder with Protective Cover (10 pack)	1 Year	C-67
18185001	4-Flat Loop, 18" Long (Includes Wire Taps)	1 Year	C-39
18191†	7 Conductor Trailer Wire, (3) 12 ga., (4) 14 ga., 250' Spool	1 Year	C-67
182300	TWQ 180 DL-B Less Crank (800075)	5 Year	J-15
182304	TWQ 180 DL-BC, w/Crank (800075) Attached	5 Year	J-15
1823050383	Heavy Duty Jack, Single Speed, Direct Weld Mount (Crank Sold Separately)	5 Year	J-21
1823060383	Heavy Duty Jack, Single Speed, Bolt-On Mount (Crank Sold Separately)	5 Year	J-21
182400	SWQ 180 DL-B Less Crank	5 Year	J-15
182404	12,000 lbs. - Sidewind Heavy Duty Square Jack - 12-1/2" Travel	5 Year	J-15
182411	SWQ 180 DL-B Less Crank - Pin to the Curb	5 Year	J-15
182415	SWQ 180 DL BX Less Crank - Pin to the Front	5 Year	J-15
1824180100	Electric Powered Kit - 12K 2-Speed	5 Year	J-19
1824200100	Electric Powered Kit - 12K	5 Year	J-19
1824210100	Electric Powered Kit - 12K	5 Year	J-19
182500	SWQ 180 FL-B Less Crank	5 Year	J-15
182524	SWQ 180 TS-FL-BX w/Crank (015181)	5 Year	J-16
182700	Twin Cam HD Jack, Sidewind, 25,000 lbs. Static, 12,500 lbs. Lift, Non-Spring Return, 12-1/2" of Travel, 13-1/2" of Drop Leg Extension (Crank Sold Separately)	5 Year	J-17
182701	Twin Cam HD Jack, Sidewind , 25,000 lbs. Static, 12,500 lbs. Lift, Spring Return, 12-1/2" of Travel, 13-1/2" of Drop Leg Extension (Crank Sold Separately)	5 Year	J-16
182800	SWQ 180 DL-B-SR Less Crank	5 Year	J-16
182804	SWQ 180 DL-BC-SR w/Crank (015181) Attached	5 Year	J-16
182805	SWQ 180 DL-BX w/SR, Less Crank - Pin To The Curb - Companion Jack	5 Year	J-16
182815	SWQ 180 DL BX SR Less Crank - Pin To The Front	5 Year	J-16
183401	SWQ 183 DL-BX Pin To The Side, 2-Speed	5 Year	J-18
183416	SWQ 183 DL-BX Pin To The Front, 2-Speed	5 Year	J-18
183749	Twin Cam HD Jack, Sidewind 2-Speed, 25,000 lbs. Static, 25,000 lbs. Lift, Non-Spring Return, 12-1/2" of Travel, 13-1/2" of Drop Leg Extension (Crank Sold Separately)	5 Year	J-16
183750	Twin Cam HD Jack, Sidewind 2-Speed, 25,000 lbs. Static, 25,000 lbs. Lift, Spring Return, 12-1/2" of Travel, 13-1/2" of Drop Leg Extension (Crank Sold Separately)	5 Year	J-16
183816	SWQ 183 DL-BX Spring Return - Pin To The Front, 2-Speed	5 Year	J-18
183900	Heavy Duty Jack, 2-Speed, Painted Outer Tube, Inner Tube, and Drop Leg (Crank Sold Separately)	5 Year	J-18
183901	SWQ 180 DL-BX T Pin To Front, 2-Speed	5 Year	J-18
183902	SWQ 180 DL-B T Spring Return - Pin To Side, 2-Speed	5 Year	J-18
183903	SWQ 180 DL-BX T Spring Return - Pin To Front, 2-Speed	5 Year	J-18
1839050383	Heavy Duty Jack, Single Speed, Direct Weld Mount (Crank Sold Separately)	5 Year	J-21
1839060383	Heavy Duty Jack, Single Speed, Bolt-On Mount (Crank Sold Separately)	5 Year	J-21
185201S00	Replacement Part, Covers for XLT14 Winches	1 Year	J-62
185205S00	Replacement Part, Covers for XLT18 Winches	1 Year	J-62
190704	TWL 190 DL-BQ, 8,000 lbs. Support Cap., 15" Travel, Drop Leg, No Mount	5 Year	J-13
1907040176	TWL 190 DL-BQ, 8,000 lbs. Support Cap., 15" Travel	5 Year	J-13
190705	TWS 190 FL-BTSMQ w/P&C, 8,000 lbs. Support Cap., 10" Travel, Fixed Leg, w/Male Mount	5 Year	J-13
190706	TWL 190 FL-BTSMQ w/P&C, 8,000 lbs. Support Cap., 15" Travel, Fixed Leg, w/Male Mount	5 Year	J-13
190708	Heavy Duty Jack, Tubular Swivel Mount (Includes Mating Mount, Pin and Chain)	5 Year	J-13
190724	Heavy Duty Jack, Tubular Swivel Mount (Includes Pin and Chain, Without Mating Mount)	5 Year	J-13

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
190754	SWL 190 DL-BQ, 8,000 lbs. Support Cap., 15" Travel, Drop Leg, No Mount	5 Year	J-13	20000	Lockable Battery Case (Plastic) with Partition for Shur-Set III™	1 Year	M-6
1907540176	SWL 190 DL-BQ, 8,000 lbs. Support Cap., 15" Travel	5 Year	J-13	20005	Shur-Set III® All Polymer Lockable Breakaway System (Includes #2010 Nylon Breakaway Switch)	1 Year	M-5
190756	SWL 190 FL-BTSMQ w/P&C, 8,000 lbs. Support Cap., 15" Travel, Fixed Leg, w/Male Mount	5 Year	J-13	20010	Shur-Set III® Lockable Breakaway System (Includes #2010 Nylon Breakaway Switch)	1 Year	M-5
190758	SWL 190 DL-BTSMQ w/P&C, 8,000 lbs. Support Cap., 15" Travel, Drop Leg, w/Male Mount	5 Year	J-13	20015	Shur-Set III® All Polymer Lockable Breakaway System (with Charger) (Includes #2010 Nylon Breakaway Switch)	1 Year	M-5
190789	Heavy Duty Jack, Tubular Swivel Mount (Includes Mating Mount, Pin and Chain)	5 Year	J-13	20020	Shur-Set III® Lockable Breakaway System (with Charger) (Includes #2010 Nylon Breakaway Switch)	1 Year	M-5
19306	1" High Rise, 2-5/16" Ball for Under-Bed Gooseneck Heads (Do Not Store Inverted In Head)	Lifetime	G-11	20034-025	Perm-A-Seal Butt Connectors, 14-16 Gauge, Blue (25 pack)	1 Year	C-68
19307	3" Ball for Under-Bed Gooseneck Heads (Do Not Store Inverted In Head)	Lifetime	G-11	20035-025	Perm-A-Seal Butt Connectors, 10-12 Gauge, Yellow (25 pack)	1 Year	C-68
19308	5" Offset Extension, 2-5/16" Ball for Under-bed Gooseneck Heads (Do Not Store Inverted In Head)	Lifetime	G-11	2004500	Universal Pet Barrier	1 Year	I-50
19309	Replacement Part, 2-5/16" Ball for Hide-A-Goose #9460, #9461, #9464 & Under-Bed Gooseneck #9470, #9471, #9474 Heads Only	Lifetime	G-11	20046	Mounting Bracket for 5-Flat Connectors	1 Year	C-64
19310	Replacement Part, Gooseneck Hitch Ball for DT #40845, DT #6002, HH #50845, HH #50536, RS #30845, RS #58079	Lifetime	G-11	20047	7-Way U.S. Car End Connector for 7-Way Twist In OEM GM Vehicles (See Application Guide for Fit Information)	1 Year	C-4
19311	Replacement Part, 2-5/16" Pop-In™ Ball for Elite™ Under-Bed Bolt-On Gooseneck Head & Hide-A-Goose Head #9466 & Under-Bed Gooseneck Head #9476	Lifetime	G-6	20048†	Breakaway Kit for 1 to 2 Axle Trailers w/Electric Brakes, Includes Battery Box, 5 Amp Battery w/LED Test Meter, Battery Charger and Breakaway Switch	1 Year	M-4
19314	Replacement Part, 3" Pop-In™ Ball for Elite™ Under-Bed Bolt-On Gooseneck Head & Hide-A-Goose Head #9466 & Under-Bed Gooseneck Head #9476	Lifetime	G-6	20049-050	Replacement Part, Light Kit Harness For Railed Cargo Carrier Part DT #40100, DT #40101, RL #59502, RS #15100, RS #15101, PS #63152, PS #63153	1 Year	I-51
19315	Replacement Part, 1" High Rise, 2-5/16" Pop-In™ Ball for Elite™ Under-Bed Bolt-On Gooseneck Head & Hide-A-Goose Head #9466 & Under-Bed Gooseneck Head #9476	Lifetime	G-6	2005-A	Replacement Cable and Brass Pin assembly for #2005 Switch	1 Year	M-6
1935	Drill Bit Set, (1) 3/8", (1) 7/16", (1) 1/2"	1 Year	O-3	2005-B120	Breakaway Switch, 1-3 Axle	1 Year	M-6
1936	Hole Saw, 1"	1 Year	O-3	2005-P	Replacement Part, Breakaway Switch, 1-3 Axle	1 Year	M-6
1937	Hole Saw Arbor w/Pilot Drill	1 Year	O-3	2009-A	Replacement Cable and Brass Pin Assembly for #2009 Switch	1 Year	M-6
1944	Receiver Tube Cover, 2" Sq., Chrome Plastic	1 Year	B-24	2009-A-P	Replacement Cable and Brass Pin Assembly for #2009 Switch	1 Year	M-6
195301	Heavy Duty Jack, Fixed Leg With Base	5 Year	J-12	2009-B60	Breakaway Switch, Metal	1 Year	M-6
195304	TWL 195 DL-DXQ, 5,000 lbs. Support Cap., 15" Travel, No Mount, O.T. Gray, I.T. Zinc, Drop Leg	5 Year	J-12	2009-P	Breakaway Switch, Metal	1 Year	M-6
195306	TWL 195 DTSFQ w/P&C, 5,000 lbs. Support Cap., 15" Travel, Round Mount, O.T. Gray, I.T. Zinc	5 Year	J-12	2010-A	Replacement Cable and Nylon Pin Assembly for #2010 Switch	1 Year	M-6
195312	TWL 195 DTSXQ w/P&C, 5,000 lbs. Support Cap., 15" Travel, Square Mount, O.T. Gray, I.T. Zinc	5 Year	J-12	2010-A-P	Replacement Cable and Nylon Pin Assembly for #2010 Switch	1 Year	M-6
195318	TWL 195 DL-DFXQ, 5,000 lbs. Support Cap., 15" Travel, A-Frame Mount, O.T. Gray, I.T. Zinc, Drop Leg	5 Year	J-12	2010-B125	Breakaway Switch, Nylon w/ Weldable Tab	1 Year	M-6
195319	TWL 195 FL-BXQ, 5,000 lbs. Support Cap., 15" Travel, No Mount, O.T. Gray, I.T. Zinc, Caster Base	5 Year	J-12	2010-P	Breakaway Switch, Nylon w/ Weldable Tab	1 Year	M-6
195320	TWL 195 FL-XQ, 5,000 lbs. Support Cap., 15" Travel, No Mount, O.T. Gray, I.T. Zinc, No Base	5 Year	J-12	20110	Fifth Wheel Adapter Harness, 7-Way Flat Pin U.S. Car Connector Assembly 7 ft., Dodge, Ford, GM, RAM & Toyota	1 Year	C-50
195321	Heavy Duty Jack, Fixed Less Base	5 Year	J-12	20111	Fifth Wheel Adapter Harness, 7-Way Flat Pin U.S. Car Connector Assembly 7 ft., Dodge	1 Year	C-50
195351	SWS 195 DQ, 5,000 lbs. Support Cap., 10" Travel, No Mount, O.T. Gray, I.T. Zinc	5 Year	J-12	20112	Cover, 4-Flat LED Connector	1 Year	C-43
195352	Heavy Duty Jack, Fixed Leg with Base	5 Year	J-12	20112-024	Cover, 4-Flat LED Connector (24 pack)	1 Year	C-43
195354	SWL 195 DL-DXQ, 5,000 lbs. Support Cap., 15" Travel, No Mount, O.T. Gray, I.T. Zinc, Drop Leg	5 Year	J-12	20113	Fifth Wheel Adapter Harness, 7-Way Flat Pin U.S. Car Connector Assembly 7 ft., Toyota	1 Year	C-50
195356	SWL 195 DTSFQ w/P&C, 5,000 lbs. Support Cap., 15" Travel, Round Mount, O.T. Gray, I.T. Zinc	5 Year	J-12	20114	4-Flat Car End Tester w/LED Display	1 Year	O-2
195362	SWL 195 DTSXQ w/P&C, 5,000 lbs. Support Cap., 15" Travel, Square Mount, O.T. Gray, I.T. Zinc	5 Year	J-12	20115	5-Flat Car End Tester w/ LED Display and Dust Cap	1 Year	O-2
195368	SWL 195 FL-XQ, 5,000 lbs. Support Cap., 15" Travel, No Mount, O.T. Gray, I.T. Zinc, Caster Base	5 Year	J-12	20116	6-Way Car End Tester w/LED Display	1 Year	O-2
195369	Heavy Duty Jack, Fixed Leg Less Base	5 Year	J-12	20117	7-Way Flat Pin Car End Tester w/LED Display	1 Year	O-2
1962	Safety Chain Loop, Class II/III, 5,000 lbs.		A-16	20118	Cover, 5-Flat Connector	1 Year	C-43
1970000†	Cargo Bar 40" to 74"	1 Year	I-50	20118-024	Cover, 5-Flat Connector (24 pack)	1 Year	C-43
1970200†	Ratcheting Cargo Bar 40" to 70"	1 Year	I-50	20119	Multi-Plug T-One Connector Assembly, 7-Way Flat Pin Connector/4-Flat Combo Adapter Harness for 7-Way U.S. Car End Connector (See Application Guide for Fit Information)	1 Year	C-4
198100	Swivel Jack, Topwind, 10" Travel, Weld-On Tubular Mount, 7,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6	20125	4-Flat to 7-Way Flat Pin U.S. Car Connector Adapter	1 Year	C-62
198150	Swivel Jack, Sidewind, 10" Travel, Weld-On Tubular Mount, 7,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6	20127	Replacement Part, Universal 12" Brake Control Plug for #5520 (Activator® III), #20185 (Intella-Stop™ Ultra), #20188 (Intella Stop™ Digital), #39515 (Primus™), #39519 (Prodigy®), #39526 (P3®), #83520 (Brakeman™ Ultra)	1 Year	H-11
198200	Swivel Jack, Topwind, 15" Travel, Weld-On Tubular Mount, 7,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6	20127-012	Replacement Part, Universal 12" Brake Control Plug for #5520 (Activator® III), #20185 (Intella-Stop™ Ultra), #20188 (Intella Stop™ Digital), #39515 (Primus™), #39519 (Prodigy®), #39526 (P3®), #83520 (Brakeman™ Ultra) (12-pack)	1 Year	H-11
198250	Swivel Jack, Sidewind, 15" Travel, Weld-On Tubular Mount, 7,000 lbs. Lift Capacity (Includes Foot Plate)	5 Year	J-6	20128	4-Flat (OEM) to 6 Way Connector Assembly 7 ft.	1 Year	C-50
				20129	4-Flat (OEM) to 6 Way Connector Assembly 7 ft.	1 Year	C-50

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
20130	4-Flat (OEM) to 7 Way Connector Assembly 7 ft.	1 Year	C-50
20131	4-Flat (OEM) to 7 Way Connector Assembly 7 ft.	1 Year	C-50
20135	Multi-Plug T-One Connector Assembly, 7-Way Flat Pin Connector/4-Flat Combo Adapter Harness for 7-Way U.S. Car Replacement Socket for 7-Way OEM Chrysler, Dodge, Freightliner, Jeep & Mitsubishi Vehicles	1 Year	C-4
20136	4-Flat to 5-Flat Connector Assembly	1 Year	C-60
20137	Multi-Plug T-One Connector Assembly, 7-Way Flat Pin Connector/4-Flat Combo Adapter Harness for 7-Way U.S. Car Replacement Socket for 7-Way OEM Lexus & Toyota Vehicles	1 Year	C-4
20140	Fifth Wheel Adapter Harness, 7-Way Flat Pin U.S. Car Connector Assembly 7 ft. w/Pigtails for Choice of Hardwiring 6 or 7-Way Connector, Dodge, Ford, GM, RAM & Toyota	1 Year	C-50
20141	7-Way Flat Pin to 5-Flat Adapter w/LED Lamp Out By-Pass for European Vehicles	1 Year	C-60
20142	7-Way Flat Pin to 7-Flat Pin Adapter w/LED Lamp Out By-Pass for European Vehicles	1 Year	C-60
20143	6-Way Round Pin Connector/4-Flat Combo Adapter Harness w/Mounting Bracket & Hardware	1 Year	C-59
20144	7-Way Flat Pin Connector/4-Flat Combo Adapter Harness w/Mounting Bracket & Hardware	1 Year	C-59
20145	LED Circuit Tester	1 Year	O-2
20145-010	LED Circuit Tester (10 pack)	1 Year	O-2
20146	Fifth Wheel Adapter Harness, 7-Way Flat Pin U.S. Car Connector Assembly 9 ft., Dodge, Ford, GM, RAM & Toyota	1 Year	C-50
20174	Light Kit For Railed Cargo Carrier Part #59108, #59109, #59110, #59502, #59507, #59550, #63152, #63153, #63154, #63155, #38174	5 Year	I-24, I-51
2018	Post Mount Battery Box (Plastic) with Partition for Shur-Set III™ (Includes Mounting Bracket)	1 Year	M-6
20191	I-Stop™ IQ Electronic Brake Control, for 1 to 3 Axle Trailers, Proportional	Lifetime	H-8
20212	Mounting Bracket for 7-Way OEM Connectors, Includes Screws and Nuts	1 Year	C-64
20212-010	Mounting Bracket for 7-Way OEM Connectors (10 pack)	1 Year	C-64
20223	7-Way Trailer Wiring Harness, U.S. Car Connector, 7'	1 Year	C-50
20224	7-Way Trailer Wiring Harness, U.S. Car Connector, 4'	1 Year	C-50
2023	12 Volt 5 Amp/Hr Sealed Lead Acid Battery for Shur-Set III™	1 Year	M-6
2023-X	12 Volt 5 Amp/Hr Sealed Lead Acid Battery for Shur-Set III™	1 Year	M-6
2024-07	DC to DC Heavy Duty Quick/Maintenance (Multi Stage) Charger - 12 Volt	1 Year	M-6
2024-07-S	DC to DC Heavy Duty Quick/Maintenance (Multi Stage) Charger - 12 Volt	1 Year	M-6
20250	4-Flat Wiring Kit, Contains 12" 16 ga. for Vehicles w/ Factory Wiring Harness w/o Plug	1 Year	C-38
2025-09	AC-to-DC Multi Stage Maintenance Charger	1 Year	M-6
20251	4-Flat Wiring Kit w/Taillight Converter, Contains 72" 16 ga. Car End Connector Universal Kit for Vehicles Which Require a Taillight Converter	1 Year	C-38
20252	4-Flat Wiring Kit, Contains 72" 16 ga. Car End Connector Universal Kit for Vehicles Which Do Not Require a Taillight Converter	1 Year	C-38
2026	Shur-Set III® Breakaway System w/5 Amp/Hr Battery (Includes #2010 Nylon Breakaway Switch)	1 Year	M-5
2028	Shur-Set III® Breakaway System w/5 Amp/Hr Battery (with Charger) (Includes #2010 Nylon Breakaway Switch)	1 Year	M-5
203111	Side Marker/Clearance Light Amber w/Reflex Lens w/ Black Stud-Mount Base	1 Year	K-22, K-42
203113	Side Marker/Clearance Light Red w/Reflex Lens w/ Black Stud-Mount Base	1 Year	K-42
203116	Side Marker/Clearance Light w/Reflex & 18" Pigtail, Red	1 Year	K-42
203117	Side Marker/Clearance Light w/Reflex & 18" Pigtail, Amber	1 Year	K-24, K-42
203131	Side Marker/Clearance Light Amber w/Reflex Lens w/ Black Ear-Mount Base	1 Year	K-42

PART NO.	DESCRIPTION	WNTY	PAGE #
203133	Side Marker/Clearance Light Red w/Reflex Lens w/ Black Ear-Mount Base	1 Year	K-42
20320	4-Flat to 6-Way Round Pin Connector Adapter	1 Year	C-62
20320-012	4-Flat to 6-Way Round Pin Connector Adapter (12 pack)	1 Year	C-62
203206†	Mini Launch Light, Waterproof	1 Year	K-26
20321	4-Flat to 7-Way Flat Pin Connector Adapter, Plastic	1 Year	C-62
20321-012	4-Flat to 7-Way Flat Pin Connector Adapter, Plastic (12 pack)	1 Year	C-62
20322	4-Flat to 7-Way Flat Pin Connector Adapter, Metal	1 Year	C-62
203223†	Clearance Light Module #31 Amber, 2-1/2"	1 Year	K-38
203233	Side Marker/Clearance Light Amber w/White Stud-Mount Base, PC Rated	1 Year	K-39
203234	Side Marker/Clearance Light Red w/White Stud-Mount Base, PC Rated	1 Year	K-39
203235	Side Marker/Clearance Light Amber, PC Rated	1 Year	K-42
203264†	Side Marker/Clearance Light Red w/Reflex Lens w/ White Base	1 Year	K-41
203292	Clearance Lens #37 Amber w/Black Base and Wire	1 Year	K-37
203293	Clearance Lens #37 Red w/Black Base and /Wire	1 Year	K-37
203294	Clearance Lens #37 Amber w/Chrome Base and Wire	1 Year	K-37
203295	Clearance Lens #37 Red w/Chrome Base and Wire	1 Year	K-37
203309†	Red, Waterproof, Stainless Steel Bar	1 Year	K-47
203315	Red, Waterproof, Stainless Steel Bar	1 Year	K-47
203380	Replacement Part, Clearance Light Module #30 Amber, 2"	1 Year	K-38
203381	Replacement Part, Clearance Light Module #30 Red, 2"	1 Year	K-38
203385†	Clearance Light Module #31 Amber, 2-1/2"	1 Year	K-38, K-39
203386†	Clearance Light Module #31 Red, 2-1/2"	1 Year	K-38, K-39
203395	Replacement Part, Clearance Light Module #37 Amber	1 Year	K-37, K-47
203396	Replacement Part, Clearance Light Module #37 Red	1 Year	K-37, K-47
20501	Pulse Preventor for use w/All Electronic Brake Controls	1 Year	H-11
20505	Wiring Kit for 2 to 4 Brake Control Systems, Includes 25 ft. 12-2 Duplex Wire, 20 Amp Circuit Breaker and Attaching Terminals	1 Year	H-12
20506	Wiring Kit for 6 to 8 Brake Control Systems, Includes 25 ft. 12-2 Duplex Wire, 30 Amp Circuit Breaker and Attaching Terminals	1 Year	H-12
2051	Replacement Part, Battery Box, All Polymer Lockable	1 Year	M-6
2060066	Bow Cam buckle Tie Down, 1" x 36", 400 lbs. Load Capacity & 1,200 lbs. Break Strength, Zinc (2 pack)	5 Year	I-48
2060166	Bow Cam buckle Tie Down, 1" x 36", 300 lbs. Load Capacity & 900 lbs. Break Strength, Stainless Steel (2 pack)	5 Year	I-48
2060266	Transom Retractable Ratchet Tie Down, 2" x 43", 600 lbs. Load Capacity & 1,800 lbs. Break Strength, Stainless Steel (2 pack)	5 Year	I-48
2060366	Transom Retractable Ratchet Tie Down, 2" x 43", 833 lbs. Load Capacity & 2,500 lbs. Break Strength, Zinc (2 pack)	5 Year	I-48
2060466	Transom SureLok Cam buckle Tie Down, 2" x 24", 833 lbs. Load Capacity & 2,500 lbs. Break Strength, Zinc (2 pack)	5 Year	I-48
2060566†	Transom SureLok Cam buckle Tie Down, 2" x 24", 333 lbs. Load Capacity & 1,000 lbs. Break Strength, Stainless Steel (2 pack)	5 Year	I-48
2060666†	Transom SureLok Cam buckle Tie Down, 2" x 48", 333 lbs. Load Capacity & 1,000 lbs. Break Strength, Stainless Steel (2 pack)	5 Year	I-48
2060766	Transom SureLok Cam buckle Tie Down, 2" x 48", 833 lbs. Load Capacity & 2,500 lbs. Break Strength, Zinc (Single)	5 Year	I-48
2060866	Gunwale Max Grip Ratchet Tie Down, 2" x 10', 333 lbs. Load Capacity & 1,000 lbs. Break Strength, Stainless Steel (Single)	5 Year	I-48
2060966	Gunwale Max Grip Ratchet Tie Down, 2" x 13', 400 lbs. Load Capacity & 1,200 lbs. Break Strength, Stainless Steel (Single)	5 Year	I-48
2061266	Gunwale Max Grip Ratchet Tie Down, 2" x 10', 833 lbs. Load Capacity & 2,500 lbs. Break Strength, Zinc (Single)	5 Year	I-48

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
2061366	Gunwale Max Grip Ratchet Tie Down, 2" x 13', 833 lbs. Load Capacity & 2,500 lbs. Break Strength, Zinc (Single)	5 Year	I-48	22225	Replacement Part, 800 lbs. High-Performance Spring Bar & Trunnion (Qty. 1)	Lifetime	D-7
2061466	Gunwale Max Grip Ratchet Tie Down, 2" x 16', 833 lbs. Load Capacity & 2,500 lbs. Break Strength, Zinc (Single)	5 Year	I-48	22250 0101	Coupler, Ball Size 2", 2-1/2" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	5 Year	J-48
2061566	Gunwale Max Grip Ratchet Tie Down, 2" x 20', 833 lbs. Load Capacity & 2,500 lbs. Break Strength, Zinc (Single)	5 Year	I-48	22250 0301	Coupler, Class II, 2" Ball, 2-1/2" Channel, 3500 lbs. - Zinc	5 Year	J-48
2061766	Transom Retractable Ratchet Tie Down, 2" x 43", 833 lbs. Load Capacity & 2,500 lbs. Break Strength, Zinc (Bulk)	5 Year	I-48	22250 0317	Coupler, Class II, 2" Ball, 2-1/2" Channel, 3500 lbs. - Primed	5 Year	J-48
21141	Adjustable Ball Mount, 5,000 lbs. GTW, 1" Ball Hole, 13-1/2" Length, 6-1/4" Maximum Rise, 7-1/2" Maximum Drop, Black	Lifetime	B-13	22300 0101	Coupler, Ball Size 2", 3" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	5 Year	J-47
21330	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 1" Rise, 2" Drop, Black	Lifetime	B-8	22300 0301	Coupler, Class II, 2" Ball, 3" Channel, 3500 lbs. - Zinc	5 Year	J-47
21331	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 9-1/4" Length, 3" Rise, 4" Drop, Black	Lifetime	B-8	22300 0317	Coupler, Class II, 2" Ball, 3" Channel, 3500 lbs. - Primed	5 Year	J-47
21332	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 10-1/4" Length, 5" Rise, 6" Drop, Black	Lifetime	B-8	223117	Side Marker/Clearance Light w/Reflex & 18" Pigtail, Amber	1 Year	K-24, K-42
21341	Quick Loading Ball Mount, 2" Sq. x 12"L x 2"D x 3/4"R, 5,000 lbs.	Lifetime	B-7	223210	LP Light Assy	1 Year	K-50
21342	Quick Loading Ball Mount, 2" Sq. x 8-1/2"L x 2"D x 3/4"R, 7,500 lbs.	Lifetime	B-7	223215†	License Plate Light w/Bracket	1 Year	K-49
21342-006	Quick Loading Ball Mount, 2" Sq. x 8-1/2"L x 2"D x 3/4"R, 7,500 lbs. (6 pack)	Lifetime	B-7	23300 0301	Coupler, Class II, 2" Ball, 3" Channel - Holes on 3" Centers, 3500 lbs. - Zinc	5 Year	J-48
21343	Quick Loading Ball Mount, 2" Sq. x 10-1/2"L x 2"D x 3/4"R, 6,000 lbs.	Lifetime	B-7	2357S00	Replacement Part, Friction Disc	5 Year	J-62
21343-006	Quick Loading Ball Mount, 2" Sq. x 10-1/2"L x 2"D x 3/4"R, 6,000 lbs. (6 pack)	Lifetime	B-7	2423006	7-Function Submersible Under 80" Taillight, Left/Roadside	1 Year	K-23
21344	Quick Loading Ball Mount, 2" Sq. x 9"L x 4"D x 2-3/4"R, 7,500 lbs.	Lifetime	B-7	2423008	8-Function Submersible Over 80" Taillight, Left/Roadside	1 Year	K-24
21344-006	Quick Loading Ball Mount, 2" Sq. x 9"L x 4"D x 2-3/4"R, 7,500 lbs. (6 pack)	Lifetime	B-7	2423056	6-Function Submersible Under 80" Taillight, Right/Curbside	1 Year	K-23
21345	Quick Loading Ball Mount, 2" Sq. x 11"L x 4"D x 2-3/4"R, 6,000 lbs.	Lifetime	B-7	2423058	7-Function Submersible Over 80" Taillight, Right/Curbside	1 Year	K-24
21345-006	Quick Loading Ball Mount, 2" Sq. x 11"L x 4"D x 2-3/4"R, 6,000 lbs. (6 pack)	Lifetime	B-7	2423273	Pedestal Mount, Amber Marker/Turn - Amber Marker/Turn - Double Sided	1 Year	K-19
21346	Quick Loading Ball Mount, 2" Sq. x 9-1/2"L x 6"D x 4-3/4"R, 6,000 lbs.	Lifetime	B-7	2423274	Pedestal Mount, Red Stop/Tail/Turn - Amber Marker/Turn - Double Sided	1 Year	K-19
21346-002	Quick Loading Ball Mount, 2" Sq. x 9-1/2"L x 6"D x 4-3/4"R, 6,000 lbs. (2 pack)	Lifetime	B-7	2423275	Pedestal Mount, Red Stop/Tail/Turn - Single Sided - Black Back	1 Year	K-19
21347	Ball Mount, 2" Sq. x 10"L x 8"D x 6-3/4"R, 5,000 lbs.	Lifetime	B-7	2423283	7-Function Under 80" Combination Taillight #80 Series, Left/Roadside	1 Year	K-18
21348	Ball Mount, 2" Sq. x 9"L x 11"D x 9-3/4"R, 5,000 lbs. (Drop Position) & 3,500 lbs. (Rise Position)	Lifetime	B-7	2423284	6-Function Under 80" Combination Taillight #80 Series, Right/Curbside	1 Year	K-18
21381	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 9-7/8" Length, 1" Rise, 2" Drop	Lifetime	B-8	2423286	Replacement Part, Lens for Under 80" Combination Taillight #80 Series	1 Year	K-18, K-23, K-24
21382	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 10-5/8" Length, 3" Rise, 4" Drop	Lifetime	B-8	2423287	Replacement Part, Lens for Under 80" Side Marker Clearance Light	1 Year	K-18, K-23
21383	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 11-7/8" Length, 5" Rise, 6" Drop	Lifetime	B-8	2423293	8-Function Over 80" Combination Taillight #80 Series, Left/Roadside	1 Year	K-18
21384	Aluminum Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-7/8" Length, 7" Rise, 8" Drop	Lifetime	B-8	2423294	7-Function Over 80" Combination Taillight #80 Series, Right/Curbside	1 Year	K-18
21501	Replacement Part, Snap-up Bracket w/Set Screw & Safety Pin	Lifetime	D-7, D-8, D-11, D-12	2423297	Replacement Part, LENS SIDE REPL OVER 80 LENS	1 Year	K-18, K-24
2178	Voyager®, AccuTrac® and Pod® Mounting Kit Bracket	1 Year	H-11	2461P01	Winch Handle, 11"	5 Year	J-62
221088	Replacement Part, Grommet - 2-1/2" Round Open Back Heavy Duty	1 Year	K-31, K-38	2471	Replacement Part, Wire Lock Pin 1/2", Used w/Tow Bar Brackets & Cargo Carrier #6502	Lifetime	N-2
2211	Rubber Economy Receiver Tube Cover w/"D" Logo for 1-1/4" Sq. Receivers	1 Year	B-24	2489	Safety Chain, Class III, 30" Length	1 Year	M-22
22111	Replacement OEM Tow Package Wiring Harness (7-Way)	1 Year	C-4	2523023	7-Function Submersible Under 80" Taillight, Left/Roadside	1 Year	K-23
22112	Replacement OEM Tow Package Wiring Harness (7-Way)	1 Year	C-4	2523024	8-Function Submersible Over 80" Taillight, Left/Roadside	1 Year	K-24
221588	Replacement Part, Grommet, Rectangular (15 Series)	1 Year	K-26, K-32, K-34, K-37	2523073	6-Function Submersible Under 80" Taillight, Right/Curbside	1 Year	K-23
22200 0101	Coupler, Ball Size 2", 2" Tongue Mount Width, Straight Channel, Zinc Finish, Rating 3,500 lbs.	5 Year	J-48	2523074	7-Function Submersible Over 80" Taillight, Right/Curbside	1 Year	K-24
22200 0301	Coupler, Class II, 2" Ball, 2" Channel, 3500 lbs. - Zinc	5 Year	J-48	2527511	Submersible Under 80" Taillight Kit w/25' Harness (w/o Clearance/Side Marker Lights) INCAND;TRAILER KIT	1 Year	K-23
22200 0317	Coupler, Class II, 2" Ball, 2" Channel, 3500 lbs. - Primed	5 Year	J-48	2554S00	Replacement Part, Friction Disc Poly Kit	3 Year	J-62
222012	LENS, SMCL SLIM FIT AMB	1 Year	K-33	26002	Dual Cam HP Sway Control	Lifetime	D-16
				26003	Sway Control Adapter Bracket for use w/Class III/IV 2" Sq. Ball Mounts	Lifetime	D-17
				26005	Sway Control Adapter Bracket for use w/Class II 1-1/4" Sq. Drawbars	Lifetime	D-17
				26102†	Dual Cam HP Sway Control	Lifetime	D-17
				26660	Standard Friction Sway Control	Lifetime	D-16

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
2706	Ball Mount, 5,000 lbs. GTW (Drop Position) & 3,500 GTW (Rise Position), 1" Ball Hole, 9" Length, 9-3/4" Rise, 11" Drop, Black	Lifetime	B-6
271574	7-Function Taillight, Right/Curbside, LED Over 80" 3x8 Low Profile	1 Year	K-9
271575	8-Function Taillight, Left/Roadside, LED Over 80" 3x8 Low Profile	1 Year	K-9
271584	7-Function Taillight, Right/Curbside Waterproof	1 Year	K-10
271584-01	7-Function Taillight, Right/Curbside w/3 Wire Pigtail	1 Year	K-10
271585	8-Function Taillight, Left/Roadside Waterproof	1 Year	K-10
271585-01	8-Function Taillight, Left/Roadside w/3 Wire Pigtail	1 Year	K-10
271594	7-Function Taillight, Right/Curbside, LED Wrap-Around	1 Year	K-9
271595	8-Function Taillight, Left/Roadside, LED Wrap-Around	1 Year	K-9
273006	7-Function, Left/Roadside	1 Year	K-12
273008	LED Over 80" Submersible Taillight, Left/Roadside	1 Year	K-12
273056	6-Function, Right/Curbside	1 Year	K-12
273058	LED Over 80" Submersible Taillight, Right/Curbside	1 Year	K-12
273560	LED 6" Oval Courtesy Light, Clear	1 Year	K-26
273561	LED 6" Oval Stop/Tail/Turn, Red WP	1 Year	K-11
273564	LED 6" Oval Stop/Tail/Turn, Amber WP	1 Year	K-11
273565	White Backup Light	1 Year	K-11
2736	Ball Mount, 5,000 lbs. GTW, 1" Ball Hole, 12" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-6
2736-006	Ball Mount, 5,000 lbs. GTW, 1" Ball Hole, 12" Length, 3/4" Rise, 2" Drop, Black (6 pack)	Lifetime	B-6
2793	Ball Mount, 5,000 lbs. GTW, 1" Ball Hole, 10" Length, 6-3/4" Rise, 8" Drop, Black	Lifetime	B-6
2793-002	Ball Mount, 5,000 lbs. GTW, 1" Ball Hole, 10" Length, 6-3/4" Rise, 8" Drop, Black (2 pack)	Lifetime	B-6
281594	7-Function Taillight, Right/Curbside, LED Wrap-Around	1 Year	K-9
281595	8-Function Taillight, Left/Roadside, LED Wrap-Around	1 Year	K-9
2823283	7-Function Under 80" Combination Taillight #80 Series, Left/Roadside	1 Year	K-18
2823284	6-Function Under 80" Combination Taillight #80 Series, Right/Curbside	1 Year	K-18
2823285	Trailer Light Kit w/25' Wire Harness, w/Rectangular Clearance/Side Marker Lights	1 Year	K-18
2823293	8-Function Over 80" Combination Taillight #80 Series, Left/Roadside	1 Year	K-18
2823294	7-Function Over 80" Combination Taillight #80 Series, Right/Curbside	1 Year	K-18
283006	7-Function, Left/Roadside	1 Year	K-12
283056	6-Function, Right/Curbside	1 Year	K-12
28351	Invisi-Hitch™ Accessory Adapter Kit, Adapter (10-3/8" Length x 3-1/2" Rise), 1/2" Stainless Steel Integral Pin & Clip, Black	1 Year	B-5
283561	LED 6" Oval Stop/Tail/Turn, Red	1 Year	K-11
283564	LED 6" Oval Stop/Tail/Turn, Amber	1 Year	K-11
283565	LED 6" Oval Backup Light	1 Year	K-11
28451	Invisi-Hitch™ Drawbar Kit, Drawbar (2000 lbs. w/3/4" Ball Hole 10-5/8" Length x 3-1/2" Rise), 1/2" Stainless Steel Integral Pin & Clip, Black	Lifetime	B-5
2850	Receiver Fabrication Part, 6" Combo Bar 2" Sq. ID, Unpainted	1 Year	A-16
2851	Receiver Fabrication Part, 12" Combo Bar 2" Sq. ID, Unpainted	1 Year	A-16
2852	Receiver Fabrication Part, 24" Combo Bar 2" Sq. ID, Unpainted	1 Year	A-16
2853	Receiver Fabrication Part, 36" Combo Bar 2" Sq. ID, Unpainted	1 Year	A-16
2854	Receiver Fabrication Part, 48" Combo Bar 2" Sq. ID, Unpainted	1 Year	A-16
2858	24" x 30" 2-Sided Aluminum Sign		P-13
2859	Wall/Pole Mount for 24" x 30" Sign		P-13
2860	Curb Stand for 24" x 30" Sign		P-13
287512	Taillight Kit w/25' Wire Harness	1 Year	K-12
2898	Receiver Fabrication Part, 18" Combo Bar 2" Sq. ID, Unpainted	1 Year	A-16
2902000	Triple Strength Bungee Cord - 12" - Blue	1 Year	I-44
2902100	Triple Strength Bungee Cord - 18" - Red	1 Year	I-44

PART NO.	DESCRIPTION	WNTY	PAGE #
2902200	Triple Strength Bungee Cord - 24" - Green	1 Year	I-44
2902300	Triple Strength Bungee Cord - 32" - Purple	1 Year	I-44
2902400	Triple Strength Bungee Cord - 32" - Black	1 Year	I-44
2902500	Triple Strength Bungee Cord Assortment (10 piece) (2) 12", (2) 18", (2) 24" & (4) 32"	1 Year	I-44
2902600	Triple Strength Bungee Cord Assortment (5 piece) (1) 12", (1) 18", (1) 24" & (2) 32"	1 Year	I-44
2923	Ball Mount Kit, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-6
29522†	Conduit 3/8" - 50' Roll	1 Year	C-67
29523†	Conduit 1/2" - 50' Roll	1 Year	C-67
2953	Ball Mount Kit, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, Black	Lifetime	B-6
30033	22K Fifth Wheel Hitch Assembly & 90° Fifth Wheel Adapter Harness #50-97-410 (Requires Rails & Installation Kit #30035)	Lifetime	E-9
30035	Fifth Wheel Rails and Installation Kit, Includes Brackets and Hardware (10 - Bolt Design) (May Require Additional Kit - See Application Guide)	10 Year	E-18
30035-040	Fifth Wheel Rails and Installation Kit, Includes Brackets and Hardware (10 - Bolt Design) (40 Pack) (May Require Additional Kit - See Application Guide)	10 Year	E-18
30047	16K Fifth Wheel (Requires Rails & Installation Kit #30035)	Lifetime	E-11
30047A	Replacement 16K Head w/Support	Lifetime	E-11
30048	Fifth Wheel Kwik-Slide® Slider Unit w/6 Rollers for 15K, 16K & 20K Head Assemblies (Requires Rails & Installation Kit #30035 or #30095 and Head Assembly)	Lifetime	E-16
30051	16K Fifth Wheel w/Kwik-Slide (Requires Rails & Installation Kit #30035)	Lifetime	E-11
30053	Fifth Wheel Starter Kit	Lifetime	E-17
30054	30K Low Profile Fifth Wheel Hitch	Lifetime	E-9
30055	Fifth Wheel Cover	Lifetime	E-17
30056	Pro Series™ 15K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit, Legs & Rail Kit) (4 - Bolt Design)	10 Year	E-15
3006	Receiver Fabrication Part, 6" Combo Bar 1-1/4" Sq. ID, Unpainted	1 Year	A-16
30070†	Elite™ Series 18K Fifth Wheel Slider Unit	Lifetime	E-4
30-07-001	Stop/Tail/Turn Light Surface Mount #07 Series, Right/Curbside	1 Year	K-17
30-07-002	Stop/Tail/Turn Light Surface/Horizontal Mount #07 Series w/License Light & Bracket, Left/Roadside	1 Year	K-17
30-07-003†	Stop/Tail/Turn Light Surface Mount #07 Series, Left/Roadside	1 Year	K-17
30-07-010†	Replacement Part, Lens for #30-07-001	1 Year	K-17
30-07-011	Replacement Part, Lens for #30-07-002	1 Year	K-17
30-07-012	Replacement Part, Lens for #30-07-003	1 Year	K-17
30-07-013†	Replacement Part, Lens for #30-07-100	1 Year	K-17
30-07-100†	Stop/Tail/Turn Light Surface/Horizontal Mount #07 Series w/License Light & Bracket, Left/Roadside	1 Year	K-17
30-073813†	Interior Utility Light w/Switch, 4" x 2.37"	1 Year	K-56
30-073833	Clearance Light Red Round w/Two Wire Construction	1 Year	K-43
30-073834	Clearance Light Amber Round w/Two Wire Construction	1 Year	K-43
30-073836†	Clearance Light Amber Round, Self-Grounding w/Single Black Wire	1 Year	K-43
30-073837†	License Plate Light, Bullet	1 Year	K-49
30-073840	Tractor Auxiliary Flood Light with Rubber Housing	1 Year	K-25
30-073843†	ID Light Bar Red	1 Year	K-48
30075	16K Fifth Wheel Hitch w/ Round Tube Slider (Rail Kit Sold Separately)	Lifetime	E-11
30076	Pro Series™ 15K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit, Slider Unit & Rail Kit) (4 - Bolt Design)	10 Year	E-15
30081	20K Fifth Wheel (Rail Kit Sold Separately)	Lifetime	E-10
30083	20K Fifth Wheel w/Round Slider Unit (Rail Kit Sold Separately)	Lifetime	E-10
30084	20K Fifth Wheel w/Kwik Slide Slider Unit (Rail Kit Sold Separately)	Lifetime	E-10

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
30092	Pro Series™ Fifth Wheel Slider Unit w/4 Rollers for 15K, 16K & 20K Head Assemblies (Requires Rails & Installation Kit #30035 or #30095 and Head Assembly)	10 Year	E-16	30145	Replacement Part, Safety Chain Attachment (Qty. 1) for Elite™ Under-Bed Bolt-On Gooseneck, RAM OEM Kit Only	Lifetime	G-6
30093	Pro Series™ 15K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit & Legs) (Rail Kit Sold Separately)	10 Year	E-15	30149	Elite™ Series Rail Kit Accessory, Plastic Bedliner Puck Adapter Kit (Includes: (4) Pucks & (4) Spacers)	Lifetime	E-4
30094	Pro Series™ 15K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit & Slider Unit) (Rail Kit Sold Separately)	10 Year	E-15	30153	Reese Outboard Fifth Wheel Mounting Rails Only (10 - Bolt Design)	Lifetime	E-8, E-18
30095	Fifth Wheel Rails and Installation Kit, Includes Brackets and Hardware (4 - Bolt Design) (May Require Additional Kit - See Application Guide)	10 Year	E-18	30154	Rail Kit Mounting Adapter for Attaching Standard Fifth Wheel Hitches, Drop-In for RAM 2500 HD/3500 HD w/ Factory Installed OE Rail System	Lifetime	E-6
30095-032	Fifth Wheel Rails and Installation Kit, Includes Brackets and Hardware (4 - Bolt Design) (32 Pack) (May Require Additional Kit - See Application Guide)	10 Year	E-18	30156	Rail Kit Mounting Adapter for Attaching 15K, 16K & 20K Standard Fifth Wheel Hitches (For Use with Ford OEM & Elite™ Series Under-Bed Rail Kits)	Lifetime	E-6
30099	Pro Series™ 15K Fifth Wheel Hitch (Includes: Head, Head Support & Handle Kit) (Legs & Rail Kit Sold Separately)	10 Year	E-15	30158	Elite™ Series Under-Bed Bolt-On Gooseneck Head with Pop-In™ 2-5/16" Ball, GM & Dodge	Lifetime	G-5
30105	6 Pole Square Connector Kit, Male and Female Ends for Tent Trailers	1 Year	C-45	30158-52	Elite™ Series Under-Bed Gooseneck Complete Hitch, Dodge	Lifetime	G-5
30118	Pro Series™ 20K Fifth Wheel Hitch (Includes: Head, Head Support & Handle Kit) (Legs & Rail Kit Sold Separately)	10 Year	E-13	30158-68	Elite™ Series Under-Bed Gooseneck Complete Hitch, GM	Lifetime	G-5
30119	Pro Series™ 20K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit & Legs) (Rail Kit Sold Separately)	10 Year	E-13	30160	20K Fifth Wheel, Drop-In for RAM 2500 HD/3500 HD w/Factory Installed OE Rail System	Lifetime	E-5
30120	Pro Series™ 20K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit, Legs & Rail Kit) (4 - Bolt Design)	10 Year	E-13	30-17-034	Replacement Part, Gasket (Foam) for #178 Clearance Light	1 Year	K-41
30121	Pro Series™ 20K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit & Slider Unit) (Rail Kit Sold Separately)	10 Year	E-13	30-173836	Replacement Part, Clearance Light Lens Amber	1 Year	K-43
30122	Pro Series™ 20K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit, Slider Unit & Rail Kit) (4 - Bolt Design)	10 Year	E-13	30-17-814	Clearance Light #178 Red with White Base, No gasket	1 Year	K-41
30124	Fifth Wheel Mounting Rails Only (4 - Bolt Design)	10 Year	E-18	30-17-815	Clearance Light #178 Amber with White Base, No gasket	1 Year	K-41
30125	Replacement Part, Installation Kit w/Hardware and Brackets for Reinstallation of #30095, #30124 (4 - Bolt Design)	10 Year	E-18	30439	Replacement Part, Installation Kit w/Hardware and Brackets for Reinstallation of #30035, #58058 (10 - Bolt Design)	5 Year	E-18
30128	Pro Series™ 15K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit, Legs & Rail Kit) (10 - Bolt Design)	10 Year	E-15	30-48-095†	Replacement Part, Bulb #1895/#57	1 Year	K-63, K-42, K-48
30129	Pro Series™ 15K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit, Slider Unit & Rail Kit) (10 - Bolt Design)	10 Year	E-15	30-58-001	Clearance Light #58 Red w/White Base	1 Year	K-40
30132	Pro Series™ 20K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit, Legs & Rail Kit) (10 - Bolt Design)	10 Year	E-13	30-58-002	Clearance Light #58 Amber w/White Base	1 Year	K-40
30133	Pro Series™ 20K Fifth Wheel Hitch (Includes: Head, Head Support, Handle Kit, Slider Unit & Rail Kit) (10 - Bolt Design)	10 Year	E-13	30-58-007	Clearance Light #58 Clear w/White Base	1 Year	K-40
30134	Replacement Part, Safety Chain Attachment (Qty. 1) for Elite™ Under-Bed Bolt-On Gooseneck	Lifetime	G-6	30-58-010	Replacement Part, Clearance Light Lens #58 Red	1 Year	K-40
30135	Replacement Part, Storage Bag for Elite™ Under-Bed Bolt-On Gooseneck 2-5/16" Pop-In™ Ball #19311	Lifetime	G-6	30-58-012	Replacement Part, Clearance Light Lens #58 Amber	1 Year	K-40
30136	Replacement Part, Hole Cover for Elite™ Under-Bed Bolt-On Gooseneck Head Ball Hole	Lifetime	G-6	30-58-024	Replacement Part, Clearance Light #58 White Base	1 Year	K-40
30137	Elite™ Series Under-Bed Gooseneck Accessories Kit (Includes: (1) 2-5/16" Pop-In™ Ball #19311, (1) Storage Bag, (2) Safety Chain Attachments & (1) Hole Cover)	Lifetime	G-6	30-58-102†	Replacement Part, Clearance Light Wedge Base Socket Assembly w/o Bulb	1 Year	K-35, K-40
30138	Elite™ Series Under-Bed Bolt-On Gooseneck Head with Pop-In™ 2-5/16" Ball, Ford	Lifetime	G-5	30-58-702	Replacement Part, Clearance Light Wedge Base Socket w/#194 Bulb	1 Year	K-40, K-41
30138-26	Elite™ Series Under-Bed Gooseneck Complete Hitch, Ford	Lifetime	G-5	30-59-001	Clearance Light #59 Red with Reflex w/White Base	1 Year	K-40
30140	Elite™ Series Under-Bed Gooseneck Accessories Kit, RAM OEM Kit Only (Includes: (1) 2-5/16" Pop-In™ Ball #19311, (1) Storage Bag, (2) Safety Chain Attachments & (1) Hole Cover)	Lifetime	G-6	30-59-002	Clearance Light #59 Amber with Reflex w/White Base	1 Year	K-40
30142	Elite™ Series Fifth Wheel 18K (Pre-Assembled) & 90° Fifth Wheel Adapter Harness #50-97-410	Lifetime	E-3	30-59-003	Clearance Light #59 Red with Reflex w/Black Base	1 Year	K-40
30143	Elite™ Series Fifth Wheel 25K (Pre-Assembled) & 90° Fifth Wheel Adapter Harness #50-97-410	Lifetime	E-3	30-59-004	Clearance Light #59 Amber with Reflex w/Black Base	1 Year	K-40
30144	Elite™ Series Fifth Wheel 18K w/Slider Unit (Pre-Assembled) & 90° Fifth Wheel Adapter Harness #50-97-410	Lifetime	E-3	30-59-010	Replacement Part, Clearance Light Lens #59 Red	1 Year	K-40
				30-59-012	Replacement Part, Clearance Light Lens #59 Amber	1 Year	K-40
				30-59-054	Replacement Part, Gasket (Foam) for #58 & #59 Clearance Light	1 Year	K-40
				30-60-004	Cargo Dome Light w/Chrome Base	1 Year	K-55
				30-60-005	Utility Light w/Chrome Base	1 Year	K-55
				30-62-000	License Plate Light, Mini Compact	1 Year	K-49
				30-62-002	License Light #62 w/Black Base & Bracket	1 Year	K-49
				30-62-003	License Light #62 w/ White Base & Bracket	1 Year	K-49
				30-62-030	License Plate Bracket	1 Year	K-49
				30-62-102	License Light #62 w/Black Base (No Bracket)	1 Year	K-49
				30-62-103	License Light #62 w/White Base (No Bracket)	1 Year	K-49
				30-72-100	License Plate Bracket, Heavy Duty	1 Year	K-49
				30727	Replacement Part, 15K, 16K & 20K Fifth Wheel Legs (Qty. 2)	10 Year	E-11
				30730	Replacement Part, 20K & 22K Fifth Wheel Base Assembly w/Adjustment Brackets	Lifetime	E-9
				30-76-028	Replacement Part, Interior Light Lens #76	1 Year	K-55
				30-76-123	Interior Light #76 Single with Lens & Switch	1 Year	K-55
				30-76-223	Interior Light #76 Double with Lens & Switch	1 Year	K-55
				30-76-243	Interior Light #76 Double with Lens & Dual Switch	1 Year	K-55
				30-78-021	Replacement Part, Porch Light Lens #78 Clear	1 Year	K-52
				30-78-022	Replacement Part, Porch Light Lens #78 Amber	1 Year	K-52
				30-78-515	Porch Light #78 Clear w/Ash White #5 Base	1 Year	K-52

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
30-78-516	Porch Light #78 Amber w/Ash White #5 Base	1 Year	K-52
30-78-517	Porch Light #78 Clear w/Ash White #5 Base & Switch	1 Year	K-52
30-78-518	Porch Light #78 Amber w/Ash White #5 Base & Switch	1 Year	K-52
30-78-522	Porch Light #78 Clear w/Black Base	1 Year	K-52
30-78-523	Porch Light #78 Amber w/Black Base	1 Year	K-52
30-78-524	Porch Light #78 Clear w/Black Base & Switch	1 Year	K-52
30-78-525	Porch Light #78 Amber w/Black Base & Switch	1 Year	K-52
30-78-600	Porch Light #78 Clear w/Chrome Base	1 Year	K-52
30-79-003	Porch Light #79 Oval Clear w/White #5 Base	1 Year	K-54
30-79-004	Porch Light #79 Oval Amber w/White #5 Base	1 Year	K-54
30-79-005	Porch Light #79 Oval Clear w/White #5 Base & Switch	1 Year	K-54
30-79-006	Porch Light #79 Oval Amber w/White #5 Base & Switch	1 Year	K-54
30-79-023	Replacement Part, Porch Light Lens #79 Oval Clear	1 Year	K-54
30-79-024	Replacement Part, Porch Light Lens #79 Oval Amber	1 Year	K-54
308 0217	Coupler, Ball Size 2" - 2-1/8 " Hand-Wheel, Tongue Mount Channel Width 2-7/16", Rating 5,000 lbs.	5 Year	J-48
308 0317	Coupler, Class III, 2" Ball, 2-7/16" Channel, 5000 lbs.	5 Year	J-48
30-80-001†	Porch Light #80, White Base, Clear Lens (No Switch)	1 Year	K-53
30-80-002	Porch Light #80, White Base, Amber Lens (No Switch)	1 Year	K-53
30-80-003†	Porch Light #80, White Base, Clear Lens, w/Switch	1 Year	K-53
30-80-004	Porch Light #80, White Base, Amber Lens, w/Switch	1 Year	K-53
30-80-005†	Porch Light #80, Black Base, Clear Lens (No Switch)	1 Year	K-53
30-80-021†	Replacement Part, Clear Lens For 80 Series	1 Year	K-53
30-80-022†	Replacement Part, Amber Lens For 80 Series	1 Year	K-53
30-84-001	Taillight #84 Recessed Double Horizontal Red, Backup - Colonial White Base	1 Year	K-14
30-84-002	Taillight #84 Recessed Triple Horizontal Red, Red, Backup - Colonial White Base	1 Year	K-15
30-84-005†	Taillight #84 Recessed Triple Horizontal Red, Amber, Backup - Black Base	1 Year	K-15
30-84-008	Taillight #84 Recessed Double Horizontal Red, Backup - Black Base	1 Year	K-14
30-84-009	Taillight #84 Recessed Triple Horizontal Red, Red, Backup - Black Base	1 Year	K-15
30-84-057	Replacement Part, Bulb Double Filament for #84, #85, #86 & Mobile Housing Light	1 Year	K-13, K-14, K-17, K-63
30-84-075	Replacement Part, Taillight Screw for #84#, 85, #86 Series & Light Bars	1 Year	K-4, K-13, K-14, K-15
30-84-101	Taillight #84 Recessed Triple Long Horizontal Red, Backup, Red - Colonial White Base	1 Year	K-14
30-84-103	Taillight #84 Recessed Triple Long Horizontal Red, Backup, Red - Black Base	1 Year	K-14
30-84-104	Taillight #84 Recessed Triple Long Horizontal Red, Backup, Amber - Black Base	1 Year	K-14
30845	Elite™ Series Gooseneck	Lifetime	G-6
30-84-508	Taillight #84 Recessed Double Vertical Red, Backup - Black Base	1 Year	K-14
30-84-509	Taillight #84 Recessed Triple Vertical Red, Red, Backup - Black Base	1 Year	K-15
30-84-522	Taillight #84 Recessed Triple Horizontal Red, Backup, Red - Black Base	1 Year	K-15
30-84-523	Taillight #84 Recessed Triple Vertical Red, Red, Backup - White Base	1 Year	K-15
30-84-527	Taillight #84 Recessed Double Red, Red - Black Base	1 Year	K-14
30-84-529	Taillight #84 Recessed Double Red, Red w/Red Insert - Black Base	1 Year	K-14
30-84-530	Taillight #84 Recessed Triple Horizontal Red, Red, Backup - White Base	1 Year	K-15
30-84-540	Taillight #84 Recessed Double Horizontal Red, Backup - White Base	1 Year	K-14
30-84-546†	Taillight #84 Recessed Double Red, Amber with White Base	1 Year	K-14
30-84-547	Taillight #84 Recessed Double Red, Red - White Base	1 Year	K-14
30-84-554	Taillight #84 Recessed Triple Long Vertical Red, Backup, Amber - Black Base	1 Year	K-14
30850	Sidewinder Wedge Kit, Pro Series™ 15K, 16K & 20K	Lifetime	F-10
30-85-002	Taillight #85 Recessed Triple Horizontal Mount Red, Red, Backup w/Chrome Base	1 Year	K-15

PART NO.	DESCRIPTION	WNTY	PAGE #
30-85-003	Taillight #85 Recessed Triple Vertical Mount Red, Amber, Backup Lens w/Chrome Base	1 Year	K-15
30-85-004†	Taillight #85 Recessed Triple Horizontal Mount Red, Amber, Backup w/Chrome Base	1 Year	K-15
30854	Pro Series™ 16K Fifth Wheel Hitch w/Dual Jaw System (Includes: Head, Head Support & Handle Kit) (Legs & Rail Kit Sold Separately)	10 Year	E-14
30855	Pro Series™ 16K Fifth Wheel Hitch w/Dual Jaw System (Includes: Head, Head Support, Handle Kit & Legs) (Rail Kit Sold Separately)	10 Year	E-14
30856	Pro Series™ 16K Fifth Wheel Hitch w/Dual Jaw System (Includes: Head, Head Support, Handle Kit, Legs & Rail Kit) (4 - Bolt Design)	10 Year	E-14
30857	Pro Series™ 16K Fifth Wheel Hitch w/Dual Jaw System (Includes: Head, Head Support, Handle Kit & Slider Unit) (Rail Kit Sold Separately)	10 Year	E-14
30858	Pro Series™ 16K Fifth Wheel Hitch w/Dual Jaw System (Includes: Head, Head Support, Handle Kit, Slider Unit & Rail Kit) (4 - Bolt Design)	10 Year	E-14
30-86-001†	Taillight #86 Single Stop, Tail, Turn w/Colonial White Base	1 Year	K-13
30-86-002†	Taillight #86 Single Red Turn w/Colonial White Base	1 Year	K-13
30-86-004†	Taillight #86 Single Amber Turn w/Colonial White Base	1 Year	K-13
30-86-005	Clearance Light #86 Wrap-Around Red w/Colonial White Base	1 Year	K-13
30-86-006†	Clearance Light #86 Wrap-Around Amber w/Colonial White Base	1 Year	K-13
30861	Sidewinder Wedge Kit, Curt 16K	Lifetime	F-10
30-86-101	Taillight #86 Single Stop, Tail, Turn w/Black Base	1 Year	K-13
30-86-102†	Taillight #86 Single Red Turn w/Black Base	1 Year	K-13
30-86-103	Taillight #86 Single Vertical Mount Backup w/Black Base	1 Year	K-13
30-86-105†	Taillight #86 Single Horizontal Mount Backup w/Black Base	1 Year	K-13
30862	Pro Series™ 25K Fifth Wheel Hitch	10 Year	E-11
30-86-202	Clearance Light #86 Wrap-Around Red w/Black Base	1 Year	K-13
30-86-203	Clearance Light #86 Wrap-Around Amber w/Black Base	1 Year	K-13
30863	Replacement Part, Center Section, Drop-In for RAM #30160	Lifetime	E-5
30864	Replacement Part, Fifth Wheel Base Arches, Drop-In for RAM #30160	Lifetime	E-5
30866	Titan® 16K Fifth Wheel (Rail Kit Sold Separately)	Lifetime	E-7
30867	Titan® 20K Fifth Wheel (Rail Kit Sold Separately)	Lifetime	E-7
30-86-711	Replacement Part, Side Marker Clearance Light Lens #86 Wrap-Around Red	1 Year	K-4, K-13
30-86-712	Replacement Part, Side Marker Clearance Light Lens #86 Wrap-Around Amber	1 Year	K-4, K-13
30869	Titan® 16K Fifth Wheel w/Round Tube Slider #50024 (Rail Kit Sold Separately)	Lifetime	E-7
30870	Titan® 20K Fifth Wheel w/Round Tube Slider #50024 (Rail Kit Sold Separately)	Lifetime	E-7
30871	Elite™ Series Fifth Wheel 26.5K (Pre-Assembled) & 90° Fifth Wheel Adapter Harness #50-97-410	Lifetime	E-3
30-90-021	Replacement Part, Bulb #921 for #75 Interior Lights (Qty. 1)	1 Year	K-55, K-63
30-90-156	Replacement Part, Bulb #1156 Single Filament for #84, 85, 86, 91, 92 & 1700 Series	1 Year	K-13, K-14, K-16, K-19, K-53, K-55, K-56, K-63
30-90-157	Replacement Part, Bulb #1157 Double Filament for #91, 92, 1400, 1500, 1600 & 1700 Series	1 Year	C-58, K-18, K-16, K-19, K-23, K-24, K-28, K-63
30-92-001	Taillight Surface Mount #92 Red with White Base	1 Year	K-16
30-92-002	Taillight Surface Mount #92 Red with Backup with White Base	1 Year	K-16
30-92-003	Taillight Surface Mount #92 Red with License Bracket with White Base	1 Year	K-16
30-92-004	Taillight Surface Mount #92 Red with Backup & License Bracket with White Base	1 Year	K-16
30-92-012	Replacement Part, Taillight Lens for #30-92-001 & 106	1 Year	K-16
30-92-044	Bezel 15 Degree for #92 Series with White Base	1 Year	K-16

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
30-92-064	Bezel 15 Degree for #92 Series with Black Base	1 Year	K-16	3280	Pole Tongue Adapter and Fastener Kit	Lifetime	D-19
30-92-106	Taillight Surface Mount #92 Red with Black Base	1 Year	K-16	33305H0301	Coupler, 5000 lbs., Class III, Zinc, 2" Ball, SPL Holes	5 Year	J-48
30-92-107	Taillight Surface Mount #92 Red with Backup with Black Base	1 Year	K-16	3344	Wt. Dist. Shank, 14,000 lbs. (GTW), 1,400 lbs. (TW), 11" Length, Extra Drop (Use in Drop Position Only)	Lifetime	D-18
30-92-108	Taillight Surface Mount #92 Red with License Bracket with Black Base	1 Year	K-16	3400	Standard Friction Sway Control and Adapter, Screw-On Sway Control Assembly	Lifetime	D-17
30-92-109	Taillight Surface Mount #92 Red with Backup & License Bracket with Black Base	1 Year	K-16	34-003202	License Plate Bracket, Plastic, White	1 Year	K-49
30-92-704	Replacement Part, Taillight Lens Red with Backup for #30-92-002 & 107	1 Year	K-16	34-073813†	Interior Utility Light w/Switch	1 Year	K-56
30-92-708	Replacement Part, Taillight Lens Red with License Bracket for #30-92-003 & 108	1 Year	K-16	34-073833	Clearance Light Red Round w/Two Wire Construction & White Base	1 Year	K-43
30-92-713	Replacement Part, Taillight Lens Red with Backup with License Bracket for #30-92-004 & 109	1 Year	K-16	34-073834	Clearance Light Amber Round w/Two Wire Construction & White Base	1 Year	K-43
30-99-001	Clearance Light #99 Red	1 Year	K-44	34-073836†	Clearance Light Amber Round, Self-Grounding w/ Single Black Wire	1 Year	K-43
30-99-002	Clearance Light #99 Amber	1 Year	K-44	34-073840†	Tractor Flood Light with Rubber Housing	1 Year	K-25
30-99-010	Replacement Part, Clearance Light Lens #99 Red	1 Year	K-44	34-073843†	ID Light Bar Red	1 Year	K-48
30-99-012	Replacement Part, Clearance Light Lens #99 Amber	1 Year	K-44	34-106293	Replacement Part, Clearance Light Base, Chrome 2" Snap-Lock Self-Grounding	1 Year	K-26, K-32, K-37
30-99-215†	ID Light Bar Red, Incandescent (Mounting Holes Located Inboard of Lights)	1 Year	K-47	34-106294	Replacement Part, Clearance Light Base, Chrome 2" Snap-Lock Open-Back	1 Year	K-26, K-32, K-37
31-2823285	Taillight Kit w/25' Wire Harness, w/Rectangular Clearance/Side Marker Lights	1 Year	K-18	34-108119	Replacement Part, Mounting Bracket, 6" Oval Tail Light	1 Year	K-8, K-10, K-11, K-21, K-26
3132	Automatic Transmission Cooler Hose, 25 ft.	1 Year	N-4	34-108663	Replacement Part, Pigtail - 2 Wire w/18" Wire Lead	1 Year	K-26, K-31, K-32, K-34, K-37, K-38, K-50
31-407540	Trailer Light Kit LED Over 80" 3x8 Low Profile	1 Year	K-9	34-108844	Replacement Part, Clearance Light Lens Red Dual Bulb	1 Year	K-45
31-407560	Trailer Light Kit LED 4x6 Low Profile	1 Year	K-10	34141	Safety Chain Loop, Class IV, 10,000 lbs.	1 Year	A-16
31-59-001	Clearance Light #59 Red with White Base	1 Year	K-40	34-17-034	Replacement Part, Gasket (Foam) for #178 Clearance Light	1 Year	K-41
31-59-002	Clearance Light #59 Amber with White Base	1 Year	K-40	34-17-808	Clearance Light #178 Red with White Base with Foam Gasket	1 Year	K-41
31-59-010	Replacement Part, Clearance Light Lens #59 Red	1 Year	K-40	34-17-809	Clearance Light #178 Amber with White Base with Foam Gasket	1 Year	K-41
31-59-012	Replacement Part, Clearance Light Lens #59 Amber	1 Year	K-40	34-223215†	License Plate Light with Bracket	1 Year	K-49
3176123	Single Light#76 w/Switch	1 Year	K-55	34-271585	8-Function Taillight, Left/Roadside, LED 4x6 Low Profile	1 Year	K-10
31-78-531	Porch Light #78 Clear Lens w/White Base	1 Year	K-52	34300 0301	Coupler, Class III, 2" Ball, 3" Channel, 5000 lbs. - Zinc	5 Year	J-48
31-78-532	Porch Light #78 Amber Lens w/White Base	1 Year	K-52	34300 0317	Coupler, Class III, 2" Ball, 3" Channel, 5000 lbs. - Primed	5 Year	J-48
31-84-010	Replacement Part, Red Taillight Lens for #84, #85, & #86	1 Year	K-13, K-14, K-15	3442	Replacement Part, Sway Control Ball Mounting Bar	Lifetime	D-16, D-17
31-84-016	Replacement Part, Amber Taillight Lens for #84, #85, & #86	1 Year	K-13, K-14, K-15	34-48-095†	Replacement Part, Bulb #1895 for #99, 100, 378, 400, 478, 1600 & 4782 Series	1 Year	K-42, K-48, K-63
31-84-700	Replacement Part, Vertical Taillight Lens w/Clear Backup for #84, #85, & #86	1 Year	K-13, K-14, K-15	34-58-001	Clearance Light #58 Red w/ White Base	1 Year	K-40
31-84-711	Replacement Part, Horizontal Taillight Lens w/Clear Backup for #84, #85, & #86	1 Year	K-13, K-14, K-15	34-58-002	Clearance Light #58 Amber w/ White Base	1 Year	K-40
31860	Pro Series™ 16K Fifth Wheel Hitch w/Dual Jaw System (Includes: Head, Head Support, Handle Kit, Slider Unit & Rail Kit) (10 - Bolt Design)	10 Year	E-14	34-58-010	Replacement Part, Clearance Light Lens #58 Red	1 Year	K-40
31-86-101	Taillight #86 Single Stop-Tail-Turn w/Black Base	1 Year	K-13	34-58-012	Replacement Part, Clearance Light Lens #58 Amber	1 Year	K-40
31-86-103	Taillight #86 Single Vertical Backup w/Black Base	1 Year	K-13	34-58-702	Replacement Part, Clearance Light Wedge Base Socket w/#194 Bulb	1 Year	K-40, K-41
31-92-001	Taillight Surface Mount #92 Red w/White Base	1 Year	K-16	34-59-001	Clearance Light #59 Red with White Base	1 Year	K-40
31-92-003	Taillight Surface Mount #92 Red with License Bracket w/White Base	1 Year	K-16	34-59-002	Clearance Light #59 Amber with White Base	1 Year	K-40
3194-S	Battery Post Adapter	1 Year	N-5	34-59-010	Replacement Part, Clearance Light Lens #59 Red	1 Year	K-40
31-99-001	Clearance Light #99 Red	1 Year	K-44	34-59-012	Replacement Part, Clearance Light Lens #59 Amber	1 Year	K-40
31-99-002	Clearance Light #99 Amber	1 Year	K-44	34-59-054	Replacement Part, Gasket (Foam) for #59 Clearance Light	1 Year	K-40
31-99-215	ID Light Bar Red, Incandescent (Mounting Holes Located Outboard of Lights)	1 Year	K-47	34600 0301	Coupler, Class IV, FASLOK, 6000 lbs. - Zinc	5 Year	J-48
32-003440	Clearance Light Amber	1 Year	K-45	34-62-000	License Plate Light, Mini Compact	1 Year	K-49
32-003441	Clearance Light Red	1 Year	K-45	34-62-002	License Light #62 w/Black Base & Bracket	1 Year	K-49
3203 10†	Round Bar Bolt-Together Wt. Dist. Kit w/#3210 Shank (Standard)	Lifetime	D-13	34-62-003	License Light #62 w/White Base & Bracket	1 Year	K-49
3203 12†	Round Bar Bolt-Together Wt. Dist. Kit w/#3212 Shank	Lifetime	D-13	34-62-030	License Plate Bracket	1 Year	K-49
3203 14†	Round Bar Bolt-Together Wt. Dist. Kit w/#3214 Shank	Lifetime	D-13	34-62-102	License Light #62 w/Black Base (No Bracket)	1 Year	K-49
3203 15†	Round Bar Bolt-Together Wt. Dist. Kit w/#3215 Shank	Lifetime	D-13	34-62-103	License Light #62 w/White Base (No Bracket)	1 Year	K-49
3203†	Round Bar Bolt-Together Wt. Dist. Kit, 12,000 lbs. (GTW), 1,200 lbs. (TW)	Lifetime	D-12	34-72-100	License Plate Bracket, Heavy Duty	1 Year	K-49
3210†	Wt. Dist. Shank, 14,000 lbs. (GTW), 1,400 lbs. (TW), 10" Length	Lifetime	D-18	34-76-028	Replacement Part, Interior Light #76 Lens	1 Year	K-55
3212†	Wt. Dist. Shank, 14,000 lbs. (GTW), 1,400 lbs. (TW), 12" Length	Lifetime	D-18	34-76-123	Interior Light #76 Single with Lens	1 Year	K-55
3214	Wt. Dist. Shank, 14,000 lbs. (GTW), 1,400 lbs. (TW), 14" Length	Lifetime	D-18	34-76-223	Interior Light #76 Double with Lens	1 Year	K-55
3215	Wt. Dist. Shank, 14,000 lbs. (GTW), 1,400 lbs. (TW), 11" Length, Extra Drop and Rise	Lifetime	D-18	34-76-243	Interior Light #76 Double with Lens with Dual Switch	1 Year	K-55
				34-78-021	Replacement Part, Porch Light #78 Lens Clear	1 Year	K-52

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
34-78-022	Replacement Part, Porch Light #78 Lens Amber	1 Year	K-52
34-78-515	Porch Light #78 Clear with Ash White #5 Base	1 Year	K-52
34-78-516	Porch Light #78 Amber with Ash White #5 Base	1 Year	K-52
34-78-517	Porch Light #78 Clear with Ash White #5 Base & Switch	1 Year	K-52
34-78-518	Porch Light #78 Amber with Ash White #5 Base & Switch	1 Year	K-52
34-84-008	Taillight #84 Recessed Double Horizontal Mount Red, Backup with Black Base	1 Year	K-14
34-84-009	Taillight #84 Recessed Triple Horizontal Mount Red, Red, Backup with Black Bse	1 Year	K-15
34-84-010	Replacement Part, Taillight Lens #84, #85, & #86 Red	1 Year	K-13, K-14, K-15
34-84-016	Replacement Part, Taillight Lens #84, #85, & #86 Amber	1 Year	K-13, K-14, K-15
34-84-527	Taillight #84 Recessed Double Red, Red with Black Base	1 Year	K-14
34-84-529	Taillight #84 Recessed Double Red, Red with Red Insert with Black Base	1 Year	K-14
34-84-700	Replacement Part, Taillight Lens Horizontal #84, #85, & #86 Clear Backup	1 Year	K-13, K-14, K-15
34-84-711	Replacement Part, Taillight Lens Vertical #84, #85, & #86 Clear Backup	1 Year	K-13, K-14, K-15
34-85-750	Replacement Part, Taillight #84, #85, #86 Red w/Red Insert Lens	1 Year	K-14, K-15
34-86-101	Taillight #86 Single Stop-Tail-Turn - Black	1 Year	K-13
34-86-103	Taillight #86 Single Vertical Backup - Black	1 Year	K-13
34-86-202	Clearance Light #86 Wrap-Around Red w/Black Base	1 Year	K-13
34-86-203	Clearance Light #86 Wrap-Around Amber w/Black Base	1 Year	K-13
34-86-711	Replacement Part, Side Marker Clearance Light #86 Wrap-Around Lens Red	1 Year	K-4, K-13
34-86-712	Replacement Part, Side Marker Clearance Light #86 Wrap-Around Lens Amber	1 Year	K-4, K-13
34-90-021	Replacement Part, Bulb #921 for #75 Interior Lights (Qty. 2)	1 Year	K-55, K-63
34-90-041†	Replacement Part, BULB #1141 QTY (2)	1 Year	K-52, K-54, K-63
34-90-168†	Replacement Part, Bulb #168 for 60 Series License & Wrap Around Marker Lights	1 Year	K-49, K-63
34-90-194†	Replacement Part, Bulb #194 for #25, 58, 59, 68 & 178 Series Clearance Lights & Light Bar Identification Lamps	1 Year	K-40, K-41, K-43, K-44, K-49, K-56, K-63
34-92-001	Taillight Surface Mount #92 Red with White Base	1 Year	K-16
34-92-002	Taillight Surface Mount #92 Red with Backup with White Base	1 Year	K-16
34-92-003	Taillight Surface Mount #92 Red with License Bracket with White Base	1 Year	K-16
34-92-004	Taillight Surface Mount #92 Red with Backup & License Bracket with White Base	1 Year	K-16
34-92-012	Replacement Part, Taillight Lens Red for #30-92-001 & 106	1 Year	K-16
34-92-704	Replacement Part, Taillight Lens Red with Backup for #30-92-002 & 107	1 Year	K-16
34-92-708	Replacement Part, Taillight Lens Red with License Bracket for #30-92-003 & 108	1 Year	K-16
34-92-713	Replacement Part, Taillight Lens Red with Backup with License Bracket for #30-92-004 & 109	1 Year	K-16
34-99-001	Clearance Light #99 Red	1 Year	K-44
34-99-002	Clearance Light #99 Amber	1 Year	K-44
34-99-010	Replacement Part, Clearance Light Lens #99 Red	1 Year	K-44
34-99-012	Replacement Part, Clearance Light Lens #99 Amber	1 Year	K-44
3590	Class I 1-1/4" Drawbar Kit, Drawbar (2000 lbs. w/3/4" Ball Hole 6-5/8" Length x 5/8" Rise), Pin and Clip, Black	Lifetime	B-5
3591	Class I 1-1/4" Drawbar Kit, Drawbar (2000 lbs. w/3/4" Ball Hole 9-3/4" Length x 5/8" Rise), Pin and Clip, Black	Lifetime	B-5
3592	Class I 1-1/4" Drawbar Kit, Drawbar (2000 lbs. w/3/4" Ball Hole 9-3/4" Length x 2-1/8" Rise x 2-3/4" Drop), Pin and Clip, Black	Lifetime	B-5

PART NO.	DESCRIPTION	WNTY	PAGE #
3593	Class I 1-1/4" Drawbar Kit, Drawbar (2000 lbs. w/3/4" Ball Hole 6-5/8" Length x 2-1/8" Rise x 2-3/4" Drop), Pin and Clip, Black	Lifetime	B-5
3594	Class I 1-1/4" Drawbar Kit, Drawbar (2000 lbs. w/3/4" Ball Hole 10" Length x 4" Rise), Pin and Clip, Black	Lifetime	B-5
35SM28FZ	2500 lbs., Square Tube, Fixed Mount	5 Year	J-35
36010	Premium Receiver - Multi-Fit Motorhome	3 Year	A-14
36051	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 7" Length x 5/8" Rise x 1-1/4" Drop), Pin and Clip, Black	Lifetime	B-5
36053	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 9-3/4" Length x 5/8" Rise x 1-1/4" Drop), Pin and Clip, Black	Lifetime	B-5
36061	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 9-3/4" Length x 3-1/8" Rise), Pin and Clip, Black	Lifetime	B-5
36063	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 11-3/4" Length x 3-1/8" Rise), Pin and Clip, Black	Lifetime	B-5
36065	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 10" Length x 5" Rise), Pin and Clip, Black	Lifetime	B-5
36071	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 7-3/16" Length x 2-5/8" Rise x 3-1/4" Drop), Pin and Clip, Black	Lifetime	B-5
36078	Class II Drawbar Kit, Drawbar (3500 lbs. w/3/4" Ball Hole 7-3/8" Length x 4-3/4" Drop), Pin and Clip, Black	Lifetime	B-5
37-0030	5 Hitch & 4 Ball Mount Display Stand (Hitches Sold Separately)		P-2
37-2046	Display Stand for Bike Racks		P-8
37-2048	Bargman Light Display		P-8
37-2049	Wesbar Light Display		P-8
37-2051	24" x 30" 2-Sided Aluminum Sign		P-13
37-2078	Replacement Part, (50) 6" Peg Hooks		P-9
37-2081	Replacement Part, (50) 8" Peg Hooks		P-9
37-2082	Replacement Part, (50) 4" Peg Hooks		P-9
37-2103	Fifth Wheel & Gooseneck Display		P-4
37-2109	Weight Distributing Display Stand		P-3
37-2110	Brake Control Table Top Display, Holds 2-Units		P-8
37-2112	Ball Mount Display for Lozier Gondola Shelf - Holds Qty. 34		P-9
37-2114	Hitch Ball Display for Lozier Gondola Shelf - Holds Qty. 45-60		P-9
37-2115	Brake Control Display for Activator® III #5520		P-8
37-2116	Brake Control Display for Brakeman™ Ultra #83520		P-8
37-2118	Draw-Tite Gooseneck Display w/Header Sign & Consumer Brochures		P-6
37-2122	Bulldog Gooseneck Display w/Header Sign & Consumer Brochures		P-6
37-2123	Fifth Wheel Heads Display Stand		P-4
37-2125	DISPLAY MARINE JACK		P-7
37-2126	DISPLAY RV JACK		P-7
37-2127	Ball Mount & Hitch Ball Display for Lozier Gondola Shelf		P-9
37-2128	7 Ft. x 4 Ft. Lozier Gondola		P-9
37-2129	Pro Series™ Fifth Wheel Display		P-4
37-2130	Pin Box Display		P-5
37-2131	Trailer Jack A-Frame Cross Bar for Lozier Gondola		P-9
37-2132	Trailer Jack A-Frame Mounting Bracket for Lozier Gondola		P-9
37-2133	Trailer Jack A-Frame Mounting Support Bracket for Lozier Gondola		P-9
37-2134	Trailer Jack A-Frame Display Components for Lozier Gondola (Includes (1) 37-2131, (5) 37-2132 & (1) 37-2133)		P-7, P-9
37-2135	ROLA Crossbar Roof Rack Display		P-8
37-5365	4 Ft. x 4 Ft. Lozier Gondola		P-9
37-5366	4 Ft. x 4 Ft. Lozier Island Gondola		P-9
37-5367	4 Ft. x 2 Ft. Lozier Gondola		P-9
37-5638	4 Hitch Display Stand (Hitches Sold Separately)		P-13
37-6297	Display Stand for Cargo Carriers and Bike Racks		P-8
37-6299	Display Stand for Adventure System (Retrofit)		P-8

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
37-6475	ROLA® Roof Rack Display, use #59504 with #37-6297		P-8	38373-012	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #012)	5 Year	I-53
37-6666	4 Ft. Lozier Gondola Shelf for #37-5365, #37-5366 (2-Pack)		P-9	38373-013	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #013)	5 Year	I-53
38023	Super Titan® 3000 20K Weld-On Receiver w/3" Sq. Ball Mount & 2-5/16" Ball, Includes 3/4" Pin & Clip	Lifetime	A-12	38373-014	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #014)	5 Year	I-53
3808	Economy Circuit Tester	1 Year	O-2	38373-015	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #015)	5 Year	I-53
38124	Super Titan® 4000 25K Weld-On Receiver w/3" Sq. Ball Mount & 2-5/16" Ball, Includes 3/4" Pin & Clip	Lifetime	A-12	38374-001	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #001)	5 Year	I-53
38180	Super Titan®, Dual Ball Mount, 25,000 lbs. GTW/4000 lbs. TW, 2-5/16" Ball (25,000 lbs.) & 2" Ball (17,000 lbs.), 9" Length, Black	Lifetime	A-12, B-14	38374-002	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #002)	5 Year	I-53
38186	Super Titan®, 3" Receiver Pintle Hook Mounting Plate, 9" Shank, 9" x 5" Plate Size, 25,000/4,000 lbs.	Lifetime	A-12, B-17	38374-003	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #003)	5 Year	I-53
38208	Super Titan® 4000 25K Bolt-On Receiver w/3" Sq. Dual Ball Mount, 2" & 2-5/16" Balls, Includes 3/4" Pin & Clip	Lifetime	A-12	38374-004	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #004)	5 Year	I-53
38210	6 Trailer Wire, 14 ga., 100' Spool	1 Year	C-67	38374-005	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #005)	5 Year	I-53
38211	Super Titan® 3000 20K Weld-On Receiver w/3" Sq. Ball Mount & 2-5/16" Ball, Includes 3/4" Pin & Clip	Lifetime	A-12	38374-006	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #006)	5 Year	I-53
38250†	Primary Wire, 12 Gauge x 2, Black & Blue, 500' Spool	1 Year	C-67	38374-007	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #007)	5 Year	I-53
38262†	Primary Wire, 12 Gauge, White, 500' Spool	1 Year	C-67	38374-008	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #008)	5 Year	I-53
38263†	Primary Wire, 12 Gauge, Black, 500' Spool	1 Year	C-67	38374-009	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #009)	5 Year	I-53
38264†	Primary Wire, 12 Gauge, Blue, 500' Spool	1 Year	C-67	38374-010	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #010)	5 Year	I-53
38265†	Primary Wire, 14 Gauge, White, 500' Spool	1 Year	C-67	38374-011	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #011)	5 Year	I-53
38266†	Primary Wire, 14 Gauge, Blue, 500' Spool	1 Year	C-67	38374-012	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #012)	5 Year	I-53
38267†	Primary Wire, 14 Gauge, Red, 500' Spool	1 Year	C-67	38374-013	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #013)	5 Year	I-53
38268†	Primary Wire, 14 Gauge, Black, 500' Spool	1 Year	C-67	38374-014	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #014)	5 Year	I-53
38269†	Primary Wire, 16 Gauge, Green, 500' Spool	1 Year	C-67	38374-015	Roof Rack Accessory, Locks & Keys (Qty.4) for Roof Rack Locks (Key #015)	5 Year	I-53
38270†	Primary Wire, 16 Gauge, Yellow, 500' Spool	1 Year	C-67	38400-100†	Scotch Locks, 14-16 Gauge, White (100 pack)	1 Year	C-68
38271†	Primary Wire, 16 Gauge, White, 500' Spool	1 Year	C-67	38410-100†	Scotch Locks, 16-18 Gauge, Blue (100 pack)	1 Year	C-68
38272	Primary Wire, 16 Gauge, Brown, 500' Spool	1 Year	C-67	38422	Replacement Part, Mounting Pads (Qty.4) Service Kit for #38291 & #59842	5 Year	I-53
38279†	Primary Wire, 10 Gauge, Black, 500' Spool	1 Year	C-67	38423	Replacement Part, Mounting Pads (Qty.4) Service Kit for #38316	5 Year	I-53
38330-100†	Butt Connectors, 14-16 Gauge Wire, Blue (100 pack)	1 Year	C-68	38424	Replacement Part, Mounting Pads (Qty.4) Service Kit for #38736 & #59866	5 Year	I-53
38331-100†	Insulated Ring Terminal, 14-16 Gauge Wire, 3/16" Stud Size (100 pack)	1 Year	C-68	38425	Replacement Part, Mounting Pads (Qty.4) Service Kit for #38254 & #59800	5 Year	I-53
38332-100†	Butt Connectors, 10-12 Gauge Wire, Yellow (100 pack)	1 Year	C-68	38426	Replacement Part, Mounting Pads (Qty.4) Service Kit for #38441	5 Year	I-53
38335-100†	Insulated Ring Terminal, 5/16" Stud Size (100 pack)	1 Year	C-68	38427	Replacement Part, Self-Adhesive Rubber Mounting Pads (Qty.4) Service Kit for RB Series	5 Year	I-53
38337-100†	Insulated Ring Terminal, 10-12 Gauge Wire, 3/16" Stud Size (100 pack)	1 Year	C-68	38428	Replacement Part, Self-Adhesive Rubber Mounting Pads (Qty.4) Service Kit for RBXL Series	5 Year	I-53
38338-100†	Insulated Ring Terminal, 10-12 Gauge Wire, 1/4" Stud Size (100 pack)	1 Year	C-68	38429	Replacement Part, Self-Adhesive Rubber Mounting Pads (Qty.4) Service Kit for GTX Series	5 Year	I-53
38339-100†	Insulated Ring Terminal, 10-12 Gauge Wire, 3/8" Stud Size (100 pack)	1 Year	C-68	38550-100†	14-1/2" Cable Ties, (100 pack)	1 Year	C-68
38341-100†	Fully Insulated Disconnect Female Connector, 1/4" 16 Gauge Wire (100 pack)	1 Year	C-68	38551-100†	8" Cable Ties, (100 pack)	1 Year	C-68
38342-100†	Scotch Locks, 10-12 Gauge, Yellow (100 pack)	1 Year	C-68	38620†	In-Line 20 Amp Circuit Breaker w/Mounting Bracket	1 Year	C-69
38371	Replacement Part, T-Handle T-27 Torx Driver (Qty.2) Service Kit for Roof Racks	5 Year	I-53	38620-010†	In-Line 20 Amp Circuit Breaker w/Mounting Bracket (10 pack)	1 Year	C-69
38373-001	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #001)	5 Year	I-53	38630†	In-Line 30 Amp Circuit Breaker w/Mounting Bracket	1 Year	C-69
38373-002	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #002)	5 Year	I-53	38630-010†	In-Line 30 Amp Circuit Breaker w/Mounting Bracket (10 pack)	1 Year	C-69
38373-003	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #003)	5 Year	I-53	38640†	In-Line 40 Amp Circuit Breaker w/Mounting Bracket	1 Year	C-69
38373-004	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #004)	5 Year	I-53	38640-010†	In-Line 40 Amp Circuit Breaker w/Mounting Bracket (10 pack)	1 Year	C-69
38373-005	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #005)	5 Year	I-53	38650†	In-Line Fuse Holder w/20 Amp Fuse	1 Year	C-67
38373-006	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #006)	5 Year	I-53	38654†	40 Amp Large Maxi Automotive Fuse	1 Year	C-67
38373-007	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #007)	5 Year	I-53	38659-010†	SPDT (Single Pole Double Throw) 5 Terminal Micro Relay, 12 Volt, 30 Amp, 1997-Up Ford F-150/1997-1999 Ford F-250 (10 pack)	1 Year	C-67
38373-008	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #008)	5 Year	I-53				
38373-009	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #009)	5 Year	I-53				
38373-010	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #010)	5 Year	I-53				
38373-011	Replacement Part, Service Kit Keys (Qty.4) for Roof Rack Locks (Key #011)	5 Year	I-53				

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
38660-010†	SPDT (Single Pole Double Throw) 5 Terminal Relay, 14 Volt, 20 Amp, 1999-Up Ford F-250/F-350 (10 pack)	1 Year	C-67
38661-010	Fuse Line, 32 Volt, 30 Amp, 98-Up Dodge	1 Year	C-67
38665-012	4 Terminal Relay, 12 Volt, 2007-Up Chevrolet Equinox, Pontiac Torrent & Suzuki XL-7/2008-Up Ford Escape, Mazda Tribute & Mercury Mariner (12-pack)	1 Year	C-67
38666-010	4 Terminal Relay, Small, 12 Volt, 2004-Up Infiniti QX56, Nissan Armada & Titan/2005-Up Nissan Frontier, Pathfinder & Xterra/2009-Up Suzuki Equator (10-pack)	1 Year	C-67
38667-010	6 Terminal Relay, Large, 12 Volt, 2004-Up Infiniti QX56, Nissan Armada & Titan/2005-Up Nissan Frontier, Pathfinder & Xterra/2009-Up Suzuki Equator (10-pack)	1 Year	C-67
38735	Super Titan® Receiver Adapter, Reduces Receiver Tube From 3" to 2"	Lifetime	A-12, B-15
39552†	Heavy-Duty Flasher	1 Year	C-67
39552-012†	Heavy-Duty Flasher (12 pack)	1 Year	C-67
40-00-002	Replacement Part, Pigtail - 2 Wire w/6" Wire Lead	1 Year	K-26, K-31, K-32, K-34, K-37, K-38, K-50
40-00-003	Replacement Part, Pigtail - 3 Wire Sealed	1 Year	K-8, K-10, K-11, K-21, K-26
40-00-004	Replacement Part, Pigtail - 3 Wire 90°	1 Year	K-8, K-9, K-10, K-11, K-21, K-26
40-00-005	Replacement Part, #58 Series LED Pigtail - 2 Wire	1 Year	K-35
40-00-006	Replacement Part, Pigtail - 3 Wire, LED Round 4"	1 Year	K-9
40-01-001	Replacement Part, Sealed 4" Round Red Stop, Tail, Turn	1 Year	K-21
40-01-003	Replacement Part, Sealed 4" Round Clear Backup Light	1 Year	K-21
40-01-020	Replacement Part, Grommet - Sealed 4" Round Taillight	1 Year	K-9
40058-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2-5/16" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11
40-06-001	Replacement Part, Sealed 6" Oblong Red Tail Light	1 Year	K-21
40-06-002	Replacement Part, Sealed 6" Oblong Amber Turn Light	1 Year	K-21
40-06-003†	Replacement Part, Sealed 6" Oblong Backup Light	1 Year	K-21
40-06-020	Replacement Part, Grommet - Sealed 6" Oblong Taillight	1 Year	K-8, K-10, K-11, K-21, K-26
40109	Rotabroach Hole Cutting Tool, 3/8" Diameter	1 Year	O-3
40110	Rotabroach Hole Cutting Tool, 7/16" Diameter	1 Year	O-3
40-15-005†	Interior Dome Light with Switch	1 Year	K-56
401563†	Replacement Part, LED 6" Oval Taillight, Vertical Mount (Grommet & Connector Sold Separately)	1 Year	K-10
401565	Clearance Light LED #99 Amber w/Type 302 Stainless Steel Hardware	1 Year	K-34
401566	Clearance Light LED #99 Red	1 Year	K-34, K-46
401567	Light Bar LED w/Red Lens	1 Year	K-46
401576†	Replacement Part, LED 2" Round Amber Marker/Clearance Light (Grommet & Plug Sold Separately)	1 Year	K-31
401577†	Replacement Part, LED 2" Round Red Marker/Clearance Light (Grommet & Plug Sold Separately)	1 Year	K-31
401578†	Replacement Part, Clearance Light Module LED #31 Amber	1 Year	K-31
401579†	Replacement Part, Clearance Light Module LED #31 Red	1 Year	K-31
401580	Replacement Part, LED 2" Amber Marker/Clearance Light, Base & Connector	1 Year	K-32
401581	Replacement Part, LED 2" Red Marker/Clearance Light, Base & Connector	1 Year	K-32
401582	Replacement Part, Side Marker Clearance Light Module LED #38 Amber	1 Year	K-36
401583	Replacement Part, Clearance Light Module LED #38 Red	1 Year	K-36
401584	Replacement Part, LED 6" Oval Taillight, Horizontal Mount (Grommet & Plug Sold Separately)	1 Year	K-10
401585	Side Marker Clearance Light LED #58 Amber	1 Year	K-35

PART NO.	DESCRIPTION	WNTY	PAGE #
401586	Side Marker Clearance Light LED #58 Red	1 Year	K-35
401589	Replacement Part, 2" Round Grommet & 2 Wire Connector	1 Year	K-31, K-38
401591	Replacement Part, 6" Oval Grommet & 3 Wire Connector	1 Year	K-8, K-10, K-11, K-21, K-26
40200	Hollow Shank Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-9
40201	Hollow Shank Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, Black	Lifetime	B-9
40202	Hollow Shank Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 11-1/4" Length, 2-3/4" Rise, 4" Drop, Black	Lifetime	B-9
40205	Hollow Shank Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 9" Length, 6" Drop, Black	Lifetime	B-9
40206	Hollow Shank Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 9" Length, 8" Drop, Black	Lifetime	B-9
40238-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2-5/16" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11
40-30-001	Replacement Part, Clearance Light Sealed Module, #30 Red	1 Year	K-38
40-30-002	Replacement Part, Clearance Light Sealed Module, #30 Amber	1 Year	K-38
40-30-020	Replacement Part, Grommet - 2" Round Clearance Light	1 Year	K-31, K-38
403025	Over 80" Submersible Taillight, Left/Roadside (Black)	1 Year	K-24
403026	Taillight, Waterproof Low-Profile Over 80" - Left/Roadside	1 Year	K-22
403075	Over 80" Submersible Taillight, Right/Curbside (Black)	1 Year	K-24
403076	Taillight, Waterproof Low-Profile Over 80" - Right/Curbside	1 Year	K-22
403080	Taillight, Sealed Oval Set (Module, Grommet & Harness)	1 Year	K-21
403085	Replacement Part, Taillight Module for #003080	1 Year	K-21
403087†	Replacement Part, Clear Lamp Module for #003080 (Courtesy Light)	1 Year	K-21
40-31-001†	Replacement Part, Clearance Light Sealed Module, #31 Red	1 Year	K-38
40-31-002†	Replacement Part, Clearance Light Sealed Module, #31 Amber	1 Year	K-38
40-31-020†	Replacement Part, Grommet - 2-1/2" Round Clearance Light	1 Year	K-31, K-38
40330	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 1" Rise, 2" Drop, Black	Lifetime	B-8
40330-002	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 1" Rise, 2" Drop, Black (2 pack)	Lifetime	B-8
40331	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 9-1/4" Length, 3" Rise, 4" Drop, Black	Lifetime	B-8
40331-002	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 9-1/4" Length, 3" Rise, 4" Drop, Black (2 pack)	Lifetime	B-8
40332	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 10-1/4" Length, 5" Rise, 6" Drop, Black	Lifetime	B-8
40332-002	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 10-1/4" Length, 5" Rise, 6" Drop, Black (2 pack)	Lifetime	B-8
403336	Replacement Part, Waterproof Low-Profile Over 80" Taillight and Clearance Light Replacement Lens Set w/Screw	1 Year	K-22
403348†	Replacement Part, Sonically Sealed Waterproof Bulb Capsule for Part #007509	1 Year	K-22
403356	Replacement Part, Taillight Capsule, Bulb Replaceable	1 Year	K-22
40342	Quick-Loading Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-6
40342-006	Quick-Loading Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, Black (6 pack)	Lifetime	B-6
40343	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-1/2" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-6
40343-006	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-1/2" Length, 3/4" Rise, 2" Drop, Black (6 pack)	Lifetime	B-6
40344	Quick-Loading Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, Black	Lifetime	B-6

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
40344-006	Quick-Loading Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, Black (6 pack)	Lifetime	B-6	40-60-001	Security/Utility Light 7" with Chrome Base	1 Year	K-53
40345	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 11" Length, 2-3/4" Rise, 4" Drop, Black	Lifetime	B-6	40-60-004	Security/Utility Light 7" with White Base	1 Year	K-53
40345-006	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 11" Length, 2-3/4" Rise, 4" Drop, Black (6 pack)	Lifetime	B-6	40602	Heavy-Duty Bracket Kit for DT #2480, HH #40601, RS #74950, TR #63180 Tow Bar, Rating 5,000 lbs., Zinc	Lifetime	N-2
40346	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9-1/2" Length, 4-3/4" Rise, 6" Drop, Black	Lifetime	B-6	40604	Heavy-Duty Safety Chain Kit for DT #2480, HH #40601, RS #74950, TR #63180 Tow Bar, 30" w/ Quick Links, Rating 5,000 lbs. (Qty. 4)	Lifetime	M-22, N-2
40346-002	Quick-Loading Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9-1/2" Length, 4-3/4" Rise, 6" Drop, Black (2 pack)	Lifetime	B-6	40644-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11
40-37-001	Replacement Part, Clearance Light Sealed Module, #37 Red	1 Year	K-37, K-47	407500	"Standard Under 80"" Trailer Light Kit w/20' Wire Harness (No Clearance/Side Marker Lights)	1 Year	C-62
40-37-002	Replacement Part, Clearance Light Sealed Module, #37 Amber	1 Year	K-37, K-47		Insulated Ring Terminal, 10-12 Gauge Wire, 3/8" Stud Size (100 pack)	1 Year	C-62
40-37-020	Replacement Part, Clearance Light Base, Black 2" Snap-Lock, Open Back	1 Year	K-26, K-32, K-37	"	1 Year	K-18	C-62
40-37-401	Replacement Part, Clearance Light Sealed Module, #37 Red	1 Year	K-37, K-47	407515	Submersible Over 80" Taillight Kit w/Side Marker/ Clearance Lights	1 Year	K-24
40-37-402	Replacement Part, Clearance Light Sealed Module, #37 Amber	1 Year	K-37, K-47	407530	LED Low Profile Waterproof 7-Function Taillight, Right/ Curbside	1 Year	K-9
40376	Test Light	1 Year	O-2	407535	LED Low Profile Waterproof 8-Function Taillight, Left/ Roadside	1 Year	K-9
40-38-001	Replacement Part, Clearance Light Sealed Module, #38 Red	1 Year	K-37	407540	LED Low Profile Waterproof Trailer Light Kit	1 Year	K-9
40-38-002	Replacement Part, Clearance Light Sealed Module, #38 Amber	1 Year	K-37	407550	7-Function Taillight, Right/Curbside	1 Year	K-10
40-38-004	Clearance/Side Light Red/Amber (No Base)	1 Year	K-37	407555	8-Function Taillight, Left/Roadside	1 Year	K-10
40-38-020	Replacement Part, Clearance Light Base 3-13/16" x 1-1/4", Black with Wire Assembly	1 Year	K-36, K-37	407560	Taillight Kit LED 4x6 Low Profile	1 Year	K-10
40-38-025	Replacement Part, Double Clearance Light Black Base w/2 Wires	1 Year	K-36, K-37	40-767758	6" Amber Oval LED Surface Mount Light w/Black Flange Base	1 Year	K-11
40381	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 9-7/8" Length, 1" Rise, 2" Drop	Lifetime	B-8	41010	Transmission Oil Cooler kit 3/4"H x 5"W x 12-3/4"L, Light Duty Tube & Fin	1 Year	N-3
40382	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 10-5/8" Length, 3" Rise, 4" Drop	Lifetime	B-8	41011	Transmission Oil Cooler kit 3/4"H x 7-1/2" W x 12-3/4"L, Medium Duty Tube & Fin	1 Year	N-3
40383	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 11-7/8" Length, 5" Rise, 6" Drop	Lifetime	B-8	41013	Transmission Oil Cooler kit 3/4"H x 7-1/2" W x 15-1/2"L, Heavy Duty Tube & Fin	1 Year	N-3
40384	Aluminum Ball Mount, 8,000 lbs. GTW, 1" Ball Hole, 10-7/8" Length, 7" Rise, 8" Drop	Lifetime	B-8	41014	Transmission Oil Cooler kit 3/4"H x 10" W x 15-1/2"L, Extra Heavy Duty Tube & Fin	1 Year	N-3
40-39-001†	Mini-Clearance/Marker Light Red	1 Year	K-43	41019	Transmission Oil Cooler kit, Hi-Performance, 3/4"H x 4"W x 11"L, Light Duty Plate & Fin	1 Year	N-3
40-40-004	Fender Mount Clearance Light #40 Red/Amber with Lexan Black Base and Screws	1 Year	K-44	41020	Transmission Oil Cooler kit, Hi-Performance, 3/4"H x 5-3/4"W x 11"L, Medium Duty Plate & Fin	1 Year	N-3
40-40-006	Fender Mount Clearance Light #40 Red/Amber with Black Base	1 Year	K-44	41102	Transmission Oil Cooler Hose, 11/32" x 4-1/2'	1 Year	N-4
40-40-104	Fender Mount Clearance Light #40 Red/Amber	1 Year	K-44	41103	Transmission Oil Cooler Metal Strap Mounting Kit	1 Year	N-4
40-40-115	Fender Mount Clearance Light Bezel Only Base with Lens Adhesive	1 Year	K-44	41-30-001	Replacement Part, Clearance Light Sealed Module, #30 Red	1 Year	K-38
40-40-120	Two Light Fender Mount Bezel Only (Red/Amber #38 or #99 Series)	1 Year	K-37, K-44	41-30-002	Replacement Part, Clearance Light Sealed Module, #30 Amber	1 Year	K-38
40443	Packaged Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-1/2" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-6	41310	Transmission Cooler, Hi-Performance, 3/4"H x 7-1/4"W x 11"L, Heavy Duty Plate & Fin	1 Year	N-3
40446	Packaged Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9-1/2" Length, 4-3/4" Rise, 6" Drop, Black	Lifetime	B-6	41-31-001†	Replacement Part, Clearance Light Sealed Module, #31 Red	1 Year	K-38
40563-002†	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2 Pack)	Lifetime	B-11	41-31-002†	Replacement Part, Clearance Light Sealed Module, #31 Amber	1 Year	K-38
40565	Towing Starter Kit, w/Interlock® (Hex) Feature Ball Mount 2" Sq. x 8-1/2"L x 2"D x 3/4"R, 6000 lbs. & 2" Hitch Ball w/Lock, Plastic Storage Case	Lifetime	B-10	41311	Transmission Cooler, Hi-Performance, 3/4"H x 12"W x 11"L, Extra Heavy Duty Plate & Fin	1 Year	N-3
40566-002†	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2" Chrome Hitch Ball w/Pin & Clip	Lifetime	B-11	41312	Transmission Cooler, Hi-Performance, 1-1/2"H x 11"W x 11"L, Premium Heavy Duty Plate & Fin	1 Year	N-3
40567-002†	Towing Starter Kit, w/Quick-Loading 2" Sq. Chrome Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/ Pin & Clip (2 Pack)	Lifetime	B-11	413560	Taillight Assy, Oval Grommet, Red	1 Year	K-21
40583-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11	41-37-031	Clearance Light Sealed #37 Red with Black Base and Wire	1 Year	K-37
40584-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11	41-37-032	Clearance Light Sealed #37 Amber with Black Base and Wire	1 Year	K-37
				41-38-031	Clearance Light Sealed #38 Red with Black Base and Wire Assembly	1 Year	K-37
				41-38-032	Clearance Light Sealed #38 Amber with Black Base and Wire Assembly	1 Year	K-37
				41405	Transmission Oil Cooler Nylon Tie Mounting Kit	1 Year	N-4
				41410	Transmission Cooler Line Fitting Kit, for use on 1983 or Later Ford, Lincoln & Mercury Cars, 1/4" MPT	1 Year	N-4
				41412	Transmission Cooler Line Fitting Kit, for 1987 & Later Jeep, 5/8" SAE (45° Flare)	1 Year	N-4
				41413	Transmission Cooler Line Fitting Kit, for 1987 & Later Jeep, 1995 & Later Dodge Full Size Truck & Van, 3/8"X 3/8" (Quick Disconnect Fitting)	1 Year	N-4

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
41415	Transmission Cooler Line Fitting Kit, 1983 & Later Ford, Lincoln & Mercury Cars & Full Size Trucks & Vans 1/2" x 20 Inv. Flare	1 Year	N-4
41416	Transmission Cooler Line Fitting Kit, 1999 & Later Dodge Full Size Trucks 9/16"-18 JIC (37° Flare)	1 Year	N-4
41417	Transmission Cooler Line Fitting Kit, 1987 & Later Ford Aerostar, Explorer, Expedition, F-Series Trucks & Ranger, 11/32" HB x 1/4" MPT (1) & 11/32" HB x 3/8" MPT (1)	1 Year	N-4
41418	Transmission Cooler Line Fitting Kit, 1996 & Later GM, Snap-In Fitting	1 Year	N-4
416088	Replacement Part, Taillight Oval Grommet	1 Year	K-8, K-10, K-11, K-21, K-26
417515	Light & Wire Kit, Submersible Over 80" w/20' Harness	1 Year	K-24
4197S00	Service Kit-Ratchet Repair -T2000, T2500, T3700	5 Year	J-62
41990-07	Ultra Frame Receiver, Weld Together For Service Body Trucks, 44" Crosstube w/Short 7" Side Bracket Kit #4907	Lifetime	A-6
41990-16	Ultra Frame Receiver, Weld Together For Service Body Trucks, 44" Crosstube w/Long 16" Side Bracket Kit #4916	Lifetime	A-6
41991-07	Ultra Frame Receiver, Weld Together For Service Body Trucks, 62" Crosstube w/Short 7" Side Bracket Kit #4907	Lifetime	A-6
41991-16	Ultra Frame Receiver, Weld Together For Service Body Trucks, 62" Crosstube w/Long 16" Side Bracket Kit #4916	Lifetime	A-6
42-106858	LED Surface Mount Red 13" Waterproof ID Light Bar, 3 Diode, 60" Brown/White Wires	1 Year	K-46
42250	Ball Cover, 1-7/8" & 2", Black	1 Year	B-25
42250-012	Ball Cover, 1-7/8" & 2", Black, Display Pkg. (12 pack)	1 Year	B-25
42251	Ball Cover, 2-5/16", Black	1 Year	B-25
42251-012	Ball Cover, 2-5/16", Black, Display Pkg. (12 pack)	1 Year	B-25
423025	Over 80" Submersible Taillight, Left/Roadside (Black)	1 Year	K-24
42-30-401†	Replacement Part, Side Marker Clearance Light Module, LED 2" Round Red	1 Year	K-31
42-30-402	Replacement Part, Side Marker Clearance Light Module, LED 2" Round Amber	1 Year	K-31
423075	Over 80" Submersible Taillight, Right/CurbSide (Black)	1 Year	K-24
42-31-403†	Replacement Part, Side Marker Clearance Light Module, LED 2-1/2" Round Red	1 Year	K-31
42-31-404†	Replacement Part, Side Marker Clearance Light Module, LED 2-1/2" Round Amber	1 Year	K-31
4234	Safety Chain Loop, Class I, 2,000 lbs.		A-16
42-37-401	Replacement Part, 37 Series LED Red	1 Year	K-32, K-46
42-37-402	Replacement Part, 37 Series LED Amber	1 Year	K-32
42-38-033	Side Marker Clearance Light LED #38 Red with Black Base with Pigtail	1 Year	K-36
42-38-034	Side Marker Clearance Light LED #38 Amber with Black Base with Pigtail	1 Year	K-36
42-38-035	Side Marker Clearance Light LED #38 Red/Amber w/ Black Base, Self Grounding w/Single Black Wire	1 Year	K-36
42-42-401†	Side Marker Clearance Light LED #42 Red w/Reflex, Stud Mount	1 Year	K-36
42-42-402†	Side Marker Clearance Light LED #42 Amber w/Reflex, Stud Mount	1 Year	K-36
42-59-401	Side Marker Clearance Light LED #59 Red w/White Base	1 Year	K-35
42-59-402	Side Marker Clearance Light LED #59 Amber w/ White Base	1 Year	K-35
42-59-410	Side Marker Clearance Light, Upgrade Kit LED #59 Red	1 Year	K-35
42-59-412	Side Marker Clearance Light, Upgrade Kit LED #59 Amber	1 Year	K-35
4280	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 1" Rise, 2" Drop, Zinc	Lifetime	A-5, B-9
4281	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 3" Rise, 4" Drop, Zinc	Lifetime	A-5, B-9
4282	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 9-1/2" Length, 5" Rise, 6" Drop, Zinc	Lifetime	A-5, B-9
4283	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 9-1/2" Length, 7" Rise, 8" Drop, Zinc	Lifetime	A-5, B-9

PART NO.	DESCRIPTION	WNTY	PAGE #
4284	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 12" Length, 1" Rise, 2" Drop, Zinc	Lifetime	A-5, B-9
42-84-410	LED #84 Series Stop, Tail, Turn Light Lens Upgrade Module Red w/Connector and Lens Screws	1 Year	K-3
42-84-412	LED #84 Series Turn Light Lens Upgrade Module Amber w/Connector and Lens Screws	1 Year	K-3
42-84-414†	LED #84 Backup Lens Module Red Reflex w/Clear Center w/Bulb Socket Plug	1 Year	K-3
42-84-415†	LED Backup Light Lens Module Clear w/Bulb Socket Plug - Lens Mounted Vertical	1 Year	K-3
4285	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 12" Length, 3" Rise, 4" Drop, Zinc	Lifetime	A-5, B-9
42-86-101	Taillight LED #86 Single Stop, Tail, Turn with Black Base	1 Year	K-4
42-86-104	Taillight LED #86 Amber Turn with Black Base	1 Year	K-4
42-86-410	LED Wrap-Around Side Marker Clearance Light Upgrade Module Red	1 Year	K-3, K-4
42-86-412	LED Wrap-Around Side Marker Clearance Light Upgrade Module Amber	1 Year	K-3, K-4
42-99-215	Waterproof ID Bar LED, Red	1 Year	K-46
42-99-401	Side Marker Clearance Light LED Red w/Stud Mounting & 12" Brown Wire	1 Year	K-34
42-99-402	Side Marker Clearance Light LED Amber w/Stud Mounting & 12" Brown Wire	1 Year	K-34
43031	Replacement Part, Pin & Chain Assy. for Pintle Hooks, 5/16" Dia. x 2-3/8"		B-18
43805W0317	Coupler, A-Frame Wedge-Latch, 8,000 lbs.	5 Year	J-39
44-00-002	Replacement Part, Pigtail - 2 Wire w/ 6-1/2" Wire Lead	1 Year	K-26, K-31, K-32, K-34, K-37, K-38, K-50
44-00-003	Replacement Part, Pigtail - 3 Wire Sealed	1 Year	K-8, K-10, K-11, K-21, K-26
44-01-001	Replacement Part, Taillight Sealed Stop, Tail, Turn 4" Round	1 Year	K-21
44-01-020	Replacement Part, Grommet - Sealed 4" Round Taillight	1 Year	K-9, K-21
44-01-031	Taillight Sealed Stop, Tail, Turn 4" Round with Grommet and Standard Pigtail	1 Year	K-21
44-06-001	Replacement Part, Taillight Sealed Stop, Tail, Turn 6" Oblong	1 Year	K-21
44-06-002	Replacement Part, Taillight Sealed Amber Turn 6" Oblong	1 Year	K-21
44-06-020	Replacement Part, Grommet - Sealed 6" Oblong Taillight	1 Year	K-10, K-11, K-21, K-26
44-06-031	Taillight Sealed Stop, Tail, Turn 6" Oblong with Grommet and Standard Pigtail	1 Year	K-21
44-06-032	Taillight Sealed Amber Turn 6" Oblong with Grommet and Standard Pigtail	1 Year	K-21
44-06-033†	Taillight Sealed Clear Backup 6" Oblong with Grommet and Standard Pigtail	1 Year	K-21
44-06-041	Taillight Sealed Stop, Tail, Turn 6" Oblong with Grommet and 90° Pigtail	1 Year	K-21
44-06-042	Taillight Sealed Amber Turn 6" Oblong with Grommet and 90° Pigtail	1 Year	K-21
44-06-043†	Taillight Sealed Clear Backup 6" Oblong with Grommet and 90° Pigtail	1 Year	K-21
44125W0317	Coupler, A-Frame Wedge-Latch, 12,500 lbs.	5 Year	J-39
44133	Quick-Link Chain Hook-Up, 3,500 lbs., 3/8"	1 Year	M-23
44140	Safety Chain, Class III GVWR 5,000 lbs. 48", 1/4" Proof Coil, Grade 30 S-Hook, Both Ends	1 Year	M-22
44150	Safety Chain S-Hook, Class I, Breaking Strength 2,000 lbs.	1 Year	M-23
44-15-005†	Interior Dome Light with Switch	1 Year	K-56
44150W0317	Coupler, A-Frame Wedge-Latch, 15,000 lbs., Round Jack Hole	5 Year	J-39
44150WH301	Coupler, A-Frame Wedge-Latch, 15,000 lbs., Round Jack Hole, Bolt-On, Zinc	5 Year	J-39
44150WQ317	Coupler, A-Frame Wedge-Latch, 15,000 lbs., Square Jack Hole, Primed	5 Year	J-39
44153	Safety Chain S-Hook, Class III Breaking Strength 5,000 lbs.	1 Year	M-23

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
44154	Clevis Slip Hook w/Latch, Grade 43, 1/4"	1 Year	M-23	45292	Titan®, Receiver Extension, 2-1/2" to 2" Extension, 24" Length 600/6,000 lbs. WC & 800/8,000 lbs. WD, 34" Length 450/4,500 lbs. WC & 600/6,000 lbs. WD	1 Year	A-11, B-15
44155	Clevis Slip Hook w/Latch, Grade 43, 5/16"	1 Year	M-23	45294	Titan®, Receiver Pintle Hook Mounting Plate, 2-1/2" Sq. Solid Shank, 8-1/2" Shank, 7-1/4" x 5" Plate Size, 18,000/2,000 lbs.	Lifetime	B-17
44156	Clevis Slip Hook w/Latch, Grade 43, 3/8"	1 Year	M-23	45322	Titan®, Ball Mount, 2-1/2" Sq. Solid Shank, 18,000 lbs. GTW/2000 lbs. TW, 1-1/4" Ball Hole, 10" Length, 1-1/2" Rise, 3" Drop, Black	Lifetime	A-11, B-10
44157	Clevis Slip Hook w/Latch, Grade 43, 1/2"	1 Year	M-23	45323	Titan®, Ball Mount, 2-1/2" Sq. Solid Shank, 18,000 lbs. GTW/2000 lbs. TW, 1-1/4" Ball Hole, 10" Length, 3-1/2" Rise, 5" Drop, Black	Lifetime	A-11, B-10
44159	Clevis Slip Hook w/Latch, Grade 70, 5/16"	1 Year	M-23	45325	Titan®, Tri-Ball Ball Mount, 2-1/2" Sq. Hollow Shank w/Black 1-7/8", 2", & 2-5/16" Balls, Black	Lifetime	A-11, B-14
44163	Clevis Slip Hook w/Latch, Grade 70, 1/4"	1 Year	M-23	4655	9/16" Drill Bit w/Special 1/2" Reduced Shank for Use w/1/2" Drills	1 Year	O-3
44164	Clevis Slip Hook w/Latch, Grade 70, 3/8"	1 Year	M-23	47-01-001	Replacement Part, Taillight LED Stop, Tail, Turn 4" Round	1 Year	K-9
44200	Recessed Rope Ring, 1,200 lbs. for 3/8" Plywood		M-23	47-01-031	4" Round LED Tail Lamp with Grommet and Plug	1 Year	K-9
4420000317	Coupler Plate, 20,000 lbs. Cast - Primed	5 Year	J-39	47-06-001†	Replacement Part, Taillight LED Stop, Tail, Turn 6" Oval Vertical Mount	1 Year	K-10
44201	Recessed Rope Ring, 1,200 lbs., 10 Ga. Steel D-Ring, .225 Dia., Zinc		M-23	47-06-004	Replacement Part, Taillight LED Stop, Tail, Turn 6" Oval Horizontal Mount	1 Year	K-10
44202	Recessed Rope Ring w/Trim Ring, 1,000 lbs., 16 Ga. Steel, Zinc		M-23	47-06-005	6" Oval Mid-Turn Amber Light	1 Year	K-8
44203†	Replacement Part, Plastic Trim Ring For #44202		M-23	47-06-031	6" Oval LED Tail Lamp w/Grommet and Plug, Vertical Mount	1 Year	K-10
44209†	Recessed Floor/Wall Tie Down Ring, 1/8" Plate Steel, 5,000 lbs.		M-23	47-06-034	6" Oval LED Tail Lamp w/Grommet and Plug, Horizontal Mount	1 Year	K-10
4425000317	Coupler Plate, 25,000 lbs. Cast - Primed	5 Year	J-39	47-06-401†	Replacement Part, Taillight LED Stop, Tail, Turn 6" Oval Vertical Mount	1 Year	K-10
44-30-001	Replacement Part, Clearance Light Sealed Module, #30 Red	1 Year	K-38	47-06-404	Replacement Part, Taillight LED Stop, Tail, Turn 6" Oval Horizontal Mount	1 Year	K-10
44-30-002	Replacement Part, Clearance Light Sealed Module, #30 Amber	1 Year	K-38	47-07-001†	LED Stop/Tail/Turn Light Surface Mount #07 Series	1 Year	K-7
44-30-020	Replacement Part, Grommet - 2" Round Clearance/Marker Light	1 Year	K-31, K-38	47-07-002†	LED Stop/Tail/Turn Light Surface/Horizontal Mount #07 Series w/License Light & Bracket	1 Year	K-7
44-30-031	Clearance Light Sealed #30 Red with Grommet and 6-1/2" Pigtail	1 Year	K-38	47-07-010†	Replacement Part, Lens for #47-07-001	1 Year	K-7
44-30-032	Clearance Light Sealed #30 Amber with Grommet and 6-1/2" Pigtail	1 Year	K-38	47-07-011†	Replacement Part, Lens for #47-07-002	1 Year	K-7
44305F0317	F2™ A-Frame Coupler, Ball Size 2-5/16", Rating 10,000 lbs.	Lifetime	J-30	47-07-012†	Replacement Part, Lens for #47-07-003	1 Year	K-7
44305R0317	Coupler, A-Frame, 10,000 lbs., Class IV, Prime, 2-5/16" Ball	5 Year	J-48	47-07-013†	Replacement Part, Lens for #47-07-100	1 Year	K-7
44305R0500	Coupler, A-Frame, 10,000 lbs., Class IV, Oily, 2-5/16" Ball	5 Year	J-48	47-106020	Replacement Part, Chrome Bezel	1 Year	K-33
44-31-001†	Replacement Part, Clearance Light Sealed Module, #31 Red	1 Year	K-38	47-106851	Side Marker Clearance Light LED Amber w/Stud Mounting & 12" Brown Wire	1 Year	K-34
44-31-002†	Replacement Part, Clearance Light Sealed Module, #31 Amber	1 Year	K-38	47-106852	LED Stud Mount Amber 162" 1 Wire Pigtail	1 Year	K-34
44-31-031†	Clearance Light Sealed #31 Red with Grommet and 6-1/2" Pigtail	1 Year	K-38	47-106853	Clearance Light LED Amber Lens w/Diodes	1 Year	K-33
44311H0301	Coupler, A-Frame, 11,000 lbs., Class IV, Zinc Coated, 2-5/16" Ball	5 Year	J-48	47-106854	Clearance Light LED Clear Lens w/Amber Diodes	1 Year	K-33
44314R0303	Coupler, A-Frame, 14,000 lbs., Class IV, Black Paint, 2-5/16" Ball	5 Year	J-48	47-106856	Side Marker Clearance Light LED Amber w/Stud Mounting	1 Year	K-34
44-37-020	Replacement Part, Clearance Light Base, Black 2" Snap-Lock, Open Back	1 Year	K-26, K-32, K-37	47-106857	LED Stud Mount Amber 162" 2 Wire Pigtail	1 Year	K-34
44-37-031	Clearance Light Sealed #37 Red with Black Base and Wire	1 Year	K-37	47-106858	LED ID Bar 60" 2 Wire Pigtail	1 Year	K-46
44-37-032	Clearance Light Sealed #37 Amber with Black Base and Wire	1 Year	K-37	47-107043	Side Marker Clearance Light LED Red w/Stud Mounting & 12" Brown Wire	1 Year	K-34
44-38-031	Clearance Light Sealed #38 Red with Black Base and Wire Assembly	1 Year	K-37	47-107044	LED Stud Mount Red 96" 1 Wire Pigtail	1 Year	K-34
44-38-032	Clearance Light Sealed #38 Amber with Black Base and Wire Assembly	1 Year	K-37	47-107045	Side Marker Clearance Light LED Red w/Stud Mounting	1 Year	K-34
44-39-001†	Clearance Light Mini #39 Red	1 Year	K-43	47-107046	LED Stud Mount Red 96" 2 Wire Pigtail	1 Year	K-34
44-40-004	Fender Mount Clearance Light #40 Red/Amber with Black Base and Screws	1 Year	K-44	47-107047	Clearance Light LED Red Lens w/Diodes	1 Year	K-33
45018	Titan®, Receiver Extension, 2-1/2" to 2" Extension, 41" Length 500/5,000 lbs. WC & 750/7,500 lbs. WD, 48" Length 400/4,000 lbs. WC & 600/6,000 lbs. WD	1 Year	A-11, B-15	47-107048	Clearance Light LED Clear Lens w/Red Diodes	1 Year	K-33
45122	Titan®, Ball Mount, 2-1/2" Sq. Hollow Shank, 14,000 lbs. GTW, 1-1/4" Ball Hole, 9-3/4" Length, 1-1/2" Rise, 3" Drop, Black	Lifetime	A-11, B-10	47-203667	LED Grommet Mt Amber	1 Year	K-34
45123	Titan®, Ball Mount, 2-1/2" Sq. Hollow Shank, 13,000 lbs. GTW, 1-1/4" Ball Hole, 10" Length, 3-1/2" Rise, 5" Drop, Black	Lifetime	A-11, B-10	47-203668	LED Grommet Mt Red	1 Year	K-34
45156	Titan®, Receiver Pintle Hook Mounting Plate, 2-1/2" Sq. Hollow Shank, 7-3/4" Shank, 6" x 5" Plate Size, 12,000/1,200 lbs.	Lifetime	B-17	47-222012	Clearance Light LED Amber w/Reflex w/Black Base	1 Year	K-33
45291	Titan®, Ball Mount, 2-1/2" Sq. Hollow Shank, 13,000 lbs. GTW, 1-1/4" Ball Hole, 10-1/2" Length, 7-3/4" Drop, Black (Use in Drop Position Only)	Lifetime	A-11, B-10	47-222014	Clearance Light LED Red w/Reflex w/White Base	1 Year	K-33
				47-222015	Clearance Light LED Amber w/Reflex w/White Base	1 Year	K-33
				47-30-001†	Replacement Part, Clearance Light LED Module, #30 Red	1 Year	K-31
				47-30-002	Replacement Part, Clearance Light LED Module, #30 Amber	1 Year	K-31
				47-30-031†	Clearance Light LED #30 Red with Grommet & Plug	1 Year	K-31
				47-30-032†	Clearance Light LED #30 Amber with Grommet and Plug	1 Year	K-31
				47-30-402†	Replacement Part, Clearance Light LED Module, #30 Amber	1 Year	K-31

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
47-31-001†	Replacement Part, Clearance Light LED Module, #31 Red	1 Year	K-31
47-31-002†	Replacement Part, Clearance Light LED Module, #31 Amber	1 Year	K-31
47-31-003	Replacement Part, Clearance Light LED Module, #31 Red with Reflex	1 Year	K-31
47-31-004†	Replacement Part, Clearance Light LED Module, #31 Amber with Reflex	1 Year	K-31
47-31-401†	Replacement Part, Clearance Light LED Module, #31 Red	1 Year	K-31
47-31-403†	Replacement Part, Clearance Light LED Module, #31 Red with Reflex	1 Year	K-31
47-31-404†	Replacement Part, Clearance Light LED Module, #31 Amber with Reflex	1 Year	K-31
47-37-001	Replacement Part, Clearance Light LED Module, #37 Red	1 Year	K-32, K-46
47-37-002	Replacement Part, Clearance Light LED Module, #37 Amber	1 Year	K-32
47-37-005	Clearance Light Module LED #37 Red	1 Year	K-32
47-37-006	Clearance Light Module LED #37 Amber	1 Year	K-32
47-37-031	Red 2" LED Rectangular Marker/Clearance Lamp	1 Year	K-32
47-37-032	Amber 2" LED Rectangular Marker/Clearance Lamp	1 Year	K-32
47-37-401	Replacement Part, Clearance Light LED Module, #37 Red	1 Year	K-32
47-37-402	Replacement Part, Clearance Light LED Module, #37 Amber	1 Year	K-32
47-38-001	Replacement Part, Side Marker Clearance Light LED Module, #38 Red	1 Year	K-36
47-38-002	Replacement Part, Side Marker Clearance Light LED Module, #38 Amber	1 Year	K-36
47-38-004	Side Marker Clearance Light Module LED #38 Red/Amber	1 Year	K-36
47-38-005	Side Marker Clearance Light Module LED #38 Red	1 Year	K-36
47-38-006	Side Marker Clearance Light Module LED #38 Amber	1 Year	K-36
47-38-033	Side Marker Clearance Light LED #38 Red with Black Base with Pigtail	1 Year	K-36
47-38-034	Side Marker Clearance Light LED #38 Amber with Black Base with Pigtail	1 Year	K-36
47-38-035†	Side Marker Clearance Light LED #38 Red with Chrome Base with Pigtail	1 Year	K-36
47-38-036	Side Marker Clearance Light LED #38 Amber with Chrome Base with Pigtail	1 Year	K-36
47-38-401	Replacement Part, Side Marker Clearance Light LED Module, #38 Red	1 Year	K-36
47-38-402	Replacement Part, Side Marker Clearance Light LED Module, #38 Amber	1 Year	K-36
47-42-001†	Side Marker Clearance Light LED #42 Red w/Reflex, Stud Mount	1 Year	K-36
47-42-002	Side Marker Clearance Light LED #42 Amber w/Reflex, Stud Mount	1 Year	K-36
47-42-401†	Side Marker Clearance Light LED #42 Red w/Reflex, Stud Mount	1 Year	K-36, K-46
47-54-001	Narrow Rail S,T,T Red w/Reflex	1 Year	K-8
47-54-002	Narrow Rail ID Bar LED Red	1 Year	K-46
47-54-003	Narrow Rail ID Bar LED Amber	1 Year	K-46
47-58-001	Side Marker Clearance Light LED #58 Red	1 Year	K-35
47-58-002	Side Marker Clearance Light LED #58 Amber	1 Year	K-35
47-58-031	Side Marker Clearance Light LED #58 Red with Pigtail	1 Year	K-35
47-58-032	Side Marker Clearance Light LED #58 Amber with Pigtail	1 Year	K-35
47-59-001	Side Marker Clearance Light LED #59 Red w/White Base	1 Year	K-35
47-59-002	Side Marker Clearance Light LED #59 Amber w/White Base	1 Year	K-35
47-59-010	Side Marker Clearance Light LED Replacement Lens Red	1 Year	K-35
47-59-012	Side Marker Clearance Light LED Replacement Lens Amber	1 Year	K-35
47-59-401	Side Marker Clearance Light LED #59 Red w/White Base	1 Year	K-35
47-59-402	Side Marker Clearance Light LED #59 Amber w/White Base	1 Year	K-35

PART NO.	DESCRIPTION	WNTY	PAGE #
47-59-410	Side Marker Clearance Light, Upgrade Kit LED #59 Red	1 Year	K-35
47-59-412	Side Marker Clearance Light, Upgrade Kit LED #59 Amber	1 Year	K-35
4769-28	Ratchet Spring, 2-Speed	5 Year	J-62
47-84-001	Taillight Horizontal Mount with Red LED, Incandescent Backup with Colonial White Base	1 Year	K-5
47-84-002†	Taillight Horizontal Mount with Red/Red LED, Incandescent Backup with Colonial White Base	1 Year	K-6
47-84-003†	Taillight Horizontal Mount with Red/Amber LED, Incandescent Backup with Colonial White Base	1 Year	K-6
47-84-005	Taillight Horizontal Mount with Red/Amber LED, Incandescent Backup with Black Base	1 Year	K-6
47-84-008	Taillight Horizontal Mount with Red LED, Incandescent Backup with Black Base	1 Year	K-5
47-84-009	Taillight Horizontal Mount with Red/Red LED, Incandescent Backup with Black Base	1 Year	K-6
47-84-026	LED #84 Backup Lens Module Clear w/Bulb Socket Plug	1 Year	K-3
47-84-101†	Taillight Horizontal Mount with Red LED, Incandescent Backup, Red LED with Colonial White Base	1 Year	K-6
47-84-103	Taillight Horizontal Mount with Red LED, Incandescent Backup, Red LED with Black Base	1 Year	K-6
47-84-104	LED Taillight #84 Recessed Triple Long Horizontal Mount, Red, Backup, Amber, Black	1 Year	K-6
47-84-410	LED #84 Series Stop, Tail, Turn Light Lens Upgrade Module Red w/Connector and Lens Screws	1 Year	K-3
47-84-412	LED #84 Series Turn Light Lens Upgrade Module Amber w/Connector and Lens Screws	1 Year	K-3
47-84-414†	LED #84 Backup Lens Module Red Reflex w/Clear Center w/Bulb Socket Plug	1 Year	K-3
47-84-420	Replacement Part, LED #84 Series Stop, Tail, Turn Light Lens Module Red with Wires	1 Year	K-4, K-5, K-6
47-84-422†	Replacement Part, LED #84 Series Turn Light Lens Module Amber with Wires	1 Year	K-4, K-5, K-6
47-84-424†	Replacement Part, LED Backup Light Lens Module Red Reflex w/Clear Center w/Wires	1 Year	K-5
47-84-518†	Taillight Red & Amber LED with Black Base	1 Year	K-5
47-84-522†	Taillight Horizontal Mount with Red LED, Incandescent Center Backup, Red LED with Black Base	1 Year	K-6
47-84-527	Taillight Red & Red LED with Black Base	1 Year	K-5
47-84-529	Taillight Red LED & Incandescent Red with Red Insert & Black Base	1 Year	K-5
47-84-530	Taillight Horizontal Mount with Red/Red LED, Incandescent Backup with White Base	1 Year	K-6
47-84-540	Taillight Horizontal Mount with Red LED, Incandescent Backup with White Base	1 Year	K-5
47-84-555†	Taillight Vertical Mount with Red LED, Incandescent Backup, Red LED with White Base	1 Year	K-6
47-84-610	Taillight #84 LED Surface Mount Red/Red, Black Base	1 Year	K-5
47-84-612†	Taillight #84 LED Surface Mount Red/Amber, Black Base	1 Year	K-5
47-84-613†	Taillight #84 LED Surface Mount Red/LED w/Backup, Black Base	1 Year	K-5
47-84-711	Enhanced Height Incandescent Backup Lens Only, Red Reflex w/Clear Center - Red Border	1 Year	K-3, K-5, K-6
47-84-712	Enhanced Height Incandescent Lens Only - Red Reflex w/Red Center - Red Border	1 Year	K-3, K-5, K-6
47-84-808	Taillight Horizontal Mount with Red LED, Incandescent Backup with Black Base, with 4 Square Plug	1 Year	K-5
47-85-002	Taillight Horizontal Mount with Red/Red LED, Incandescent Backup with Chrome Base	1 Year	K-6
47-85-004	Taillight Horizontal Mount with Red/Amber LED, Incandescent Backup with Chrome Base	1 Year	K-6
47-85-611	Taillight #84 LED Surface Mount Red/Red Chrome Base	1 Year	K-5
47-85-614†	Taillight #84 LED Surface Mount Red/LED, w/Backup, Chrome Base	1 Year	K-5
47-85-615†	Taillight #85 LED Surface Mount Red/Amber, Chrome Base	1 Year	K-5
47-85-711	Enhanced Height Incandescent Backup Lens Only, Red Reflex w/Clear Center - Chrome Border	1 Year	K-3

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
47-85-712	Enhanced Height Incandescent Lens Only - Red Reflexw/Red Center - Chrome Border	1 Year	K-3	49568	Pro Series™ RB2 Wt. Dist. Kit w/#63970 Shank, 10,000 lbs. (GTW), 600 lbs. (TW)	10 Year	D-15
47-86-001†	Taillight LED #86 Single Stop, Tail, Turn with Colonial White Base	1 Year	K-4	49569	Pro Series™ RB2 Wt. Dist. Kit w/#63970 Shank, 10,000 lbs. (GTW), 800 lbs. (TW)	10 Year	D-15
47-86-004	Taillight LED #86 Amber Turn with Colonial White Base	1 Year	K-4	49570	Pro Series™ RB2 Wt. Dist. Kit w/#63970 Shank, 12,000 lbs. (GTW), 1,200 lbs. (TW)	10 Year	D-15
47-86-005	Side Marker Clearance Light LED #86 Wrap-Around Red with Colonial White Base	1 Year	K-4	49581	Pro Series™ RB3 Wt. Dist. Kit w/Shank, Chains & Hardware, 10,000 lbs. (GTW), 550 lbs. (TW)	10 Year	D-15
47-86-006	Side Marker Clearance Light LED #86 Wrap-Around Amber with Colonial White Base	1 Year	K-4	49582	Pro Series™ RB3 Wt. Dist. Kit w/Shank, Chains & Hardware, 10,000 lbs. (GTW), 750 lbs. (TW)	10 Year	D-15
47-86-101	Taillight LED #86 Single Stop, Tail, Turn with Black Base	1 Year	K-4	49583	Pro Series™ RB3 Wt. Dist. Kit w/Shank, Chains & Hardware, 10,000 lbs. (GTW), 1000 lbs. (TW)	10 Year	D-15
47-86-104	Taillight LED #86 Amber Turn with Black Base	1 Year	K-4	49585	Pro Series™ Trunnion Wt. Dist. Kit w/#63970 Shank, 10,000 lbs. (GTW), 600 lbs. (TW)	10 Year	D-14
47-86-202	Side Marker Clearance Light LED #86 Wrap-Around Red with Black Base	1 Year	K-4	49586	Pro Series™ Trunnion Wt. Dist. Kit w/#63970 Shank, 10,000 lbs. (GTW), 800 lbs. (TW)	10 Year	D-14
47-86-203†	Side Marker Clearance Light LED #86 Wrap-Around Amber with Black Base	1 Year	K-4	49587	Pro Series™ Trunnion Wt. Dist. Kit w/#63970 Shank, 12,000 lbs. (GTW), 1,200 lbs. (TW)	10 Year	D-14
47-86-410	LED Wrap-Around Side Marker Clearance Light Upgrade Module Red	1 Year	K-3, K-4	49802	Fold Down License Plate Holder	1 Year	A-15
47-86-412	LED Wrap-Around Side Marker Clearance Light Upgrade Module Amber	1 Year	K-3, K-4	49803	Assortment Installation Hardware Kit	1 Year	A-16
47-99-004	ID Light Bar LED Red	1 Year	K-46	49901	Pro Series™ Complete RB Wt. Dist. Kit w/Shank, Friction Sway Control, 2-5/16" Chrome Hitch Ball, Sway Control Ball, Chains & Hardware, 10,000 lbs. (GTW), 550 lbs. (TW)	10 Year	D-14
47-99-005	Clearance Light LED #99 Red w/Type 302 Stainless Steel Hardware	1 Year	K-46	49902	Pro Series™ Complete RB Wt. Dist. Kit w/Shank, Friction Sway Control, 2-5/16" Chrome Hitch Ball, Sway Control Ball, Chains & Hardware, 10,000 lbs. (GTW), 750 lbs. (TW)	10 Year	D-14
47-99-006	Clearance Light LED #99 Amber w/Type 302 Stainless Steel Hardware	1 Year	K-34	49903	Pro Series™ Complete RB Wt. Dist. Kit w/Shank, Friction Sway Control, 2-5/16" Chrome Hitch Ball, Sway Control Ball, Chains & Hardware, 10,000 lbs. (GTW), 1000 lbs. (TW)	10 Year	D-14
47-99-034	ID Light Bar LED Red	1 Year	K-34, K-46	49904	Pro Series™ Complete RB Wt. Dist. Kit w/Shank, Friction Sway Control, 2-5/16" Chrome Hitch Ball, Sway Control Ball, Chains & Hardware, 10,000 lbs. (GTW), 1200 lbs. (TW)	10 Year	D-14
47-99-215	Waterproof ID Bar LED, Red	1 Year	K-46	5000-DX	Shoe and Lining Kit - Dexter 12" x 2" - Wheel Set	1 Year	M-9, M-13, M-16
47-99-401	Clearance Light LED #99 Red	1 Year	K-34	500103	Kit -3/8" Plunger Pin Assembly (2, 3, 5K)	5 Year	J-26
47-99-402	Clearance Light LED #99 Amber	1 Year	K-34	500105	Sidewind Crank Assembly for 170's w/Black Knob	5 Year	J-7, J-27
48-84-008	Taillight Horizontal Mount with Red LED, Incandescent Backup with Black Base	1 Year	K-5	500106	Replacement Part, Bevel Gear Kit	5 Year	J-28
48-84-009	Taillight Horizontal Mount with Red/Red LED, Incandescent Backup with Black Base	1 Year	K-6	500129	Service Kit -F2 Handle Holdup	5 Year	J-30
48-84-527	Taillight Red & Red LED with Black Base	1 Year	K-5	500130	Service Kit -F2 Twin Track Wheel Replacement	Lifetime	J-30
48-84-529	Taillight Red LED & Incandescent Red with Red Insert & Black Base	1 Year	K-5	500131	Service Kit -F2 Wide Track Wheel Replacement	Lifetime	J-30
48-84-711	Enhanced #84/86 Incandescent Backup Lens	1 Year	K-3, K-5, K-6	500132	Service Kit -F2 Twin Track Wheel Wedge	Lifetime	J-30
48-84-712	Enhanced Height Incandescent Lens Only - Red Reflex w/Red Center - Red Border	1 Year	K-3, K-5, K-6	500133	Service Kit -F2 Wide Track Wheel Wedge	Lifetime	J-30
48-85-711	Enhanced Height Incandescent Backup Lens Only, Red Reflex w/Clear Center - Chrome Border	1 Year	K-3	500134	Service Kit -F2 Handle/Crank Kit	Lifetime	J-30
48-85-712	Enhanced Height Incandescent Lens Only - Red Reflexw/Red Center - Chrome Border	1 Year	K-3	500135	Service Kit -F2 Gearbox Cover Replacement	Lifetime	J-30
48-86-101	Taillight LED #86 Single Stop, Tail, Turn with Black Base	1 Year	K-4	500136	Service Kit -F2 Pull Pin Replacement	Lifetime	J-30
48-86-104†	Taillight LED #86 Amber Turn with Black Base	1 Year	K-4	500137	Replacement Part, 2 Washers	Lifetime	J-30
48-86-202	Side Marker Clearance Light LED #86 Wrap-Around Red with Black Base	1 Year	K-4	500138	Service Kit -F2 Twin Track Wheel	Lifetime	J-30
49080	Pro Series™ Gooseneck (Requires Rails & Installation Kit #30035)	10 Year	G-11	500148	Replacement Part, Topwind Crank, 9" Radius w/Black "Tear Drop" Knob For 7,000 lbs. Jacks	5 Year	J-7, J-27
49131	Quick-Link Chain Hook-Up, 3,500 lbs., 5/16"	1 Year	M-23	500153	Set Includes Direct Weld 2-Speed & Single Speed Jacks & Crank. (Cross Shaft Not Included)	5 Year	J-21
49132	Quick-Link Chain Hook-Up, 3,500 lbs., 1/4"	1 Year	M-23	500154	Set Includes TTMA Bold-On Mount 2-Speed & Single Speed Jacks & Crank. (Cross Shaft Not Included)	5 Year	J-21
49134	Quick-Link Chain Hook-Up, 5,000 lbs., 7/16"	1 Year	M-23	500156	Replacement Part, Gear Kit 7,000 lbs.	5 Year	J-28
49135	Quick-Link Chain Hook-Up, 10,000 lbs., 1/2"	1 Year	M-23	500158	Fifth Wheel RV Landing Gear System, 6.5K Static, 4K Lift, Single Drive, Includes Secondary Gearbox, Mounting Hardware & Adjustable Cross Shaft (Motor, Switch & Wiring Harness Sold Separately)	5 Year	J-22
49137	Safety Chain, Class I GVWR 2,000 lbs. 48", 3/16" Proof Coil, Grade 30 S-Hook, Both Ends	1 Year	M-22	500161	Fifth Wheel RV Landing Gear System, 10K Static, 10K Lift, Dual Drive, Output Motors Preassembled to Jacks, Includes Two Switches & Panel, Wiring Harness, Mounting Hardware & Spring Loaded Drop Leg Pins	5 Year	J-22
49138	Safety Chain, Class II GVWR 3,500 lbs. 24", 1/4" Proof Coil, Grade 30 S-Hook, One End	1 Year	M-22	500162	Fifth Wheel RV Landing Gear System, 8K Static, 4K Lift, Single Drive, Includes Secondary Gearbox, Mounting Hardware & Adjustable Cross Shaft Spring Loaded Drop Leg Pins (Motor, Switch & Wiring Harness Sold Separately)	5 Year	J-22
49141	Safety Chain, Class III GVWR 5,000 lbs. 30", 1/4" Proof Coil, Grade 30 S-Hook, One End	1 Year	M-22				
49147	Safety Chain, Class IV GVW 16,200 lbs. 35", 1/2" Proof Coil, 3/8" Clevis Slip Hook w/Latch, High Test Grade 43	1 Year	M-22				
49148	Safety Chain, Class IV GVW 7,600 lbs. 32", 5/16" Proof Coil, Grade 30, 5/16" Clevis Slip Hook w/Latch	1 Year	M-22				
49149	Safety Chain, Class IV GVW 10,600 lbs. 36", 1/2" Proof Coil, Grade 30, 3/8" Clevis Slip Hook w/Latch	1 Year	M-22				
49150	Goose Box™ Accessory, Safety Chain Kit (Contains: (2) Grade 70, 5/16" x 44" w/ 5/16" Clevis Hook & Mounting Hardware)	1 Year	F-3, G-3, M-22				
49152	Safety Chain S-Hook, Class IV Breaking Strength 7,600 lbs.	1 Year	M-23				

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
500170	Fifth Wheel RV Landing Gear System, 10K Static, 7K Lift, Dual Drive, Output Motors Preassembled to Jacks, Includes Two Switches & Panel, Wiring Harness, Mounting Hardware & Spring Loaded Drop Leg Pins	5 Year	J-22
500171	Sidewind Crank Assembly for 190's, Black	5 Year	J-7, J-27
500177	Kit, 3/4" Plunger Kit w/J Pin for 180's	5 Year	J-26
500178	Replacement Part, 1/2" Plunger Pin Assembly for 800-5,000 lbs. Jacks	5 Year	J-26
500180	Replacement Part, Topwind Crank, 6-3/4" Radius w/ Red Bulldog Knob For 750-5,000 lbs. Jacks	5 Year	J-7, J-27
500185	Powered Drive Tongue Jack, A-Frame, 17" Travel, White Case, Rating 4,000 lbs.	5 Year	J-4
500186	Powered Drive Tongue Jack, A-Frame, 17" Travel, Black Case, Rating 4,000 lbs.	5 Year	J-4
500187	Powered Drive Tongue Jack, A-Frame, 14" Travel, Black Case, Rating 3,500 lbs.	5 Year	J-3
500188	Powered Drive Tongue Jack, A-Frame, 14" Travel, White Case, Rating 3,500 lbs.	5 Year	J-3
500190	Replacement Part, Removable Disc Foot w/Snapper Pin for Bulldog Powered Drive Tongue Jack, 4,000 lbs.	5 Year	J-3, J-4, J-26
500191	Replacement Part, Manual Override Bolt for Bulldog Powered Drive Tongue Jack, 4,000 lbs.	5 Year	J-4
500192	Replacement Part, Bottom Cover w/Hardware for Bulldog Powered Drive Tongue Jack, 4,000 lbs.	5 Year	J-4
500193	Replacement Part, Level Assembly w/Hardware for Bulldog Powered Drive Tongue Jack, 4,000 lbs.	5 Year	J-4
500194	Replacement Part, Manual Override Cover for Bulldog Powered Drive Tongue Jack, 4,000 lbs.	5 Year	J-4
500196	Replacement Part, LED Light Assembly for Bulldog Powered Drive Tongue Jack, 4,000 lbs.	5 Year	J-4
500198	Powered Jack, A-Frame, 2.5K	1 Year	J-4
5002	Shoe and Lining Kit - Dexter 7" x 1-1/4" - Wheel Set	1 Year	M-8, M-16
500201	Replacement Part, Manual Override Cover for Bulldog Powered Drive Tongue Jack, 3,500 lbs.	5 Year	J-3
500202	Replacement Part, LED Light Assembly for Bulldog Powered Drive Tongue Jack, 3,500 lbs.	5 Year	J-3
500203	Replacement Part, Manual Override Crank for Bulldog Powered Drive Tongue Jack, 3,500 lbs.	5 Year	J-3
500204	Replacement Part, Drive Pin & Coupling for #500197, #500198	1 Year	J-4
500205	Replacement Part, Gearbox Cover	5 Year	J-28
500212	Replacement Part, Gear Kit Style III for 180's (1) Wear Plate, (1) Bevel Pinion Gear - 12T, (1) Straight Pin 5/16" x 1-1/2", (1) Straight Pin 1/4" x 1-1/4", (2) Hex Bushing, (1) Spacer Compression Spring	5 Year	J-28
500217	Replacement Part, Screw & Nut Kit -10K (PM NUT) (Contains: (1) Screw & Nut Assembly, (1) Thrust Bearing 12K, (1) Washer, (2) Retaining Pin & Service Bulletin)	5 Year	J-28
500219	Lynch Pin Kit, 0.563" Diameter	3 Year	J-26
500223	Kit, 5,000 lbs. Bearing for 170's	5 Year	J-28
500224	Kit, 7,000 lbs. Bearing for 190's	5 Year	J-28
500231	Kit, 5/8" Pull Pin, 3.5" Tall, w/Chain for 170's	5 Year	J-26
500232	Kit, 5/8" Pull Pin, 4.25" Tall, w/Chain for 190's	5 Year	J-26
500238	Weld-On Mount, Female, For 5/8" Pin, 3" O.D.	5 Year	J-27
500239	Replacement Part, Swivel Trailer Mount, Tubular Male Weld-On for 9/16" Pull Pin, for 2,000 lbs. Jacks & 5,000 lbs. Topwind Jack Only	5 Year	J-7, J-27
50024	20K Fifth Wheel Round Tube Slider Unit (Requires Rails & Installation Kit #30035, #30095 or #30153 and Head Assembly)	Lifetime	E-8
500240	Replacement Part, Swivel Trailer Mount, Tubular Male Weld-On for 5/8" Pull Pin	5 Year	J-27
500241	Swivel Retaining Ring for 800-5,000 lbs. Jacks	5 Year	J-28
500242	Replacement Part, Swivel Bracket w/L-Bend	5 Year	J-27
500243	Replacement Part, 9/16" Pull Pin w/12-1/4" Chain & Drive Screw for 2,000 lbs. Jacks & 5,000 lbs. Topwind Jack Only	5 Year	J-26
500244	Replacement Part, Removable Disc Foot, 2-3/32" Tall w/Snapper Pin for 2,000-5,000 lbs. Jacks	5 Year	J-7, J-26
500245	Tongue Jack Caster w/6" Wheel & Pin/Clip, for 2,000-5,000 lbs. Jacks	5 Year	J-7, J-25
500246	Red Knob for 150's, 160's & 170's	5 Year	J-28

PART NO.	DESCRIPTION	WNTY	PAGE #
500248	Black Knob for 139's, 159's, 170's & 190's	5 Year	J-28
500250	KIT SCREW/NUT-10K TW (5 Year	J-28
500251	Kit, 2,000 lbs. Bearing for 150's	5 Year	J-28
500256	Replacement Part, Sidewind Crank Kit, Handle, 5-51/64" Radius Assembly & Gear 2,000 lbs. Jacks	5 Year	J-7, J-27
5002581360	Kit-Gear for 190's	5 Year	J-28
500265	Replacement Part, F2 Removable Twin Track Wheel Assembly	Lifetime	J-30
500266	Replacement Part, F2 Removable Wide Track Wheel Assembly	Lifetime	J-30
500267	Replacement Part, F2 Removable Foot Assembly	Lifetime	J-30
500268	Replacement Part, F2 Mounting Hardware for #1413250334, Includes: Hex Head Bolt 3/8" - 16 UNC (3) & Lock Washer 3/8" (3)	Lifetime	J-30
500270	Replacement Part, 8K Dropleg & Pin	5 Year	J-26
500276	Replacement Part, F2 4" x 5" Mount w/Hardware	5 Year	J-30
500277	Replacement Part, F2 3" x 4" Mount w/Hardware	5 Year	J-30
500285	Replacement Part, 12,000 lbs. 2 Speed Sun Gear	5 Year	J-18, J-28
500286	Replacement Part, Mounting Hardware for Jacks	5 Year	J-35
500289	Replacement Part, Repair Kit (BX1), Includes Handle Assembly, Locking Cam, Grease Fitting, Grooved Pin, Flanged Bushing & Torsion Spring	5 Year	J-43
500293	Replacement Part, Tandem Landing Gear Jack 90K Screw & Nut Assembly (1), Retaining Pins (2), Washer (1), Bearing Bushing (1) & Thrust Bearing (1)	5 Year	J-21
500294	Replacement Part, Tandem Landing Gear Jack 90K Gear Assembly Includes: Grooved Pin (1), Spring (1), Chrome Steel Ball (1), Spur Gear 32T, Intermediate Spur Gear 32T/13T (1), Input Spur Gear 32T/13T (1), Woodruff Key (1) & 2-Speed Gearbox Gasket (1)	5 Year	J-21
500295	Replacement Part, 2-Speed 12K Jack Gear Assembly Includes: Grooved Pin (1), Spring (1), Chrome Steel Ball (1), Spur Gear 29T, Intermediate Spur Gear (1), Input Spur Gear 16T/29T (1), Woodruff Key (1) & 2-Speed Gearbox Gasket (1)	5 Year	J-18
500296	Replacement Part, Gooseneck Couplers Set Bolt Kit, Includes: Jam Nut (1), Set Screw (1) & Adjusting Nut (1)	5 Year	J-42
5003	Shoe and Lining Kit - Dexter 10" x 2-1/4" - Wheel Set	1 Year	M-9, M-16
500305	Replacement Part, Black Cover w/Mounting Screws for Bulldog Powered Drive Tongue Jack, 3,500 lbs.	5 Year	J-3
500306	Replacement Part, White Cover w/Mounting Screws for Bulldog Powered Drive Tongue Jack, 3,500 lbs.	5 Year	J-3
500310	Pull Pin Assembly, 3/4" x 4"	5 Year	J-26
500312	Replacement Part, Handle Clip	5 Year	J-16, J-27
500314	Replacement Part, F2 Gear Kit, Includes: Shim Washer 5/16" (1), Straight Pin 7/32" x 3/4" (1), Groove Pin 3/16" x 1-1/4" (1) & Washer 1/2" ID x 1-1/4" OD (1)	5 Year	J-30
500315	Jack Accessory, Swivel Trailer Mount, Square Tube Male Weld-On for 5/8" Pull Pin, for 150's, 170's & 190's	5 Year	J-7, J-27
500320	Jack Accessory, XP to F2 Adapter Kit, For F2 Swivel Mount w/4" Frame	5 Year	J-30, J-35
500322	Replacement Part, End Cap, 2" for Round Tube EJ1000 & TJ1200 Jacks	5 Year	J-35
500323	Replacement Part, End Cap, 2" for Round Tube XP10 Jacks	5 Year	J-35
500324	Replacement Part, End Cap, 2.2" for Round Tube XP15 Jacks	5 Year	J-35
500325	Replacement Part, End Cap, 2-1/4" for Square Tube HD2500 Jacks	5 Year	J-35
500326	Replacement Part, End Cap, 1.85" for Bulldog 2,000 lbs. Sidewind Round Tube Jacks	5 Year	J-25
500330	Replacement Part, Planetary Gearbox Kit	5 Year	J-18
500334	Replacement Part, Pivot Pin 5/8" x 4-1/2" w/Cotter Pin & Lanyard for 3" x 3"	5 Year	J-50
500335	Replacement Part, Pivot Pin 5/8" x 5-1/2" w/Cotter Pin & Lanyard for 3" x 4"	5 Year	J-50
500336	Replacement Part, Pivot Pin 5/8" x 6-1/2" w/Cotter Pin & Lanyard for 3" x 5"	5 Year	J-50
500337	Replacement Part, Drop Leg Pull Pin Assembly, 3/4" x 3"	5 Year	J-26
500338	Replacement Part, Drop Leg Pull Pin Assembly, 9/16" x 2.75"	5 Year	J-26

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
500339	Jack Accessory, Swivel Trailer Mount, Round Tube Male Weld-On U-Bracket for 5/8" Pull Pin	5 Year	J-27	50-85-104	Accelerated Battery Charging Device (ABCD)	1 Year	M-6
500340	Replacement Part, Drop Leg Pull Pin Assembly, 7/8" x 2.25"	5 Year	J-26	5085115	Accessory Part, Post Mount Bracket Kit for Breakaway Kits #50-85-302/#50-85-312/#50-85-313/#50-85-315	1 Year	M-3, M-4
500341	Replacement Part, 7/8" Pin & Chain w/o Drive Screw	5 Year	J-26	50-85-200†	Assembled Breakaway System	1 Year	M-5
500344	Replacement Part, 12" Topwind Handle for 10K Square Jack	5 Year	J-27	50-85-201†	Assembled Breakaway System w/ABCD	1 Year	M-5
500349	Replacement Part, Bolt on Mounting Kit for XP Series Jacks	5 Year	J-35	50-85-302	Breakaway System for 1 to 3 Axle Trailers w/Electric Brakes, Includes Battery Box, 5 Amp Battery and Breakaway Switch	1 Year	M-4
500350	Replacement Part, Top Cover for F2 FW1600, FW2000 & FW3200 Winches	5 Year	J-54	50-85-312	Breakaway System w/ABCD for 1 to 3 Axle Trailers w/ Electric Brakes, Includes Battery Box, Charger and Breakaway Switch	1 Year	M-4
500351	Replacement Part, Back Cover for F2 FW2000 & FW3200 Winches	5 Year	J-54	50-85-320	Breakaway System w/ABCD charger for 1 to 3 Axle Trailers w/Electric Brakes, Includes Battery Box, 5 Amp Battery w/Push to Test LED Test Meter, and 48" Breakaway Switch	1 Year	M-3
500353	Replacement Part, Repair Kit (BX1, 3" Ball), Includes Handle Assembly, Locking Cam, Grease Fitting, Grooved Pin, Flanged Bushing & Torsion Spring	5 Year	J-43	50-85-325	Breakaway System for 1 to 3 Axle Trailers w/Electric Brakes, Includes Battery Box, 5 Amp Battery w/Push to Test LED Test Meter, Integrated Multi-Stage Charger and 48" Tekonsha Breakaway Switch	1 Year	M-3
500354	Replacement Part, Coupler Cap Spring		J-38	508572	Plastic Fender, 12" Tire Size, White, w/S w/UPC	5 Year	M-20
500356	Gooseneck Coupler Accessory, 5/16" Locking Pin for BX1 Gooseneck Couplers		J-43	508573	Plastic Fender, 13" Tire Size, White, w/UPC LBL	5 Year	M-20
500357	Replacement Part, Handle Kit for #KR10000301, KR15000301	1 Year	J-62	508574	Plastic Fender, 14" Tire Size, White, w/S w/UPC	5 Year	M-20
500358	Replacement Part, Cap for BGR20 0101	1 Year	M-25	50-86-004	6-Way Super Sealed Car End w/ 4' Cable	1 Year	C-46
500359	Replacement Part, Dual Output Motor for 500161 & 500170	5 Year	J-22	50-86-007	6-Way Super Sealed Car End w/ 7' Cable	1 Year	C-46
5009	Shoe and Lining Kit - Dexter 10" x 1-1/2" - Axle Set	1 Year	M-8, M-16	50-87-002	7-Way Super Sealed Car End w/ 2' Cable	1 Year	C-47
5010	Shoe and Lining Kit - Dexter 12" x 2" 7K - Wheel Set	1 Year	M-10, M-16	50-87-004	7-Way Super Sealed Car End w/ 4' Cable	1 Year	C-47
50223	Fifth Wheel Chain Bracket Kit, 18,000 lbs.	5 Year	E-17	50-87-007	7-Way Super Sealed Car End w/ 7' Cable	1 Year	C-47
50-57-007	7-Way Metal Connector, Trailer End	1 Year	C-47	50-87-009	7-Way Super Sealed Car End w/ 9' Cable	1 Year	C-47
50-57-503	7-Way Metal Connector, Car End	1 Year	C-47	50-97-407	Right Angle 7-Way Molded Car End w/ 7' Cable	1 Year	C-50
50-61-008	6-Way Molded Trailer End w/ 8' Cable, 3-10 Gauge, 3-14 Gauge	1 Year	C-46	50-97-410	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 9 ft., Dodge, Ford, GM, RAM & Toyota	1 Year	C-50
50-61-104	6-Way Molded Trailer End w/ 4' Cable, 6-14 Gauge	1 Year	C-46	50-97-411	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 9 ft., Dodge	1 Year	C-50
50-61-106	6-Way Molded Trailer End w/ 6' Cable, 6-14 Gauge	1 Year	C-46	50-97-412	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 9 ft., Toyota	1 Year	C-50
50-61-108	6-Way Molded Trailer End w/ 8' Cable, 6-14 Gauge	1 Year	C-46	50-98-003	6 & 7-Way Plug Holder	1 Year	C-65
50-67-001	7-Way Molded Trailer End w/ 6' Cable	1 Year	C-48	50-98-050	7-Way Blade to 4-Flat Adapter	1 Year	C-59
50-67-002	7-Way Molded Trailer End w/ 7' Cable	1 Year	C-48	50-98-051	7-Way Blade to 6-Way Round Pin (Auxiliary in Center) Adapter	1 Year	C-59
50-67-003	7-Way Molded Trailer End w/ 8' Cable	1 Year	C-48	50-98-052	7-Way Round Pin to 4-Flat Adapter	1 Year	C-59
50-67-004	7-Way Molded Trailer End w/ 9' Cable	1 Year	C-48	50-98-054	6-Way Round Pin to 4-Flat Adapter	1 Year	C-59
50-67-005	7-Way Molded Trailer End w/ 10' Cable	1 Year	C-48	5100	Activator® Electronic Brake Control, for 1 to 2 Axle Trailers, Timed Actuated	5 Year	H-9
50-67-007	7-Way Molded Trailer End w/ 12' Cable	1 Year	C-48	5101-HA	Magnet Kit - Hayes 10" x 1-5/8" & 2-1/4" and 12" x 2", 1994 & Later	1 Year	M-10, M-11, M-15, M-17
50-67-103	7-Way Molded Trailer Cord w/15ft. Cable	1 Year	C-48	5105	Magnet Kit - Hayes 10" x 2-1/4" & 1-5/8", Prior to 1987	1 Year	M-10, M-11, M-15, M-17
50-67-106	7-Way Molded Trailer Cord w/18ft. Cable	1 Year	C-48	5106	Magnet Kit - Dexter 10" x 2-1/4" / Hayes 10" x 2-1/4" & 1-5/8", After Mid 1987 thru 1993	1 Year	M-9 - M-11, M-15, M-17
50-67-210	Double Ended 7-Way Molded Trailer End w/ 8' Cable	1 Year	C-48	5109	Magnet Kit - Dexter or Hayes 12" x 2", After Late 1987 thru 1993	1 Year	M-9, M-11, M-15, M-17
50-67-408†	7-Way Molded Trailer End w/ 8' Cable and Breakaway Switch	1 Year	C-48	5113	Magnet Kit - Dexter 10" x 1-1/2" or 7" x 1-1/4", After 4/1990	1 Year	M-8, M-15, M-17
50-67-410	7-Way Molded Trailer End w/ 10' Cable and Breakaway Switch	1 Year	C-48	5114	Magnet Kit - Dexter 12" x 2", 7K Prior to Mid 1985	1 Year	M-10, M-15, M-17
50-67-503	7-Way Molded Trailer End w/ 8' Cable, 7-Way Metal Car End and Bracket	1 Year	C-48	5118	Magnet Kit - Dexter 10" x 1-1/2", After Mid 1988	1 Year	M-8, M-15, M-17
50-67-614	7-Way Molded Trailer End w/ 4' Cable	1 Year	C-49, K-29	51-20036	4-Flat to 5-Flat Adapter	1 Year	C-59
50-67-616	7-Way Molded Trailer End w/ 6' Cable	1 Year	C-49, K-29	5120TEK	Magnet Retaining Ring	1 Year	M-15
50-67-618	7-Way Molded Trailer End w/ 8' Cable	1 Year	C-49, K-29	5121TEK	Magnet Retaining Clip	1 Year	M-15
50-67-620	7-Way Molded Trailer End w/ 10' Cable	1 Year	C-49, K-29	5122	Wire Clip	1 Year	M-15
50-67-901	Double Ended 7-Way Molded Trailer Cord w/ 6' Cable	1 Year	C-48	51-30703	7-Way Blade to 5-Flat Adapter	1 Year	C-59
50-67-907	7-Way Molded Trailer Cord w/4ft. Cable	1 Year	C-48	51-57-503	7-Way Metal Connector, Car End	1 Year	C-47
50-767751	6" Red Oval LED Surface Mount Light w/Black Flange Base	1 Year	K-11	51-67-001	7-Way Molded Trailer End w/ 6' Cable	1 Year	C-48
50-767752	6" Red Oval LED Surface Mount Light w/Black Flange Base	1 Year	K-11	51-67-003	7-Way Molded Trailer End w/ 8' Cable	1 Year	C-48
50-77-001	7-Way Plastic Connector, Car End	1 Year	C-47	51-67-210	Double Ended 7-Way Molded Trailer Cord w/ 8' Cable	1 Year	C-48
50-77-003	7-Way Plastic Connector, Trailer End	1 Year	C-47	51-767811	6-Way Car End Tester w/LED Display	1 Year	O-2
50-77-070	7-Way Mounting Bracket	1 Year	C-63	51-77-001	7-Way Plastic Connector, Car End	1 Year	C-47
50-77-071	7-Way Mounting Bracket	1 Year	C-63	51-77-003	7-Way Plastic Connector, Trailer End	1 Year	C-47
50-77-074	7-Way / 4-Flat Mounting Bracket	1 Year	C-63				
50-77-075	7-Way / 5-Flat Mounting Bracket	1 Year	C-63				
50-85-002	Replacement Part, 48" Cable for Breakaway Switch #50-85-007	1 Year	M-6				
50-85-007	Breakaway Switch w/48" Cable and Pin Assembly	1 Year	M-6				
50-85-102	Replacement Part, Battery Box	1 Year	M-6				

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
51-86-004	6-Way Super Sealed Car End w/ 4' Cable	1 Year	C-46
51-86-007	6-Way Super Sealed Car End w/ 7' Cable	1 Year	C-46
51-87-002	7-Way Super Sealed Car End w/ 2' Cable	1 Year	C-47
51-87-004	7-Way Super Sealed Car End w/ 4' Cable	1 Year	C-47
51-87-007	7-Way Super Sealed Car End w/ 7' Cable	1 Year	C-47
51-97-407	Right Angle 7-Way Molded Car End w/ 7' Cable	1 Year	C-50
51-97-410	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 9 ft., Dodge, Ford, GM, RAM & Toyota	1 Year	C-50
51-97-411	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 9 ft., Dodge	1 Year	C-50
51-97-412	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 9 ft., Toyota	1 Year	C-50
51-98-005	4-Flat Car End Tester w/LED Display	1 Year	O-2
52 0801	Replacement Part, Coupler Repair Kit for Hand Wheel Coupler	5 Year	J-48
5209†	Actuating Lever - Dexter 10" x 2-1/4" R/H	1 Year	M-9, M-15
5210†	Actuating Lever - Dexter 10" x 2-1/4" L/H	1 Year	M-9, M-15
5211†	Actuating Lever - Hayes 12" x 2" R/H After Late 1987	1 Year	M-11, M-15
5212†	Actuating Lever - Hayes 12" x 2" L/H After Late 1987	1 Year	M-11, M-15
5215†	Actuating Lever - Dexter 12" x 2" R/H	1 Year	M-9, M-10, M-15
5216†	Actuating Lever - Dexter 12" x 2" L/H	1 Year	M-9, M-10, M-15
5280	Primus™, Envoy® and Pilot® Mounting Kit Bracket	1 Year	H-11
5298	Envoy®, Digitrac®II and Pilot® Pivot-Mounting Kit	1 Year	H-11
5304	Return Spring Set - Axle Set	1 Year	M-7, M-10 - M-12, M-16
5305	Return Spring Set - Axle Set	1 Year	M-9, M-10, M-11, M-16
5306	Return Spring Set - Axle Set	1 Year	M-8, M-16
5307	Return Spring Set - Axle Set	1 Year	M-7, M-9, M-11, M-13, M-16
5320	Hardware Kit - Axle Set	1 Year	M-8, M-16
5330	Hitch Hider Tube Cover, 2" Sq. Receivers w/Built-In 4-Flat Electrical Cover	1 Year	B-24
5350	Multi-Fit Motor Home Hitch, Fits Frames 24" to 46" Wide, Black, 5,000 lbs. WC, 6,000 lbs. WD	Lifetime	A-14
5351	Receiver Tube Cover, 1-1/4" Sq., Chrome, Metal	1 Year	B-24
5352	Receiver Tube Cover, 2" Sq., Chrome, Metal	1 Year	B-24
5353	Hold Down Kit - Axle Set	1 Year	M-7, M-9 - M-13, M-16
5362	Rubber Economy Receiver Tube Cover w/"D" Logo for 1-1/4" Sq. Receivers	1 Year	B-24
5363	Receiver Tube Cover, 2" Sq., Black, Plastic (1202)	1 Year	B-24
54000-026	4-Flat Trailer End Connector 11' Long, Coiled	1 Year	C-42
54000-027	5-Flat Trailer End Connector 11' Long, Coiled	1 Year	C-42
54001	Replacement Part, Taillight Lens Submersible 80 Series w/8 - Self Tap Screws (#8 x 1/2") for #2423006, #2423008, #2423056, #2423058, #2423283, #2423284	1 Year	K-23, K-24
54002	Replacement Part, Taillight Side Lens Submersible Under 80 Series w/4 - Self Tap Screws (#8 x 1/2") for #2423006, #2423056, #2423283, #2423284	1 Year	K-23
54003	Replacement Part, Taillight Side Lens Submersible Over 80 Series w/4 - Self Tap Screws (#8 x 1/2") for #2423008, #2423058	1 Year	K-24
54003-017	Replacement Part, AG Harness, 4 Wire w/4-Way Sqaure Connector	1 Year	C-55, K-29
54003-018	Replacement Part, AG Harness, 4 Wire w/4-Way Sqaure Connector	1 Year	C-55, K-29
54003-020	Replacement Part, AG Harness, 4 Wire w/4-Way Weatherpack Connector	1 Year	C-55, K-29
54003-040	Economy AG LED Light Kit, 7-Pin, Amber/Amber/Red, Tri-Mold w/35' Wishbone Harness	1 Year	C-57, K-27
54003-041	Deluxe AG LED Transport Kit w/Brake Light Function, 7-Pin, Amber/Amber/Red, w/46' Wishbone Harness	1 Year	C-57, K-27
54004	Red Stop/Tail/Turn w/Black Flange w/Chrome Trim Snap Ring	1 Year	K-11
54005	LED Oval Courtesy Light Clear w/Grommet w/3 Wire 90 Degree Pigtail	1 Year	K-26

PART NO.	DESCRIPTION	WNTY	PAGE #
54006	Red Stop/Tail/Turn Light w/Grommet w/3 Wire 90 Degree Pigtail	1 Year	K-11
54006-009	7-Way Molded Trailer End w/6' Cable, Heavy Duty Cold Weather Insulated Blue Silicon	1 Year	C-48
54006-010	7-Way Molded Trailer End w/8' Cable, Heavy Duty Cold Weather Insulated Blue Silicon	1 Year	C-48
54006-015	7-Way Molded Trailer End w/10' Cable, Heavy Duty Cold Weather Insulated Blue Silicon	1 Year	C-48
54006-016	7-Way Molded Trailer End w/12' Cable, Heavy Duty Cold Weather Insulated Blue Silicon	1 Year	C-48
54006-043	Coiled 7-Way Molded Trailer Connector, 6'	3 Year	C-49
54006-044	Coiled 7-Way Molded Trailer Connector, 8'	3 Year	C-49
54006-045	Coiled 7-Way Molded Trailer Connector, 10'	3 Year	C-49
54006-046	Coiled 7-Way Molded Trailer Connector, 12'	3 Year	C-49
5404	Adjusting Screw Kit	1 Year	M-7 - M-13, M-16
5407	Adjusting Screw Spring - Axle Set	1 Year	M-16
54-18137	4, 5 and 6-Way Round Mounting Bracket (Includes Screws and Nuts)	1 Year	C-63
54200-003-100	Replacement Part, Gasket (Foam) for #92 Series Tail Light (100 pack)	1 Year	K-16
54-20012	7-Way US Car Mounting Bracket with Universal Mounting Bracket and Clamp (Long) (Includes Screws and Nuts)	1 Year	C-63
54-20045	5-Flat Mounting Bracket	1 Year	C-63
54201-003	Hi Intensity Micro LED Amber Side Marker Clearance Light w/Grommet	1 Year	K-32
54201-004	Hi Intensity Micro LED Red Side Marker Clearance Light w/Grommet	1 Year	K-32
54201-005	Hi Intensity Micro LED Clear Light w/Grommet	1 Year	K-32
54201-006	Hi Intensity Micro LED Amber Side Marker Clearance Light w/Grommet	1 Year	K-32
54201-007	Hi Intensity Micro LED Red Side Marker Clearance Light w/Grommet	1 Year	K-32
54201-008	Hi Intensity Micro LED Clear Light w/Grommet	1 Year	K-32
54201-011	LED Fender Clearance Light Left Side	1 Year	K-36, K-44
54201-013	LED Fender Clearance Light Right Side	1 Year	K-36, K-44
54201-014	LED Fender Clearance Light Kit	1 Year	K-36, K-44
54205-010	LED Light Strip Red - 36" w/54 Diodes Per Strip	1 Year	K-45
54205-011	LED Light Strip Blue - 36" w/54 Diodes Per Strip	1 Year	K-45
54205-012	LED Light Strip Amber - 36" w/54 Diodes Per Strip	1 Year	K-45
54205-013	LED Light Strip Green - 36" w/54 Diodes Per Strip	1 Year	K-45
54205-014	LED Light Strip Clear - 36" w/54 Diodes Per Strip	1 Year	K-45
54205-015	LED Light Strip Red - 16' Per Reel (Bulk)	1 Year	K-45
54205-016	LED Light Strip Blue - 16' Per Reel (Bulk)	1 Year	K-45
54205-017	LED Light Strip Amber - 16' Per Reel (Bulk)	1 Year	K-45
54205-018	LED Light Strip Green - 16' Per Reel (Bulk)	1 Year	K-45
54205-019	LED Light Strip Clear - 16' Per Reel (Bulk)	1 Year	K-45
54205-020	LED Multi-Functional Strobe Light w/11-3/4" Leads & Bracket - Amber	1 Year	K-45
54205-021	LED Multi-Functional Strobe Light w/11-3/4" Leads & Bracket - Clear	1 Year	K-45
54205-022	LED Strobe Light w/13' Coiled Cord & Magnetic Base - Amber	1 Year	K-45
54205-023	LED Strobe Light w/13' Coiled Cord & Magnetic Base - Clear	1 Year	K-45
54205-024	LED Strobe Light w/13' Coiled Cord & Magnetic Base - Purple	1 Year	K-45
54206-001	License Plate Light, Mini LED	1 Year	K-49
54209-001	Round Auxiliary LED Work Light for Hardwiring w/ Mounting Stud	1 Year	K-25
54209-002	Rectangular Auxiliary LED Work Light for Hardwiring w/ Mounting Stud	1 Year	K-25
54209-005	Replacement Part, Dual LH LED AG Light w/3-Wire Leads - Lens: Rear-Amber/Red, Front-Blank/Amber	1 Year	C-57, K-27
54209-006	Replacement Part, Dual LH LED AG Light w/3-Wire Plug (Lens: Rear-Amber/Red, Front-Blank/Amber)	1 Year	C-57, K-27
54209-007	Replacement Part, Dual LH LED AG Light w/4 Wire Leads - Lens: Rear-Amber/Red, Front-Blank/Amber	1 Year	C-57, K-27
54209-008	Dual AG LED Light w/Amber/Red w/Brake Light Function	1 Year	C-57, K-27

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
54209-009	Replacement Part, Single LED AG Light w/2 Wire Leads - Lens: Rear-Red, Front-Blank	1 Year	C-57, K-27	54801-025	Brake Assembly, Right Hand, 12" x 2"	1 Year	M-14
54209-010	Single AG LED Light w/Red/Black	1 Year	C-57, K-27	54801-026	Brake Assembly, Left Hand, 12" x 2"	1 Year	M-14
54209-011	Replacement Part, Single LED AG Light w/2 Wire Leads - Lens: Rear-Amber, Front-Amber	1 Year	C-57, K-27	54801-126L	Brake Assembly, Left Hand, 12" x 2"	1 Year	M-14
54209-012	Single AG LED Light w/Amber/Amber	1 Year	C-57, K-27	54801-126R	Brake Assembly, Right Hand, 12" x 2"	1 Year	M-14
54209-013	Replacement Part, Single LED AG Light w/3 Wire Leads - Lens: Rear-Red, Front-Blank	1 Year	C-57, K-27	54801-156L	Brake Assembly, Left Hand, 10" x 2-1/4"	1 Year	M-14
54209-014	Replacement Part, Single LED AG Light w/3-Way Plug - Lens: Rear-Red, Front-Blank	1 Year	C-57, K-27	54801-156R	Brake Assembly, Right Hand, 10" x 2-1/4"	1 Year	M-14
54209-015	Replacement Part, Single LED AG Light w/3 Wire Leads - Lens: Rear-Amber, Front-Amber	1 Year	C-57, K-27	5481	7/16" Wire Forms for Fishwiring Bolts in Frames (20 pack)	1 Year	O-3
54209-016	Replacement Part, Single LED AG Light w/3-Way Plug - Lens: Rear-Red, Front-Amber	1 Year	C-57, K-27	5482	1/2" Wire Forms for Fishwiring Bolts in Frames (20 pack)	1 Year	O-3
54209-017	Round Auxiliary LED Work Light w/19' Coiled Cord & Magnetic Base	1 Year	K-25	54-85-002	Replacement Part, 48" Cable for Breakaway Switch #54-85-007	1 Year	M-6
54209-018	Rectangular Auxiliary LED Work Light w/19' Coiled Cord & Magnetic Base	1 Year	K-25	54-85-007	Breakaway Switch w/48" Cable and Pin Assembly	1 Year	M-6
54209-019	Replacement Part, Dual RH LED AG Light w/3 Wire Leads - Lens: Rear-Red/Amber, Front-Amber/Blank	1 Year	C-57	54970	Wt. Dist. Shank, 15,000 lbs. (GTW), 1,500 lbs. (TW), 12-1/4" Length & 10,000 lbs. (GTW), 1,000 lbs. (TW), 13-1/4" Length	Lifetime	D-18
54209-020	Dual AG LED Light w/Red/Amber	1 Year	C-57, K-27	54976	Titan® Wt. Dist. Shank, Rating 1,700 lbs. (TW), 2-1/2" Dia., 15" Length, 5-1/4" Rise, 1-1/4" Drop	Lifetime	D-9, D-18
54209-021	Replacement Part, Dual RH LED AG Light w/4 Wire Leads-Lens: Rear-Red/Amber, Front-Amber/Blank	1 Year	C-57, K-27	54977	Titan® Wt. Dist. Shank, Rating 1,700 lbs. (TW), 2-1/2" Dia., 15" Length, 8-1/4" Rise, 5-3/4" Drop	Lifetime	D-9, D-18
54209-022	Dual AG LED Light w/Red/Amber w/Brake Light Function	1 Year	C-57, K-27	54980	Replacement Part, Adjustable Trunnion Weight-Distributing Bolt-Together Head Kit w/#54970 Shank	Lifetime	D-16
54209-025	Rectangular Auxiliary LED Work Light w/2-Flat Plug & Mounting Stud	1 Year	K-25	54-98-002	Battery Isolator - 3 Terminal	1 Year	N-5
54209-031	Pedestal Mount AG LED Light w/Amber/Amber	1 Year	C-57, K-27	54-98-003	6 & 7-Way Plug Holder	1 Year	C-65
54209-032	Pedestal Mount Single AG LED Light w/Red/Red	1 Year	C-57, K-27	54-98-004	Battery Isolator - 4 Terminal	1 Year	N-5
54311-001	4" Plan-O-Gram Incandescent/Electrical	1 Year	K-57, K-58	54-98-050	7-Way Blade to 4-Flat Adapter	1 Year	C-59
54311-002	2" Plan-O-Gram LED	1 Year	K-57, K-58	54-98-051	7-Way Blade to 6-Way Round Pin (Auxiliary in Center) Adapter	1 Year	C-59
5443	Front Mounted Receiver Accessory, License Plate Holder	1 Year	A-15	54-98-052	7-Way Round Pin to 4-Flat Adapter	1 Year	C-59
54501-002†	7-Way Breaker Box	1 Year	C-66	54994	Replacement Part, Adjustable Trunnion Weight-Distributing Bolt-Together Head Kit w/#54998 Shank	Lifetime	D-16
54-57-007	7-Way Metal Connector, Trailer End	1 Year	C-47	54998	Wt. Dist. Shank, 16,000 lbs. (GTW), 1,600 lbs. (TW), 12-1/4" Length	Lifetime	D-18
54-57-503	7-Way Metal Connector, Car End	1 Year	C-47	5500†	Activator® II Electronic Brake Control, for 1 to 4 Axle Trailers, Timed Actuated	Lifetime	H-9
54-60-101	6-Way Metal Connector, Car End - USA	1 Year	C-45	55010	5/8" Hitch Pin for 2" Sq. Receivers	1 Year	B-19
54-60-103	6-Way Metal Connector, Trailer End - USA	1 Year	C-45	55010-050	5/8" Hitch Pin for 2" Sq. Receivers (50 pack)	1 Year	B-19
54-6562	7-Way Blade Tester and Trailer Emulator w/LED Display	1 Year	O-2	5502	Bearing Sets (Cup & Cone)	1 Year	M-7 - M-12, M-16, M-17
54-67-525	7-Way Molded Trailer End Kit w/ 1' Cable (Includes Hardware)	1 Year	C-49	5503	Bearing Sets (Cup & Cone)	1 Year	M-7, M-9, M-11 - M-13, M-16, M-17
54700-003	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 7 ft., Dodge, Ford, GM, RAM & Toyota	1 Year	C-50	5504	Activator® IV Electronic Brake Control, for 1 to 4 Axle Trailers, Timed Actuated	Lifetime	H-8
54700-004	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 7 ft., Toyota	1 Year	C-50	5505	Bearing Sets (Cup & Cone)	1 Year	M-7, M-9, M-11, M-12, M-16, M-17
54701-003	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 7 ft., Dodge, Ford, GM, RAM & Toyota	1 Year	C-50	5506	Bearing Sets (Cup & Cone)	1 Year	M-7, M-9, M-16, M-17
54701-004	90° Fifth Wheel Adapter Harness, 7-Way Flat Pin Connector Assembly 7 ft., Toyota	1 Year	C-50	5507	Bearing Sets (Cup & Cone)	1 Year	M-8 - M-12, M-13, M-16, M-17
54-767811	6-Way Car End Tester w/LED Display	1 Year	O-2	5508	Bearing Sets (Cup & Cone)	1 Year	M-7, M-10, M-16, M-17
54-77-001	7-Way Plastic Connector, Car End	1 Year	C-47	5509	Bearing Sets (Cup & Cone)	1 Year	M-7, M-10, M-16, M-17
54-77-003	7-Way Plastic Connector, Trailer End	1 Year	C-47	5520	Activator® III Electronic Brake Control, for 1 to 4 Axle Trailers, Timed Actuated	Lifetime	H-9
54-77-071	7-Way Mounting Bracket	1 Year	C-63	55393	3/8" Wire Forms for Fishwiring Bolts in Frames (1 piece)	1 Year	O-3
54-77-074	7-Way / 4-Flat Mounting Bracket	1 Year	C-63	55515	Clip used w/#06237, #55010, #74149 Hitch Pins	1 Year	B-19
54-77-075	7-Way / 5-Flat Mounting Bracket	1 Year	C-63	55515-050	Clip used w/#06237, #55010, #74149 Hitch Pins (50 pack)	1 Year	B-19
54801-001	Brake Assembly, Right Hand, 10" x 2-1/4"	1 Year	M-14	5592	Safety Chain, Class II, 72" Length	1 Year	M-22
54801-002	Brake Assembly, Left Hand, 10" x 2-1/4"	1 Year	M-14	5602	Grease Seal	1 Year	M-15
54801-003	Brake Assembly, Right Hand, 12" x 2"	1 Year	M-14	5603	Grease Seal	1 Year	M-8, M-10, M-15
54801-004	Brake Assembly, Left Hand, 12" x 2"	1 Year	M-14	5604	Grease Seal	1 Year	M-7, M-9 - M-12, M-15
54801-005	Brake Assembly, Right Hand, 10" x 2-1/4", Self-Adjusting	1 Year	M-14	5605	Grease Seal	1 Year	M-11, M-12, M-15
54801-006	Brake Assembly, Left Hand, 10" x 2-1/4", Self-Adjusting	1 Year	M-14				
54801-007	Brake Assembly, Right Hand, 12" x 2", Self-Adjusting	1 Year	M-14				
54801-008	Brake Assembly, Left Hand, 12" x 2", Self-Adjusting	1 Year	M-14				
54801-023	Brake Assembly, Right Hand, 10" x 2-1/4"	1 Year	M-14				
54801-024	Brake Assembly, Left Hand, 10" x 2-1/4"	1 Year	M-14				

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
5606	Grease Seal	1 Year	M-9, M-10, M-15
5607	Grease Seal	1 Year	M-8, M-15
5608	Grease Seal	1 Year	M-9, M-10, M-15
5621P01	Replacement Part, Cable Keeper, -K/KX1051, K/KX1550, KX1575, K2550	5 Year	J-62
5651	Grease Cap	1 Year	M-7 - M-12, M-15
5652	Grease Cap	1 Year	M-7, M-9 - M-12, M-15
5691	Receiver Fabrication Part, 12" Combo Bar w/Forged Collar, 2" Sq. ID, Unpainted	1 Year	A-16
5692	Receiver Fabrication Part, 18" Combo Bar w/Forged Collar, 2" Sq. ID, Unpainted	1 Year	A-16
5707	Brake Assembly - Dexter 10" x 2-1/4" L/H	1 Year	M-9, M-15
5708	Brake Assembly - Dexter 10" x 2-1/4" R/H	1 Year	M-9, M-15
5711	Brake Assembly - Dexter 12" x 2" L/H	1 Year	M-9, M-15
5712	Brake Assembly - Dexter 12" x 2" R/H	1 Year	M-9, M-15
5713-HA	Brake Assembly - Hayes 12" x 2" L/H - Replace in Pairs	1 Year	M-11, M-15
5714-HA	Brake Assembly - Hayes 12" x 2" R/H - Replace in Pairs	1 Year	M-11, M-15
5720	Brake Assembly Mounting Bolt - 3/8"	1 Year	M-14, M-15
5721	Brake Assembly Mounting Bolt - 7/16"	1 Year	M-14, M-15
5761	Clevis Ball Mount, 2" Sq. Hollow Shank, 9-3/4" Length, Rating 3,500/350 as Ball Mount, Rating 5,000/350 as Clevis Mount, 3/4" Holes, Black Finish	Lifetime	B-18
5762	Clevis Ball Mount, 2" Sq. Hollow Shank, 9-3/4" Length, Rating 6,000/600 as Ball Mount, Rating 6,000/600 as Clevis Mount, 1" Holes, Black Finish	Lifetime	B-18
5763	Pin for Clevis Mount, 3/4" Diameter	1 Year	B-18
5764	Pin for Clevis Mount, 1" Diameter	1 Year	B-18
5774	Spindle Nut Kit	1 Year	M-17
5775	Spindle Nut Kit	1 Year	M-17
5780	Trailer Tongue Weight Scale, 2,000 lbs. Capacity	1 Year	O-3, D-19
5780TEK	Wheel Nut	1 Year	M-17
5787	Wheel Bolt	1 Year	M-17
5800200	R.T.A. Cargo Carrier w/7" Side Rails, 32" x 48" Platform, 2" Sq. Receiver Mount	1 Year	I-20
5800300	Cargo Carrier Accessory, Ramp 43" x 30" x 1"	1 Year	I-20
5800600†	Cargo Carrier Accessory, Anti-Skid Tape 12'	1 Year	I-52
5800700	Replacement Part, D-Rings for #5800200 Cargo Carrier & The Moover™ Transporter System (4 pack)	1 Year	I-52
5801200	SportWing™ Aluminum Bike Carrier, 2 Bike, 1-1/4" Sq. Receiver Mount, Includes 2" Sq. Receiver Adapter	1 Year	I-10
5801600	R.T.A. Cargo Carrier w/7" Side Rails, 32" x 48" Platform, 2" Sq. Receiver Mount (Includes Ramp, Anti-Skid Tape, (4) D-Rings)	1 Year	I-20
5802100†	Replacement Part, #5800200 Cargo Carrier w/7" Side Rails, 32" x 48" Platform Only	1 Year	I-52
58023	Fifth Wheel Bracket Kit (Optional for #30035)	5 Year	E-18
580400	5/8" Chrome Bent Pin Lock	Lifetime	B-21, L-2
580401	5/8" Chrome Dogbone Lock	Lifetime	B-21, L-2
580402	5/8" SS Dogbone Lock	Lifetime	B-21, L-2
580403	Chrome Coupler Lock	Lifetime	B-21, L-2
580404	5/8" Chrome Dogbone Lock w/ Chrome Coupler Lock	Lifetime	B-21, L-2
580405	Stainless Steel Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers	Lifetime	B-21, L-2
580406	Stainless Steel Combo Lock Set, 5/8" Dogbone Lock w/Sleeve for 1-1/4" & 2" Square Receivers and Coupler	Lifetime	B-21, L-2
580407	Easy Access Lock w/Sleeve for 1-1/4" & 2" Square Receivers	Lifetime	B-21, L-2
580408	Stainless Steel Coupler Lock	Lifetime	B-21, L-2
580409	Easy Access Long Coupler Lock	Lifetime	B-21, L-2
580410	Easy Access Adjustable Coupler Lock	Lifetime	B-21, L-2
58058	Fifth Wheel Mounting Rails Only (10 - Bolt Design)	5 Year	E-18
58060	Replacement Part, Ball Assembly for DT #3400, RS #26660 & PS #83660	Lifetime	D-16, D-17

PART NO.	DESCRIPTION	WNTY	PAGE #
58062	Replacement Part, Sway Control Adapter, Ball and Plate Assembly w/Mounting Screws for DT #3400, RS #26660	Lifetime	D-16, D-17
58070	Receiver Tube Cover, 1-1/4" Sq., Black Nylon, (24 pack)	1 Year	B-24
58079	The Goose® Gooseneck Hitch (Requires Rails & Installation Kit #30035)	Lifetime	G-6
58093	Fifth Wheel Lock Links (4 pack)	5 Year	E-17
58099	Replacement Part, 20K Head Assembly Only	Lifetime	E-9
58102	Titan®, Ball Mount Reducer Bushing (2-1/2" to 2")	1 Year	A-11, B-15
58109	Reducer Bushing 1" to 3/4"	Lifetime	B-15
58112	Replacement Part, Adjustable Ball Mount w/Hardware for Heavy-Duty Round Bar	Lifetime	D-8
58114	Replacement Part, Heavy-Duty Round Bar/800 lbs. Spring Bar (Qty. 1)	Lifetime	D-8
58115	Replacement Part, Heavy-Duty Round Bar/1200 lbs. Spring Bar (Qty. 1)	Lifetime	D-8
58117	Hitch Ball Lube	1 Year	O-3
58146	Replacement Part, 16K Fifth Wheel Head for #58147	Lifetime	E-11
58147	Replacement Part, 16K Cross Member for #58146	Lifetime	E-11
58162	Replacement Part, Snap Up Bracket Handle	Lifetime	D-19
58166	Fifth Wheel Tube Spacer Kit (Optional for #30035)	5 Year	E-18
58167	Replacement Part, Titan® Trunnion Weight-Distributing Bolt-Together Head Kit	Lifetime	D-7, D-9
58184	Reducer Bushing, 1-1/4" to 1"	Lifetime	B-15
58207	Replacement Part, Heavy-Duty Round & High-Performance Trunnion Bar Wt.-Dist. Head Shim Kit	Lifetime	D-7, D-8
58208	Chevrolet Composite Bed Kit for Above the Bed Rail Kit #30035 (10 - Bolt Design) used w/Select Series Fifth Wheels & 25K Above-Bed Gooseneck	5 Year	E-18, G-6, G-8, G-11
58305	Wt. Dist. Accessory, Chain Hanger, Bolt On	Lifetime	D-19
58306	Wt. Dist. Accessory, Chain Hanger, Clamp On	Lifetime	D-19
58312	Replacement Part, Gooseneck Head U-Bolt Kit for #9460, #9461, #9464, #9465, #9470, #9471, #9474, #9475	Lifetime	G-11
58314	Replacement Part, Mounting Brackets for Fifth Wheel Rails	Lifetime	E-18
58356	Replacement Part, Reese SC™ 600 lbs. Spring Bar	Lifetime	D-6
58357	Replacement Part, Reese SC™ 800 lbs. Spring Bar	Lifetime	D-6
58358	Replacement Part, Reese SC™ 1200 lbs. Spring Bar	Lifetime	D-6
58359	Replacement Part, Reese SC™ 1500 lbs. Spring Bar	Lifetime	D-6
58369	Replacement Part, Ultra Frame 1500 lbs. Spring Bar	Lifetime	D-7, D-11
58381	3-1/2" Hole Saw For Hide-A-Goose	1 Year	O-3, G-11
58385	Replacement Part, 20K & 22K Fifth Wheel Base Vertical Adjustment Bracket w/Mounting Hardware (Qty. 1) for #30033/#30034/#6021/#6022	Lifetime	E-9
58388	Replacement Part, Super Titan®, 3/4" Hitch Pin and Clip for 3" Sq. Receivers	1 Year	A-12
58389	Replacement Part, Magnetic Cover for Hide-A-Goose™ Gooseneck	Lifetime	G-11
58390	Replacement Part, Magnetic Cover for Under-Bed Gooseneck	Lifetime	G-11
58392	Replacement Part, Titan® & Ultra Frame Snap-up Bracket w/Set Screw & Safety Pin	Lifetime	D-7, D-12, D-19
58393	Pole Tongue Adapter and Fastener Kit	Lifetime	D-19
58394	Replacement Part, Hardware for #5800200, #5801600 & #5802100	1 Year	I-52
58395†	Replacement Part, Hardware for #5800300 & #5801600	1 Year	I-52
58400	Replacement Part, Bike Carrier Strap for #1370100, #1370400, #1370500, #5801200	1 Year	I-51
58401	Replacement Part, Bike Carrier Cradles w/Straps for #1370100, #1370400, #1370500, #5801200	1 Year	I-51
58419	Replacement Part, Service Kit Adapter Foot for Signature Series Fifth Wheels & Goosenecks is Required When Used on Reese Elite™ Series & OEM Rail Kits	Lifetime	G-6
58431	Titan®, Ball Mount Reducer Bushing w/Collar (2-1/2" to 2")	1 Year	A-11, B-15
58438	Replacement Part, Stabilizer Strips for Hide-A-Goose #9480 & Under-Bed #9481 18K Hi-Rise™ Fifth Wheel Conversion Hitches	5 Year	G-8, G-10

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
58439	Replacement Part, Pro Series Complete RB & RB3, 550 lbs. Spring Bar w/o Bend (Qty. 2)	10 Year	D-14, D-15	59400	ROLA®, TX-102 Bike Carrier, 2 Bike, 1-1/4" Sq. or 2" Sq. Receiver Mount, Folding Dual Arm Rail Rack w/Tilt Function, Integrated Retractable Cable Lock, Anti-Sway	5 Year	I-8
58440	Replacement Part, Pro Series Complete RB & RB3, 750 lbs. Spring Bar w/o Bend (Qty. 2)	10 Year	D-14, D-15	59405	Replacement Part, TX Strap (Qty. 2) for Bike Racks #59400, #59401, #59403	5 Year	I-51
58441	Replacement Part, Pro Series Complete RB & RB3, 1000 lbs. Spring Bar w/o Bend (Qty. 2)	10 Year	D-14, D-15	59406	Replacement Part, TX Cradle (Qty. 1) for Bike Racks #59400, #59401, #59403	5 Year	I-51
58442	Replacement Part, Pro Series Complete RB & RB3, Weight Distributing Bolt-Together Head w/2-5/16" Chrome Hitch Ball, Sway Control Ball & Mounting Hardware	10 Year	D-14, D-15	59407	Replacement Part, TX Anti-Sway Cradle & Strap (Qty. 1) for Bike Racks #59400, #59401, #59403	5 Year	I-51
58444	Replacement Part, Pro Series Complete RB & RB3, Weight Distributing Bolt-Together Head Shim Kit	10 Year	D-14, D-15	59500	ROLA®, 2" Polypropylene Cargo Carrier, 22" x 56" Platform (2 piece), 2" Sq. Receiver Mount, 400 lbs. Capacity	5 Year	I-19
58458	Replacement Part, Trim Rings (Qty. 4) for GM & Dodge Elite™ Series Rail Kits	Lifetime	E-4	59502	ROLA®, Steel Cargo Carrier for 2" Sq. Receivers w/5-1/4" Rail, 23" x 56" Platform (2 piece)	5 Year	I-17
58467	Replacement Part, Hole Style Pins (Qty. 4) & Clips (Qty. 4) for Reese Outboard Fifth Wheel Mounting Rails #30153	Lifetime	E-8, E-18	59504	ROLA®, 2 - Piece Roof Top Vortex Cargo Carrier (48" x 37-1/2" x 4") w/Custom Air Deflector	5 Year	I-22
58468	Replacement Part, Safety Chain Attachment (Qty. 2) for Elite™ Under-Bed Bolt-On Gooseneck	Lifetime	G-6	59506	Replacement Part, ROLA®, Roof Top Vortex Cargo Carrier #59504, Hardware Mounting Kit - (1) U-Bolt, (1) Spacer Block, (2) Knobs, & (1) Top Plate	5 Year	I-52
58471	Replacement Part, Pro Series 20K Head Assembly	10 Year	E-16	59507	ROLA®, Steel Cargo Carrier for 1-1/4" Sq. Receivers w/5-1/4" Rail, 23" x 56" Platform (2 piece)	5 Year	I-17
58472	Replacement Part, Pro Series 20K Crossmember	10 Year	E-16	59508	ROLA®, NV2™ Bike Carrier, 2 Bike, 1-1/4" Sq. or 2" Sq. Receiver Mount w/Flip Shank	5 Year	I-7
58473	Replacement Part, Pro Series 16K & 20K Handle, Grip & Cotter Pin	10 Year	E-16	59510	Replacement Part, Latch Kit for #59109, #59110	5 Year	I-52
58474	Replacement Part, Pro Series 20K Pivot Pin, Nut & Cotter Pin	10 Year	E-16	59512	Replacement Part, Bike Carrier Arm Tube Caps (Qty. 2) for #59508	5 Year	I-51
58475	Replacement Part, Pro Series 20K Fifth Wheel Hardware Kit	10 Year	E-16	59513	Accessory Shank, 1-1/4" Sq. Receiver Mount w/4-1/4" Rise, Includes Pin & Clip for #59400, #59401, #59403, #59508, #63123	5 Year	I-51, I-52
58476	Replacement Part, Pro Series 16K Head Assembly w/ Dual Jaw System	10 Year	E-16	59514	Replacement Part, ROLA® Bike Carrier Cradles (Qty. 4) & Anti-Sway Fingers (Qty. 2) for #59508	5 Year	I-51
58493	Replacement Part, Titan® Round Tube Slider Handle, Grip, Roll Pin & Cotter Pins	Lifetime	E-8	59516	LED Light Kit For Railed Cargo Carrier Part #63152, #63153, #63154, #63155, #59108, #59109, #59110, #59502, #59507, #59550. #38174	5 Year	I-24, I-51
58503	Fifth Wheel Mounting Rails Accessory, Corrugation Spacer Kit for #30035/#30153/#58058 (10 - Bolt Design)	5 Year	E-18	59520	Replacement Part, ROLA®, 2" Steel Cargo Carrier #59502, Hardware Mounting Kit - (8) Bolts 3/8"-16 x1" GR5, (8) Locknuts 3/8"-16 GR5, (4) Bolts 7/16"-14 x 1" GR5 & (4) Locknuts 7/16"-14 GR5	5 Year	I-52
58504	Replacement Part, Installation Hardware for #30035/#30153/#58058 (10 - Bolt Design) (Contains: (10) Carriage Bolt 1/2"-13 x 2" GR8, (10) Hex Nut 1/2"-13 GR5 & (10) Block 5/16" x 1" x 2")	Lifetime	E-18	59530	ROLA®, Packer™ Cargo Carrier w/2-1/2" Side Rails, 20" x 60" Platform, 1-1/4" Receiver Mount w/2" Adapter, Includes 1/2" & 5/8" Pins & Clips	1 Year	I-19
58507	Dual Cam HP Accessory, Rivet Nuts (Qty. 4)	Lifetime	D-16, D-17	59550	ROLA®, Dart™ Folding Cargo Carrier for 2" Sq. Receivers w/5-1/4" Rail, 23" x 56" Platform (2 piece)	5 Year	I-15
58518	Service Kit, Reese SC™ 800 lbs. Bracket for Bottom Mounted Couplers	Lifetime	D-6	59560	Replacement Part, ROLA® Expandable Cargo Bag #59102, Strap Kit (6)	5 Year	I-52
58519	Service Kit, Reese SC™ 1,200 lbs. Bracket for Bottom Mounted Couplers	Lifetime	D-6	59622	Universal 2 Bar Van Rack	5 Year	I-34
58521	Replacement Part, 16K Head Assembly Hardware (Contains: (1) Cotter Pin, (2) Rubber Mumpers, (4) Locknuts 1/2"-13, (4) Hex Bolt 1/2"-13 x 4-1/2" GR5, (2) Nuts 8-32, (4) Spring Clips, (2) Machine Screws 8-32 x 1" & (4) Pull Pins)	Lifetime	E-11, E-14	59623	Universal 3 Bar Van Rack	5 Year	I-34
58524	Replacement Part, Cover for Hide-A-Goose™ Gooseneck	Lifetime	G-11	59701	Replacement Part, Bolts (4) M6 x 30MM	5 Year	I-53
5868P01	Winch Handle, 6"	5 Year	J-62	59702	Replacement Part, Bolts (4) M6 x 50MM	5 Year	I-53
59000	ROLA®, MOVE® Rigid Base Small Interior Organizer (25" x 15" x 7")	5 Year	I-29	59703	Replacement Part, Quarter Turn Plugs (4)	5 Year	I-53
59001	ROLA®, MOVE® Rigid Base Large Interior Organizer (38" x 15" x 7")	5 Year	I-29	59710	Replacement Part, Cage Nuts M6-1 (4)	5 Year	I-53
5901TEK	P3® T-Slot Bracket	1 Year	H-11	59711	Roof Rack, Removable Mount RBU Series, Bar Length 55-1/8" (1400mm)	5 Year	I-41
5904	P3® T-Slot Metal Bracket	1 Year	H-11	5973	Replacement Part, 2-5/16" Ball	Lifetime	G-11
5906	Replacement Part, P3® T-Slot Mounting Kit	1 Year	H-11	59742	Truck Bed Rack, Removable Rack (1600mm)	5 Year	I-32
59100	ROLA®, Platypus® Expandable Roof Top Bag (10 to 15 cubic ft.)	5 Year	I-27	59745	Replacement Part, REX Series Cross Bar End Cap (Qty.1) Service Kit for Roof Racks	5 Year	I-53
59102	ROLA®, Expandable Cargo Carrier Bag (9-1/2 to 11-1/2 cubic ft.)	5 Year	I-25	59746	Replacement Part, APE-RE Series Cross Bar Undercover (Qty.2) Service Kit for Roof Racks	5 Year	I-53
59108	ROLA®, Adventure System (Includes Tray w/Lights, Pod & 1-1/4" Assy.)	5 Year	I-16	59747	Replacement Part, RBU Series Cross Bar Undercover (Qty.2) Service Kit for Roof Racks	5 Year	I-53
59109	ROLA®, Adventure System w/Swing Away (Includes Tray w/Lights, Pod & 2" Swing Away Assy.)	5 Year	I-16	59748	Replacement Part, RBU Series Cross Bar End Support (Qty.1) Service Kit for Roof Racks	5 Year	I-53
59110	ROLA®, Adventure System w/Tilt (Includes Tray w/ Lights, Pod & 2" Tilt Up Assy.)	5 Year	I-16	59749	Replacement Part, RBU Series Cross Bar Buffer Strips (Qty.2) Service Kit for Roof Racks	5 Year	I-53
59117	ROLA®, Adventure System License Plate Light Kit for the Cargo Tray	5 Year	I-52	59750	Replacement Part, REX Series Cross Bar T-Handle 5mm Hex Driver Service Kit for Roof Racks	5 Year	I-53
59119	ROLA®, Cargo Carrier Bag, Rainproof (20 cubic ft.)	5 Year	I-26	59753	Direct Mounting Kit, (4) Mounting Adapters for Fiberglass Mounting Surfaces to Receive APE & APX Series Roof Racks	5 Year	I-43
59200	ROLA®, Flat Strap Cargo Net - 36" x 48"	5 Year	I-24	59754	Direct Mounting Kit, (4) Mounting Adapters for Sheet Metal Mounting Surfaces to Receive APE & APX Series Roof Racks	5 Year	I-43
59204	ROLA®, Lashing Strap - 1" x 10'	5 Year	I-46	59779	Roof Rack, Removable Mount GTX Series	5 Year	I-33

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
59792	Truck Bed Rack Accessory, Tool Rack	5 Year	I-37
59793	Truck Bed Rack Accessory, Trimmer Rack Kit	5 Year	I-38
59794	Truck Bed Rack Accessory, Load Stop Kit	5 Year	I-36
59795	Truck Bed Rack Accessory, Tie Down Kit	5 Year	I-36
59796	Truck Bed Rack Accessory, Eye Bolt Kit	5 Year	I-36
59797	Truck Bed Rack Accessory, Conduit Kit (Requires 6" Diameter PVC Plastic Pipe)	5 Year	I-35
59798	Truck Bed Rack Accessory, Top Rail Kit	5 Year	I-35
5983	Replacement Part, Magnetic Cover	Lifetime	G-11
59846	Replacement Part, Cross Bar Buffer Strips (Qty.2) Service Kit for Roof Racks	5 Year	I-53
59847	Replacement Part, L-Handle T-27 Torx Driver (Qty.2) Service Kit for Roof Racks	5 Year	I-53
59853	Track Rail System, 42" Length (1070mm) for Sheet Metal Mounting Surfaces to Receive APE & APX Series Roof Racks	5 Year	I-43
59854	Track Rail System, 54" Length (1370mm) for Sheet Metal Mounting Surfaces to Receive APE & APX Series Roof Racks	5 Year	I-43
59855	Track Rail System, 60" Length (1520mm) for Fiberglass Mounting Surfaces to Receive APE & APX Series Roof Racks	5 Year	I-43
59878†	Roof Rack Accessory, Water & Snow Ski Carrier Clip	5 Year	I-53
59879†	Roof Rack Accessory, Tie Down Attachment	5 Year	I-53
59886	Replacement Part, RBXL Series Support Cover Kit (Includes: (2) Locking Covers)	5 Year	I-53
59887	Replacement Part, GTX Series Support Cover Kit (Includes: (1) Left Hand Cover, (1) Right Hand Cover, (2) Hinges & (2) Dummy Locks)	5 Year	I-53
59897	Roof Rack, Removable Mount RBU Series, Bar Length 43-3/8" (1100mm)	5 Year	I-41
59898	Roof Rack, Removable Mount RBU Series, Bar Length 47-1/4" (1200mm)	5 Year	I-41
59899	Roof Rack, Removable Mount RBU Series, Bar Length 51-1/8" (1300mm)	5 Year	I-41
59904	ROLA®, Dart™ 1 - Bike Mounting Adapter Kit for #59502, #59507, #59550, #63152, #63153, #63154, #63155, #38174 Cargo Carriers	5 Year	I-14, I-24
59912	Roof Rack Accessory, J Style Kayak Carrier	5 Year	I-39
59913	Roof Rack Accessory, Universal, Multi-Pivot Water Craft Carrier	5 Year	I-39
59914	Roof Rack Accessory, Folding Kayak Rack, Wall Mount Storage	5 Year	I-40
5AB-E13517†	Fifth Airborne for Venture CJ13517 Trailer Frames	Lifetime	F-11
5AB-E1621-16K	Fifth Airborne Extended 12" Wide Air Ride, 1-Piece Design	Lifetime	F-11
5AB-E1621-610	Fifth Airborne Extended 12" Wide Air Ride	Lifetime	F-11
5AB-E510-710	Fifth Airborne Extended 12-1/2" Wide Air Ride	Lifetime	F-11
5AB-E510-710K†	Fifth Airborne Extended 12" Wide Air Ride for Keystone Trailer Frames	Lifetime	F-11
5AB-E7920	Fifth Airborne for Leeland 7920 Trailer Frames	Lifetime	F-11
5AB-E810†	Fifth Airborne for Youngs Trailer Frames	Lifetime	F-11
5AB-S0719-600†	Fifth Airborne for Lippert 719 & Fabex 600 Trailer Frames	Lifetime	F-11
5AB-S13515†	Fifth Airborne for Venture CJ13515 Trailer Frames	Lifetime	F-11
5AB-S500-700	Fifth Airborne Standard 12-1/2" Wide Air Ride Pin Box	Lifetime	F-11
5AB-S800†	Fifth Airborne for Youngs Trailer Frames	Lifetime	F-11
5AB-T7016†	Fifth Airborne for RBW 7016	Lifetime	F-11
5AB-T7234†	Fifth Airborne Tube Style 12-1/2" Wide	Lifetime	F-11
5AB-T820†	Fifth Airborne Tube Style 8" Wide Air Ride	Lifetime	F-11
5AS16K	Fifth Airborne Sidewinder Complete Arm Assembly	Lifetime	F-7
600051	Display Stand - Dealer RV Aftermarket		P-7
6002	Gooseneck Plate (Requires Rails & Installation Kit #30035)	Lifetime	G-8
60037	Class I & II 1-1/4" Sq. Receiver Cover w/Hidden Hitch Logo, Rubber	1 Year	B-24
60037-024	Class I & II 1-1/4" Sq. Receiver Cover w/Hidden Hitch Logo, Rubber (24 pack)	1 Year	B-24
6004	Shoe and Lining Kit - Alko 10" x 2-1/4" - Wheel Set	1 Year	M-7, M-11, M-16
6005	Shoe and Lining Kit - Alko 12" x 2" - Wheel Set	1 Year	M-7, M-16

PART NO.	DESCRIPTION	WNTY	PAGE #
6011	Fifth Wheel 10" Round Lube Plate, 3/16" Thick	2 Years	E-17
6032†	16K Fifth Wheel Hitch Assy. (Requires Rails & Installation Kit #30035)	10 Year	E-11
6033†	16K Fifth Wheel w/Slider Unit (Requires Rails & Installation Kit #30035)	10 Year	E-11
6044†	Replacement Part, Fifth Wheel Leg (Qty. 1)	10 Year	E-11
60-50-001	Mounting Bracket (MB 1200)	1 Year	K-50
61009	1200 lbs. Heavy Duty Round Bar WD Hitch w/54970 Shank	Lifetime	D-8
6106	Magnet Kit - Alko 10" x 2-1/4"	1 Year	M-7, M-15, M-17
6109	Magnet Kit - Alko 12" x 2", 6 & 7K	1 Year	M-7, M-15, M-17
61300	Sidewinder Turret w/Hardware	Lifetime	F-7, F-9, F-10
61301	Spacer Kit for Sidewinder Turret When Replacing 12-1/2" Pin Box	Lifetime	F-3, F-7, F-9, F-10, G-3
61302	Sidewinder Turret w/Hardware	Lifetime	F-7, F-10
61410	Sidewinder Combo, 16K Arm w/King Pin #SW16K, Turret w/Hardware #61300 & Spacer Kit #61301	Lifetime	F-10
61411	Sidewinder Combo, 19K Arm w/King Pin #SW19K, Turret w/Hardware #61300 & Spacer Kit #61301	Lifetime	F-9
61412	Elite™ Series Airborne Sidewinder Combo, 16K Arm w/King Pin #5AS16K, Turret w/Hardware #61300 & Spacer Kit #61301	Lifetime	F-7
61420	Sidewinder Combo, 16K Arm w/King Pin #SW16K, Turret w/Hardware #61300	Lifetime	F-10
61421	Sidewinder Combo, 19K Arm w/King Pin #SW19K, Turret w/Hardware #61300	Lifetime	F-9
61422	Elite™ Series Airborne Sidewinder Combo, 16K Arm w/King Pin #5AS16K, Turret w/Hardware #61300	Lifetime	F-7
6145	Bike Carrier Y-Frame Adapter	1 Year	I-14
61450	Sidewinder Combo, 16K Arm w/King Pin #SW16K & Turret w/Hardware #61302	Lifetime	F-10
61452	Elite™ Series Airborne Sidewinder Combo, 16K Arm w/King Pin #5AS16K & Turret w/Hardware #61302	Lifetime	F-7
62	6-Way Metal Connector, Car End	1 Year	C-45
6201	Clevis Ball Mount, 2" Sq. Solid Shank, 8-7/8" Length, Rating 6,000/600 as Ball Mount, 10,000/1000 as Clevis Mount, 1" Holes, Black Finish	Lifetime	B-18
6205†	Actuating Lever - Alko 10" x 2-1/4" R/H	1 Year	M-7, M-15
6206†	Actuating Lever - Alko 10" x 2-1/4" L/H	1 Year	M-7, M-15
6211†	Actuating Lever - Alko 12" x 2" R/H	1 Year	M-7, M-15
62112†	Replacement Part, Heavy-Duty Round Bar Wt. Dist. Bolt-Together Hitch Head Assembly and Fasteners	Lifetime	D-12
62113†	Replacement Part, Heavy-Duty Round Bar/600 lbs. Spring Bar (Qty. 1)	Lifetime	D-12
62114†	Replacement Part, Heavy-Duty Round Bar/800 lbs. Spring Bar (Qty. 1)	Lifetime	D-12
62115†	Replacement Part, Heavy-Duty Round Bar/1200 lbs. Spring Bar (Qty. 1)	Lifetime	D-12
6212†	Actuating Lever - Alko 12" x 2" L/H	1 Year	M-7, M-15
62167	Replacement Part, Heavy-Duty Trunnion Weight-Distributing Bolt-Together Head Kit	Lifetime	D-11
63	6-Way Metal Connector, Trailer End	1 Year	C-45
6300	Remov-A-Ball® Gooseneck Hitch w/2-5/16" Ball, Rating 30,000 lbs.	Lifetime	G-8
630044	Remov-A-Ball® Gooseneck Hitch w/2-5/16" Ball, Rating 30,000 lbs.	Lifetime	G-10
63010	Pintle Hook w/1-7/8" Ball (Inc. Grade 8 Hardware) Hook Rating 16,000 lbs. (GTW), Ball Rating 6,000 lbs. (GTW), 3,000 lbs. (VL), Black	Lifetime	B-17
63011	Pintle Hook w/2" Ball (Inc. Grade 8 Hardware) Hook Rating 16,000 lbs. (GTW), Ball Rating 10,000 lbs. (GTW), 3,000 lbs. (VL), Black	Lifetime	B-17
63012	Pintle Hook w/2-5/16" Ball (Inc. Grade 8 Hardware) Hook Rating 16,000 lbs. (GTW), Ball Rating 14,000 lbs. (GTW), 3,000 lbs. (VL), Black	Lifetime	B-17
63013	5 Ton Regular Pintle Hook (Inc. Grade 8 Hardware) Rating 10,000 lbs. (GTW), 2,000 lbs. (VL), Black	Lifetime	B-17
63014	10 Ton Regular Pintle Hook (Inc. Grade 8 Hardware) Rating 20,000 lbs. (GTW), 4,000 lbs. (VL), Black	Lifetime	B-17
63015	15 Ton Regular Pintle Hook (Inc. Grade 8 Hardware) Rating 30,000 lbs. (GTW), 6,000 lbs. (VL), Black	Lifetime	B-17

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
63016	30 Ton Regular Pintle Hook (Hardware Included) Rating 60,000 lbs. (GTW), 14,000 lbs. (VL), Black	Lifetime	B-17	63058	Pintle Hook Receiver Mount, 2" Sq. Solid Shank, Deep Drop, 11-3/8" Length x 12-1/2" Drop, 8,000 lbs. (GTW), 800 lbs. (TW), Black	Lifetime	B-17
63017	Replacement Part, Pintle Hook Replacement Ball, 1-7/8" x 1-1/4" Dia. Shank, 6,000 lbs. Maximum VL, Chrome	Lifetime	B-18	63059	Pintle Hook Receiver Mount, 2" Sq. Solid Shank, 11-3/8" Length, 12,000 lbs. (GTW), 1,200 lbs. (TW), Black	Lifetime	B-17
63018	Replacement Part, Pintle Hook Replacement Ball, 2" x 1-1/4" Dia. Shank, 10,000 lbs. Maximum VL, Chrome	Lifetime	B-18	63060	Adjustable Lunette Ring with Hardware, 3" Dia., 24,000 lbs. Capacity (Adjustable Channel Sold Separately)	Lifetime	B-17
63019	Replacement Part, Pintle Hook Replacement Ball, 2-5/16" x 1-1/4" Dia. Shank, 14,000 lbs. Maximum VL, Chrome	Lifetime	B-18	63070	Adjustable Tri-Ball Ball Mount System w/Step, 2" Sq. Shank, 1-7/8" Ball 2,000 lbs (GTW), 2" Ball 10,000 lbs. (GTW), 2-5/16" Ball 14,000 lbs. (GTW)	3 Year	B-12
63020	Replacement Part, Pin & Chain Assy. for Pintle Hooks, 1/4" Dia. for Pintle Hooks	Lifetime	B-18	63071	Adjustable Dual Ball Mount System, 2" Sq. Shank, 2" Ball 10,000 lbs. (GTW), 2-5/16" Ball 14,000 lbs. (GTW)	3 Year	B-12
63022	Lunette Ring, 2-1/2" Diameter, w/1-1/2" Shank 15,000 lbs. Capacity	Lifetime	B-17	63072	Adjustable Pintle Mount, 14,000 lbs. (GTW)	3 Year	B-12
63023	4 Bolt Flange Lunette Ring, 2-1/2" Diameter, 42,000 lbs. Capacity	Lifetime	B-17	6308	Replacement Part, U-Bolt Safety Chain Kit	Lifetime	G-11
63024	Forged D-Ring w/Mounting Bracket, 1/2", 12,000 lbs., Yellow Zinc	Lifetime	M-23	63100	Lock-Tite Anti-Rattle Pin w/Lock & Wrench, 5/8" for 2" Sq. Receivers	1 Year	B-20
63025	Forged D-Ring w/Weld On Mounting Bracket, 5/8" Dia. x 3/8" Thick c1045 Material, 18,000 lbs.	Lifetime	M-23	63100-025	Lock-Tite Anti-Rattle Pin w/Lock & Wrench, 5/8" for 2" Sq. Receivers (25 pack)	1 Year	B-20
63026	Forged D-Ring w/Weld On Mounting Bracket, 3/4" Dia. x 3/8" Thick c1045 Material, 26,500 lbs.	Lifetime	M-23	63120	Bike Carrier, 2 Bike, 1-1/4" Sq. Receiver Mount w/Tilt Function	1 Year	I-12
63027	Forged D-Ring w/Weld On Mounting Bracket, 1" Dia. x 3/8" Thick c1045 Material, 46,760 lbs.	Lifetime	M-23	63123	Bike Carrier, 3 Bike, 1-1/4" Sq. or 2" Sq. Receiver Mount w/Tilt Function	1 Year	I-12
63028	Forged D-Ring w/Weld On Mounting Bracket, 5/8" Dia., 1" x 5" x 6" c1045 Material, 46,760 lbs.	Lifetime	M-23	63124	Bike Carrier, 4 Bike, w/Tilt Function, 2" Sq. Receiver Mount	1 Year	I-12
63029	Tow Hook, Chrome 10,000 lbs.	Lifetime	M-23	6312P01	Winch Handle, 7"	5 Year	J-62
6302P01	Replacement Part, Winch Handle, 8"	5 Year	J-62	63134	Bike Carrier, Q-Slot 2™, 2 Bike, Rail Rack, w/Tilt Function, 1-1/4" Sq. Receiver Mount, Includes 2" Sq. Receiver Adapter	1 Year	I-9
63030	Tow Hook, Black 10,000 lbs.	Lifetime	M-23	63135	Replacement Part, Hook & Loop Strap (Qty.4) for Bike Racks #63134 & #63138	1 Year	I-51
63032	Replacement Part, Pintle Hook Mounting Hardware Kit	Lifetime	B-17, B-18	63138	Bike Carrier, Q-Slot 4™, 4 Bike, Rail Rack, w/Tilt Function, 2" Sq. Receiver Mount	1 Year	I-9
63033	Replacement Part, Mounting Hardware Kit for 4 Bolt Flange Lunette Ring #63023	Lifetime	B-17	63139	Bike Carrier, Duette™ 2 Bike, Trunk Mount Rack	1 Year	I-13
63034	Safety Chain, Class I GWR 2,000 lbs. 72", S-Hooks, Both Ends (1 piece)	1 Year	M-22	63144	Bike Carrier, Translite™ 4 Bike, 1-1/4" Sq. Receiver Mount w/Tilt Function, Includes 2" Sq. Receiver Adapter	1 Year	I-11
63035	Safety Chain, Class III GWR 5,000 lbs. 72", Quick Links, Both Ends (1 piece)	1 Year	M-22	63148	Replacement Part, Bike Carrier Cradle for #63120, #63123, #63124	1 Year	I-51
63036	Adjustable Lunette Ring with Channel, 3" Dia., 24,000 lbs. Capacity	Lifetime	B-17	63150	Bullet Box™ Roof Top Luggage Carrier (13 cubic ft.)	1 Year	I-23
63040	Receiver Mount Pintle Hook w/1-7/8" Ball, 2" Sq. Solid Shank (Inc. Grade 8 Hardware) Hook Rating 12,000 lbs. (GTW), Ball Rating 2,000 lbs. (GTW), 2,400 lbs. (VL), Black	Lifetime	B-18	63152	Cargo Carrier w/5-1/2" Side Rails, 24" x 60" Platform, 2" Sq. Receiver Mount	1 Year	I-18
63041	Receiver Mount Pintle Hook w/2" Ball, 2" Sq. Solid Shank (Inc. Grade 8 Hardware) Hook Rating 12,000 lbs. (GTW), Ball Rating 7,000 lbs. (GTW), 2,400 lbs. (VL), Black	Lifetime	B-18	63153	Cargo Carrier w/5-1/2" Side Rails, 24" x 60" Platform, 2" Sq. Receiver Mount, Bolt Together	1 Year	I-18
63042	Receiver Mount Pintle Hook w/2-5/16" Ball, 2" Sq. Solid Shank (Inc. Grade 8 Hardware) Hook Rating 12,000 lbs. (GTW), Ball Rating 12,000 lbs. (GTW), 2,400 lbs. (VL), Black	Lifetime	B-18	63154	Cargo Carrier w/5-1/2" Side Rails, 20" x 48" Platform, 11" x 1-1/4" Sq. Receiver Mount	1 Year	I-18
63043	5 Ton Receiver Mount Pintle Hook, 2" Sq. Solid Shank, Rating 10,000 lbs. (GTW), 2,000 lbs. (VL), Black	Lifetime	B-18	63155	Cargo Carrier w/5-1/2" Side Rails, 20" x 48" Platform, 11" x 1-1/4" Sq. Receiver Mount, Bolt Together	1 Year	I-18
63044	Receiver Mount Tow Hook, 2" Sq. Solid Shank, GWR 10,000 lbs. 7-3/4" Length	Lifetime	B-18	63156	Big Sky™ Roof Top Cargo Carrier (44" x 35" x 4-1/4"), 3 - Piece w/Custom Air Deflector	1 Year	I-23
63045	Receiver Mount Tow Eyelet, 2" Sq. Solid Shank, GWR 10,000 lbs. 7-3/8" Length	Lifetime	B-18	63160	Replacement Part, Cargo Carrier #63152, #63153, #63154, #63155, Hardware Mounting Kit (3-Bolts M12 x 1.75" x 80mm CL9.8, 3-Locknuts M12 x 1.75", 8-Bolts M8 x 1.25" x 20mm CL9.8, 8-Locknuts M8 x 1.25", 8-Flat Washers 8mm)	1 Year	I-52
63046	Receiver Mount Tow Ring, 2" Sq. Solid Shank, GWR 8,000 lbs. 7-3/8" Length	Lifetime	B-18	63180	Adjustable Tow Bar, 5,000 lbs. GVW Capacity	Lifetime	N-2
63047	Receiver Mount Tow Hook, 2" Sq. Hollow Shank, GWR 8,000 lbs. 7" Length	Lifetime	B-18	63181	Adjustable Tow Bar w/Bolt Together 2-Piece Adjustment Arms, 5,000 lbs. GVW Capacity	Lifetime	N-2
63050	Replacement Part, Pintle Hook Replacement Ball, 1-7/8" x 1-1/8" Dia. Shank, 6,000 lbs. Maximum VL, Chrome	Lifetime	B-18	63201	J-Pin™ Anti-Rattle Pin & Barrel Lockset for 2" Sq. Receivers	1 Year	B-19
63051	Replacement Part, Pintle Hook Replacement Ball, 2" x 1-1/8" Dia. Shank, 10,000 lbs. Maximum VL, Chrome	Lifetime	B-18	63202	1/2" Integral Pin & Clip for 1-1/4" Sq. Receivers - Stainless	1 Year	B-19
63052	Replacement Part, Pintle Hook Replacement Ball, 2-5/16" x 1-1/8" Dia. Shank, 14,000 lbs. Maximum VL, Chrome	Lifetime	B-18	63203	5/8" Integral Pin & Clip for 2" Sq. Receivers - Stainless	1 Year	B-19
63056	Pintle Hook Receiver Mount, 2" Sq. Hollow Shank, 7-5/8" Length, 6,000 lbs. (GTW), 600 lbs. (TW), Black	Lifetime	B-17	63204	1/2" Integral Pin & Clip for 1-1/4" Sq. Receivers - Zinc	1 Year	B-19
63057	Pintle Hook Receiver Mount, 2" Sq. Solid Shank, 7-5/8" Length, 12,000 lbs. (GTW), 1,200 lbs. (TW), Black	Lifetime	B-17	63205	5/8" Integral Pin & Clip for 2" Sq. Receivers - Zinc	1 Year	B-19
				63216KA	Receiver Lock, Dead Bolt, 1/2" for 1-1/4" Sq. Receivers, Black Finish (Keyed Alike) (Order In 3 Pack Multiples Only)	1 Year	B-23, L-4
				63217KA	Receiver Lock, Dead Bolt, 5/8" for 2" Sq. Receivers, Black Finish (Keyed Alike) (Order In 3 Pack Multiples Only)	1 Year	B-23, L-4

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
63218KA	Combo Lock Set, 1/2" Dead Bolt for 1-1/4" Sq. Receiver and Trailer Coupler 1/2" Span, Black Finish (Keyed Alike) (Order In 3 Pack Multiples Only)	1 Year	B-23, L-4
63219KA	Combo Lock Set, 5/8" Dead Bolt for 2" Sq. Receiver and Trailer Coupler 1/2" Span, Black Finish (Keyed Alike) (Order In 3 Pack Multiples Only)	1 Year	B-23, L-4
63220KA	Coupler Lock, Dead Bolt, 1/2" Span, Black Finish (Keyed Alike) (Order In 3 Pack Multiples Only)	1 Year	B-23, L-4
63221KA	Coupler Lock, Dead Bolt, 2" Span, Black Finish (Keyed Alike) (Order In 3 Pack Multiples Only)	1 Year	B-23, L-4
63222KA	Coupler Lock, Dead Bolt Surge Brake, 2-3/8" Span, Black Finish (Keyed Alike) (Order In 3 Pack Multiples Only)	1 Year	B-23, L-4
63223	Receiver Lock, Bent Pin, 5/8" for 2" & 2-1/2" Sq. Receivers	1 Year	B-22, L-3
63224	Receiver Lock, Bent Pin, 1/2" for 1-1/4" Sq. Receivers & Fifth Wheel Base Rails	1 Year	B-22, L-3
63225	Coupler Lock	1 Year	B-23, L-3
63226	Coupler Lock, Universal	1 Year	B-23, L-3
63226KA	Coupler Lock, Universal (Keyed Alike Bulk) (Order In 3 Pack Multiples Only)	1 Year	B-23, L-4
63227	Coupler Lock, "Gorilla Guard" for 2-5/16" Couplers	1 Year	B-23, L-3
63228	Coupler Lock, "Gorilla Guard" for 2" Couplers	1 Year	B-23, L-3
63230	Coupler Lock, Adjustable Brass	1 Year	B-23, L-3
63233	Cable Lock, 5/16" x 10' Length	1 Year	L-5
63234	Receiver Lock, for 1-1/4", 2" & 2-1/2" Sq. Receivers w/Universal Stainless Steel Sleeve	1 Year	B-22, L-3
63240	Packaged 5/8" Grooved Style Hitch Pin and Clip for 2" Sq. Receivers	1 Year	B-19
63240-050	Bulk 5/8" Grooved Style Hitch Pin and Clip for 2" Sq. Receivers (50 pack)	1 Year	B-19
63241	Packaged 1/2" Grooved Style Hitch Pin and Clip for 1-1/4" Sq. Receivers	1 Year	B-19
63241-050	Bulk 1/2" Grooved Style Hitch Pin and Clip for 1-1/4" Sq. Receivers (50 pack)	1 Year	B-19
63242	Packaged 5/8" Hole Style Hitch Pin and Clip for 2" Sq. Receivers	1 Year	B-19
63242-050	Bulk 5/8" Hole Style Hitch Pin and Clip for 2" Sq. Receivers (50 pack)	1 Year	B-19
63242-100	Bulk 5/8" Hole Style Hitch Pin and Clip for 2" Sq. Receivers (100 pack)	1 Year	B-19
63242-500	Bulk 5/8" Hole Style Hitch Pin and Clip for 2" Sq. Receivers (500 pack)	1 Year	B-19
63243	Packaged 5/8" Grooved Style Hitch Pin and Clip for Titan® 2-1/2" Sq. Receivers	1 Year	B-19
63248	Receiver Lock, Barrel Style w/Bent Pins, 1/2" for 1-1/4" Sq. Receivers & 5/8" for 2" Sq. Receivers	1 Year	B-22, L-3
63249	Combo Lock Set, Barrel Style w/Bent Pins, 1/2" for 1-1/4" Sq. Receivers, 5/8" for 2" Sq. Receivers & Adjustable Brass Coupler Lock	1 Year	B-23, L-3
63250	Combo Lock Set, Dogbone Style, 1/2" for 1-1/4" Sq. Receivers, 5/8" for 2" Sq. Receivers w/Universal Stainless Steel Sleeve & Coupler Lock	1 Year	B-23, L-3
63251	Fifth Wheel King Pin Lock	1 Year	E-17, L-4
63252	Receiver Lock, Dogbone Style, 5/8" for 2-1/2" Sq. Receivers, 3-1/2" Span	1 Year	B-22, L-3
63253	Receiver Lock, Barrel Style w/Bent Pin, 5/8" for 2-1/2" Sq. Receivers, 3-1/2" Span	1 Year	B-22, L-3
63254	Fifth Wheel Base Rails Lock, Barrel Style w/Bent Pin, 1/2"	1 Year	E-17, L-4
63255	Cable Lock, 5/16" x 4' Length	1 Year	L-5
63256	Receiver Lock, Keyed Alike Lock Set (Set Includes #63226 & #63249)	1 Year	B-23, L-4
63300	Solo Hitch Alignment System	1 Year	B-7, M-21
63444	Replacement Part, Bike Carrier Cradle Arm Assembly w/Bail Pin for #63144	1 Year	I-51
63604	Amigo™ Hitch Cargo Carrier Bag	1 Year	I-26
63605	Turtle™ Expandable Cargo Carrier Bag	1 Year	I-28
63606	Guardian™ Roof Top Cargo Bag	1 Year	I-28
63801	Interchangeable Hitch Ball, 3/4" Shank, 1-7/8" & 2" Balls, 5,000 lbs. Rating	Lifetime	B-3
63802	Interchangeable Hitch Ball, 1" Shank, 1-7/8" & 2" Balls, 8,000 lbs. Rating	Lifetime	B-3

PART NO.	DESCRIPTION	WNTY	PAGE #
63803	Interchangeable Hitch Ball, 1" Shank, 1-7/8", 2", & 2-5/16" Balls, 8,000 lbs. Rating	Lifetime	B-3
63804	Interchangeable Hitch Ball, 1" Shank, 2" & 2-5/16" Balls, 8,000 lbs. Rating	Lifetime	B-3
63805	Replacement Part, Interchangeable Hitch Ball, 1-7/8" Replacement Ball for 3/4" & 1" Shanks	Lifetime	B-3
63806	Replacement Part, Interchangeable Hitch Ball, 2" Replacement Ball for 3/4" & 1" Shanks	Lifetime	B-3
63807	Replacement Part, Interchangeable Hitch Ball, 2-5/16" Replacement Ball for 1" Shank	Lifetime	B-3
63808	Replacement Part, Interchangeable Hitch Ball, 3/4" Replacement Shank	Lifetime	B-3
63809	Replacement Part, Interchangeable Hitch Ball, 1" Replacement Shank	Lifetime	B-3
63810	Hitch Ball, 1-7/8" x 3/4" x 1-1/2", 2,000 lbs. GTW Chrome	Lifetime	B-4
63810-006	Hitch Ball, 1-7/8" x 3/4" x 1-1/2", 2,000 lbs. GTW Chrome (6 pack)	Lifetime	B-4
63811	Hitch Ball, 1-7/8" x 3/4" x 1-1/2", 2,000 lbs. GTW Zinc	Lifetime	B-4
63812	Hitch Ball, 1-7/8" x 3/4" x 2-3/8", 2,000 lbs. GTW Chrome	Lifetime	B-4
63813	Hitch Ball, 1-7/8" x 3/4" x 2-3/8", 2,000 lbs. GTW Zinc	Lifetime	B-4
63814	Hitch Ball, 1-7/8" x 3/4" x 3-3/8", 2,000 lbs. GTW Chrome	Lifetime	B-4
63816	Hitch Ball, 1-7/8" x 1" x 2-1/8", 2,000 lbs. GTW Chrome	Lifetime	B-4
63816-006	Hitch Ball, 1-7/8" x 1" x 2-1/8", 2,000 lbs. GTW Chrome (6 pack)	Lifetime	B-4
63817	Hitch Ball, 1-7/8" x 1" x 2-1/8", 2,000 lbs. GTW Zinc	Lifetime	B-4
63818	Hitch Ball, 1-7/8" x 1" x 3-3/8", 2,000 lbs. GTW Chrome	Lifetime	B-4
63819	Hitch Ball, 1-7/8" x 1" x 3-3/8", 2,000 lbs. GTW Zinc	Lifetime	B-4
63820	Hitch Ball, 2" x 3/4" x 1-1/2", 3,500 lbs. GTW Chrome	Lifetime	B-4
63821	Hitch Ball, 2" x 3/4" x 1-1/2", 3,500 lbs. GTW Zinc	Lifetime	B-4
63822	Hitch Ball, 2" x 3/4" x 2-3/8", 3,500 lbs. GTW Chrome	Lifetime	B-4
63823	Hitch Ball, 2" x 3/4" x 2-3/8", 3,500 lbs. GTW Zinc	Lifetime	B-4
63824	Hitch Ball, 2" x 3/4" x 3-3/8", 3,500 lbs. GTW Chrome	Lifetime	B-4
63830	Hitch Ball, 2" x 1-1/4" x 2-3/4", 8,000 lbs. GTW Chrome	Lifetime	B-4
63831	Hitch Ball, 2" x 1-1/4" x 2-3/4", 8,000 lbs. GTW Zinc	Lifetime	B-4
63834	Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 12,000 lbs. GTW Chrome	Lifetime	A-5, B-4
63835	Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 12,000 lbs. GTW Zinc	Lifetime	A-5, B-4
63836	Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 14,000 lbs. GTW Chrome	Lifetime	A-5, A-11, B-4
63840	Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 20,000 lbs. GTW Chrome	Lifetime	A-5, A-11, B-4
63845	Hitch Ball, 2" x 1" x 2-1/8", 7,500 lbs. GTW Chrome	Lifetime	B-4
63845-006	Hitch Ball, 2" x 1" x 2-1/8", 7,500 lbs. GTW Chrome (6 pack)	Lifetime	B-4
63846	Hitch Ball, 2-5/16" x 1" x 2-1/8", 7,500 lbs. GTW Zinc	Lifetime	B-4
63847	Hitch Ball, 2-5/16" x 1" x 2-1/8", 7,500 lbs. GTW Chrome	Lifetime	B-4
63847-006	Hitch Ball, 2-5/16" x 1" x 2-1/8", 7,500 lbs. GTW Chrome (6 pack)	Lifetime	B-4
63848	Hitch Ball, 2" x 1" x 2-1/8", 7,500 lbs. GTW Zinc	Lifetime	B-4
63849	Hitch Ball, 2" x 1" x 3-3/8", 7,500 lbs. GTW Chrome	Lifetime	B-4
63850	Hitch Ball, 2" x 1" x 3-3/8", 7,500 lbs. GTW Zinc	Lifetime	B-4
63851	Packaged Hitch Ball, 1-7/8" x 1" x 2-1/8", 2,000 lbs. GTW Stainless Steel	Lifetime	B-4
63852	Packaged Hitch Ball, 2" x 1" x 2-1/8", 6,000 lbs. GTW Stainless Steel	Lifetime	B-4
63853	Packaged Hitch Ball, 2-5/16" x 1" x 2-1/8", 6,000 lbs. GTW Stainless Steel	Lifetime	B-4
63880	Packaged Hitch Ball, 1-7/8" x 3/4" x 1-1/2", 2,000 lbs. GTW Chrome	Lifetime	B-4
63881	Packaged Hitch Ball, 1-7/8" x 3/4" x 1-1/2", 2,000 lbs. GTW Zinc	Lifetime	B-4

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
63882	Packaged Hitch Ball, 1-7/8" x 3/4" x 2-3/8", 2,000 lbs. GTW Chrome	Lifetime	B-4	66020	600 lbs. Adj. High-Performance Trunnion Style w/o Shank	Lifetime	D-7
63884	Packaged Hitch Ball, 1-7/8" x 1" x 2-1/8", 2,000 lbs. GTW Chrome	Lifetime	B-4	66021	800 lbs. Adj. High-Performance Trunnion Style w/o Shank	Lifetime	D-7
63885	Packaged Hitch Ball, 1-7/8" x 1" x 2-1/8", 2,000 lbs. GTW Zinc	Lifetime	B-4	66022	1200 lbs. Adj. High-Performance Trunnion Style w/o Shank	Lifetime	D-7
63887	Packaged Hitch Ball, 2" x 3/4" x 1-1/2", 3,500 lbs. GTW Chrome	Lifetime	B-4	6604	Grease Seal	1 Year	M-7, M-15
63888	Packaged Hitch Ball, 2" x 3/4" x 1-1/2", 3,500 lbs. GTW Zinc	Lifetime	B-4	6605	Grease Seal	1 Year	M-7, M-15
63889	Packaged Hitch Ball, 2" x 3/4" x 2-3/8", 3,500 lbs. GTW Chrome	Lifetime	B-4	66066†	800 lbs. Heavy Duty Round Bar WD Hitch w/o Shank	Lifetime	A-11, D-9
63896	Packaged Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 12,000 lbs. GTW Chrome	Lifetime	B-4	66072	Strait-Line® 600 lbs. Trunnion Bar (includes #66020 & #26002)	Lifetime	D-5
63897	Packaged Hitch Ball, 2-5/16" x 1-1/4" x 2-3/4", 12,000 lbs. GTW Zinc	Lifetime	B-4	66073	Strait-Line® 800 lbs. Trunnion Bar (includes #66021 & #26002)	Lifetime	D-5
63899	Packaged Hitch Ball, 2" x 1-1/4" x 2-3/4", 8,000 lbs. GTW Chrome	Lifetime	B-4	66074	Strait-Line® 1200 lbs. Trunnion Bar (includes #66022 & #26002)	Lifetime	D-5
63907	Packaged Hitch Ball, 2-5/16" x 1" x 2-1/8", 7,500 lbs. GTW Zinc	Lifetime	B-4	66075	Strait-Line® 1700 lbs. Trunnion Bar (includes #66006 & #26002)	Lifetime	D-5
63908	Packaged Hitch Ball, 2-5/16" x 1" x 2-1/8", 7,500 lbs. GTW Chrome	Lifetime	B-4	66082	Strait-Line® 600 lbs. Trunnion Bar w/Shank (includes #66540 & #26002)	Lifetime	D-5
63909	Packaged Hitch Ball, 2" x 1" x 2-1/8", 7,500 lbs. GTW Chrome	Lifetime	B-4	66083	Strait-Line® 800 lbs. Trunnion Bar w/Shank (includes #66541 & #26002)	Lifetime	D-5
63910	Packaged Hitch Ball, 2" x 1" x 2-1/8", 7,500 lbs. GTW Zinc	Lifetime	B-4	66084	Strait-Line® 1200 lbs. Trunnion Bar w/Shank (includes #66542 & #26002)	Lifetime	D-5
63911	Wt. Dist. Shank, 12,000 lbs. (GTW), 1,200 lbs. (TW), 11" Length	10 Year	B-12, D-18	66086	Strait-Line® 600 lbs. Round Bar w/Shank (includes #65509 & #26002)	Lifetime	D-5
63912	Hitch Ball, 50mm x 3/4" x 1-1/2", w/Castle Nut & Cotter Pin 3,500 lbs. (1,600 kg.) GTW Chrome	Lifetime	B-4	66087	Strait-Line® 800 lbs. Round Bar w/Shank (includes #67509 & #26002)	Lifetime	D-5
63970†	Wt. Dist. Shank, 15,000 lbs. (GTW), 1,500 lbs. (TW), 12-1/4" Length & 10,000 lbs. (GTW), 1,000 lbs. (TW), 13-1/4" Length	10 Year	D-18	66088	Strait-Line® 1200 lbs. Round Bar w/Shank (includes #61009 & #26002)	Lifetime	D-5
63971	Wt. Dist. Shank, 15,000 lbs. (GTW), 1,500 lbs. (TW), 14" Length, Extra Drop (Use in Drop Position Only)	10 Year	D-18	66130	Strait-Line® 1500 lbs. Trunnion Bar Hitch (includes #66131 & #26002)	Lifetime	D-5
64 0801	Kit-44305R Coupler Replacement	5 Year	J-48	66131	Ultra Frame™, Trunnion Bar Bolt-Together Wt.-Dist. Kit, 15,000 lbs. (GTW), 1,500 lbs. (TW)	Lifetime	A-5, D-7, D-11
6425	Template for #8339 Folding Gooseneck Installation, Stainless Steel	1 Year	G-11	66151	Reese SC™ 600 lbs. Trunnion Bar Wt. Dist. Kit & Built In Friction Sway Control w/#54970 Shank	Lifetime	D-6
6431	Receiver Tube Cover, 2" Sq., Chevrolet Logo	1 Year	B-25	66153	Reese SC™ 800 lbs. Trunnion Bar Wt. Dist. Kit & Built In Friction Sway Control w/#54970 Shank	Lifetime	D-6
6432	Receiver Tube Cover, 2" Sq., Dodge Ram Logo	1 Year	B-25	66155	Reese SC™ 1200 lbs. Trunnion Bar Wt. Dist. Kit & Built In Friction Sway Control w/#54970 Shank	Lifetime	D-6
6433	Receiver Tube Cover, 2" Sq., Ford Logo	1 Year	B-25	66157	Reese SC™ 1500 lbs. Trunnion Bar Wt. Dist. Kit & Built In Friction Sway Control w/#54970 Shank	Lifetime	D-6
64-50-001	Support Mounting Bracket	1 Year	K-50	6637	Replacement Part, Wt. Dist. Part, Lift Unit Kit, (2) Brackets and Handle	Lifetime	D-7, D-8, D-11, D-12
6495	Front Mount Receiver Accessory, Winch Mounting Plate	1 Year	A-15	66540	600 lbs. Adj. High-Performance Trunnion Style w/#54970 Shank	Lifetime	D-7
6500	Cargo Carrier for 1-1/4" Sq. Receivers, 20" x 48" Platform	1 Year	I-20	66541	800 lbs. Adj. High-Performance Trunnion Style w/#54970 Shank	Lifetime	D-7
6501	Cargo Carrier for 2" Sq. Receivers, 20" x 60" Platform	1 Year	I-20	66542	1200 lbs. Adj. High-Performance Trunnion Style w/#54970 Shank	Lifetime	D-7
6502	Folding Cargo Carrier for 2" Sq. Receivers, 20" x 48" Platform	1 Year	I-20	66557	STEADI-FLEX™ Light Weight Distributing Kit w/Shank, Built In Friction Sway Control & Hardware, 4,000 lbs. (GTW), 250 to 400 lbs. (TW)	Lifetime	D-9
6504	Light Kit for Cargo Carrier, Contains Lights, Wiring and License Plate Bracket	1 Year	I-24, I-51	66558	STEADI-FLEX™ Light Weight Distributing Kit w/Shank, Built In Friction Sway Control & Hardware, 6,000 lbs. (GTW), 400 to 600 lbs. (TW)	Lifetime	D-9
6505†	Bike Rack Adapter for #6500, #6501 Cargo Carrier	1 Year	I-52	6658	Grease Cap	1 Year	M-7, M-15
6550	Replacement Part, Cargo Carrier #6500/#6501, Hardware Mounting Kit (2-Carriage Bolts 3/8"-16 x 3" GR5, 2-Locknuts 3/8"-16, 2-Reflectors, 1-Dashboard Reminder Card, 1-Clip)	1 Year	I-52	6664†	Replacement Part, 800 lbs. Trunnion Spring Bar Kit, (2) Spring Bars, Chains and Fasteners	Lifetime	D-11
65509	600 lbs. Heavy Duty Round Bar WD Hitch w/#54970 Shank	Lifetime	D-8	6666†	Replacement Part, 1200 lbs. Trunnion Spring Bar Kit, (2) Spring Bars, Chains and Fasteners	Lifetime	D-11
6555†	Replacement Part, Cargo Carrier #6502, Hardware Mounting Kit (2-Bolts 1/2"-13 x 3" GR8, 2-Locknuts 1/2"-13, 1-Lock Pin, 1-Spacer Tube, 2-Reflectors, 1-Dashboard Reminder Card, 1-Clip)	1 Year	I-52	67 0801	Replacement Part, 2-5/16" Wedge-Latch, Includes Latch, Lever, Ball Clamp & Hardware	5 Year	J-39
6562	7-Way Blade Tester and Trailer Emulator w/LED Display	1 Year	O-2	6709TEK	Brake Assembly - Alko 10" x 2-1/4" L/H	1 Year	M-7, M-15
6565	Tekonsha Current Monitor	1 Year	O-2	6710	Brake Assembly - Alko 10" x 2-1/4" R/H	1 Year	M-7, M-15
6580	Adjustable Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 12" Length, 6-1/8" Maximum Rise, 7-3/8" Maximum Drop, Black	Lifetime	B-12	6713	Brake Assembly - Alko 12" x 2" L/H	1 Year	M-7, M-15
66 0801	Replacement Part, 2" Wedge-Latch, Includes Latch, Lever, Ball Clamp & Hardware	5 Year	J-39	6714	Brake Assembly - Alko 12" x 2" R/H	1 Year	M-7, M-15
66006	Titan®, Trunnion Bar Bolt-Together Wt. Dist. Kit, 17,000 lbs. (GTW), 1,700 lbs. (TW)	Lifetime	D-9	6715	Front Mount Receiver Accessory, Spare Tire Carrier	1 Year	A-15
66009	Replacement Part, 1200 lbs. High-Performance Spring Bar & Trunnion (Qty. 1)	Lifetime	D-7	6730S00	Replacement Part, Ratchet Repair - K/KX1550	5 Year	J-62
				6731S00	Replacement Part, Ratchet Repair - K/KX1051	5 Year	J-62
				67509	800 lbs. Heavy Duty Round Bar WD Hitch w/#54970 Shank	Lifetime	D-8
				6758	Front Mount Receiver Accessory, Work Step	1 Year	A-15

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
6771	Front Mount Receiver Accessory, Receiver Tube Skid Shield	1 Year	A-15
6810	Rotabroach Hole Cutting Tool, 1/2" Diameter	1 Year	O-3
6811	Rotabroach Hole Cutting Tool, 9/16" Diameter	1 Year	O-3
6811S00	Service Kit, 6" Plastic Wheel	5 Year	J-35
6817P01	Replacement Part, Winch Handle, 10"	5 Year	J-62
6822 0301	Replacement Part, Winch Handle, 9"	5 Year	J-62
6927	Primus™ Mounting Dash Clip	1 Year	H-11
6955	Rail Kit for #6500 & #6501 Cargo Carriers	1 Year	I-21
6980	Front Mount Receiver Accessory, Handle Kit for #6495 Winch Mounting Plate	1 Year	A-15
7000	Battery Switch, 3 Terminal, 12 Volt Continuous Duty	1 Year	N-5
7000100	Trailer Accessory, Tire Chocks (Order In 6 Pair Multiple Only)	1 Year	M-21
7000-S	Battery Switch, 3 Terminal, 12 Volt Continuous Duty	1 Year	N-5
7001	Battery Switch, 4 Terminal, 12 Volt Continuous Duty - Insulated	1 Year	N-5
7001-S	Battery Switch, 4 Terminal, 12 Volt Continuous Duty - Insulated	1 Year	N-5
7010	Rubber Economy Receiver Tube Cover w/"D" Logo for 2" Sq. Receivers	1 Year	B-24
7010A	Circuit Breaker, 15 Amp	1 Year	C-69
7010A-S	Circuit Breaker, 15 Amp	1 Year	C-69
7011800300	Weld-On 2.5" O.D. Male Mount, 3/4" Pin for 190's	5 Year	J-7
7011A	Circuit Breaker, 20 Amp	1 Year	C-69
7011A-S	Circuit Breaker, 20 Amp	1 Year	C-69
7012A	Circuit Breaker, 30 Amp	1 Year	C-69
7012A-S	Circuit Breaker, 30 Amp	1 Year	C-69
7013A	Circuit Breaker, 40 Amp	1 Year	C-69
7013A-S	Circuit Breaker, 40 Amp	1 Year	C-69
701466	Crank Assembly, 2-Speed	5 Year	J-16, J-27
702275	5-Flat Trailer End Connector, 25' Wishbone Harness, 4' Ground, 5' Auxiliary	1 Year	C-44
7022A-S	Circuit Breaker, 50 Amp	1 Year	C-69
702305	5-Flat Car End Connector, 4' Wishbone Harness, 18" Ground, 4' Auxiliary	1 Year	C-44
702405	5-Flat Trailer End Connector, 18" Wunside Harness, 18" Ground, 18" Auxiliary	1 Year	C-44
70-38-010	Reflector 3-3/16" Round Adhesive Mount Red	1 Year	K-51
70-38-020	Reflector 3-3/16" Round Adhesive Mount Amber	1 Year	K-51
7050	Rubber Economy Receiver Tube Cover w/"D" Logo for 2" Sq. Receivers, w/Header Card	1 Year	B-24
70-55-010	Reflector 2-3/16" Round Adhesive Mount Red	1 Year	K-51
70-55-020	Reflector 2-3/16" Round Adhesive Mount Amber	1 Year	K-51
70-68-010	Round 3-3/16" Red Reflector w/Center Mount	1 Year	K-51
70-68-020	Round 3-3/16" Amber Reflector w/Center Mount	1 Year	K-51
707103	4-Flat Trailer End Connector, 25' Wishbone Harness Kit, 3' Ground w/4' Car End, 18" Ground	1 Year	C-39
707104	4-Flat Trailer End Connector, 30' Wishbone Harness Kit, 3' Ground w/4' Car End, 18" Ground	1 Year	C-39
707105	5-Flat Trailer End Connector, 25' Wishbone Harness Kit w/Hardware, 4' Ground, 5' Auxiliary, 6' Car End, 6' Ground, 6' Auxiliary	1 Year	C-44
70-71-170	Round 2-3/16" Red Reflector w/Center Mounting Hole	1 Year	K-51
70-71-175	Round 2-3/16" Amber Reflector w/Center Mounting Hole	1 Year	K-51
70-71-180	Rectangular 3-1/4" x 1-1/2" Red Reflector w/Adhesive Mount	1 Year	K-51
70-71-181	Rectangular 3-1/4" x 1-1/2" Amber Reflector w/Adhesive Mount	1 Year	K-51
70-72-020	Reflector Clear Conspicuity 1.1" x 12"	1 Year	K-51
70-72-030	Reflector Red Conspicuity 1.1" x 12"	1 Year	K-51
707250	7-Way Blade to 5-Flat, 18" Wire Adapter	1 Year	C-59
707254	4-Flat Extension Harness, 2' Long	1 Year	C-39
707255	5-Flat Plug Loop 24" Long, Car & Trailer End Wiring Harness	1 Year	C-44
707261	4-Flat Trailer End Connector, 25' Wishbone Harness, 3' Ground	1 Year	C-39, K-9, K-10, K-22

PART NO.	DESCRIPTION	WNTY	PAGE #
707270	4-Flat Trailer End Connector, 18" Wishbone Harness, 18" Ground w/4' Car End, 18" Ground	1 Year	C-39
707272	4-Flat Car End Connector 72" Long, 72" Ground (Includes Wire Taps)	1 Year	C-39
707273	5-Flat Car End Connector, 6' Long, 6' Ground, 6' Auxiliary	1 Year	C-44
707275	4-Flat Car End Connector 48" Long, 18" Ground	1 Year	C-39, K-9, K-10, K-18, K-22, K-24
707281	6-Way Round Pin to 4-Flat Adapter	1 Year	C-59
707282	7-Way Blade to 4-Flat Adapter	1 Year	C-59
707283	5-Flat Trailer End Connector, 4' Wishbone Harness, 4' Ground, 4' Auxiliary	1 Year	C-44
707285	4-Flat Trailer End Connector, 18" Wunside Harness, 18" Ground	1 Year	C-39
707286	4-Flat Trailer End Connector, 18" Wishbone Harness, 18" Ground	1 Year	C-39
707295	Taillight Converter w/12" Leads and 60" 4-Flat Car End Connector	1 Year	C-37
70-78-010	Reflector Oblong Red with Mounting Holes and Adhesive Back	1 Year	K-51
70-78-020	Reflector Oblong Amber with Mounting Holes and Adhesive Back	1 Year	K-51
70-78-050	Reflector Oblong Red with Mounting Holes Only	1 Year	K-51
70-78-060	Reflector Oblong Amber with Mounting Holes Only	1 Year	K-51
71-55-010	Reflector 2-3/16" Round Adhesive Mount Red	1 Year	K-51
71-55-020	Reflector 2-3/16" Round Adhesive Mount Amber	1 Year	K-51
71-78-010	Reflector Rectangular Red 3-1/4" x 1-1/2" - Adhesive	1 Year	K-51
71-78-020	Reflector Rectangular Amber 3-1/4" x 1-1/2" - Adhesive	1 Year	K-51
719063	Replacement Part, Plug, 3-Way 10-1/2"	1 Year	K-8, K-9, K-10, K-11, K-21, K-26
7200	ElectroTek™ Non-Conductive Dielectric Silicone Compound, 3 Oz. Tube	1 Year	C-69
7200P	ElectroTek™ Non-Conductive Dielectric Silicone Compound, 3 Oz. Tube	1 Year	C-69
7330	Stretch Net Cargo Net for Cargo Carriers & Roof Rack	1 Year	I-24
7390	Adjustable Ball Mount w/Sway Control Tab, 6,000 lbs. GTW, 1" Ball Hole, 12" Length, 3-3/4" Maximum Rise, 5-1/4" Maximum Drop, Black	Lifetime	B-13
74099	Receiver Tube Cover for 2" Sq., Elite Black Nylon	1 Year	B-25
74342	Wrench for Hitch Balls, Boxed Ends, 1-1/8" & 1-1/2"	1 Year	B-15, O-3
74-38-010	Reflector 3-3/16" Round Adhesive Mount Red	1 Year	K-51
74-38-020	Reflector 3-3/16" Round Adhesive Mount Amber	1 Year	K-51
74547	Receiver Tube Cover for 2" Sq., Plastic	1 Year	B-25
74-55-010	Reflector 2-3/16" Round Adhesive Mount Red	1 Year	K-51
74-55-020	Reflector 2-3/16" Round Adhesive Mount Amber	1 Year	K-51
74602	Quick Links, 5/16", 5,000 lbs.	1 Year	M-23
74-68-010	Reflector 3-3/16" Round Center Mount Red	1 Year	K-51
74-68-020	Reflector 3-3/16" Round Center Mount Amber	1 Year	K-51
74-71-170	Reflector 2-3/16" Round Center Mount Red	1 Year	K-51
74-71-175	Reflector 2-3/16" Round Center Mount Amber	1 Year	K-51
74-71-180	Reflector Rectangular Red 3-1/4" x 1-1/2" - Adhesive	1 Year	K-51
74-71-181	Reflector Rectangular Amber 3-1/4" x 1-1/2" - Adhesive	1 Year	K-51
74-72-020	Reflector Clear Conspicuity - 4 per	1 Year	K-51
74-72-030	Reflector Red Conspicuity - 4 per	1 Year	K-51
74-72-040	Reflector Red & Clear Conspicuity - 2 ea. Per	1 Year	K-51
74-78-010	Reflector Oblong Red with Mounting Holes and Adhesive Back	1 Year	K-51
74-78-020	Reflector Oblong Amber with Mounting Holes and Adhesive Back	1 Year	K-51
7585	Tekonsha Bench Tester	1 Year	O-2
7627	Universal Fit Ball Mount Bag, 17" Length, 6" Width, 2-3/4" Height	1 Year	B-13
767940	7-Way Blade to 5-Flat Adapter	1 Year	C-59
767941	4-Flat Car End Tester w/LED Display	1 Year	O-2
767943	7-Way Blade Tester and Trailer Emulator w/LED Display	1 Year	O-2

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
7685	Prodigy® Mounting Bracket Kit	1 Year	H-11	80037-012	Class III/IV 2" Sq. Receiver Cover w/Hidden Hitch Logo, Rubber (12 pack)	1 Year	B-24
7686	Replacement Part, Prodigy® Mounting Pocket Kit	1 Year	H-11	80058-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2-5/16" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11
78007	7-Way Flat Pin to 4-Flat Adapter w/42" Retractable 4-Flat	1 Year	C-61	8010	Trailer Tester	1 Year	O-2
78117	7-Way Flat Pin to 4-Flat Adapter w/Tow-Glo & Dust Cover	1 Year	C-61	80100	Reducer Bushing 1" to 3/4"	1 Year	B-15
78118	7-Way Flat Pin to 4 & 5-Flat Adapter w/LED Circuit Tester & Dust Cover	1 Year	C-61	80106	Reducer Bushing 1-1/4" to 1"	1 Year	B-15
787159	4-Flat Trailer End w/4 Square Car End Loop, 88" Jacketed Cable	1 Year	C-42	80122	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 1" Rise, 2" Drop, Zinc - Solid Shank	Lifetime	B-9
787194	5-Flat To 5-Flat 4' Coiled Adapter	1 Year	C-59	80123	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 3" Rise, 4" Drop, Zinc - Solid Shank	Lifetime	B-9
787195	7-Way Flat Pin to 5-Flat 4' Coiled Adapter	1 Year	C-59	80124	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 9-1/2" Length, 5" Rise, 6" Drop, Zinc - Solid Shank	Lifetime	B-9
787196	7-Way Flat Pin to 5-Flat 8' Coiled Adapter	1 Year	C-59	80125	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 9-1/2" Length, 7" Rise, 8" Drop, Zinc - Solid Shank	Lifetime	B-9
787206	5-Flat to 5-Flat Coiled Adapter, 4' Long	1 Year	C-59	80126	Ball Mount, 12,000 lbs. GTW, 1-1/4" Ball Hole, 12" Length, 3" Rise, 4" Drop, Zinc - Solid Shank	Lifetime	B-9
787207	7-Way Flat Pin to 5-Flat Coiled Adapter, 4' Long	1 Year	C-59	80127	Packaged Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, w/Pin & Clip, Black	Lifetime	B-7
787208	7-Way Flat Pin to 5-Flat Coiled Adapter, 8' Long	1 Year	C-59	80132	Class IV Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, Black - Hollow Shank	Lifetime	B-9
787264	4-Flat Trailer End Connector, 4' Jacketed Cable	1 Year	C-42	80133	Class IV Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, Black - Hollow Shank	Lifetime	B-9
787268	4-Flat Trailer End Connector, 8' Jacketed Cable	1 Year	C-42	80136	Class IV Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 11-1/4" Length, 2-3/4" Rise, 4" Drop, Black - Hollow Shank	Lifetime	B-9
787270	4-Flat Trailer End Connector, 10' Jacketed Cable	1 Year	C-42	80137	Class IV Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 9" Length, 6" Drop, Black - Hollow Shank	Lifetime	B-9
787274	4-Flat Trailer End Connector, 14' Jacketed Cable	1 Year	C-42	80138	Class IV Ball Mount, 10,000 lbs. GTW, 1-1/4" Ball Hole, 9" Length, 8" Drop, Black - Hollow Shank	Lifetime	B-9
787301	4-Flat Dust Cover	1 Year	C-43	80139	Packaged Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, w/Pin & Clip, Black	Lifetime	B-7
787302	7-Way Round Pin Ag Trailer End Connector	1 Year	C-55, K-29	80142	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 8-1/2" Length, 1" Rise, 2" Drop, Black	Lifetime	B-8
787303	7-Way Round Pin Ag Vehicle End Connector	1 Year	C-55, K-29	80143	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 9-1/4" Length, 3" Rise, 4" Drop, Black	Lifetime	B-8
787304	7-Way Round Pin Ag Trailer End Connector	1 Year	C-55, K-29	80144	Forged Ball Mount, 16,000 lbs. GTW, 1-1/4" Ball Hole, 10-1/4" Length, 5" Rise, 6" Drop, Black	Lifetime	B-8
787305	7-Way Round Pin Ag Vehicle End Connector	1 Year	C-55, K-29	80213	Class III Ball Mount, 5,000 lbs. GTW, 1" Ball Hole, 10" Length, 6-3/4" Rise, 8" Drop, Black	Lifetime	B-7
787535	7-Way Junction Box	1 Year	C-66	80213-002	Class III Ball Mount, 5,000 lbs. GTW, 1" Ball Hole, 10" Length, 6-3/4" Rise, 8" Drop, Black (2 pack)	Lifetime	B-7
7894	Replacement Part, Prodigy®, P3® and Primus™ 3 ft. Pigtail Harness Kit	1 Year	H-11	80226	Angle Cut Class III Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-1/2" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-7
7901 10†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3210 Shank (Standard)	Lifetime	D-13	80226-006	Angle Cut Class III Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 10-1/2" Length, 3/4" Rise, 2" Drop, Black (6 pack)	Lifetime	B-7
7901 12†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3212 Shank	Lifetime	D-13	80227	Angle Cut Class III Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-7
7901 14†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3214 Shank	Lifetime	D-13	80227-006	Angle Cut Class III Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop, Black (6 pack)	Lifetime	B-7
7901 15†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3215 Shank	Lifetime	D-13	80228	Angle Cut Class III Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 11-1/4" Length, 2-3/4" Rise, 4" Drop, Black	Lifetime	B-7
7901†	Trunnion Bar Bolt-Together Wt. Dist. Kit, 10,000 lbs. (GTW), 600 lbs. (TW)	Lifetime	D-11	80228-006	Angle Cut Class III Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 11-1/4" Length, 2-3/4" Rise, 4" Drop, Black (6 pack)	Lifetime	B-7
7902 10†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3210 Shank (Standard)	Lifetime	D-13	80232	Angle Cut Class III Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 16" Length, 3/4" Rise, 2" Drop, Black	Lifetime	B-7
7902 12†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3212 Shank	Lifetime	D-13	80233	Angle Cut Class III Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 16" Length, 2-3/4" Rise, 4" Drop, Black	Lifetime	B-7
7902 14†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3214 Shank	Lifetime	D-13	80239	Class III Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, Black	Lifetime	B-7
7902 15†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3215 Shank	Lifetime	D-13	80239-006	Class III Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop, Black (6 pack)	Lifetime	B-7
7902†	Trunnion Bar Bolt-Together Wt. Dist. Kit, 10,000 lbs. (GTW), 800 lbs. (TW)	Lifetime	D-11	80240	Class III Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9-3/4" Length, 4-3/4" Rise, 6" Drop, Black	Lifetime	B-7
7903 10†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3210 Shank (Standard)	Lifetime	D-13	80248	Ball Mount, 5,000 lbs. GTW (Drop Position) & 3,500 GTW (Rise Position), 1" Ball Hole, 9" Length, 9-3/4" Rise, 11" Drop, Black	Lifetime	B-7
7903 12†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3212 Shank	Lifetime	D-13				
7903 14†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3214 Shank	Lifetime	D-13				
7903 15†	Trunnion Bar Bolt-Together Wt. Dist. Kit w/#3215 Shank	Lifetime	D-13				
7903†	Trunnion Bar Bolt-Together Wt. Dist. Kit, 12,000 lbs. (GTW), 1200 lbs. (TW)	Lifetime	D-11				
800075	Topwind Crank Assembly for 180	5 Year	J-16				
800090	Sidewind Crank Assembly for 180 - Horizontal Clevis - Mounting Hardware	5 Year	J-16, J-27				
800102	Mounting Hardware Not Included, Black Primed Finish, Horizontal Clevis, Sidewind Handle	5 Year	J-16, J-27				
8001090283	Crank Handle, Mounting Hardware Included, Black Prime Finish, Vertical Clevis	5 Year	J-21, J-27				
800144	Replacement Part, Handle, Gear & Bushing Kit	5 Year	J-28				
800148	Jack Accessory, Sidewind Crank, 16-1/2" Radius w/ Soft Touch Handle Grip For 12,000 lbs. Jacks with 13/16" Hex Socket	5 Year	J-27				
80037	Class III/IV 2" Sq. Receiver Cover w/Hidden Hitch Logo, Rubber	1 Year	B-24				

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
802650	Replacement Part, Amber Lens for #82600 Series Ag Light	1 Year	C-58, K-28
802651	Replacement Part, Red Lens for #82600 Series Ag Light	1 Year	C-58, K-28
802652	Replacement Part, Black/Blank Lens for #82600 Series Ag Light	1 Year	C-58, K-28
80300	Receiver Adapter, Reduces 2" to 1-1/4", 7" Length, 3,500 lbs.	1 Year	B-15
80301	Receiver Adapter, Reduces 2" to 1-1/4", 14" Length, 3,500 lbs.	1 Year	B-15
80303	Receiver Adapter, 1-1/4" to 2", 6" Length, 3,500 lbs., Class II Only	1 Year	B-15
80304	Receiver Adapter, 1-1/4" to 2", 10" Length, 3,500 lbs., Class II Only	1 Year	B-15
80305	Receiver Extension, 2" to 2" Extension, 14" Length, 3,500 lbs.	1 Year	B-15
80306	Receiver Extension, 2" to 2" Extension, 18" Length, 3,500 lbs.	1 Year	B-15
80307	Receiver Extension, 2" to 2" Extension, 8" Length, 3,500 lbs.	1 Year	B-15
80400	Bumper Guard, Black	1 Year	B-15
80404	Dual-Ball Ball Mount, 2" Sq. Hollow Shank, 10" Length, w/Black 1-7/8" (Rise) & 2" (Drop) Balls, Black	Lifetime	B-14
80405†	Dual-Ball Ball Mount, 2" Sq. Hollow Shank, 10" Length, w/Black 1-7/8" (Drop) & 2" (Rise) Balls, Black	Lifetime	B-14
80406	Dual-Ball Ball Mount, 2" Sq. Hollow Shank, 10" Length, w/Black 2" (Drop) & 2-5/16" (Rise) Balls, Black	Lifetime	B-14
80410	Clevis Ball Mount, 2" Sq. Hollow Shank, 11" Length, Rating 6,000/600 lbs. as Ball Mount w/1-1/4" Drop, Rating 6,000/600 lbs. as Clevis Mount w/3" Drop, 1" Holes, Black Finish	Lifetime	B-18
80412	Adjustable Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 12" Length, 8-3/8" Maximum Rise, 9-5/8" Maximum Drop, Black	Lifetime	B-13
80414	Adjustable Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 14" Length, 8-3/8" Maximum Rise, 9-5/8" Maximum Drop, Black	Lifetime	B-13
80417	Replacement Part, Adjustable Ball Mount, Shank Only	Lifetime	B-13
80418	Replacement Part, Adjustable Ball Mount, Ball Mount Plate Only	Lifetime	B-13
80420†	Cushioned Ball Mount, 10,000 lbs. GTW, 1" Ball Hole, 9-3/8" Length, 3/4" Rise, 2" Drop	1 Year	B-10
80421†	Cushioned Ball Mount, 10,000 lbs. GTW, 1" Ball Hole, 9-7/8" Length, 2-3/4" Rise, 4" Drop	1 Year	B-10
80422†	Cushioned Ball Mount, 10,000 lbs. GTW, 1" Ball Hole, 10-5/8" Length, 4-3/4" Rise, 6" Drop	1 Year	B-10
80425	Tri-Ball Ball Mount, 2" Sq. Hollow Shank w/Black 1-7/8", 2", & 2-5/16" Balls - Black	3 Year	B-14
80426	Tri-Ball Ball Mount, 2" Sq. Hollow Shank w/Chrome 1-7/8", 2", & 2-5/16" Balls - Black	3 Year	B-14
80470	Bumper Guard, Diamond Plate	1 Year	B-15
80472-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2-5/16" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11
80500	POD™ Brake Control, for 1 to 2 Axle Trailers, Timed Actuated	5 Year	H-10
80550	Pilot® Brake Control, for 1 to 3 Axle Trailers, Timed Actuated	Lifetime	H-10
80563-002†	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11
80565	Towing Starter Kit, w/Interlock® (Hex) Feature Ball Mount 2" Sq. x 8-1/2"L x 2"D x 3/4"R, 6000 lbs. & 2" Hitch Ball w/Bent Pin Barrel Receiver Locks, Plastic Storage Case	Lifetime	B-10
80570-002†	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2" Chrome Hitch Ball w/Pin & Clip	Lifetime	B-11
80583-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11

PART NO.	DESCRIPTION	WNTY	PAGE #
80644-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11
80791	Tri-Ball Ball Mount, 2" Sq. Solid Shank w/Black 1-7/8", 2", & 2-5/16" Balls, Black	Lifetime	B-14
80795	Dual-Ball Ball Mount, 2" Sq. Solid Shank, 8" Length, w/Black 1-7/8" & 2" Balls, Black	Lifetime	B-14
80796	Dual-Ball Ball Mount, 2" Sq. Solid Shank, 8" Length, w/Black 2" & 2-5/16" Balls, Black	Lifetime	B-14
80797	Dual-Ball Ball Mount, 2" Sq. Solid Shank, 8" Length, w/Chrome 1-7/8" & 2" Balls, Black	Lifetime	B-14
80798	Dual Ball Ball Mount, 2" Sq. Solid Shank, 8" Length, w/Chrome 2" & 2-5/16" Balls, Black	Lifetime	B-14
80799	Tri-Ball Ball Mount, 2" Sq. Solid Shank w/Chrome 1-7/8", 2", & 2-5/16" Balls, Black	Lifetime	B-14
80806	Receiver Fabrication Part, 6" Combo Bar 2" Sq. ID w/ Collar, Painted	1 Year	A-16
80812	Receiver Fabrication Part, 12" Combo Bar 2" Sq. ID w/ Collar, Painted	1 Year	A-16
80818	Receiver Fabrication Part, 18" Combo Bar 2" Sq. ID w/ Collar, Painted	1 Year	A-16
80953	Receiver Tube Cover, 2" Sq., Black Plastic	1 Year	B-25
80980	Receiver Tube Cover, 2" Sq., Brake Light w/4-Flat Plug	1 Year	B-25
81378	Step Bumper Receiver, Class II 2" Sq. Universal Fit, 3,500 lbs. GTW/350 lbs. TW, Black	Lifetime	A-14
82000	Class III & IV Receiver (82xxx Series) - Multi-Fit	Lifetime	A-8
82200	Multi-Fit Motor Home Hitch, Fits Frames 31" to 46" Wide, Black, 5,000 lbs. WC, 6,000 lbs. WD	Lifetime	A-14
82201	Multi-Fit Motor Home Hitch, Fits Frames 47" to 71" Wide, Black, 3,500 lbs. WC	Lifetime	A-14
82571†	Class III & IV Receiver (82xxx Series)	Lifetime	A-14
82574	Class III & IV Receiver (82xxx Series)	Lifetime	A-14
82575	Class III & IV Receiver (82xxx Series)	Lifetime	A-14
8260001	Dual Ag Light w/Amber/Red/Blank, Includes Left Hand Molded Tri-Plug	1 Year	C-58, K-28
8260101	Dual Ag Light w/Red/Blank Amber/Amber, Includes Right Hand Molded Tri-Plug	1 Year	C-58, K-28
8260501	Ag Light, Single w/Red/Black, Includes Molded Tri-Plug	1 Year	C-58, K-28
8260502	Ag Light, Single w/Red/Blank, Includes 2-Way Weather Pack	1 Year	C-58, K-28
8260601	Ag Light, Single w/Amber/Amber, Includes Molded Tri-Plug	1 Year	C-58, K-28
8260602	Ag Light, Single w/Amber/Amber, Includes 2-Way Weather Pack Shroud	1 Year	C-58, K-28
8260604	Ag Light, Single w/Amber/Amber, Includes Molded 4-Flat	1 Year	C-58, K-28
8261001	Ag Light, Single w/Red/Black w/ Brake Light Function, Includes Molded Tri-Plug	1 Year	C-58, K-28
8261002	Ag Light, Single w/Red/Black w/Brake Light Function, Includes 2-Way Weather Pack Shroud	1 Year	C-58, K-28
8261501	Dual Ag Light w/Amber/Amber Red/Blank w/Brake Light Function, Includes Left Hand Molded Square 4 Plug	1 Year	C-58, K-28
8261601	Dual Ag Light w/Red/Blank Amber/Amber w/Brake Light Function, Includes Right Hand Molded Square 4 Plug	1 Year	C-58, K-28
8261605	Dual Ag Light w/Red/Blank Amber/Amber w/Brake Light Function, Includes Right Hand 4-Flat Male Plug Weather Pack - Custom	1 Year	C-58, K-28
83001	Elite™ Series Fifth Wheel 12" Round Lube Plate, 3/16" Thick	2 Years	E-17
83002	Fifth Wheel 10" Round Lube Plate, 3/16" Thick	2 Years	E-17
83003	Titan® 16K Fifth Wheel Lube Plate	2 Years	E-7, E-17
83004	Titan® 16K Fifth Wheel 12" Thin Round Lube Plate, 1/8" Thick	2 Years	E-7, E-17
83058-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2-5/16" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11
83238-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2-5/16" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
8339	Fold-Down Gooseneck Hitch w/2-5/16" Ball, Rating 25,000 lbs.	Lifetime	G-7, G-9	94621	Goose Box™, 2-5/16" Gooseneck RV Coupler For Lippert #1621 & #1716 Wing Sets (Bulk & Order In Multiple of 3 Only)	Lifetime	F-3, G-3
83407-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 2,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 1-7/8" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11	94622	Goose Box™, 2-5/16" Gooseneck RV Coupler For Lippert #1621 & #1716 Wing Sets (Boxed & Purchased Individually)	Lifetime	F-3, G-3
83500†	Brakeman® Digital Brake Control, for 1 to 4 Axle Trailers, Timed Actuated	Lifetime	H-7	9464	Hide-A-Goose™ Wide Head	Lifetime	G-7
83501	Brakeman® Compact Brake Control, for 1 to 2 Axle Trailers, Timed Actuated	5 Year	H-7	9465	Hide-A-Goose™ Narrow Head	Lifetime	G-7
83504	Brakeman® IV Digital Brake Control, for 1 to 4 Axle Trailers, Timed Actuated	Lifetime	H-6	9466	Hide-A-Goose™ Head, RAM 3500 HD (Does Not Require Rail Kit)	Lifetime	G-7
83520	Brakeman® Ultra Brake Control, for 1 to 4 Axle Trailers, Timed Actuated	Lifetime	H-6	9467	Hide-A-Goose™ Head, RAM 2500 HD (Does Not Require Rail Kit)	Lifetime	G-7
83563-002†	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11	9470	Under-Bed Gooseneck Wide Head	Lifetime	G-9
83565	Towing Starter Kit, w/Interlock® (Hex) Feature Ball Mount 2" Sq. x 8-1/2"L x 2"D x 3/4"R, 6000 lbs. & 2" Hitch Ball w/Bent Pin Barrel Receiver Locks, Plastic Storage Case	Lifetime	B-10	9474	Under-Bed Gooseneck Wide Head	Lifetime	G-9
83570-002†	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 6,000 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2" Chrome Hitch Ball w/Pin & Clip	Lifetime	B-11	9475	Under-Bed Gooseneck Narrow Head	Lifetime	G-9
83583-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 8-1/2" Length, 3/4" Rise, 2" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11	9476	Under-Bed Gooseneck Head, RAM 3500 HD (Does Not Require Rail Kit)	Lifetime	G-9
83637	Drawbar Kit for OEM Dodge Magnum Hitch, Drawbar (2,000 lbs. w/3/4" Ball Hole), Pin and Clip, Black	Lifetime	B-5	9477	Under-Bed Gooseneck Head, RAM 2500 HD (Does Not Require Rail Kit)	Lifetime	G-9
83644-002	Towing Starter Kit, w/Quick-Loading 2" Sq. Ball Mount, 7,500 lbs. GTW, 1" Ball Hole, 9" Length, 2-3/4" Rise, 4" Drop & 2" Chrome Hitch Ball w/Pin & Clip (2-Pack)	Lifetime	B-11	9480	Hide-A-Goose™ 18K Hi-Rise™ Fifth Wheel Conversion Hitch	5 Year	G-8
83660	Pro Series™ Friction Sway Control	10 Year	D-17	9481	Under-Bed Gooseneck 18K Hi-Rise™ Fifth Wheel Conversion Hitch	5 Year	G-10
85-767010	Oval Chrome Trim Snap Ring	1 Year	K-11	9500100	Cargo Net - 36" x 48"	1 Year	I-49
90-03-327	Replacement Part, Clearance Light Lens Red with Screws	1 Year	K-42	9500500	Cargo Net - Pickup Truck - 60" x 78"	1 Year	I-49
90-03-328	Replacement Part, Clearance Light Lens Amber with Screws	1 Year	K-24, K-42	9500600	Universal Heavy Duty Truck Net	1 Year	I-49
90-03-336	Replacement Part, Taillight & Clearance Light Replacement Lens Set with Screws	1 Year	K-22	9500700†	Tailgate Net - Mini/Mid Size Pickup - 52" x 16"	1 Year	I-49
9008400	Stretch Cord Assortment - 24 pc.	1 Year	I-44	9500800†	Tailgate Net - Full Size Pickup - 56" x 18-1/2"	1 Year	I-49
9008600	Bungee Cord Assortment - 12 pc.	1 Year	I-44	9560S01	Replacement Part, KX1051 Winch Cover Kit	5 Year	J-62
90160	Primus™ IQ Electronic Brake Control, for 1 to 3 Axle Trailers, Proportional	Lifetime	H-5	98929-2015	All-In-One Product Catalog		P-13
90195	P3® Electronic Brake Control, for 1 to 4 Axle Trailers, Proportional	Lifetime	H-4	98931-2015	All-In-One Application Catalog		P-13
90250	Prodigy® RF Electronic Brake Control, for 1 to 3 Axle Trailers, Trailer Mounted, Proportional	15 Year	H-3	9980760	SPINNER RACK		P-6
90251	Replacement Part, Prodigy® RF Hand Held Remote	5 Year	H-3	A2003C0317	Adjustable Coupler, Cast Head, w/Hardware, 3 Position Channel, 8000 lbs.	5 Year	J-39
9030	Voyager® Electronic Brake Control, for 1 to 4 Axle Trailers, Proportional	5 Year	H-5	A2005C0317	Adjustable Coupler, Cast Head, w/Hardware, 5 Position Channel, 8000 lbs.	5 Year	J-39
90885	Prodigy® P2 Electronic Brake Control, for 1 to 4 Axle Trailers, Proportional	Lifetime	H-3	A200C 0317	Adjustable Coupler, Cast Head, w/Hardware, Less Channel, 8000 lbs. - Primed	5 Year	J-39
9133900	Tarp Strap Assortment - 6 pc. - (2) 15", (2) 21", (2) 31"	1 Year	I-46	A200S 0303	Adjustable Coupler w/Hardware, Less Channel, 8000 lbs. - Black	1 Year	J-40
9235P01	Winch Handle, 10"	5 Year	J-62	A2563C0317	Adjustable Coupler, Cast Head, w/Hardware, 3 Position Channel, 14,000 lbs.	5 Year	J-39
9412000	Fat Strap Cord - 20"	1 Year	I-44	A2565C0317	Adjustable Coupler, Cast Head, w/Hardware, 5 Position Channel, 14,000 lbs.	5 Year	J-39
9413000	Fat Strap Cord - 30"	1 Year	I-44	A256C 0317	Adjustable Coupler, Cast Head, w/Hardware, Less Channel, 14,000 lbs. - Primed	5 Year	J-39
9414500	Fat Strap Cord - 45"	1 Year	I-44	A256S 0303	Adjustable Coupler w/Hardware, Less Channel, 14,000 lbs. - Black	1 Year	J-40
9414900	Adjustable Fat Strap - 10" to 45", Orange/Black	1 Year	I-44	AC300 0300	4 Hole, 3 Position Channel, w/8" Height		J-39, J-40
9417400	Carabiner Bungee Cord - 18" Blue	1 Year	I-45	AC500 0300	6 Hole, 5 Position Channel, w/11-3/4" Height		J-39, J-40
9417500	Carabiner Bungee Cord - 24" Red	1 Year	I-45	BB17810112	Bearing Protector Covers, 1.781"	5 Year	M-18
9417600	Carabiner Bungee Cord - 32" Green	1 Year	I-45	BB19800112	Bearing Protector Covers, 1.980"	5 Year	M-18
9417700	Carabiner Bungee Cord - 40" Yellow	1 Year	I-45	BB19800312	Bearing Protector Covers, 1.980"	5 Year	M-18
9431200	Carabiner Fat Strap Cord - 15" Blue	1 Year	I-45	BB24410112	Bearing Protector Covers, 2.328" & 2.441"	5 Year	M-18
9431300	Carabiner Fat Strap Cord - 20" Red	1 Year	I-45	BB24410312	Bearing Protector Covers, 2.328" & 2.441"	5 Year	M-18
9431400	Carabiner Fat Strap Cord - 30" Green	1 Year	I-45	BGR20 0101	Roller Guides Kit (a pair)	5 Year	M-25
9431500	Carabiner Fat Strap Cord - 45" Yellow	1 Year	I-45	BP198S0304	Bearing Protector, 1.980"	5 Year	M-18
9460	Hide-A-Goose™ Wide Head	Lifetime	G-7	BP232S0304	Bearing Protector, 2.328"	5 Year	M-18
				BP232S0604	Bearing Protector, 2.328"	5 Year	M-18
				BP244S0304	Bearing Protector, 2.441"	5 Year	M-18
				BP244S0604	Bearing Protector, 2.441"	5 Year	M-18
				BPC1780604	Bearing Protector, 1.781" w/Covers	5 Year	M-18
				BPC1980604	Bearing Protector, 1.980" w/Covers	5 Year	M-18
				CA5550301	Caster Adapter Plate - used w/HC1 & HDC1	5 Year	J-25
				CE555 0101	6" Caster - Fits 2" Round Inner Tube - 1200 lbs.	5 Year	J-7, J-25
				CE555 0301	6" Caster - Fits 2" Round Inner Tube - 1200 lbs. Zinc	5 Year	J-7, J-25
				CH 0701	Coupler Handle, Carded	5 Year	J-48
				CHA0010140	Safety Chain, Grade 30, 1/4" x 24' w/S-Hook w/Latch	1 Year	M-22

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #
CHA0010340	Safety Chain, Grade 30, 1/4" x 24" w/ 7/16" Wire Safety Latch	1 Year	M-22
CHA0020324	Safety Chain, Grade 70, 1/4" x 36" w/ 1/4" Clevis Hook	1 Year	M-22
CHA0030140	Safety Chain, Grade 43, 1/4" x 24" w/S-Hook w/Latch	1 Year	M-22
CHA0030340	Safety Chain, Grade 43, 1/4" x 24" w/ 7/16" Wire Safety Latch	1 Year	M-22
CHA0040324	Safety Chain, Grade 70, 5/16" x 36" w/ 5/16" Clevis Hook	1 Year	M-22
CHA0050324	Safety Chain, Grade 70, 5/16" x 42" w/ 5/16" Clevis Hook	1 Year	M-22
CHA0060324	Safety Chain, Grade 70, 3/8" x 36" w/ 3/8" Clevis Hook	1 Year	M-22
CHA0070324	Safety Chain, Grade 70, 1/2" x 42" w/ 1/2" Clevis Hook	1 Year	M-22
CLK15 0100	Cable Lock w/Key, 15'	5 Year	L-5
CP555 0301	6" Caster - Fits 2" Round Inner Tube - 1500 lbs.	5 Year	J-25
CR8008	Bunk Carpeting, 8" x 144"	5 Year	M-25
CR8012	Bunk Carpeting, 12" x 144"	5 Year	M-25
CS730300	Cross Shaft Tube w/Slotted Ends & Mounting Hardware, 72-3/4" Length	5 Year	J-16, J-21
DF35000324	Drop Leg 3,500 lbs. SQ Tube	5 Year	J-26
E112000340	Coupler, Straight Channel, Ball Size 1-7/8", 2" Tongue Mount Width, Zinc Finish, Rating 2,000 lbs.	5 Year	J-48
E112500340	Coupler, Straight Channel, Ball Size 1-7/8", 2-1/2" Tongue Mount Width, Zinc Finish, Rating 2,000 lbs.	5 Year	J-48
E113000340	Coupler, Straight Channel, Ball Size 1-7/8", 3" Tongue Mount Width, Zinc Finish, Rating 2,000 lbs.	5 Year	J-48
E333050303	Coupler, A-Frame, 5,000 lbs., Class III, Value Series, Black Primer, 2" Ball	5 Year	J-48
E338050303	Coupler, A-Frame, Yoke-Style, 5,000 lbs., Class III, Black Primer, 2" Ball	1 Year	J-40
E438050303	Coupler, A-Frame, Yoke-Style, 8,000 lbs., Class IV, Black Primer, 2" Ball	1 Year	J-40
E443050303	Coupler, A-Frame, 10,000 lbs., Class IV, Value Series, Black Primer, 2-5/16" Ball	5 Year	J-48
EA20000103	2000 lbs., TW, A-Frame, 14" Travel, Black	1 Year	J-9
EA20000303	2000 lbs., TW, A-Frame, 14" Travel, Black	1 Year	J-9
EA20000340	Jack, 2000 lbs., A-Frame	1 Year	J-9
EJ10000101	1000 lbs., Swivel, Zinc Plated, 6" Poly Wheel	1 Year	J-32
EJ10000301	1000 lbs., Swivel, Zinc Plated, 6" Poly Wheel	1 Year	J-32
ETC 0101	Spare Tire Carrier, Economy	5 Year	M-24
ETCHL 0700	Spare Tire Carrier with Bracket	5 Year	M-24
ETCLB 0201	Spare Tire Carrier, Economy w/Locking Brackets	5 Year	M-24
ETCLB 0700	Spare Tire Carrier, Economy w/Locking Brackets	5 Year	M-24
ETCSTL0701	Spare Tire Carrier, Economy w/Lock (STL Lock Included)	5 Year	M-24
F3500 0324	Foot Plate-SQ Tube	5 Year	J-26
FP20000201	Disc Foot w/Hardware - 2,000 lbs.	5 Year	J-26
FW16000101	F2™ Winch, 1600 lbs., w/Strap	Lifetime	J-54
FW16000301	F2™ Winch, 1600 lbs. (Strap Sold Separately)	Lifetime	J-54
FW160020301	F2™ Winch, 1600 lbs., w/Strap	Lifetime	J-54
FW20000101	F2™ Winch, 2000 lbs., w/Strap	Lifetime	J-54
FW20000301	F2™ Winch, 2000 lbs., w/Strap	Lifetime	J-54
FW32000101	F2™ Winch, 2-Speed, 3200 lbs., w/Strap	Lifetime	J-54
FW32000301	F2™ Winch, 2-Speed, 3200 lbs., w/Strap	Lifetime	J-54
FW3200S01	Replacement Part, F2™ Winch 2-Speed Sun Gear Kit for #FW32000101, #FW32000301, #FWH32000301	Lifetime	J-54
GB150 0100	Boat Guide Kit, 50" (a pair)	5 Year	M-25
GB44 0101	Boat Guide Kit, 44" (a pair)	5 Year	M-25
GN24 0200	24K Cast Gooseneck Coupler Kit		J-42
HD25000101	2500 lbs., Square Tube, Fixed Mount	5 Year	J-35
HD50000101	5000 lbs., Square Tube, Fixed Mount	5 Year	J-35
HD50000301	5000 lbs., Square Tube, Fixed Mount	5 Year	J-35
HDDS 0201	Shaft-Handle, Hex Drive-Zinc	5 Year	J-27
HDPB230101	Fold-Away Bolt-On Hinge Kit, 2" x 3" Trailer Beam, Zinc Finish, Rating 5,000 lbs.	5 Year	J-49
HDPB230301	Fold-Away Bolt-On Hinge Kit, 2" x 3" Trailer Beam, Zinc Finish, Rating 5,000 lbs.	5 Year	J-49

PART NO.	DESCRIPTION	WNTY	PAGE #
HDPB330101	Fold-Away Bolt-On Hinge Kit, 3" x 3" Trailer Beam, Zinc Finish, Rating 5,000 lbs.	5 Year	J-49
HDPB330301	Fold-Away Bolt-On Hinge Kit, 3" x 3" Trailer Beam, Zinc Finish, Rating 5,000 lbs.	5 Year	J-49
HDPB340101	Fold-Away Bolt-On Hinge Kit, 3" x 4" Trailer Beam, Zinc Finish, Rating 7,500 lbs.	5 Year	J-49
HDPB340301	Fold-Away Bolt-On Hinge Kit, 3" x 4" Trailer Beam, Zinc Finish, Rating 7,500 lbs.	5 Year	J-49
HDPB350101	Fold-Away Bolt-On Hinge Kit, 3" x 5" Trailer Beam, Zinc Finish, Rating 9,000 lbs.	5 Year	J-49
HDPB350301	Fold-Away Bolt-On Hinge Kit, 3" x 5" Trailer Beam, Zinc Finish, Rating 9,000 lbs.	5 Year	J-49
HDPW230300	Fold-Away Weld-On Hinge Kit, 2" x 3" Trailer Beam, Raw Finish, Rating 5,000 lbs.	5 Year	J-49
HDPW330300	Fold-Away Weld-On Hinge Kit, 3" x 3" Trailer Beam, Raw Finish, Rating 5,000 lbs.	5 Year	J-49
HDPW340300	Fold-Away Weld-On Hinge Kit, 3" x 4" Trailer Beam, Raw Finish, Rating 7,500 lbs.	5 Year	J-49
HDPW350300	Fold-Away Weld-On Hinge Kit, 3" x 5" Trailer Beam, Raw Finish, Rating 9,000 lbs.	5 Year	J-49
HDSTC 0101	Spare Tire Carrier, Heavy Duty	5 Year	M-24
JC1000300	J-Clip For Safety Chain	3 Year	M-23
K1051 0101	Brake Winch, 1000 lbs.	5 Year	J-60
K1051 0301	Brake Winch, 1000 lbs.	5 Year	J-60
K1550 0101	Brake Winch, 1500 lbs.	5 Year	J-60
K1550 0301	Brake Winch, 1500 lbs.	5 Year	J-60
K2550 0101	Brake Winch, 2500 lbs.	5 Year	J-60
K2550 0301	Brake Winch, 2500 lbs.	5 Year	J-60
K650 0101	Brake Winch, 600 lbs.	5 Year	J-60
K650 0301	Brake Winch, 600 lbs.	5 Year	J-60
KR10000301	Brake Winch, 1000 lbs., Standard Series	1 Year	J-61
KR15000301	Brake Winch, 1500 lbs., Standard Series	1 Year	J-61
KW15000103	Worm Gear Winch, 1500 lbs.	5 Year	J-61
KW20000103	Worm Gear Winch, 2000 lbs.	5 Year	J-61
KW30000103	Worm Gear Winch, 3000 lbs.	5 Year	J-61
KX10510101	Brake Winch, 1000 lbs.	5 Year	J-60
KX10510301	Deluxe Brake Winch, 1000 lbs.	5 Year	J-60
KX15500101	Deluxe Brake Winch, 1500 lbs.	5 Year	J-60
KX15500301	Deluxe Brake Winch, 1500 lbs.	5 Year	J-60
LPOG31001	Bargman 4' x 4' Combined Lighting Planogram	1 Year	K-59, K-60
LPOG31002	Bargman 2' x 4' LED Lighting Planogram	1 Year	K-59, K-61
LPOG31003	Bargman 3' x 4' Incandescent Lighting Planogram	1 Year	K-59, K-61
OML 0127	Outboard Motor Lock	5 Year	L-5
P20520-00	Mounting Bracket for Snap Ring Mount, 3/8" Pin	5 Year	J-27
P9012-00	Mounting Bracket-1/2" Pin w/Lip	5 Year	J-35
P9086-00	Retaining Ring for Snap Ring Mount Jacks	5 Year	J-28
P9222-00	Mounting Bracket for Snap Ring Mount, 1/2" Pin	5 Year	J-8, J-27
PQM19-00	Weld-On Male Mount, 5/8" Pin - fits 2.5" Square Mount	5 Year	J-7
RV20000103	2000 lbs., SW, A-Frame, 14" Travel, Black	1 Year	J-9
RV20000303	2000 lbs., SW, A-Frame, 14" Travel, Black	1 Year	J-9
SJ1 0300	Stabilizer, 2" Sq. x 13"L, Raw	5 Year	J-36
SJ2 0324	Stabilizer, 1.75" Sq. x 28.75", Adjusts from 25" to 37"	5 Year	J-36
SJ4 0324	Stabilizer, 1.75" Sq. x 20", Adjusts from 18" to 28"	5 Year	J-36
SJL8 0300	Stabilizer, 1.5" Square, Adjusts from 8" to 27"	5 Year	J-36
SJW 0324	Stabilizer, 1.75" x 30.5"- Yellow Zinc	5 Year	J-36
SPB50 0300	Bottom Support Plate w/2.29" Dia. Hole	5 Year	J-25
SPBQ500300	Bottom Support Plate w/2.3" Dia. Square Hole	5 Year	J-25
ST400	Sidewinder Turret w/Hardware	Lifetime	F-9, F-10
ST400-5AS16K	Fifth Airborne Sidewinder Combo	Lifetime	F-7
ST400-SW16K	Sidewinder Combo, Turret w/Hardware & Arm w/King Pin #ST400	Lifetime	F-10
ST400-SW19K	Sidewinder Combo, Turret w/Hardware & Arm w/King Pin #ST400	Lifetime	F-9
ST500†	Sidewinder Turret w/Hardware	Lifetime	F-9, F-10
STC1000101	Spare Tire Carrier, Bolt-On	5 Year	M-24
STC1000301	Spare Tire Carrier, Bolt-On	5 Year	M-24

NUMERICALS

PART NO.	DESCRIPTION	WNTY	PAGE #	PART NO.	DESCRIPTION	WNTY	PAGE #
STL 0603	Spare Tire Lock	1 Year	L-5	TJ12220301	JACK-1200 lbs. FIXED MOUNT-	5 Year	J-35
SW16K	Sidewinder 16K	Lifetime	F-10	TK100 0100	Trailer Keeper Lock	5 Year	B-21, L-2
SWW-01	Sidewinder Wedge Kit, Elite™ Series	Lifetime	F-10	WB100 0700	Wheel Bearing Kit, 1"	5 Year	M-18
SWW-03	Sidewinder Wedge Kit, Select Series	Lifetime	F-10	WB106 0700	Wheel Bearing Kit, 1-1/16"	5 Year	M-18
SWW-04	Sidewinder Wedge Kit, Husky	Lifetime	F-10	WB138T0700	Wheel Bearing Kit w/ Dust Cover, 1-3/8" & 1-1/16"	5 Year	M-18
SWW-05	Sidewinder Wedge Kit, Hi - Jacker	Lifetime	F-10	WC325 0100	3/16" x 25' Cable w/Hook	5 Year	J-61
SWW-06	Sidewinder Wedge Kit, B&W	Lifetime	F-10	WC750 0100	7/32" x 50' Cable w/Hook	5 Year	J-61
SWW-07	Sidewinder Wedge Kit, RBW	Lifetime	F-10	WS20 0200	Winch Strap w/Hook, 2" x 20'	5 Year	J-61
SWW-08	Sidewinder Wedge Kit, Colibert	Lifetime	F-10	WS20 0700	Winch Strap w/Hook, 2" x 20'	5 Year	J-61
SWW-09	Sidewinder Wedge Kit, Pullrite	Lifetime	F-10	WS20DP0200	Replacement Part, Winch Strap w/Hook, 2" x 20'	5 Year	J-61
T1100 0101	Winch, 1100 lbs., Single-Speed	5 Year	J-56	WS20HD0200	Winch Strap w/Hook, 2" x 20', Heavy Duty	5 Year	J-61
T1100 0301	Winch, 1100 lbs., Single-Speed	5 Year	J-56	WS20HD0600	Winch Strap w/Hook, 2" x 20', Heavy Duty	5 Year	J-61
T1100Z0101	Winch, 1100 lbs., Single-Speed w/20' Strap	5 Year	J-56	WSP12 0100	Winch Strap w/Hook & Loop, 2" X 12'	5 Year	J-61
T1300 0101	Winch, 1300 lbs., Single-Speed	5 Year	J-56	WSP12 0200	Winch Strap w/Hook & Loop, 2" X 12'	5 Year	J-61
T1300 0301	Winch, 1300 lbs., Single-Speed	5 Year	J-56	XL14ZB101	Winch, 1400 lbs., Single-Speed w/20' Strap, Black Cover	5 Year	J-56
T1300Z0101	Winch, 1300 lbs., Single-Speed w/20' Strap	5 Year	J-56	XL14ZB301	Winch, 1400 lbs., Single-Speed w/20' Strap, Black Cover	5 Year	J-56
T1500 0101	Winch, 1500 lbs., Single-Speed	5 Year	J-56	XL18ZB101	Winch, 1800 lbs., Single-Speed w/20' Strap, Black Cover	5 Year	J-56
T1500 0301	Winch, 1500 lbs., Single-Speed	5 Year	J-56	XL18ZB301	Winch, 1800 lbs., Single-Speed w/20' Strap, Black Cover	5 Year	J-56
T1500Z0101	Winch, 1500 lbs., Single-Speed w/20' Strap	5 Year	J-56	XL20ZB301	Winch, 2000 lbs., 2-Speed w/20' Strap, Black Cover	5 Year	J-57
T1500Z0301	Winch, 1500 lbs., Single-Speed w/20' Strap	5 Year	J-56	XL26ZB301	Winch, 2600 lbs., 2-Speed w/20' Strap, 10" Handle, Black Cover	5 Year	J-58
T1500ZC101	Winch, 1500 lbs., Single-Speed w/20' Strap & Cover	5 Year	J-56	XL26ZC301	Winch, 2600 lbs., 2-Speed w/20' Strap, 6-1/4" Handle, Black Cover, Mounting Holes On Center	5 Year	J-58
T1602 0101	Winch, 1600 lbs., Single-Speed	5 Year	J-56	XL32ZB301	Winch, 3200 lbs., 2-Speed w/Heavy Duty 20' Strap, Black Cover	5 Year	J-58
T1602 0301	Winch, 1600 lbs., Single-Speed	5 Year	J-56	XP10 0101	Jack, 1200 lbs. Bolt-Thru Swivel Mount Sidewind w/6" Wheel	5 Year	J-34
T1801 0101	Winch, 1800 lbs., Single-Speed	5 Year	J-56	XP10 0301	Jack, 1200 lbs., Swing-Away, Bolt-On, Steel Construction, 10" Travel, 6" Poly Wheel	5 Year	J-34
T1801 0301	Winch, 1800 lbs., Single-Speed	5 Year	J-56	XP100W0301	Jack, 1200 lbs., Bolt-On Weld-On	5 Year	J-34
T1801Z0101	Winch, 1800 lbs., Single-Speed w/20' Strap	5 Year	J-56	XP10W 0301	Jack, 1200 lbs., Swing-Away, Weld-On, Steel Construction, 10" Travel, 6" Poly Wheel (Mounting Bracket Sold Separately)	5 Year	J-34
T1801Z0301	Winch, 1800 lbs., Single-Speed w/20' Strap	5 Year	J-56	XP10WC0301	Jack, 1200 lbs., Bolt-On 10" Weld-On	5 Year	J-34
T2005 0101	Winch, 2000 lbs., 2-Speed	5 Year	J-57	XP15 0101	Jack, 1500 lbs., Swing-Away, Bolt-On, Steel Construction, 10" Travel, 8" Poly Wheel	5 Year	J-34
T2005 0301	Winch, 2000 lbs., 2-Speed	5 Year	J-57	XP15 0301	Jack, 1500 lbs., Swing-Away, Bolt-On, Steel Construction, 10" Travel, 8" Poly Wheel	5 Year	J-34
T2005S0301	Winch, 2000 lbs., 2-Speed, Special Drum	5 Year	J-57	XP15L 0101	Jack, 1500 lbs., Swing-Away, Bolt-On, Steel Construction, 12" Travel, 8" Poly Wheel	5 Year	J-34
T2005SC301	Winch, 2000 lbs., 2-Speed, Mounting Holes On Center, w/o Strap	5 Year	J-57	XP15L 0301	Jack, 1500 lbs., Swing-Away, Bolt-On, Steel Construction, 12" Travel, 8" Poly Wheel	5 Year	J-34
T2005Z0101	Winch, 2000 lbs., 2-Speed w/20' Strap	5 Year	J-57	XP15W 0301	Jack, 1500 lbs., Swing-Away, Weld-On, Steel Construction, 10" Travel, 8" Poly Wheel (Mounting Bracket #P9012-00 Sold Separately)	5 Year	J-34
T2005Z0301	Winch, 2000 lbs., 2-Speed w/20' Strap	5 Year	J-57	XP15WC0301	Jack, 1500 lbs., Weld-On, Independent Caster (Mounting Bracket #P9012-00 Sold Separately)	5 Year	J-34
T2025 0301	Winch, 2000 lbs., 2-Speed, 1.75" Hub	5 Year	J-58	XPD15L0101	Jack, 1500 lbs., Swing-Away, Bolt-On, Steel Construction, 12" Travel, 6" Dual Wheel	5 Year	J-34
T2100 0301	Winch, 2100 lbs., Single-Speed	5 Year	J-56	XPD15L0301	Jack, 1500 lbs., Swing-Away, Bolt-On, Steel Construction, 12" Travel, 6" Dual Wheel	5 Year	J-34
T2605 0101	Winch, 2600 lbs., 2-Speed	5 Year	J-58				
T2605 0301	Winch, 2600 lbs., 2-Speed	5 Year	J-58				
T2605B0101	Winch, 2600 lbs., 2-Speed w/Brake	5 Year	J-58				
T2605B0301	Winch, 2600 lbs., 2-Speed w/Brake	5 Year	J-58				
T2605S0301	Winch, 2600 lbs., 2-Speed w/Special Drum	5 Year	J-58				
T2605SC301	Winch, 2600 lbs., 2-Speed, Mounting Holes On Center, w/o Strap	5 Year	J-58				
T2605Z0101	Winch, 2600 lbs., 2-Speed w/20' Strap	5 Year	J-58				
T2605Z0301	Winch, 2600 lbs., 2-Speed w/20' Strap	5 Year	J-58				
T2625 0101	Winch, 2600 lbs., 2-Speed, 1.75" Hub	5 Year	J-58				
T2625 0301	Winch, 2600 lbs., 2-Speed, 1.75" Hub	5 Year	J-58				
T3205 0101	Winch, 3200 lbs., 2-Speed	5 Year	J-58				
T3205 0301	Winch, 3200 lbs., 2-Speed	5 Year	J-58				
T3205B0101	Winch, 3200 lbs., 2-Speed w/Brake	5 Year	J-58				
T32ZHD0301	Winch, 3200 lbs., 2-Speed w/Heavy Duty 20' Strap	5 Year	J-58				
T3700 0101	Winch, 3700 lbs., 2-Speed	5 Year	J-58				
T3700 0301	Winch, 3700 lbs., 2-Speed	5 Year	J-58				
T600 0101	Winch, 600 lbs., Single-Speed	5 Year	J-56				
T600 0301	Winch, 600 lbs., Single-Speed	5 Year	J-56				
T600Z0301	Winch, 600 lbs., Single-Speed w/15' Strap	5 Year	J-56				
T900 0101	Winch, 900 lbs., Single-Speed	5 Year	J-56				
T900 0301	Winch, 900 lbs., Single-Speed	5 Year	J-56				
T900Z0101	Winch, 900 lbs., Single-Speed w/15' Strap	5 Year	J-56				
T900Z0301	Winch, 900 lbs., Single-Speed w/15' Strap	5 Year	J-56				
T903Z 0101	Winch, 900 lbs., Single-Speed for Personal Watercraft, w/12' Strap	5 Year	J-56				
T903Z 0301	Winch, 900 lbs. 2-WAY RATCHET W/STRAP	5 Year	J-56				
TJ12000101	Swivel Jack, 1200 lbs., Bolt-On, 6" Wheel	5 Year	J-34				
TJ120W0301	Swivel Jack, 1200 lbs., Weld-On, 6" Wheel	5 Year	J-34				

[illegible]

[illegible]

Q-42

[illegible]